

```
<!DOCTYPE html>

<html lang="en">

<head>

  <meta charset="UTF-8">

  <meta name="viewport" content="width=device-width, initial-scale=1.0">

  <title>For Muiii ✨ </title>

  <style>

    * {

      box-sizing: border-box;

      margin: 0;

      padding: 0;

      font-family: 'Segoe UI', Tahoma, Geneva, Verdana, sans-serif;

    }

    body {

      background-color: #fcf8f2;

      color: #333;

      overflow-x: hidden;

      min-height: 100vh;

      display: flex;

      justify-content: center;

      align-items: center;

      position: relative;

    }

    /* Watermark Background Styling */

    .background-watermarks {

      position: fixed;

      top: 0;

      left: 0;

      width: 100%;
```

```
height: 100%;  
z-index: 1;  
pointer-events: none;  
overflow: hidden;  
user-select: none;  
}
```

```
.watermark {  
  position: absolute;  
  font-weight: 800;  
  color: rgba(0, 0, 0, 0.035); /* Very light shade */  
  text-transform: uppercase;  
  line-height: 1;  
}
```

```
/* Placing the background terms loosely across the screen */
```

```
.wm1 { font-size: 8rem; top: 5%; left: -2%; transform: rotate(-15deg); }  
.wm2 { font-size: 11rem; top: 15%; right: -5%; transform: rotate(10deg); }  
.wm3 { font-size: 7rem; top: 45%; left: 8%; transform: rotate(-5deg); }  
.wm4 { font-size: 9rem; top: 38%; right: 12%; transform: rotate(-20deg); }  
.wm5 { font-size: 10rem; bottom: 25%; left: -4%; transform: rotate(12deg); }  
.wm6 { font-size: 8rem; bottom: 35%; right: 2%; transform: rotate(-8deg); }  
.wm7 { font-size: 12rem; bottom: 5%; left: 15%; transform: rotate(-18deg); }  
.wm8 { font-size: 9rem; bottom: -2%; right: 10%; transform: rotate(15deg); }
```

```
/* Container & Page Architecture */
```

```
.container {  
  position: relative;  
  z-index: 2;  
  width: 90%;  
  max-width: 650px;
```

```
padding: 2.5rem;
text-align: center;
}
```

```
.page {
  display: none;
  background: rgba(255, 255, 255, 0.85);
  backdrop-filter: blur(8px);
  -webkit-backdrop-filter: blur(8px);
  padding: 2.5rem;
  border-radius: 24px;
  box-shadow: 0 10px 30px rgba(0, 0, 0, 0.04);
  border: 1px solid rgba(255, 255, 255, 0.6);
  animation: fadeIn 0.5s ease forwards;
}
```

```
.page.active {
  display: block;
}
```

```
@keyframes fadeIn {
  from { opacity: 0; transform: translateY(15px); }
  to { opacity: 1; transform: translateY(0); }
}
```

```
/* Typography & Paragraphs */
```

```
p {
  font-size: 1.2rem;
  line-height: 1.7;
  color: #4a4a4a;
  margin-bottom: 2rem;
}
```

```
text-align: left;

white-space: pre-line; /* Keeps line breaks and spaces formatting */
}
```

```
/* Custom styling for the long emotional page */
```

```
#page3 p {
    font-size: 1.1rem;
    line-height: 1.6;
    word-wrap: break-word;
}
```

```
/* Button Styling */
```

```
.btn {
    display: inline-block;
    background: linear-gradient(135deg, #ff9a9e 0%, #fecfef 100%);
    color: #513c4c;
    font-size: 1.1rem;
    font-weight: 600;
    padding: 1rem 2.5rem;
    border: none;
    border-radius: 50px;
    cursor: pointer;
    box-shadow: 0 5px 15px rgba(255, 154, 158, 0.3);
    transition: all 0.3s ease;
}
```

```
.btn:hover {
    transform: translateY(-3px);
    box-shadow: 0 8px 20px rgba(255, 154, 158, 0.5);
}
```

```
.btn:active {
  transform: translateY(-1px);
}

.emoji-strip {
  font-size: 1.3rem;
  letter-spacing: 2px;
  word-break: break-all;
  margin-top: 1.5rem;
  line-height: 1.8;
  text-align: left;
}
</style>
</head>
<body>

<!-- Light Background Watermarks -->
<div class="background-watermarks">
  <div class="watermark wm1">MUI</div>
  <div class="watermark wm2">-2.2</div>
  <div class="watermark wm3">TABRUCH</div>
  <div class="watermark wm4">SHILUDI</div>
  <div class="watermark wm5">ALWAYS</div>
  <div class="watermark wm6">MENTAL</div>
  <div class="watermark wm7">TOODLES</div>
  <div class="watermark wm8">LY</div>
</div>

<!-- Main Content Screens -->
<div class="container">
```



```
const pages = document.querySelectorAll('.page');
pages.forEach(page => page.classList.remove('active'));

// Show requested page
const targetPage = document.getElementById(`page${pageNumber}`);
if (targetPage) {
    targetPage.classList.add('active');
}
}
</script>
</body>
</html>
```