


Supplemental Figure 1. Aspergillus ICD Code Mapping: Best Match Forward Sankey Network


Nodes represent individual ICD codes across versions (ICD-9, -10, -11), connected by links indicating mapping pairs with the highest match score, with ties. Primary mapping utilized a stepwise strategy requiring a minimum cumulative match score of 45 out of 100 points. To capture complex relationships, a “skip-link” strategy was employed for pairs that either failed the initial threshold or exceed the stepwise score by ≥ 10 points. Codes with unlinked nodes (“Orphan” codes) represent version-specific entries that did not meet the minimum match criteria in either strategy and are indicated by a pink node with text indicating the ICD version(s) to which it is unique. Light Blue Nodes: ICD-9, Dark Blue Nodes: ICD-10, and Yellow Nodes: ICD-11



Supplemental Figure 2. Aspergillus ICD Code Mapping: Best Match Reverse Sankey Network

Nodes represent individual ICD codes across versions (ICD-11, -10, -9), connected by links indicating mapping pairs with the highest match score, with ties. Primary mapping utilized a stepwise strategy requiring a minimum cumulative match score of 45 out of 100 points. To capture complex relationships, a “skip-link” strategy was employed for pairs that either failed the initial threshold or exceed the stepwise score by ≥ 10 points. Codes with unlinked nodes (“Orphan” codes) represent version-specific entries that did not meet the minimum match criteria in either strategy and are indicated by a pink node with text indicating the ICD version(s) to which it is unique. Light Blue Nodes: ICD-9, Dark Blue Nodes: ICD-10, and Yellow Nodes: ICD-11


Forward Mapping Blastomyces ICD Codes



Supplemental Figure 3. Blastomyces ICD Code Mapping: Best Match Forward Sankey Network

Nodes represent individual ICD codes across versions (ICD-9, -10, -11), connected by links indicating mapping pairs with the highest match score, with ties. Primary mapping utilized a stepwise strategy requiring a minimum cumulative match score of 45 out of 100 points. To capture complex relationships, a “skip-link” strategy was employed for pairs that either failed the initial threshold or exceed the stepwise score by ≥ 10 points. Codes with unlinked nodes (“Orphan” codes) represent version-specific entries that did not meet the minimum match criteria in either strategy and are indicated by a pink node with text indicating the ICD version(s) to which it is unique. Light Blue Nodes: ICD-9, Dark Blue Nodes: ICD-10, and Yellow Nodes: ICD-11

Reverse Mapping Blastomyces ICD Codes



Supplemental Figure 4. Blastomyces ICD Code Mapping: Best Match Reverse Sankey Network


Nodes represent individual ICD codes across versions (ICD-11, -10, -9), connected by links indicating mapping pairs with the highest match score, with ties. Primary mapping utilized a stepwise strategy requiring a minimum cumulative match score of 45 out of 100 points. To capture complex relationships, a “skip-link” strategy was employed for pairs that either failed the initial threshold or exceed the stepwise score by ≥ 10 points. Codes with unlinked nodes (“Orphan” codes) represent version-specific entries that did not meet the minimum match criteria in either strategy and are indicated by a pink node with text indicating the ICD version(s) to which it is unique. Light Blue Nodes: ICD-9, Dark Blue Nodes: ICD-10, and Yellow Nodes: ICD-11

Forward Mapping Candida ICD Codes

ICD-9

ICD-10


ICD-11



Supplemental Figure 5. Candida ICD Code Mapping: Best Match Forward Sankey Network

Nodes represent individual ICD codes across versions (ICD-9, -10, -11), connected by links indicating mapping pairs with the highest match score, with ties. Primary mapping utilized a stepwise strategy requiring a minimum cumulative match score of 45 out of 100 points. To capture complex relationships, a “skip-link” strategy was employed for pairs that either failed the initial threshold or exceed the stepwise score by ≥ 10 points. Codes with unlinked nodes (“Orphan” codes) represent version-specific entries that did not meet the minimum match criteria in either strategy and are indicated by a pink node with text indicating the ICD version(s) to which it is unique. Light Blue Nodes: ICD-9, Dark Blue Nodes: ICD-10, and Yellow Nodes: ICD-11


Reverse Mapping Candida ICD Codes



Supplemental Figure 6. Candida ICD Code Mapping: Best Match Reverse Sankey Network

Nodes represent individual ICD codes across versions (ICD-11, -10, -9), connected by links indicating mapping pairs with the highest match score, with ties. Primary mapping utilized a stepwise strategy requiring a minimum cumulative match score of 45 out of 100 points. To capture complex relationships, a “skip-link” strategy was employed for pairs that either failed the initial threshold or exceed the stepwise score by ≥ 10 points. Codes with unlinked nodes (“Orphan” codes) represent version-specific entries that did not meet the minimum match criteria in either strategy and are indicated by a pink node with text indicating the ICD version(s) to which it is unique. Light Blue Nodes: ICD-9, Dark Blue Nodes: ICD-10, and Yellow Nodes: ICD-11


Forward Mapping Coccidioides ICD Codes



Supplemental Figure 7. Coccidioides ICD Code Mapping: Best Match Forward Sankey Network

Nodes represent individual ICD codes across versions (ICD-9, -10, -11), connected by links indicating mapping pairs with the highest match score, with ties. Primary mapping utilized a stepwise strategy requiring a minimum cumulative match score of 45 out of 100 points. To capture complex relationships, a “skip-link” strategy was employed for pairs that either failed the initial threshold or exceed the stepwise score by ≥ 10 points. Codes with unlinked nodes (“Orphan” codes) represent version-specific entries that did not meet the minimum match criteria in either strategy and are indicated by a pink node with text indicating the ICD version(s) to which it is unique. Light Blue Nodes: ICD-9, Dark Blue Nodes: ICD-10, and Yellow Nodes: ICD-11


Reverse Mapping Coccidioides ICD Codes



Supplemental Figure 8. Coccidioides ICD Code Mapping: Best Match Reverse Sankey Network

Nodes represent individual ICD codes across versions (ICD-11, -10, -9), connected by links indicating mapping pairs with the highest match score, with ties. Primary mapping utilized a stepwise strategy requiring a minimum cumulative match score of 45 out of 100 points. To capture complex relationships, a “skip-link” strategy was employed for pairs that either failed the initial threshold or exceed the stepwise score by ≥ 10 points. Codes with unlinked nodes (“Orphan” codes) represent version-specific entries that did not meet the minimum match criteria in either strategy and are indicated by a pink node with text indicating the ICD version(s) to which it is unique. Light Blue Nodes: ICD-9, Dark Blue Nodes: ICD-10, and Yellow Nodes: ICD-11


Forward Mapping Cryptococcus ICD Codes



Supplemental Figure 9. Cryptococcus ICD Code Mapping: Best Match Forward Sankey Network


Nodes represent individual ICD codes across versions (ICD-9, -10, -11), connected by links indicating mapping pairs with the highest match score, with ties. Primary mapping utilized a stepwise strategy requiring a minimum cumulative match score of 45 out of 100 points. To capture complex relationships, a “skip-link” strategy was employed for pairs that either failed the initial threshold or exceed the stepwise score by ≥ 10 points. Codes with unlinked nodes (“Orphan” codes) represent version-specific entries that did not meet the minimum match criteria in either strategy and are indicated by a pink node with text indicating the ICD version(s) to which it is unique. Light Blue Nodes: ICD-9, Dark Blue Nodes: ICD-10, and Yellow Nodes: ICD-11

Reverse Mapping Cryptococcus ICD Codes




Supplemental Figure 10. Cryptococcus ICD Code Mapping: Best Match Reverse Sankey Network

Nodes represent individual ICD codes across versions (ICD-11, -10, -9), connected by links indicating mapping pairs with the highest match score, with ties. Primary mapping utilized a stepwise strategy requiring a minimum cumulative match score of 45 out of 100 points. To capture complex relationships, a “skip-link” strategy was employed for pairs that either failed the initial threshold or exceed the stepwise score by ≥ 10 points. Codes with unlinked nodes (“Orphan” codes) represent version-specific entries that did not meet the minimum match criteria in either strategy and are indicated by a pink node with text indicating the ICD version(s) to which it is unique. Light Blue Nodes: ICD-9, Dark Blue Nodes: ICD-10, and Yellow Nodes: ICD-11



Supplemental Figure 11. Histoplasma ICD Code Mapping: Best Match Forward Sankey Network


Nodes represent individual ICD codes across versions (ICD-9, -10, -11), connected by links indicating mapping pairs with the highest match score, with ties. Primary mapping utilized a stepwise strategy requiring a minimum cumulative match score of 45 out of 100 points. To capture complex relationships, a “skip-link” strategy was employed for pairs that either failed the initial threshold or exceed the stepwise score by ≥ 10 points. Codes with unlinked nodes (“Orphan” codes) represent version-specific entries that did not meet the minimum match criteria in either strategy and are indicated by a pink node with text indicating the ICD version(s) to which it is unique. Light Blue Nodes: ICD-9, Dark Blue Nodes: ICD-10, and Yellow Nodes: ICD-11



Supplemental Figure 12. Histoplasma ICD Code Mapping: Best Match Reverse Sankey Network

Nodes represent individual ICD codes across versions (ICD-11, -10, -9), connected by links indicating mapping pairs with the highest match score, with ties. Primary mapping utilized a stepwise strategy requiring a minimum cumulative match score of 45 out of 100 points. To capture complex relationships, a “skip-link” strategy was employed for pairs that either failed the initial threshold or exceed the stepwise score by ≥ 10 points. Codes with unlinked nodes (“Orphan” codes) represent version-specific entries that did not meet the minimum match criteria in either strategy and are indicated by a pink node with text indicating the ICD version(s) to which it is unique. Light Blue Nodes: ICD-9, Dark Blue Nodes: ICD-10, and Yellow Nodes: ICD-11


Forward Mapping Mucorales ICD Codes



Supplemental Figure 13. Mucorales ICD Code Mapping: Best Match Forward Sankey Network

Nodes represent individual ICD codes across versions (ICD-9, -10, -11), connected by links indicating mapping pairs with the highest match score, with ties. Primary mapping utilized a stepwise strategy requiring a minimum cumulative match score of 45 out of 100 points. To capture complex relationships, a “skip-link” strategy was employed for pairs that either failed the initial threshold or exceed the stepwise score by ≥ 10 points. Codes with unlinked nodes (“Orphan” codes) represent version-specific entries that did not meet the minimum match criteria in either strategy and are indicated by a pink node with text indicating the ICD version(s) to which it is unique. Light Blue Nodes: ICD-9, Dark Blue Nodes: ICD-10, and Yellow Nodes: ICD-11


Reverse Mapping Mucorales ICD Codes



Supplemental Figure 14. Mucorales ICD Code Mapping: Best Match Reverse Sankey Network

Nodes represent individual ICD codes across versions (ICD-11, -10, -9), connected by links indicating mapping pairs with the highest match score, with ties. Primary mapping utilized a stepwise strategy requiring a minimum cumulative match score of 45 out of 100 points. To capture complex relationships, a “skip-link” strategy was employed for pairs that either failed the initial threshold or exceed the stepwise score by ≥ 10 points. Codes with unlinked nodes (“Orphan” codes) represent version-specific entries that did not meet the minimum match criteria in either strategy and are indicated by a pink node with text indicating the ICD version(s) to which it is unique. Light Blue Nodes: ICD-9, Dark Blue Nodes: ICD-10, and Yellow Nodes: ICD-11


Forward Mapping Paracoccidioides ICD Codes



Supplemental Figure 15. Paracoccidioides ICD Code Mapping: Best Match Forward Sankey Network

Nodes represent individual ICD codes across versions (ICD-9, -10, -11), connected by links indicating mapping pairs with the highest match score, with ties. Primary mapping utilized a stepwise strategy requiring a minimum cumulative match score of 45 out of 100 points. To capture complex relationships, a “skip-link” strategy was employed for pairs that either failed the initial threshold or exceed the stepwise score by ≥ 10 points. Codes with unlinked nodes (“Orphan” codes) represent version-specific entries that did not meet the minimum match criteria in either strategy and are indicated by a pink node with text indicating the ICD version(s) to which it is unique. Light Blue Nodes: ICD-9, Dark Blue Nodes: ICD-10, and Yellow Nodes: ICD-11


Reverse Mapping Paracoccidioides ICD Codes



Supplemental Figure 16. Paracoccidioides ICD Code Mapping: Best Match Reverse Sankey Network

Nodes represent individual ICD codes across versions (ICD-11, -10, -9), connected by links indicating mapping pairs with the highest match score, with ties. Primary mapping utilized a stepwise strategy requiring a minimum cumulative match score of 45 out of 100 points. To capture complex relationships, a “skip-link” strategy was employed for pairs that either failed the initial threshold or exceed the stepwise score by ≥ 10 points. Codes with unlinked nodes (“Orphan” codes) represent version-specific entries that did not meet the minimum match criteria in either strategy and are indicated by a pink node with text indicating the ICD version(s) to which it is unique. Light Blue Nodes: ICD-9, Dark Blue Nodes: ICD-10, and Yellow Nodes: ICD-11


Forward Mapping Sporothrix ICD Codes



Supplemental Figure 17. Sporothrix ICD Code Mapping: Best Match Forward Sankey Network

Nodes represent individual ICD codes across versions (ICD-9, -10, -11), connected by links indicating mapping pairs with the highest match score, with ties. Primary mapping utilized a stepwise strategy requiring a minimum cumulative match score of 45 out of 100 points. To capture complex relationships, a “skip-link” strategy was employed for pairs that either failed the initial threshold or exceed the stepwise score by ≥ 10 points. Codes with unlinked nodes (“Orphan” codes) represent version-specific entries that did not meet the minimum match criteria in either strategy and are indicated by a pink node with text indicating the ICD version(s) to which it is unique. Light Blue Nodes: ICD-9, Dark Blue Nodes: ICD-10, and Yellow Nodes: ICD-11


Reverse Mapping Sporothrix ICD Codes



Supplemental Figure 18. Sporothrix ICD Code Mapping: Best Match Reverse Sankey Network

Nodes represent individual ICD codes across versions (ICD-11, -10, -9), connected by links indicating mapping pairs with the highest match score, with ties. Primary mapping utilized a stepwise strategy requiring a minimum cumulative match score of 45 out of 100 points. To capture complex relationships, a “skip-link” strategy was employed for pairs that either failed the initial threshold or exceed the stepwise score by ≥ 10 points. Codes with unlinked nodes (“Orphan” codes) represent version-specific entries that did not meet the minimum match criteria in either strategy and are indicated by a pink node with text indicating the ICD version(s) to which it is unique. Light Blue Nodes: ICD-9, Dark Blue Nodes: ICD-10, and Yellow Nodes: ICD-11


Forward Mapping Other Fungus-Specific Mycoses ICD Codes



Supplemental Figure 19. Other Fungus-specific Mycoses ICD Code Mapping: Best Match Forward Sankey Network

Nodes represent individual ICD codes across versions (ICD-9, -10, -11), connected by links indicating mapping pairs with the highest match score, with ties. Primary mapping utilized a stepwise strategy requiring a minimum cumulative match score of 45 out of 100 points. To capture complex relationships, a “skip-link” strategy was employed for pairs that either failed the initial threshold or exceed the stepwise score by ≥ 10 points. Codes with unlinked nodes (“Orphan” codes) represent version-specific entries that did not meet the minimum match criteria in either strategy and are indicated by a pink node with text indicating the ICD version(s) to which it is unique. Light Blue Nodes: ICD-9, Dark Blue Nodes: ICD-10, and Yellow Nodes: ICD-11


Reverse Mapping Other Fungus-Specific Mycoses ICD Codes



Supplemental Figure 20. Other Fungus-specific Mycoses ICD Code Mapping: Best Match Reverse Sankey Network

Nodes represent individual ICD codes across versions (ICD-11, -10, -9), connected by links indicating mapping pairs with the highest match score, with ties. Primary mapping utilized a stepwise strategy requiring a minimum cumulative match score of 45 out of 100 points. To capture complex relationships, a “skip-link” strategy was employed for pairs that either failed the initial threshold or exceed the stepwise score by ≥ 10 points. Codes with unlinked nodes (“Orphan” codes) represent version-specific entries that did not meet the minimum match criteria in either strategy and are indicated by a pink node with text indicating the ICD version(s) to which it is unique. Light Blue Nodes: ICD-9, Dark Blue Nodes: ICD-10, and Yellow Nodes: ICD-11


Forward Mapping Dermatomycoses ICD Codes



Supplemental Figure 21. Dermatomycoses ICD Code Mapping: Best Match Forward Sankey Network

Nodes represent individual ICD codes across versions (ICD-9, -10, -11), connected by links indicating mapping pairs with the highest match score, with ties. Primary mapping utilized a stepwise strategy requiring a minimum cumulative match score of 45 out of 100 points. To capture complex relationships, a “skip-link” strategy was employed for pairs that either failed the initial threshold or exceed the stepwise score by ≥ 10 points. Codes with unlinked nodes (“Orphan” codes) represent version-specific entries that did not meet the minimum match criteria in either strategy and are indicated by a pink node with text indicating the ICD version(s) to which it is unique. Light Blue Nodes: ICD-9, Dark Blue Nodes: ICD-10, and Yellow Nodes: ICD-11


Reverse Mapping Dermatomycoses ICD Codes



Supplemental Figure 22. Dermatomycoses ICD Code Mapping: Best Match Reverse Sankey Network

Nodes represent individual ICD codes across versions (ICD-11, -10, -9), connected by links indicating mapping pairs with the highest match score, with ties. Primary mapping utilized a stepwise strategy requiring a minimum cumulative match score of 45 out of 100 points. To capture complex relationships, a “skip-link” strategy was employed for pairs that either failed the initial threshold or exceed the stepwise score by ≥ 10 points. Codes with unlinked nodes (“Orphan” codes) represent version-specific entries that did not meet the minimum match criteria in either strategy and are indicated by a pink node with text indicating the ICD version(s) to which it is unique. Light Blue Nodes: ICD-9, Dark Blue Nodes: ICD-10, and Yellow Nodes: ICD-11


Forward Mapping General Mycoses ICD Codes



Supplemental Figure 23. General Mycoses ICD Code Mapping: Best Match Forward Sankey Network

Nodes represent individual ICD codes across versions (ICD-9, -10, -11), connected by links indicating mapping pairs with the highest match score, with ties. Primary mapping utilized a stepwise strategy requiring a minimum cumulative match score of 45 out of 100 points. To capture complex relationships, a “skip-link” strategy was employed for pairs that either failed the initial threshold or exceed the stepwise score by ≥ 10 points. Codes with unlinked nodes (“Orphan” codes) represent version-specific entries that did not meet the minimum match criteria in either strategy and are indicated by a pink node with text indicating the ICD version(s) to which it is unique. Light Blue Nodes: ICD-9, Dark Blue Nodes: ICD-10, and Yellow Nodes: ICD-11

Reverse Mapping General Mycoses ICD Codes



Supplemental Figure 24. General Mycoses ICD Code Mapping: Best Match Reverse Sankey Network

Nodes represent individual ICD codes across versions (ICD-11, -10, -9), connected by links indicating mapping pairs with the highest match score, with ties. Primary mapping utilized a stepwise strategy requiring a minimum cumulative match score of 45 out of 100 points. To capture complex relationships, a “skip-link” strategy was employed for pairs that either failed the initial threshold or exceed the stepwise score by ≥ 10 points. Codes with unlinked nodes (“Orphan” codes) represent version-specific entries that did not meet the minimum match criteria in either strategy and are indicated by a pink node with text indicating the ICD version(s) to which it is unique. Light Blue Nodes: ICD-9, Dark Blue Nodes: ICD-10, and Yellow Nodes: ICD-11