

Readme

Maria Baldeon Calisto

This code applies the Perpendicular Search Method to solve bi-objective pure integer linear programs. The end points are computed using the lexicographic operation. The code is written in Python 3.6 with CPLEX optimizer.

1 Input file

The bi-objective integer linear instance information has to be saved in a text file under the name of parameters.txt. An example of the file is added in the folder. The format is described using the following example problem:

$$\min Z_1 = 4x_1 + 5x_2 + 6x_3$$

$$\min Z_2 = 7x_1 + 1x_2 + 10x_3$$

subject to

$$x_1 + 2x_2 - 5x_3 \leq 5$$

$$x_2 - 6x_3 \leq 5$$

$$-x_1 + 3x_2 + 2x_3 = 2$$

$$x_1, x_2, x_3 \in Z_+$$

The input file should follow these directions:

	Number of variables	Number of Constraints	Number of Constraint with inequality
	3	3	2
Coefficients of first OF	4	5	6
Coefficients of second OF	7	1	10
Coefficients of the constraints	1	2	-5
	0	1	-6
	-1	3	2
Right hand side of constraints	5	5	2


Figure 1: Example of parameters.txt

The first line includes information about the problem: number of variables, total number of constraints and the number of the constraints that are modeled as inequality. The subsequent two lines must include the coefficients of the two objective functions. The coefficients for the constraints must follow. The constraints must be organized such that the inequalities are located before the equality constraints. Finally, the right hand side of the constraints are located in the last line.

2 Output file

The output file is saved under the name `problem_solutions.txt`. An example of the report is located in the folder. It reports all supported nondominated points, their corresponding efficient solution and the run time.

The results are straight forward to read. An example of output is shown below:



```

Nondominated points
1 Objective Function 1= 113.0 Objective Function 2= 41.0
2 Objective Function 1= 121.0 Objective Function 2= 33.0
3 Objective Function 1= 120.0 Objective Function 2= 34.0
4 Objective Function 1= 119.0 Objective Function 2= 35.0
Nondominated solutions
1 X1= 8.0 X2= 3.0 X3= 11.0
2 X1= 0 X2= 11.0 X3= 11.0
3 X1= 1.0 X2= 10.0 X3= 11.0
4 X1= 2.0 X2= 9.0 X3= 11.0
Run Time= 0.08032804700087581 s

```

Figure 2: Example of `problem_solutions.txt`

3 How to run the program

The project can be compiled in the Terminal by writing: `python Homework2.py`

The input file and `Homework.py` file must be located in the same folder. The output file will be saved in the same folder.

4 Description of the Functions

The code is composed of 7 functions:

read_file: reads the `parameter.txt` file.

set_parameters: sets all the parameters of the model defined by the user in dictionaries.

construct_model: constructs an object from the model class. Based on the parameters sent to the function it creates the constraints and decision variables.

solve_model: solves the model and returns the optimal solution and value of the objective

function.

initialize_model: obtains the value of the bottom and top extreme non dominated points through the lexicographic method.

perpendicular_search: applies the perpendicular search method.

write_output: writes the output text with the non dominated points, efficient solutions and execution time.

To implement the code [1] and [2] tutorials were used.

References

- [1] Tutorial: Beyond linear programming (cplex part 2). [Online]. Available: https://github.com/IBMDecisionOptimization/tutorials/blob/master/jupyter/Beyond_Linear_Programming
- [2] Ibm decision optimization: Cplex modeling for python. [Online]. Available: <https://rawgit.com/IBMDecisionOptimization/docplex-doc/master/docs/index.html>