

User Guide – INFOB318

Individual Project: EatMeSlow

Maria Boubekeur

Bachelor 3 - Computer Science

Academic Year 2024-2025

Contents

1 Introduction **2**

2 Target audience **2**

3 Legal notices **2**

4 Licence of use **2**

5 Installation **2**

5.1 Requirements 2

5.2 Installing the backend 3

5.3 Frontend installation 3

5.4 Database filling 3

6 Using the platform **3**

6.1 Starting the application 3

6.2 Main features 4

7 Contact **4**

8 FAQ (Troubleshooting) **4**

1 Introduction

EatMeSlow is an interactive web application designed to encourage healthy, balanced eating.
The application features:

- Recipes that can be filtered according to user preferences.
- Daily monitoring of food consumption.
- Graphical display of nutritional history..

Note : This software is not a medical tool. .

2 Target audience

EatMeSlow is aimed at individuals concerned about their diet and wishing to track their nutritional habits. This web platform is intended for adults and requires no prior computer knowledge.

3 Legal notices

Privacy : EatMeSlow does not collect any personal data for commercial purposes. Data is stored locally and is accessible only to the user.

Disclaimer: The author shall not be liable for any direct or indirect damages arising from its use.

4 Licence of use

EatMeSlow is distributed under the MIT license.

5 Installation

Installation tests have been carried out on macOS, but the application is expected to work on other systems (Windows, Linux...).

5.1 Requirements

The EatMeSlow project has been developed and tested with the following versions:

- **Node.js** : v18.20.7
- **npm** : v10.8.2

- **Python** : v3.11.5
- **SQLite**

5.2 Installing the backend

1. Go to the `project/backend` folder. dependencies:

   ```
   pip install -r requirements.txt
   ```

2. Launch the backend:

   ```
   uvicorn app.main:app --reload --host 127.0.0.1 --port 8000
   ```

5.3 Frontend installation

1. Go to the `project` folder.
   Install the npm modules:

   ```
   npm install
   ```

2. Launch the React server:

   ```
   npm start
   ```

5.4 Database filling

1. Go to `project/backend`.
2. Execute :

   ```
   python -m app.scripts.populate_db
   ```

6 Using the platform

6.1 Starting the application

- Access the application via: `http://localhost:3000`.
- Create a user account or log in.
- Go to the *Recipe* page to select ingredients, set a budget, and a calorie limit.

- Recipes matching the criteria will be displayed. You can add them to your consumption.
- Next, go to the *Calories* page to view your consumption in three different graphs.

6.2 Main features

- **Explore recipes**: search by ingredient, budget, calories or diet (vegan, etc.).
- **Daily tracking**: record meals eaten each day.
- **Nutritional history**: visualize dietary trends via graphs.

7 Contact

In the event of a bug or major problem, please contact :
`maria.boubekeur@student.unamur.be`

8 FAQ (Troubleshooting)

- **Q: The application won't start. What should I do?**
  A: Make sure both the backend and frontend are running. Also check the terminal for any error messages.
- **Q: Can I use EatMeSlow without creating an account?**
  A: No, you need an account to save and track your nutritional data.
- **Q: My graph doesn't display.**
  A: Make sure you have logged at least one meal before accessing the calorie chart.
- **Q: Port 8000 is already in use.**
  A:
  - Solution 1: Stop the other service using the port.
  - Solution 2: Launch the backend on a different port:

    ```
    uvicorn app.main:app --reload --host 127.0.0.1 --port 8001
    ```

- **Q: npm start doesn't work.**
  A: Make sure all dependencies are installed using:

  ```
  npm install
  ```

  Also verify that Node.js is properly installed with the command `node -version`.

Glossary

Backend The server-side part of the application, responsible for logic, data processing, and database access.

Frontend The user interface displayed in the browser, developed here with React.

FastAPI A Python framework for building fast web APIs.

React A JavaScript library used to build interactive user interfaces.

SQLite A lightweight database used to store nutritional information.

Uvicorn A web server that handles network communications. It receives requests from client applications (such as browsers) and sends back responses. It works with FastAPI via ASGI.

Port A virtual channel used to access a service on a machine (e.g., port 8000 for the backend).

NPM A package manager for Node.js, used to install and manage frontend dependencies.

API An interface that allows two software systems to communicate with each other.

References

- Official React documentation: `https://react.dev/`
- FastAPI documentation: `https://fastapi.tiangolo.com/`
- SQLite documentation: `https://sqlite.org/docs.html`
- Node.js and npm tutorial: `https://nodejs.org/en/learn`
- Uvicorn – ASGI Server: `https://www.uvicorn.org/`