acp bench cloze
acp bench mcq
acp bench mcq (rf)
arc
arc mt
bbh cloze
bbh mcq
bbh mcq (rf)
belebele
belebele (rf)
belebele (rfgm)
blend sample
boolq
commonsense qa
commonsense qa (rf)
cultural bench easy
cultural bench easy (rf)
cultural bench hard
global mmlu full
global mmlu full (rf)
global piqa nonparallel cloze
global piqa parallel cloze
hellaswag
include base 44
include base 44 (rf)
include base 44 (rfgm)
include v2 en
include v2 og
kobest
lambada openai mt
m mmlu (rf)
mathqa
mmlu
mmlu (rf)
mmmlu (rf)
multiblimp
multiblimp-extra
noreval
noreval extra
openbookqa
paws
piqa
toksuite
toksuite math
toksuite stem
toxigen
truthfulqa-multi mc1
truthfulqa mc2
winogrande
xcopa
xnli
xstorycloze
xwinograd

Final accuracy over trained-language tasks

Non-embedding parameters

90M 175M 350M 600M 1B 1.7B

1 language
2 languages
8 languages
15 languages
30 languages
50 languages
Deep
Shallow
Swiglu
Muon
Data A
Data B
Data AT3
Data ZH
Data ES
Data DCLMP
Data FWEB
Chance