

# GL-ProQ-en-013

## Customer Containment Action Execution

**Process Owner:** ALEJANDRO SOLIS

Approver 1: ROBERT WOLOWIEC

Approver QMS: ERIC JACQUOT

Revision: 2.0

Effective Date: 05/08/2026

Revision Date: 05/08/2026

---

**Purpose**

The purpose of this procedure is to define the process for the execution of XA applicable to Problem Leaders and impacted Schneider Electric country entities.

---

**Scope**

This procedure is applicable to all Schneider Electric (SE) organizations, including Business Units, the Global Supply Chain, Operations, SE-owned marketplaces<sup>(\*)</sup> and global functions, as well as affiliates, subsidiaries, and brands thereof, all referred to as “entities” hereafter. Newly acquired companies are required to comply with this procedure within 12 months of becoming part of SE.

This procedure is used for all offers sold or manufactured by SE, and it applies to all Problems affecting Customers and thus requiring actions to be taken to remediate the impact of the Problem for the Customer:

- Problems with Severity 10 which means that: The Offer Safety Alert Committee (OSAC) has decided that the issue is Safety Related. Henceforth these Problems will be referred to as Problem Safety Related in this document.
- Problems with Severity less than 10, which can be categorized as Significant/High, Moderately Significant or Low.

These problems are referred to as Technical Problems.

---

**Target Audience**

- Customer Satisfaction & Quality (CS&Q) Managers in concerned entities (Country, Operations, Business, GSC)
  - Problem Leaders
  - Offer Safety Alert Committee (OSAC)
  - Entity Managers
  - Business/Operation Region/GSC Region Quality System (QS) Representatives
  - Business Offer Quality Leaders (OQL)
  - Legal Counsel
-

**Table of  
Contents**

| Topic                                                                   | See Page  |
|-------------------------------------------------------------------------|-----------|
| <b>References</b>                                                       | <b>3</b>  |
| <b>Process Inputs</b>                                                   | <b>3</b>  |
| <b>Process Overview</b>                                                 | <b>4</b>  |
| <b>Preparation and Planning</b>                                         | <b>5</b>  |
| Detection of the issue                                                  | 5         |
| Identification of impacted offers and customer                          | 5         |
| Technical Risk and Insurance Coverage                                   | 6         |
| OSAC GO/ No-go Meeting Preparation (*)                                  | 6         |
| Communication and Remediation Plan Setup                                | 6         |
| OSAC / GO-NO GO Meeting (*):                                            | 8         |
| <b>Launch and communication</b>                                         | <b>9</b>  |
| Remediation Plan Definition                                             | 9         |
| Internal Communication Plan                                             | 9         |
| Remediation Plan Kickoff                                                | 9         |
| External Containment Actions creation                                   | 9         |
| <b>Execution and Follow-up</b>                                          | <b>10</b> |
| Translation and Validation of Customer Notifications                    | 10        |
| Regulatory Agency Approval (*)                                          | 10        |
| Finalize Identification of Impacted Customers                           | 10        |
| Define VIP Customers Communication Plan                                 | 11        |
| Customer Notification                                                   | 11        |
| Customer Containment Remediation Actions Execution                      | 12        |
| Alternate Containment method at customer request                        | 13        |
| Containment and Remediation Action Plans Follow-Up                      | 13        |
| Closure                                                                 | 15        |
| <b>Process Outputs</b>                                                  | <b>16</b> |
| <b>Monitoring &amp; Control</b>                                         | <b>16</b> |
| <b>Roles &amp; Responsibilities</b>                                     | <b>17</b> |
| <b>Competency Requirements</b>                                          | <b>18</b> |
| <b>Quality Records</b>                                                  | <b>19</b> |
| <b>Terms &amp; Acronyms</b>                                             | <b>19</b> |
| Appendix A.1: Preparation and Planning Phase - Safety PRBs              | 20        |
| Appendix A.2: Preparation and Planning Phase – Non Safety PRBs          | 21        |
| Appendix A.3: Launch and communication Phase - Safety PRBs              | 22        |
| Appendix A.4: Launch and communication – Non Safety PRBs                | 23        |
| Appendix A.5: Execution and follow-Up phrase + Closure - Safety PRBs    | 24        |
| Appendix A.6: Execution and Follow up Phase + Closure - Non Safety PRBs | 25        |
| Appendix B:                                                             | 26        |
| Appendix C                                                              | 27        |

---

**References**

- GL-DirQ-en-013 Managing Offer Safety Risks
- GL-DirQ-en-020 Customer Issue to Prevention
- GL-DirQ-en-025 Offer Safety Process
- GL-DirQ-en-035 Problem to Prevention Directive
- GL-DirQ-en-011 Technical Risk Directive
- GL-ProQ-en-018 Fault Tree Analysis (FTA) Procedure
- GL-ProQ-en-015 Offer Safety Issue Procedure
- GL-DirQ-en-009 Internal IMS Audit Directive
- GL-ForQ-en-062 Offer Safety Alert Committee for Go / No-go decision template.
- GL-ForQ-en-063 Customer Letter Template\_First Notice
- GL-ForQ-en-064 Customer Letter Template\_Follow up Notice
- GL-ForQ-en-065 Customer Letter Template\_Final Notice
- **Internal Schneider Electric Encyclopedia iSEE**

---

**Process Inputs**

- Open OSI, and/ or
  - Open PRB requiring XA.
-

---

**Process Overview** The XA Execution is a three-phase process (see [process map in Appendix A.1 to A.6](#)) which includes:

- **Preparation and Planning** (See Process map in [Appendix A.1](#) / [Appendix A.2](#))
  - Detection of the Issue
  - Identification of Impacted Offers and Customers
  - Technical Risk and Insurance Coverage
  - OSAC Go/No-go Meeting Preparation (\*)
  - Communication and Remediation Plan Setup
  - OSAC Go/No-go Meeting (\*)
- **Launch and Communication** (See Process map in [Appendix A.3](#) / [Appendix A.4](#))
  - Remediation Plan Definition
  - Internal Communication Plan
  - Remediation Plan Kickoff
  - External Containment Actions creation
- **Execution and Follow-up** (See Process map in [Appendix A.5](#) / [Appendix A.6](#))
  - Translation and Validation of Customer Notifications
  - Regulatory Agency Approval (\*)
  - Finalize Identification of Impacted Customers
  - Define VIP Customers Communication Plan
  - Customer Notification
  - Customer Containment - Remediation Actions Execution
  - Alternate containment method at customer request
  - Containment and Remediation Action Plans Follow-up
  - Closure

(\*) These steps are applicable only for Safety Related Problems

 Important note on Safety-related Problems:

- When SE is aware of a potential safety risk and OSAC have made their GO decision, by law SE has the obligation to make every effort to notify the end users and remove the risk from the field.
- For Schneider end users, its distributors, partners and the public authorities, the reputational risk is not as important as the risk of having its client's property damaged or a person injured by the offer concerned.
- SE must remove or secure the potentially hazardous product:
  - from the supply chain
  - from the distribution channels and partner networks, including SE-owned marketplaces (see definition in [Terms and Acronyms](#))
  - and from the sites on which it is in operation.

**Preparation  
and Planning****Detection of the issue**

- When an Offer Quality issue is detected requiring the application of 8D methodology.
- A Problem (PRB) shall be created and the PRB process started (Ref to. GL-DirQ-en-035).
- Upon detection of a potential quality problem in SE's Offer that might result in bodily injury or property damage, an Offer Safety Issue shall be open, and the Offer Safety Issue process started (Ref to. GL-ProQ-en-015).
- Unless indicated otherwise, the process steps described below are applicable for:
  - Confirmed Offer Safety Issues and for the linked PRBs, which must be categorized as Severity 10 once the Offer Safety Issue has been confirmed, and for
  - Problems with Severity less than 10 requiring remediation actions
- The Problem Leader with the Accountable Organization shall determine the team based on size, scope, and geographic reach of the issue. The Problem Leader shall engage teams including LOB, Offer Management, Problem Team, GSC Support, Field Services, Legal, Front Office, Account or Channel managers (including if needed SE-owned channels and platforms), etc., as required.

**Identification of impacted offers and customer**

- Based on the initial understanding of the problem's potential root causes, the PRB Leader and Team shall identify the population of products potentially concerned by the issue (through serial part-number, manufacturing date-codes, specific projects, or solutions, etc.) and the SE Front Offices, channels and/or Customers to which this potentially affected products, solutions or services were sold or sold through.
- Once the potentially affected offer is identified, the PRB Team members (LOB, Country Front Offices and GSC) shall identify:
  - The SE sites impacted throughout the internal SE supply chain (manufacturing plants, DCs, Adaptation Centers, etc.)
  - The Customers impacted.
  - The following categories of customers shall be clearly identified, since a specific communication strategy and planning might be needed, to be coordinated with the relevant commercial and account managers (see process step "Define VIP Customers Communication Plan):
    - Strategic Accounts (End Users or Electrical Distributors), and the corresponding Key Account Managers
    - VIP Platinum Gold and Silver, and the corresponding Account Managers
    - Whenever relevant (e-commerce channels), the e-commerce pure players' accounts (e.g. Amazon)

- Customers who might be already affected by multiple Containment Actions coming from other Problems.

### Technical Risk and Insurance Coverage

- Finance shall open a technical risk if needed to assign, track, and report all costs relating to the customer containment execution. Please refer to GL-DirQ-en-011.
- The Problem Leader with Legal and Finance support will contact Schneider Electric's Risk and Insurance Team (SERIM) to initiate the insurance claim process and determine what information and documentation will be required to support any claim.

### OSAC GO/ No-go Meeting Preparation (\*)

- To proceed with the notification to Customers and the execution of actions aimed at remediating the offer safety risk for Customers, the PRB Team must obtain the Go decision from the Offer Safety Alert Committee (OSAC - ref. GL-DirQ-en-GL13 Managing Offer Safety Risks).
- In preparation for the OSAC Go/No-go meeting, the PRB Leader shall ensure that:
- All urgent internal containment actions have been implemented (such as stop production, stop selling, stop shipments, and/or quarantining stocks).
- A risk analysis has been performed to assess the nature and probability of occurrence of bodily injury and/or property damage on the potentially affected installed base. The risk analysis shall be done using the Fault Tree Analysis (FTA) tool, as per procedure GL-ProQ-en-018.
- The action plans aimed at notifying affected customers and remediating the safety risk have been drafted, in case that a Go decision is sought by the PRB Team based on the risk assessment.

(\*) This step is applicable only for Safety Related Problems.

### Communication and Remediation Plan Setup

- The accountable LOB shall coordinate all customer notifications and remediation actions. Depending on the expected breadth and complexity of the project, a Remediation Project Manager shall be assigned to this role, with the right expertise and skills needed to define, coordinate, and drive the communication and remediation actions to execution in an effective and timely manner. Otherwise, this role shall be fulfilled by the PRB Leader.
- For Safety Related Problems: If an OSAC Go decision is sought by the PRB Team based on the risk assessment, the communication plan shall include the draft safety notification to customers, considering the following:
- Anticipate local language requirements for notification based on geographic reach.
- Legal or regulatory rules vary from one country to another. Affected Country CS&Q organizations shall consult with local Legal counsel about any local legal obligations or Regulatory Agency approval requirements. For further detail on

the role of Local Legal counsel, see "Role of country lawyer for product recall under OSA process" in [Appendix B](#).

- For all offers sold in European residential market and usable by consumers, the EU General Product Safety Regulation (GPSR) applies. Communication of the Safety Notice through the Safety Business Gateway and through the My Schneider platform.
- No external communication regarding safety issues is allowed without OSAC approval.
- For Non-Safety Related Problems: the communication plan shall include the draft notification to customers.
- When setting up the Remediation Action Plan, the Problem Leader, the Remediation Project Manager (if appointed), the Accountable Organization for the problem and Field Services (if applicable) shall:

| Stage | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|-------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1     | Determine what actions are required to remediate / solve the issue. <ul style="list-style-type: none"> <li>• Information</li> <li>• Inspection</li> <li>• Replacement</li> <li>• Repair</li> <li>• Re-work</li> <li>• Software Update</li> </ul>                                                                                                                                                                                                                                                                                                                                                                      |
| 2     | Create Field Service Bulletin in bFO. (If Field Services are involved in the containment action)<br>Note: The legal or regulatory rules vary from one country to another which is why they should be performed on a global level before OSAC go and on country level after.                                                                                                                                                                                                                                                                                                                                           |
| 3     | Identify and Prepare resources: <ul style="list-style-type: none"> <li>• CCC Training</li> <li>• Services Training</li> <li>• Specialized Training</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| 4     | Define disposition plan: <ul style="list-style-type: none"> <li>• Return</li> <li>- Scrap</li> <li>- Destroy</li> <li>• Return &amp; Repair</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| 5     | Determine who is qualified to conduct containment actions? <ul style="list-style-type: none"> <li>• Schneider qualified employee – Service Representatives (SR)</li> <li>• Qualified Sub-contractor technicians (In this case a contract is needed)</li> <li>• Customer</li> </ul> Refer to the Certified Services Sub-contractor program led by Field Services<br>For further details on the items to consider in defining the External Containment Actions, see (XA) - Operating Guidelines" in <a href="#">Appendix C</a> .<br>(N.B.: Before creating XA in bFO the Problem Leader must set the problem to public) |



**OSAC / GO-NO GO Meeting (\*):**

- The Problem Leader and the Problem Team present to OSAC all the elements required for Go/No-go decision (Ref to GL-ForQ-en-062). The key elements include:
  - Problem Description, describing the end-effect to the Customer and its impact.
  - Risk Assessment
  - Containment Actions
  - Proposal to OSAC (Go/No-go) and further Containment and/or Remediation Actions proposed accordingly-
- Depending on the OSAC decision, the following steps shall be undertaken:
  - No-go decision: the PRB severity will be set as non-safety related (Ref to. GL-DirQ-en-013) and the corresponding PRB process followed.
  - Go decision: the Launch and Communication phase of this procedure shall be initiated immediately.
  - Pending decision: the PRB Leader shall address the questions raised by OSAC and schedule a new OSAC Go/No-go meeting as soon as possible.

(\*) This step is applicable only for Safety Related Problems.

---

**Launch and communication****Remediation Plan Definition**

- When the decision to launch the remediation plan is taken (through a “Go” decision by OSAC, for Safety Related Problems), the remediation plan should be refined by the Problem Leader or the Remediation Project Manager (if appointed), including:
- Finalize and approve by LOB Line and Legal the Product Safety Notice (for Safety Related Problems), Customer Letter and Supporting Documents clearly describing the remediation actions and required actions from the Customer (see Product Safety Notice and Customer Letter templates (Ref to. GL-ForQ-en-063, GL-ForQ-en-064, GL-ForQ-en-065)).
- Verify Supply chain readiness: GSC should be prepared for the remediation (spare parts etc.) in the whole supply chain.

**Internal Communication Plan**

- The PRB Leader or the Remediation Project Manager (if appointed) shall define the Internal Communication Plan, considering among others:
- Messaging to be audience specific – SVP’s, Sales, Marketing CCC’s, Strategic Account Managers etc.
- Provide clear communication guidelines and FAQs to Customer-facing internal stakeholders.
- Determine follow up Internal communication frequency.
- For internal and external Containment Actions (XAs), the PRB Leader must clearly identify in bFO the references or identification of the products affected.
- The Containment Action owner within each Country Front Office organization is responsible for internal communications for their country.
- For Safety Related Problems, legal approval for internal communications must be obtained.

**Remediation Plan Kickoff**

- The PRB Leader or the Remediation Project Manager (if appointed) kicks off the Execution phase by communicating to all the relevant stakeholders through a Kick-off meeting including Country Presidents, Country CS&Q Heads, and/or their delegates, and the designated Containment Action owners. For Safety Problems, this kick-off shall take place within 2 weeks after the OSAC Go decision.
- During the Kick-off meeting or subsequent calls, the Remediation Project Manager or the PRB Leader will provide background information on the PRB, the risks for the customers, and will present the remediation plan, the Safety Notice (when applicable) and other support documentation and resources available.

**External Containment Actions creation**

- Once the Remediation Plan is defined, and shared with the stakeholders, the PRB Leader defines the remediation actions and translates them into the corresponding External Containment Actions (XA's), created in the bFO I2P tool, and assigned to the XA owners in the relevant entities (Country Front Offices, Distribution Centers, etc.).

The PRB Leader shall upload or reference the global support documents in the PRB for reference in the XA execution.

---

**Execution  
and Follow-  
up****Translation and Validation of Customer Notifications**

- ① It is the responsibility of the country XA owner to translate the Safety Notice (when applicable) or customer notification, and all related communication documents into local language. Once translated, the Safety Notice must be approved by local Legal Counsel prior to sending it to the customers.
- ① Except for translation into local language, the Global Safety notifications must not be altered by local Front Offices without approval from the LOB and for Problems Safety Related, approved by the Offer Safety Alert Committee.

**Regulatory Agency Approval (\*)**

- ① If the affected offer is a consumer product, in some countries Containment Actions might require the involvement of regulatory agencies and require time sensitive notifications and report submissions. This shall be verified by the Country Containment Action Owner by consulting with local Legal counsel.
- ① For all offers sold in European residential market and usable by consumers, the Safety Notice must be posted by the corresponding Country Front Office through the Safety Business Gateway as per the EU General Product Safety Regulation (GPSR).
  - The Problem Leader shall consult with Legal to coordinate the communication plan for a XA requiring regulatory agency approval (see also the "Communication and Remediation Plan Setup" process step in the "Preparation and Planning" phase).
  - The Country Containment Action owner must check with the local Legal team if Regulatory Agency approval is required before notifications are sent to customers.
  - The country legal team will manage the regulatory reporting process. A checklist of deliverables should be included with the containment action plan for the country to execute.
  - For further detail on the role of Local Legal counsel, see "Role of country lawyer for product recall under OSA process see [in Appendix B](#).

(\*) This step is applicable only for Safety Related Problems

**Finalize Identification of Impacted Customers**

- ① The distribution channels and partner networks have the same obligations as Schneider's vendors of a potentially dangerous product.
- ① Schneider Electric has the legal obligation to communicate to its customers any Offer Safety Notification as soon as possible and do as much as is practicably possible to contain and remediate the safety risk for the end-user.
  - If Schneider's direct customer (Tier 1) is not the end user, the Tier 1 customer must be requested to inform the downstream company or companies to whom the product was sold of the identified risk, in order to locate the product.
- On an exceptional case-by-case basis, at the express request of Tier 1 we can consider communicating the Safety Notification (or Customer Notification, in case of Non-Safety Problems) beyond the Tier 1 customers. This exception

---

shall be validated with local Legal counsel (in case of Safety Problems). In all cases, the following conditions must be met by the Tier 1 customer:

- Tier 1 customer shall provide contact data for the Tier 2 and/or Tier 3 customers, taking full accountability for the completeness and accuracy of this data.
- The Tier 2 and/or Tier 3 customer contact data provided by Tier1 customer must comply with any applicable Personal Data Protection regulation (e.g. customer consent as per GDPR).

Tier 1 customers are the direct customers of Schneider Electric and can be registered as XAC in bFO system, to track the notification status and feedback.

### Define VIP Customers Communication Plan

- Strategic Accounts: When a containment action plan related to an Offer Safety Alert or to a Non-Safety Problem concerns VIP Platinum VIP Gold, Silver customers, the Problem Leader and the Strategic Account Executive or Global Account Manager must define a joint communication strategy to Customer Headquarters.
- For the identification of these customers the VIP customer experience team should be involved.
- For Safety Problems, the communication plan needs to be validated by the legal team. Following this validation, the distribution of the letters to the customers can be done.
- For further information on Offer Safety Alerts related to Strategic Accounts refer to GL-DirQ-en-013.

- ① Notification to customers must be consistent with the estimated level of safety risk, irrespective of account status or commercial considerations.

### Customer Notification

- The Country Front Offices assigned as External Containment (Remediation) Action owners are responsible for sending the Safety Notice or Customer Notification and tracking the customer response to these notifications.
  - In the case of Safety Problems:
    - The Safety Notice to the customers shall be communicated within 30 days after the OSAC Go Decision. If a country Front Office is unable to achieve communications in this time, they must contact the PRB Leader and/or the Remediation Project Manager to determine the new communication plan deadline.
    - Customer acknowledgement in response to the notifications must be tracked and documented in bFO.
    - Legal, Marketing and LOB usiness SVP approval must be obtained whenever there is a need to post safety notifications via websites such as mySchneider or se.com, etc.
    - For all offers sold in European residential market and usable by consumers, the ExternalContainment (Remediation) Action owner shall is responsible for posting the Safety Notice through the Safety Business Gateway
-

---

as per the EU General Product Safety Regulation (GPSR), with local Legal support if required.

- ❗ The Customer notification and XA must ensure the elimination of the risks to the customer. All the different efforts towards this goal must be implemented without any commercial and communication discrimination between the different potential affected customers.
- ❗ Priority should be given to sending the Safety Notice to customers within a period of 7 months, using XAC functionality in bFO system:
  - 1st letter (or publication on Safety Business Gateway): Product Safety Notice - within 30 days after OSAC Go decision.
  - 2nd letter: Reminder Letter - within 3 months after 1st sending (to be sent to customers who have not acknowledged receipt of 1st letter)
  - 3rd letter: Final Notification - within 3 months after 2nd letter (to be sent to customers who have not acknowledged receipt of 1st nor 2nd letter)
- ❗ The 3rd and Final notification letter
  - Must be sent by registered mail with proof of receipt (electronic or paper mail might be applicable, depending on local legislation to be verified by Country Front Office).
  - Is a transfer of responsibility of any consequences of the issue to the customer. Schneider's legal obligation is to inform our potentially affected customers by all possible and relevant means.
- ❗ Reminder of important guidelines regarding Safety Problems:
  - No External Communications will be sent without the approval of the Containment Action Plan by the Offer Safety Alert Committee (Go Decision)
  - Any changes to XA, which would result in doing less than approved by the OSAC committee must be re-approved by the OSAC Committee.
  - Any decision that might increase customer exposure to the safety risk or Schneider Electric exposure to prosecution such as:
    - Not notifying or not sending final letters.
    - Not applying containment actions to a given type of customer or countries or less remedial actions or significant change in remedial actions,  
... must be approved by the Offer Safety Alert Committee.

### Customer Containment Remediation Actions Execution

- Problem Safety Related – Execution will begin only if the Offer Safety Alert Committee has approved the XA plan and has given a Go Decision – (issue is officially customer safety related).
- As customers respond to the notification, the containment actions will be scheduled, executed, and validated as proof that the containment action has been done.
- Proof that containment actions have been executed is required in case of an insurance claim and for legal and liable aspects.

- 
- ❗ Schneider Electric must be able to provide evidence at any time that
    - The remedial action has been executed (e.g. intervention report signed by customer, with evidence of serial number of products concerned / scraping certificate)
    - The concerned products or parts if replaced, have been removed definitively from the field (e.g. proof of scrap)
  - The XA Owner will track and update the progress of the Containment Action in the bFO tool.
    - XA must be updated every 30 days in the bFO tool.
    - Due Dates for all XA must be respected.
  - ❗ XA must be implemented quickly. For Problems Safety Related this is imperative to reduce the safety risk for customers
  - XA are carried out under the accountability of Customer Satisfaction & Quality (CS&Q) Manager of the Organization owning each Containment Action
  - Whenever an entity determines that it may have shipped affected products to another SE entity, it must create and assign a containment action to the latter. This process is known as “containment action cascading”.

#### Alternate Containment method at customer request

- Whenever an entity which is not a Front Office determines that it may have shipped affected products to SE external customers, it must inform the PRB Leader and the Front Offices accountable for the identified customers. The PRB Leader must then create the corresponding “XA” and assign them to those Front Offices.
- On rare occasions, a customer may refuse to carry out the requested containment actions, and may propose an alternate containment action plan, which may consist of a different resolution method or different responsibilities for its execution.
- In these cases, the responsible Front Office organization must notify the PRB Leader. The LOB usiness must verify and validate that the alternate plan is equally effective at eliminating the customer risk as the actions originally requested to the customer.
- Furthermore, for Problems Safety Related, the local Legal function must help to assess the legal implications and feasibility, and the LOB must obtain the approval of the Offer Safety Alert Committee before the alternate containment action may be applied.

#### Containment and Remediation Action Plans Follow-Up

- The XA owner will keep the containment action open in the bFO tool until it is complete.
  - The XA Owner will finalize the Containment action tracking data, add a Resolution.
  - Problem Safety Related:
    - The XA Owner must submit the Containment Action for Country President Approval.
    - It is forbidden for a Front Office to cancel XA.
    - If a country is not impacted (i.e., the country has not sold the affected offer) justification must be explained in the Resolution Comments field.
-

- 
- The XA status must be moved to Completed and must be approved by the Country President.
  - The Country President will review the Containment Action data and evidence and will either accept or reject the Containment action.
    - If accepted, the containment action is considered approved and is fully complete.
    - If rejected, the Country President must provide the reasons for the rejection and any actions. The Containment Action owner shall implement the actions and then re-submit for Approval.

 The Country President is required by law to approve all XA for a Problem Safety Related. For this reason, it is imperative that the Containment Action owner provide accurate data and supporting evidence of the completion of a Containment Action.

- The PRB Leader or the Remediation Project Manager will regularly check on containment action plan progress, following up the completion of Containment Actions at the Country/Cluster/Ops level and at LOB level, and intervening or escalating whenever necessary to ensure containment actions are completed.
- Containment action owners will provide proof of evidence of all customer notifications and responses and proof of containment actions. These must be recorded in the bFO system and stored for any legal and liable aspects as well as for insurance purposes in case of claims:
  - Proof of remedial action implementation Intervention report duly completed and signed by customer, removal from the field when replaced, or:
  - Proof of receipt of the Final Notice, and/or
  - Proof of destruction
  - All evidence and documents of proof must be kept and archived at country level.
- The progress tracking and reporting by the PRB Leader or Remediation Project Manager shall include:
  - Notifications sent, responses received, affected customers, affected sites, and affected products.
  - Financial cost consolidation

 In particular cases the Remediation Actions execution might be delayed beyond a reasonably expected time, such as:

- Lack of resources (technical, human, spare parts, etc.) available for the execution by Country Front Office
    - Lack of response from Customer, or exceptionally distant planned date for remediation action execution (e.g. waiting several months for yearly maintenance, programmed shutdown, or other customer operational constraints).
  - In those particular cases, the PRB Leader or Remediation Project Manager has the responsibility to escalate such situations to Senior Management at the LOB, Ops and/or GSC entities concerned.
-

- 
- If needed, these situations shall be escalated through the CS&Q Central teams, who must ensure that the issues are addressed at the right level within the LOB, Ops and/or GSC organizations, and that Legal counsel is consulted for guidelines regarding the ways to minimize SE exposure to liability due to the lack of remediation of the safety risk at the customer.

### Closure

- For PRB Closure, the following conditions must be met:
  - All the Internal and External Actions are completed, and evidence such as the remediation action execution, notifications and the customer acknowledgement are considered and reviewed.
  - All Corrective and Preventive actions have been completed.
- For Safety PRBs: the PRB Leader, in coordination with the Remediation Project Manager when applicable, is responsible for scheduling, preparing and carrying out:
  - Regular OSAC Follow-up meetings, within 6 to 9 months after OSAC Go decision and every 6 to 9 months thereafter, depending on progress or issues encountered during the Remediation Action Plan execution.
  - The OSAC closure meeting as soon as all Containment Actions are completed and documented, and all Corrective, Preventive and Look-Across actions have been reviewed and validated by the OSAP board.

For Safety PRB Closure process, refer also to GL-DirQ-en-013.

---



Process Outputs

- Evidence of Containment and Remediation Action plan execution.
- For Safety PRBs: OSAC Go/No-Go.
- Follow-up and Closure meeting minutes and records.

Monitoring & Control

- The audit program for monitoring / evaluation reference GL-DirQ-en-09 internal Audit Directive
- Offer Safety QBRs, Hot Points meeting
- Offer Safety KPIs:
  - Number of OSAC Go / No-Go decisions.
  - Number of products affected by a Go decision
  - Number of bodily injury incidents
  - Number of property damage incidents

## Roles & Responsibilities

Follow the **RACI** matrix for each phase:

### Preparation and Planning

| Function                | Detection of the problem and / or Potential Safety Issue | Identify Impacted Offeres, FO's and customers | Identify Impacted Sites | Technical Risks and Insurance Coverage | Containment Action Plan definition | Remediation Project Mgr Appointment | Communication and Remediation | Risk Assessment | Customer Notification Preparation | Safety Notice Preparation | OSAC GO/ No-Go Meeting management |
|-------------------------|----------------------------------------------------------|-----------------------------------------------|-------------------------|----------------------------------------|------------------------------------|-------------------------------------|-------------------------------|-----------------|-----------------------------------|---------------------------|-----------------------------------|
| CSQ Leader Hub/LOB      | A                                                        |                                               |                         | A                                      |                                    | R                                   | A                             |                 |                                   |                           | A                                 |
| PRB Leader              | R                                                        | R                                             | R                       | R                                      | A                                  |                                     | C                             | R               | R                                 | R                         | R                                 |
| Remediation Project Mgr |                                                          |                                               |                         |                                        | R                                  |                                     | R                             |                 |                                   |                           | C                                 |
| OQL                     | C                                                        | C                                             | C                       |                                        | C                                  |                                     | C                             | C               |                                   |                           | C                                 |
| OSO                     | C                                                        |                                               |                         |                                        |                                    |                                     | C                             | A               | C                                 | C                         | C                                 |
| Finance                 |                                                          |                                               |                         | C                                      |                                    |                                     |                               |                 |                                   |                           |                                   |
| Legal Area              |                                                          |                                               |                         |                                        |                                    |                                     | C                             |                 |                                   | C                         | I                                 |
| CSQ Country             | C                                                        | C                                             |                         |                                        |                                    |                                     | I                             |                 |                                   |                           | I                                 |
| GSC                     | C                                                        |                                               | C                       |                                        | C                                  |                                     |                               |                 |                                   |                           | I                                 |
| OSAC                    |                                                          |                                               |                         |                                        |                                    |                                     |                               |                 |                                   |                           | C                                 |
| Field Service           | C                                                        |                                               |                         |                                        |                                    |                                     | I                             |                 |                                   |                           |                                   |

### Launch and communication

| Function                | Customer Notification finalization | Global Safety Notice finalization | Remediation Action Plan definition (ext.Xas) | Supply chain readiness for remediation | Internal Communication Plan | Remediation Plan Kickoff |
|-------------------------|------------------------------------|-----------------------------------|----------------------------------------------|----------------------------------------|-----------------------------|--------------------------|
| CSQ Leader Hub/LoB      | A                                  | A                                 | A                                            |                                        | A                           | A                        |
| OQL                     | R                                  | R                                 | C                                            |                                        | C                           | C                        |
| PRB Leader              | C                                  | C                                 | C                                            |                                        | C                           | C                        |
| Remediation Project Mgr | C                                  | C                                 | R                                            | A                                      | R                           | R                        |
| OSO                     |                                    | C                                 | C (*)                                        |                                        | C (*)                       | I (*)                    |
| Legal Area              |                                    | C                                 | C (*)                                        |                                        | C (*)                       | I (*)                    |
| Legal Area Local        |                                    |                                   | C (*)                                        |                                        | C (*)                       | C (*)                    |
| CSQ Country             | I                                  | I                                 | I                                            |                                        | C                           | C                        |
| Ext.XA Owner            |                                    |                                   |                                              |                                        |                             | I                        |
| GSC                     | I                                  | I                                 |                                              | R                                      | C                           | I                        |
| Int. XA Owner           |                                    |                                   |                                              |                                        |                             | I                        |
| OSAC                    | I                                  | I                                 | I (*)                                        |                                        |                             | I                        |
| Field Service           |                                    |                                   |                                              |                                        |                             | C                        |
| Country President       |                                    |                                   |                                              |                                        |                             | C                        |

(\*) For Safety PRBs

## Execution and Follow Up

| Function                    | Translation and Local Validation of Customer Notification | Translation and Local Validation of Safety | Regulatory Agency Approval | Impacted customers identification finalized | Safety Notice /Notification letter to customers | Final letter to customers | Remediation Actions Execution | Internal Containment Actions Plan Execution | Containment and Remediation Action Plans Follow-Up | OSAC Closure Meeting Management (*) |
|-----------------------------|-----------------------------------------------------------|--------------------------------------------|----------------------------|---------------------------------------------|-------------------------------------------------|---------------------------|-------------------------------|---------------------------------------------|----------------------------------------------------|-------------------------------------|
| CSQ Leader Hub/LOB          |                                                           |                                            |                            |                                             |                                                 |                           |                               |                                             | A                                                  | A                                   |
| PRB Leader                  | I                                                         | I                                          |                            |                                             |                                                 |                           |                               |                                             | C                                                  | R                                   |
| OQL                         |                                                           |                                            |                            | C                                           |                                                 |                           | I                             | I                                           | C                                                  | C                                   |
| Remediation Project Manager | I                                                         | I                                          | I                          | I                                           | I                                               | I                         | I                             | I                                           | R                                                  | C                                   |
| OSO                         |                                                           |                                            |                            |                                             | I                                               | I                         | I                             | I                                           | C                                                  | C                                   |
| Legal Area                  | I                                                         | I                                          | I                          |                                             | I                                               | I                         |                               |                                             |                                                    | I                                   |
| Legal Area Local            | C                                                         | C                                          | C                          | I                                           | I                                               | C                         | I                             |                                             |                                                    |                                     |
| CSQ Country                 | R                                                         | R                                          | R                          | A                                           | A                                               | A                         | A                             | I                                           |                                                    |                                     |
| EXT.XA Owner                | C                                                         | C                                          | C                          | R                                           | R                                               | R                         | R                             |                                             | C                                                  |                                     |
| GSC                         |                                                           |                                            |                            |                                             |                                                 |                           |                               | A                                           |                                                    |                                     |
| Int.XA Owner                |                                                           |                                            |                            |                                             |                                                 |                           |                               | R                                           | C                                                  |                                     |
| OSAC                        |                                                           |                                            |                            |                                             |                                                 |                           |                               |                                             | I (*)                                              | C                                   |
| Field Service               |                                                           |                                            |                            |                                             | I                                               | I                         | R                             |                                             | C                                                  |                                     |
| Country President           |                                                           |                                            | A                          |                                             | A                                               | A                         | A                             | C                                           | C                                                  | I                                   |

(\*) For Safety PRBs

## Competency Requirements

| Role                        | Knowledge                                                                                                     | Competency Level* | Intervention                                                                                                                                                                                                                                                                          |
|-----------------------------|---------------------------------------------------------------------------------------------------------------|-------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| PRB Leader                  | 8D Problem Resolution                                                                                         | Advanced          | -8D Competency Plan                                                                                                                                                                                                                                                                   |
| CS&Q Country                | This Procedure                                                                                                | Competent         | - Read this procedure                                                                                                                                                                                                                                                                 |
| Remediation Project Manager | Containment and Remediation Action Plan Implementation                                                        | Expert            | - Project Management experience<br>- Expertise and skills to define coordinate, and drive the communication and remediation actions to execution in an effective and timely manner                                                                                                    |
| Legal counsel               | Legal and regulatory requirements in the region / country, relative to Offer Safety standards and regulations | Expert            | - Review and validation of the local translation of Offer Safety Notifications prior to communication to customers, determining local disclosure and regulatory requirements<br>- Recognized as the reference expert in the topic within the relevant geographical and business scope |

## Quality Records


| Record                                                               | Record Location                                         | Retention Period                       |
|----------------------------------------------------------------------|---------------------------------------------------------|----------------------------------------|
| OSAC Decision                                                        | bFO OSAM Record                                         | 10 years, then archived until 25 years |
| Containment Actions                                                  | bFO PRB XA Records                                      |                                        |
| Product safety customer notifications and acknowledgement or receipt | bFO PRB XA Records and other ad-hoc databases if needed |                                        |

## Terms &amp; Acronyms

The table below includes definitions for terms and acronyms used in this document. Reference [iSEE](#) for a full list of terms and acronyms used in the SE IMS.


| Term                 | Definition                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|----------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| bFO                  | Bridge Front Office                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| CS&Q                 | Customer Satisfaction & Quality                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| DCs                  | Distribution center                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| FTA                  | Fault Tree Analysis                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| GPSR                 | General Product Safety Regulation                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| LOB                  | Line of Business                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| OQL                  | Over Quality Leader                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| OSAC                 | Offer Safety Alert Committee                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| OSO                  | Offer Safety Officers                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| QS                   | Quality System                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| QBRs                 | Quality Business Review                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| SE-Owned marketplace | e-commerce platform model where Schneider Electric operates the platform experience, while our distribution partners sell their stocks to the platform's buyers on our behalf.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| XA                   | Customer Containment Action                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| XAC                  | Containment Action Customer Notification                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| 8D                   | <p>Eight Disciplines Problem Solving Method is a structured, team- oriented approach used to identify, correct, and eliminate- recurring problems.</p> <p>Typical 8D Steps (Generic)</p> <p>D1 – Team: Form a cross functional team with the right expertise-.</p> <p>D2 – Problem Description: Clearly define and quantify the problem.</p> <p>D3 – Containment Actions: Protect the customer by isolating the issue.</p> <p>D4 – Root Cause Analysis: Identify the root cause(s) using analytical tools (5 Why, Fishbone, etc.).</p> <p>D5 – Permanent Corrective Actions: Select and verify PCAs that address the root cause.</p> <p>D6 – Implement &amp; Validate PCAs: Put solutions in place and confirm effectiveness.</p> <p>D7 – Prevent Recurrence: Modify systems, processes, or standards to prevent repeat problems.</p> <p>D8 – Recognize &amp; Celebrate: Acknowledge team efforts and formally close the issue.</p> |

## Appendix A.1: Preparation and Planning Phase - Safety PRBs




General

## Appendix A.2: Preparation and Planning Phase – Non Safety PRBs




General

## Appendix A.3: Launch and communication Phase - Safety PRBs



General


## Appendix A.4: Launch and communication – Non Safety PRBs



General




## Appendix A.5: Execution and follow-Up phrase + Closure - Safety PRBs



General


## Appendix A.6: Execution and Follow up Phase + Closure - Non Safety PRBs



## General

Appendix B:

Role of country lawyer for product recall under OSA (Offer Safety Alert) process



## Appendix C

|                                             |                                                 |                                         |                                                                                                                                                                                       | Who's in charge ?                                                 | Who's to support ?                  |                                     |
|---------------------------------------------|-------------------------------------------------|-----------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------|-------------------------------------|-------------------------------------|
| Step 1: Data to start                       | Customer Datas                                  | First Stakeholder                       | Company's Name                                                                                                                                                                        | LOB                                                               | Front Office/ GSC/ Execution Center |                                     |
|                                             |                                                 |                                         | ID bFO                                                                                                                                                                                | LOB                                                               | Front Office/ GSC/ Execution Center |                                     |
|                                             |                                                 |                                         | Full Client Name                                                                                                                                                                      | LOB                                                               | Front Office/ GSC/ Execution Center |                                     |
|                                             |                                                 |                                         | Client Address                                                                                                                                                                        | LOB                                                               | Front Office/ GSC/ Execution Center |                                     |
|                                             |                                                 |                                         | Client Mail                                                                                                                                                                           | LOB                                                               | Front Office/ GSC/ Execution Center |                                     |
|                                             |                                                 |                                         | Client Phone                                                                                                                                                                          | LOB                                                               | Front Office/ GSC/ Execution Center |                                     |
|                                             | Installed Base Datas                            |                                         | Identified quantity at the customer's site                                                                                                                                            | LOB                                                               | Front Office/ GSC/ Execution Center |                                     |
|                                             |                                                 |                                         | Serial Number for each article                                                                                                                                                        | LOB                                                               | Front Office/ GSC/ Execution Center |                                     |
|                                             |                                                 |                                         | Orders References (of the client)                                                                                                                                                     | LOB                                                               | Front Office/ GSC/ Execution Center |                                     |
|                                             |                                                 |                                         | Order Number in ERP (SAP/ Oracle/...)                                                                                                                                                 | LOB                                                               | Front Office/ GSC/ Execution Center |                                     |
|                                             |                                                 |                                         | Client Order Number                                                                                                                                                                   | LOB                                                               | Front Office/ GSC/ Execution Center |                                     |
|                                             |                                                 |                                         | Product Reference                                                                                                                                                                     | LOB                                                               | Front Office/ GSC/ Execution Center |                                     |
|                                             | Field Action Description                        |                                         | Define which action is needed : Recall ? Rework ?<br>Who is gonna do the action needed ?<br>Customer ?<br>SE Service team ?<br>Third party company ?                                  | LOB                                                               | Front Office/ GSC/ Execution Center |                                     |
|                                             |                                                 |                                         | Instruction procedure ready ?                                                                                                                                                         | LOB                                                               | Front Office/ GSC/ Execution Center |                                     |
|                                             |                                                 | IF : Need of Field Service Intervention |                                                                                                                                                                                       | Check the availability and competencies of FS team or third party | Country Front Office                | Front Office/ GSC/ Execution Center |
|                                             |                                                 |                                         |                                                                                                                                                                                       | Check if the products/parts are available ?                       | LOB                                 | GSC                                 |
|                                             |                                                 |                                         | All BU : Field Service Bulletin created                                                                                                                                               | LOB                                                               | Front Office/ GSC/ Execution Center |                                     |
|                                             | IF : Need of a recall ?                         |                                         | Availability of products ?                                                                                                                                                            | LOB                                                               | GSC                                 |                                     |
|                                             |                                                 |                                         | Define how to order the products ?                                                                                                                                                    | LOB                                                               | Front Office/ GSC/ Execution Center |                                     |
|                                             | Costs Allocation following Dir. 11              |                                         | Technical risk/ Cost center identified ?                                                                                                                                              | LOB                                                               | -                                   |                                     |
|                                             |                                                 |                                         | Costs Definition :<br>Products/ Parts<br>Manpower (Preparation, Intervention, Test and report)<br>Project manager (if massive XA needs to be planned)<br>Transportation and Logistics | LOB/ Front office                                                 | GSC/ Execution Center               |                                     |
|                                             |                                                 |                                         | Elements to justify costs : Which infos are needed in order to have the payment ?                                                                                                     | LOB                                                               | Front Office/ GSC/ Execution Center |                                     |
| SE Country communication                    |                                                 |                                         | Identify towards who communicate                                                                                                                                                      | Front Office                                                      | LOB                                 |                                     |
|                                             |                                                 |                                         | Deploy the communication plan (Business, Management, etc.)                                                                                                                            | Front Office                                                      | LOB                                 |                                     |
| Step 2 : Communication to go                | External Communication (Customers, Third party) | First Letter                            | Client Letter explaining the issue and the actions that will be taken                                                                                                                 | LOB                                                               | Front Office                        |                                     |
|                                             |                                                 |                                         | Legal review of the Global Letter                                                                                                                                                     | Global Legal                                                      | LOB                                 |                                     |
|                                             |                                                 |                                         | Translation of the Global Letter                                                                                                                                                      | Front Office                                                      | -                                   |                                     |
|                                             |                                                 |                                         | Legal review of the Country Letter                                                                                                                                                    | Country Legal                                                     | Front Office                        |                                     |
|                                             |                                                 |                                         | Definition of contact (XAC) to send the letter                                                                                                                                        | Front Office                                                      | Country Business team               |                                     |
|                                             |                                                 |                                         | Update bFO with the Country Letter and customer contact                                                                                                                               | Front Office                                                      | -                                   |                                     |
|                                             |                                                 |                                         | READY TO GO                                                                                                                                                                           |                                                                   |                                     |                                     |
| Step 3 : Deployment and animation of the XA | External Communication (Customers, Third party) | First Letter                            | Send the letter                                                                                                                                                                       | Front Office                                                      | -                                   |                                     |
|                                             |                                                 |                                         | If no response : Send the Reminder Letter                                                                                                                                             | Front Office                                                      | -                                   |                                     |
|                                             |                                                 |                                         | If no response : Final Notice Letter                                                                                                                                                  | Front Office                                                      | -                                   |                                     |
|                                             | XA's animation and deployment                   |                                         | Define animation process with stakeholders (meetings, communication channels, files to share, costs allocation, etc.)                                                                 | Front Office                                                      | LOB/ GSC/ Execution Center          |                                     |
|                                             | Product return                                  |                                         | Secure products product return according Dir 38                                                                                                                                       | Front Office                                                      | GSC                                 |                                     |
|                                             | Acknowledgement of receipt                      |                                         | AR of intervention on site                                                                                                                                                            | Front Office                                                      | -                                   |                                     |
|                                             |                                                 |                                         | If it is a recall: AR of receipt of the part                                                                                                                                          | Front Office                                                      | -                                   |                                     |
|                                             |                                                 |                                         | If there is a return of parts: AR of receipt of the new product                                                                                                                       | Front Office                                                      | -                                   |                                     |
|                                             | Data privacy                                    |                                         | According to country regulation : Define retention period for personal datas and deletion process                                                                                     | Front Office                                                      | -                                   |                                     |
| END OF PROCESS                              |                                                 |                                         |                                                                                                                                                                                       |                                                                   |                                     |                                     |

General

# REVISION HISTORY SUMMARY

| Approvers                               | Requested By    | Change Description                                                                                                                                                                                                                                                                                  | Reason for Change                                                                                                                                   | Revision | Revision Date | Contributors |
|-----------------------------------------|-----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------|----------|---------------|--------------|
| ERIC JACQUOT;<br>ROBERT WOLOWIEC        | ALEJANDRO SOLIS | Reformatting to the new template, addition of three-phase approach, extension of scope to non-safety PRBs, clarification of roles and responsibilities                                                                                                                                              | Required clarification of the process to follow for non-safety PRBs, and overall need to update the procedure to capture evolutions in the process. | 2.0      | 05/08/2026    |              |
| This request is automatically approved. | ALEJANDRO SOLIS | <p>* This document has been migrated from the Global QMS Documents Platform (SharePoint) without revision changes. Process owner/Document author and revision details are specified in the document itself.</p> <p>* A summary of previous revisions is available only in the migrated version.</p> | Document migration                                                                                                                                  | 1.0      | 03/01/2021    |              |