

News and alerts

On 20 January 2027, Australia's import conditions for nursery stock will be updated in accordance with the department's [final pest risk analysis for bacterial pathogens in the Xylella genus](#).

These changes strengthen Australia's biosecurity protections through updated offshore testing, laboratory authorisation, certification and assurance requirements, particularly for tissue culture nursery stock imported from countries and regions that are recognised as high-risk for Xylella.

Offshore laboratories seeking to conduct testing of plants for Xylella can now apply for registration under the [Xylella Laboratory Authorisation Program](#).

Current [emergency measures for Xylella](#) will remain in place until conditions are updated.

Check [Biosecurity Import Conditions \(BICON\)](#) for all import conditions applying to your goods.

About Xylella and its risk

Xylella is a serious plant bacterium. It affects many common plant species including:

- wine and table grapes
- citrus
- olives
- forestry and amenity trees
- almonds
- cherries
- peaches
- plums
- avocados
- blueberries
- coffee
- pecans
- alfalfa.

Xylella is not present in Australia but is of major concern to our plant industries. If it gets into Australia, it will be practically impossible to eradicate.

This bacterial disease originated in the Americas. It has spread to Europe and Asia with recent detections in Spain, Portugal, Israel, Iraq and China. In the Americas it is causing hundreds of millions of dollars in damage. Costs to California's grapevines alone amount to \$100 million per year.

Further information on Xylella can be found on the [Xylella and exotic vectors page](#).

High-risk Xylella countries or regions

High-risk Xylella countries or regions (where Xylella is known to be present in the country or wider region) currently include all countries in the Americas (including the Caribbean), all countries in Europe, China, India, Iran, Iraq, Israel, Lebanon, Taiwan, and Türkiye.

Plant genera regulated for Xylella

Carya

Acacia	Cotoneaster	Lantana	Pluchea
Acer	Croton	Lathyrus	Poa
Acmena	Cydonia	Laurus	Polygala
Acnistus	Cynodon	Lavandula	Polygonum
Adenocarpus	Cyperus	Lavatera	Pomaderris
Aesculus	Cytisus	Leonurus	Poncirus
Agapanthus	Daphne	Lepidium	Populus
Agathis	Datura	Leptospermum	Portulaca
Agrostis	Daucus	Leucophyta	Prosopis
Ailanthus	Dendropogon	Libertia	Prunus
Albizia	Dermatophyllum	Ligustrum	Psidium
Alectryon	Diaphoranthema	Linum	Ptelea
Allardtia	Digitaria	Lippia	Pteridium
Allium	Dimorphotheca	Liquidambar	Pterospartum
Alnus	Diospyros	Liriodendron	Punica
Aloysia	Diplocyclos	Liriope	Pyracantha
Alternanthera	Dittrichia	Lolium	Pyrus
Amaranthus	Dodonaea	Lonicera	Quercus
Ambrosia	Duranta	Ludwigia	Ranunculus
Ampelopsis	Dysphania	Luehea	Raphanus
Amsinckia	Echinochloa	Lupinus	Ratibida
Andira	Echinospartum	Macadamia	Renealmia
Anoplophytum	Echium	Magnolia	Reseda
Annona	Elaeagnus	Mahonia	Retama
Anthyllis	Eleusine	Majorana	Rhamnus
Arbutus	Emilia	Mallotus	Rheum
Arctostaphylos	Encelia	Malus	Rhus
Argyranthemum	Epilobium	Malva	Richardia

Artemisia	Equisetum	Mangifera	Robinia
Asparagus	Eragrostis	Marrubium	Rosa
Athyrium	Eremocarpus	Matricaria	Rosmarinus
Atriplex	Eremophila	Medicago	Rubus
Avena	Erica	Megathyrsus	Rumex
Axonopus	Erigeron	Melaleuca	Ruta
Baccharis	Eriobotrya	Melicope	Saintpaulia
Berberis	Eriocephalus	Melicytus	Salix
Berlandiera	Eriochloa	Melilotus	Salsola
Betula	Eriogonum	Melinis	Salvia
Bidens	Erodium	Melissa	Sambucus
Blainvillea	Erysimum	Mentha	Santolina
Boerhavia	Escallonia	Merremia	Sapindus
Borreria	Eucalyptus	Meryta	Sassafras
Bougainvillea	Eugenia	Metrosideros	Scabiosa
Brachiaria	Euphorbia	Mikania	Schinus
Brachyglottis	Euploca	Miscanthus	Senecio
Brassica	Euryops	Modiola	Senegalia
Bromus	Eutrochium	Monadenium	Senna
Broussonetia	Facelis	Montia	Setaria
Byrsonima	Fagopyrum	Moquiniastrum	Sida
Calicotome	Fagus	Morus	Silybum
Callicarpa	Fallopia	Muhlenbergia	Simmondsia
Callistemon	Fallugia	Muscadinia	Sisymbrium
Callistephus	Fatsia	Myoporum	Smilax
Calluna	Festuca	Myrtus	Solanum
Calocephalus	Ficus	Nandina	Solidago
Calylophus	Fragaria	Neillia	Sonchus
Calyptocarpus	Frangula	Neptunia	Sophora
Campsis	Franseria	Nerium	Sorghum
Canna	Fraxinus	Nicotiana	Spartium
Cannabis	Fuchsia	Nothoscordum	Spermacoce
Capsella	Funastrum	Nyssa	Spondias
Carex	Gahnia	Oenanthe	Stachys
Carpinus	Galium	Oenothera	Stellaria
Cartrema	Gamochaeta	Olea	Stephanandra

Carya	Gaura	Olearia	Stewartia
Cassia	Gazania	Origanum	Strelitzia
Castanea	Genista	Osmanthus	Strepsia
Castilleja	Geranium	Osteospermum	Streptocarpus
Catalpa	Ginkgo	Oxalis	Symphoricarpos
Catharanthus	Gleditsia	Oxydendrum	Symphyotrichum
Cedrela	Gliricidia	Pachystegia	Synadenium
Celastrus	Gochnatia	Panicum	Syringa
Celtis	Grevillea	Parahebe	Syzygium
Cenchrus	Halimium	Parthenium	Talinum
Cephalanthus	Haloragis	Parthenocissus	Tamarix
Cercis	Hamamelis	Paspalum	Tapirira
Chamaecrista	Hebe	Passiflora	Taraxacum
Chamaesyce	Hedera	Paulownia	Teucrium
Chenopodiastrum	Helianthus	Pedilanthus	Thymus
Chenopodium	Helichrysum	Pelargonium	Tillandsia
Chilopsis	Heliotropium	Pennisetum	Toxicodendron
Chionanthus	Hemerocallis	Perovskia	Trema
Chloris	Heteromeles	Persea	Tribulus
Cinnamomum	Heterotheca	Persicaria	Trifolium
Cistus	Hibiscus	Phagnalon	Ulex
Citrus	Hordeum	Phalaris	Ulmus
Cladrastis	Humulus	Philadelphus	Umbellularia
Claytonia	Hydrangea	Phillyrea	Uncinia
Clematis	Hypericum	Phleum	Urochloa
Clethra	Hypochaeris	Phlomis	Urtica
Clianthus	Ilex	Phlox	Vaccinium
Clinopodium	Impatiens	Phoenix	Verbena
Coelorachis	Indigofera	Phormium	Vernonia
Coffea	Inga	Photinia	Veronica
Coleonema	Iochroma	Phragmites	Viburnum
Commelina	Ipomoea	Phyla	Vicia
Conium	Iva	Phyllocladus	Vinca
Convolvulus	Jacaranda	Phytarrhiza	Viridantha
Conyza	Jacobaea	Phytolacca	Vitex
Coprosma	Juglans	Pieris	Vitis

Cordyline	Juniperus	Pinus	Vulpia
Cornus	Justicia	Pistacia	Westringia
Corokia	Kali	Pittosporum	Wisteria
Coronilla	Kerria	Pityrophyllum	Xanthium
Coronopus	Koelreuteria	Plantago	Youngia
Cortaderia	Lactuca	Platanus	x Chitalpa
Corynocarpus	Lagerstroemia	Platystachys	

Measures for Xylella

Emergency measures to manage Xylella in host nursery stock and seeds for sowing will be in place until 20 January 2027.

Read more about the [emergency Xylella measures](#).

From 20 January 2027, updated conditions will apply to Xylella host nursery stock in line with recommendations of the [pest risk analysis \(PRA\) for bacterial pathogens in the genus Xylella](#).

Read more about these [changes and implementation timeframes](#).

Future reviews and updates

We will continue to review and update import conditions when there is new information on the spread of the bacteria, its host range and pathway compliance.

A BICON Alert will be issued to notify stakeholders of any significant changes to import requirements.

Contact us

For additional enquiries, email imports@aff.gov.au using the subject line 'Plant T2 – Xylella'.

Source: <https://www.agriculture.gov.au/biosecurity-trade/import/goods/plant-products/how-to-import-plants/xylella-host-nursery-stock>