

A notifiable disease is one that must be reported to agricultural authorities.

If you suspect or can confirm that an animal is showing symptoms of one of the diseases listed below, you must report it to:

- your local vet or
- your state or territory's department of primary industries or agriculture by phoning the Emergency Animal Disease Hotline on 1800 675 888.

The diseases listed below are a major threat to Australian livestock industries and our access to overseas export markets.

The national list of notifiable animal diseases was agreed by the [Animal Health Committee](#) based on the “[listed diseases](#)” of the World Organisation for Animal Health. Endemic diseases are included for surveillance purposes to detect unusual incidents involving mortality or sickness of animals and diseases of public health significance.

The requirement to report notifiable disease is contained in individual state and territory legislation.

[State and territory notifiable animal disease lists](#) contain all the diseases in the national list but can include others specific to that state or territory.

Multiple species diseases, infections and infestations

- Bluetongue (clinical disease)
- Epizootic haemorrhagic disease (clinical disease)
- Infection with alcelaphine herpesvirus-1 (malignant catarrhal fever, wildebeest-associated)
- Infection with Australian bat lyssavirus
- Infection with *Bacillus anthracis* (anthrax)
- Infection with Borna disease virus
- Infection with Crimean-Congo haemorrhagic fever virus
- Infection with *Echinococcus multilocularis*
- Infection with *Ehrlichia ruminantium* (heartwater)
- Infection with foot and mouth disease virus
- Infection with *Francisella tularensis* (tularemia)
- Infection with Getah virus
- Infection with Japanese encephalitis virus
- Infection with *Leishmania* spp.
- Infection with louping ill virus
- Infection with *Mycobacterium bovis*
- Infection with *Mycobacterium caprae*
- Infection with *Mycobacterium tuberculosis*
- Infection with rabies virus
- Infection with Rift Valley fever virus
- Infection with rinderpest virus

- Infection with tick borne encephalitis
- Infection with *Trichinella* spp.
- Infection with *Trypanosoma cruzi* (Chagas disease)
- Infection with *Trypanosoma evansi* (surra)
- Infection with vesicular stomatitis virus
- Infestation with *Chrysomya bezziana* (Old World screwworm)
- Infestation with *Cochliomyia hominivorax* (New World screwworm)
- Infestation with warble-fly (warble-fly myiasis)
- Paratuberculosis (Johne's disease)
- Transmissible spongiform encephalopathies (bovine spongiform encephalopathy, chronic wasting disease, feline spongiform encephalopathy, scrapie)
- Trypanosomosis (tsetse fly associated)
- West Nile virus (clinical disease)

Cattle diseases, infections and infestations

- Haemorrhagic septicaemia (infection with *Pasteurella multocida* serotypes 6:b and 6:e)
- Infection with *Anaplasma marginale* (bovine anaplasmosis) in tick free areas
- Infection with *Babesia bovis*, *B. bigemina* or *B. divergens* (bovine babesiosis) in tick free areas
- Infection with bovine leukaemia virus (enzootic bovine leucosis)
- Infection with bovine virus diarrhoea virus (type 2)
- Infection with *Brucella abortus*
- Infection with Jembrana disease virus
- Infection with lumpy skin disease virus
- Infection with *Mycoplasma mycoides* subsp. *mycoides* SC (contagious bovine pleuropneumonia)
- Infection with *Theileria parva* (East Coast fever) or *T. annulata* (Mediterranean theileriosis)
- Infestation with *Taenia saginata* (*cysticercus bovis*)

Sheep and goat diseases, infections and infestations

- Contagious agalactia (clinical disease)
- Infection with *Brucella melitensis*
- Infection with *Chlamydophila abortus* (enzootic abortion of ewes, ovine chlamydiosis)
- Infection with Jaagsiekte sheep retrovirus
- Infection with Maedi-visna virus
- Infection with *Mycoplasma capricolum* subsp. *capripneumoniae* (contagious caprine pleuropneumonia)
- Infection with Nairobi sheep disease virus
- Infection with peste des petits ruminants virus
- Infestation with *Psoroptes ovis* (sheep scab)
- Infection with *Salmonella abortus-ovis*
- Infection with sheep pox virus or goat pox virus
- Infection with Wesselsbron virus

Equine diseases and infections

- Infection with African horse sickness virus
- Infection with Babesia caballi B. equi, or Theileria equi (equine piroplasmosis)
- Infection with Burkholderia mallei (glanders)
- Infection with eastern, western or Venezuelan equine encephalomyelitis viruses
- Infection with equine arteritis virus
- Infection with equine encephalosis virus
- Infection with equine herpesvirus-1 (EHV-1)
- Infection with equine infectious anaemia virus
- Infection with equine influenza virus
- Infection with Hendra virus
- Infection with Histoplasma farciminosum (epizootic lymphangitis)
- Infection with Neorickettsia risticii (Potomac fever)
- Infection with Salmonella abortus-equi
- Infection with Taylorella equigenitalis (contagious equine metritis)
- Infection with Trypanosoma equiperdum (dourine)

Swine diseases and infections

- Infection with African swine fever virus
- Infection with Aujeszky's disease virus (pseudorabies virus)
- Infection with Brucella suis
- Infection with Bungowannah virus
- Infection with classical swine fever virus
- Infection with influenza A viruses in swine
- Infection with Menangle virus
- Infection with Nipah virus
- Infection with porcine epidemic diarrhoea virus
- Infection with porcine reproductive and respiratory syndrome virus
- Infection with Seneca Valley virus (Senecavirus A)
- Infection with swine vesicular disease virus
- Infection with Taenia solium (porcine cysticercosis)
- Infection with transmissible gastroenteritis coronavirus
- Infection with vesicular exanthema of swine virus
- Post-weaning multi-systemic wasting syndrome
- Teschovirus encephalomyelitis

Avian diseases and infections

- Anatid herpesvirus-1
- Duck virus hepatitis
- Infection with avian metapneumovirus (turkey rhinotracheitis)
- Infection with infectious bursal disease virus (very virulent and exotic antigenic variant forms)

- Infection with influenza A viruses in birds
- Infection with *Mycobacterium avium* (avian tuberculosis) in birds
- Infection with *Mycoplasma iowae*
- Infection with Newcastle disease virus (virulent)
- Infection with *Salmonella Enteritidis* in poultry
- Infection with *Salmonella Gallinarum* (fowl typhoid)
- Infection with *Salmonella pullorum* (pullorum disease)

Other diseases and infections

- Devil facial tumour disease
- Infection with *Brucella canis*
- Infection with camelpox virus
- Infection with Middle East respiratory syndrome coronavirus
- Infection with *Pseudogymnoascus destructans* in bats (white nose syndrome)
- Infection of bees with *Paenibacillus larvae* (American foulbrood)
- Infestation of bees with *Acarapis woodi* (Acariasis tracheal mite)
- Infestation of bees with *Tropilaelaps clareae* or *T. mercedesae* (*Tropilaelaps* mite)
- Infestation of bees with *Varroa destructor* or *V. jacobsoni* (Varroosis)

Source: <https://www.agriculture.gov.au/biosecurity-trade/pests-diseases-weeds/animal/notifiable>