


Nymph description 3 of 15



Distribution



Nymph Description: Locusta has different phases with the solitary phase the most commonly encountered:

Solitary phase: Colour from brown to green. In profile the thorax is slightly domed above the head and crested. A dark stripe starts at the antenna, goes up through the eye at a 45 degree angle and becomes horizontal before fading into the thorax, which has a small but prominent dark spot. Rear femur has two oblique darker bands.

Gregarious phase: Colour is red to orange with very contrasting darker to almost black markings. In profile the thorax is not domed but saddle-shaped and even lower than the head. A dark stripe starts at the antennae, goes up through the eye at a 45 degree angle and becomes horizontal as it continues across the thorax. In later instars this becomes a prominent stripe along the entire body.

Confusion with Australian plague locust: This is a large species with later instars bigger than plague locust adults.

Confusion with yellow winged locust: Similar size and domed appearance ([compare photos](#)).

Unique features: The combination of large size, only slightly domed thorax, an eye stripe which becomes horizontal at the back of the eye, and a hairy 'chest' or downy layer on underside of thorax.

Further information on this species: [Description of adult](#), [More images](#), [Distribution](#), [Biology](#)

Source: https://www.agriculture.gov.au/biosecurity-trade/pests-diseases-weeds/locusts/about/id-guide/description_of_nymphs/migratory-locust-nymph