#### **Relational Schema**

User(<u>E mail</u>, Username, First\_name, Last\_name, Password)

Customer(<u>CEmail</u>, Points)

Customer.CEmail references User.

Vendor(<u>VEmail</u>, Company\_name, Bank\_account\_number, AEmail)

Vendor. VEmail references User.

Vendor.AEmail references Admin.

#### Admin( AEmail)


Admin.AEmail references User.

### DeliveryPersonnel(<u>DEmail</u>, AEmail)

DeliveryPersonnel.DEmail references User.

DeliveryPersonnel.AEmail references Admin.

Address( <u>Address, Email</u> )
Address.Email references User.
MobileNumber(Mobile_number, Email)
MobileNumber.Email references User.
Product( <u>Serial_number</u> , Color, Image, Price, Category, Description, Availability, Rate, Name, Amount, VEmail)
Product.VEmail references Vendor.
Question(QuestionID)
CreditCard( <u>CNumber</u> , CVC_code, Expiry_date)
Wishlist( <u>CEmail, Name</u> )
Wishlist.CEmail references Customer.
Order( <u>ONumbe</u> r, Status, Payment_method, Points_spent,CEmail, DEmail, Delivery_window_time)



Use\_to\_pay.CEmail references Customer.

Use\_to\_pay.CNumber references CreditCard.

## Ask(QuestionID, CEmail, Serial\_number)

Ask.QuestionID references Question.

Ask.CEmail references Customer.

Ask.Serial\_number references Product.

### Answer(QuestionID, VEmail, Serial\_number)

Answer.QuestionID references Question.

Answer. VEmail references Vendor.

Answer.Serial number references Product.

#### Add\_to\_wishlist(Name, CEmail, Serial\_number)

Add\_to\_wishlist.Name references Wishlist.Name.

Add\_to\_wishlist.CEmail references Customer.

Add\_to\_wishlist.Serial\_number references Product.

# Remove\_from\_wishlist(Name, CEmail, Serial\_number)

Remove\_from\_wishlist.Name references Wishlist.Name.

Remove\_from\_wishlist.CEmail references Customer.

Remove\_from\_wishlist.Serial\_number references Product.

## Rate(<u>Serial\_number, CEmail</u>)

Rate.Serial\_number references Product.

Rate.CEmail references Customer.

# Add\_to\_cart(<u>Serial\_number, CEmail</u>)

Add to cart. Serial number references Product.

Add to cart.CEmail references Customer.

## Remove\_from\_cart(<u>Serial\_number, CEmail</u>)

Remove\_from\_cart.Serial\_number references Product.

Remove\_from\_cart.CEmail references Customer.

#### Get\_recommended(Serial\_number, CEmail)

Gets\_recommended.Serial\_number references Product.

Gets\_recommended.CEmail references Customer.

# Return(CEmail, <u>Serial\_number</u>, <u>ONumber</u>)

Return.CEmail references Customer.

Return.Serial\_number references Product.

Return.ONumber references Order.

# Make\_order(<u>ONumber</u>, CEmail, DeliveryID)

Make\_order.ONumber references Order.

Make\_order.CEmail references Customer.

Make\_order.DeliveryID references Delivery.

## Review(ONumber, AEmail)

Review.ONumber references Order.

Review. A Email references Admin.

### **Update\_status(ONumber, AEmail)**

Update\_status.ONumber references Order.

Update status. A Email references Admin.

# Add\_offer(<u>Serial\_number</u>, VEmail, <u>Offer\_number</u>)

Add offer. Serial number references Product.

Add\_offer.VEmail references Vendor.

Add\_offer.Offer\_number references Offer.

# Issue\_giftcard(<u>Card\_number, CEmail, AEmail</u>)

Issue\_giftcard.Card\_number references GiftCard.

Issue\_giftcard.CEmail references Customer.

Issue\_giftcard.AEmail references Admin.

# Post\_deal(<u>Serial\_number</u>, Deal\_number, AEmail)

Post deal. Serial number references Product.

Post\_deal.Deal\_number references Today'sDeal.

Post\_deal.AEmail references Admin.