

# CLOUD COMPUTING LAB

Name: Maria Abdul Malik

Reg No: 2023-BSE-076

Submitted to: Sir Muhammad Shoaib

Class: 5B

## LAB #09

### Task 1 — GitHub CLI, Codespace setup and authentication

task1\_gh\_install.png

```
Command Prompt - winget install --id GitHub.cli
Microsoft Windows [Version 10.0.19045.6466]
(c) Microsoft Corporation. All rights reserved.

C:\Users\A>winget install --id GitHub.cli
The 'msstore' source requires that you view the following agreements before using.
Terms of Transaction: https://aka.ms/microsoft-store-terms-of-transaction
The source requires the current machine's 2-letter geographic region to be sent to the backend service to function properly (ex. "US").


Do you agree to all the source agreements terms?
[Y] Yes [N] No: y
Found GitHub CLI [GitHub.cli] Version 2.83.2
This application is licensed to you by its owner.
Microsoft is not responsible for, nor does it grant any licenses to, third-party packages.
Downloading https://github.com/cli/cli/releases/download/v2.83.2/gh_2.83.2_windows_amd64.msi
17.7 MB / 17.7 MB
Successfully verified installer hash
Starting package install...
\ -
```

task1\_gh\_auth\_login.png

```
Microsoft Windows [Version 10.0.19045.6466]
(c) Microsoft Corporation. All rights reserved.

C:\Users\A>gh auth login -s codespace
? Where do you use GitHub? GitHub.com
? What is your preferred protocol for Git operations on this host? HTTPS
? Authenticate Git with your GitHub credentials? Yes
? How would you like to authenticate GitHub CLI? Login with a web browser

! First copy your one-time code: 767A-A38E
Press Enter to open https://github.com/login/device in your browser...
? Authentication complete.
- gh config set -h github.com git_protocol https
- Configured git protocol
```



task1\_codespace\_list.png

```
C:\Users\A>gh codespace list
```

NAME	DISPLAY NAME	REPOSITORY	BRANCH	STATE	CREATED AT
refactored-umbrella-v6j6vpvjwxxh6gjp	refactored umbrella	mariamalik11/Lab-9	main	Available	about 8 minutes ago

task1\_codespace\_ssh\_connected.png

```
C:\Users\A>gh codespace ssh -c refactored-umbrella-v6j6vpvjwxxh6gjp
Welcome to Ubuntu 24.04.3 LTS (GNU/Linux 6.8.0-1030-azure x86_64)

 * Documentation:  https://help.ubuntu.com
 * Management:    https://landscape.canonical.com
 * Support:       https://ubuntu.com/pro

The programs included with the Ubuntu system are free software;
the exact distribution terms for each program are described in the
individual files in /usr/share/doc/*/copyright.

Ubuntu comes with ABSOLUTELY NO WARRANTY, to the extent permitted by
applicable law.

@mariamalik11 [ ] /workspaces/Lab-9 (main) $ _
```

## Task 2 — Install AWS CLI inside the Codespace and configure it

task2\_aws\_install.png

```
Command Prompt - gh codespace ssh -c refactored-umbrella-v6j6vpvjwxxh6gjp
creating: aws/dist/awscli/botocore/.changes/next-release/
inflating: aws/dist/awscli/botocore/.changes/next-release/api-change-connect-59117.json
inflating: aws/dist/awscli/topics/config-vars.rst
inflating: aws/dist/awscli/topics/s3-faq.rst
inflating: aws/dist/awscli/topics/topic-tags.json
inflating: aws/dist/awscli/topics/ddb-expressions.rst
inflating: aws/dist/awscli/topics/s3-config.rst
inflating: aws/dist/awscli/topics/return-codes.rst
creating: aws/dist/awscli/customizations/sso/
creating: aws/dist/awscli/customizations/wizard/
creating: aws/dist/awscli/customizations/wizard/wizards/
creating: aws/dist/awscli/customizations/wizard/wizards/configure/
creating: aws/dist/awscli/customizations/wizard/wizards/dynamodb/
creating: aws/dist/awscli/customizations/wizard/wizards/events/
creating: aws/dist/awscli/customizations/wizard/wizards/iam/
creating: aws/dist/awscli/customizations/wizard/wizards/lambda/
inflating: aws/dist/awscli/customizations/wizard/wizards/configure/_main.yml
inflating: aws/dist/awscli/customizations/wizard/wizards/events/new-rule.yml
inflating: aws/dist/awscli/customizations/wizard/wizards/dynamodb/new-table.yml
inflating: aws/dist/awscli/customizations/wizard/wizards/lambda/new-function.yml
inflating: aws/dist/awscli/customizations/wizard/wizards/iam/new-role.yml
inflating: aws/dist/awscli/customizations/sso/index.html
inflating: aws/dist/awscli/data/metadata.json
inflating: aws/dist/awscli/data/cli.json
inflating: aws/dist/awscli/data/ac.index
creating: aws/dist/prompt_toolkit-3.0.51.dist-info/licenses/
inflating: aws/dist/prompt_toolkit-3.0.51.dist-info/top_level.txt
inflating: aws/dist/prompt_toolkit-3.0.51.dist-info/METADATA
inflating: aws/dist/prompt_toolkit-3.0.51.dist-info/WHEEL
inflating: aws/dist/prompt_toolkit-3.0.51.dist-info/INSTALLER
inflating: aws/dist/prompt_toolkit-3.0.51.dist-info/RECORD
inflating: aws/dist/prompt_toolkit-3.0.51.dist-info/licenses/AUTHORS.rst
inflating: aws/dist/prompt_toolkit-3.0.51.dist-info/licenses/LICENSE
inflating: aws/dist/wheel-0.45.1.dist-info/WHEEL
inflating: aws/dist/wheel-0.45.1.dist-info/LICENSE.txt
inflating: aws/dist/wheel-0.45.1.dist-info/METADATA
inflating: aws/dist/wheel-0.45.1.dist-info/REQUESTED
inflating: aws/dist/wheel-0.45.1.dist-info/INSTALLER
inflating: aws/dist/wheel-0.45.1.dist-info/direct_url.json
inflating: aws/dist/wheel-0.45.1.dist-info/entry_points.txt
inflating: aws/dist/wheel-0.45.1.dist-info/RECORD
@mariamalik11 [ ] /workspaces/Lab-9 (main) $ sudo ./aws/install
You can now run: /usr/local/bin/aws --version
@mariamalik11 [ ] /workspaces/Lab-9 (main) $
```

task2\_aws \_version.png

```
@mariamalik11 [ ] /workspaces/Lab-9 (main) $ aws --version
aws-cli/2.32.28 Python/3.13.11 Linux/6.8.0-1030-azure exe/x86_64.ubuntu.24
```

task2\_aws\_configure\_and\_files.png

```
@mariamalik11 [ ] /workspaces/Lab-9 (main) $ aws configure
AWS Access Key ID [None]: AKIAUHX42RXNJYIXKD6
AWS Secret Access Key [None]: Jx599I440pfT6bDE9EY8K0J7u4Gb5EIK2ZX6e3+X
Default region name [None]: me-central-1
Default output format [None]: json
```

task2\_aws\_get\_caller\_identity.png

```
@mariamalik11 [ ] /workspaces/Lab-9 (main) $ aws sts get-caller-identity
{
  "UserId": "AIDAUHX42RXF3IJLIPXL",
  "Account": "291506017390",
  "Arn": "arn:aws:iam::291506017390:user/Admin"
}
```

## Task 3 — Create security group and add ingress rules using Codespace IP

task3\_create\_security\_group\_output.png

```
@mariamalik11 [ ] /workspaces/Lab-9 (main) $ aws ec2 create-security-group --group-name 'MySecurityGroup' \
> --description 'My Security Group' \
> --vpc-id 'vpc-0e3a7ba238e097490'
{
  "GroupId": "sg-006be544db1a757c8",
  "SecurityGroupArn": "arn:aws:ec2:me-central-1:291506017390:security-group/sg-006be544db1a757c8"
}
```

task3\_describe\_sg\_before\_ingress.png

```
@mariamalik11 [ /workspaces/Lab-9 (main) ] $ aws ec2 describe-security-groups --group-ids sg-006be544db1a757c8
{
  "SecurityGroups": [
    {
      "GroupId": "sg-006be544db1a757c8",
      "IpPermissionsEgress": [
        {
          "IpProtocol": "-1",
          "UserIdGroupPairs": [],
          "IpRanges": [
            {
              "CidrIp": "0.0.0.0/0"
            }
          ],
          "Ipv6Ranges": [],
          "PrefixListIds": []
        }
      ],
      "VpcId": "vpc-0e3a7ba238e097490",
      "SecurityGroupArn": "arn:aws:ec2:me-central-1:291506017390:security-group/sg-006be544db1a757c8",
      "OwnerId": "291506017390",
      "GroupName": "MySecurityGroup",
      "Description": "My Security Group",
      "IpPermissions": []
    }
  ]
}
```

task3\_codespace\_public\_ip.png

```
@mariamalik11 [ /workspaces/Lab-9 (main) ] $ curl icanhazip.com
13.71.3.97
```

task3\_authorize\_ssh.png

```
@mariamalik11 [ /workspaces/Lab-9 (main) ] $ aws ec2 authorize-security-group-ingress \
> --group-id sg-006be544db1a757c8 \
> --protocol tcp \
> --port 22 \
> --cidr 13.71.3.97/32
{
  "Return": true,
  "SecurityGroupRules": [
    {
      "SecurityGroupRuleId": "sgr-0e805ff79baa67f38",
      "GroupId": "sg-006be544db1a757c8",
      "GroupOwnerId": "291506017390",
      "IsEgress": false,
      "IpProtocol": "tcp",
      "FromPort": 22,
      "ToPort": 22,
      "CidrIpv4": "13.71.3.97/32",
      "SecurityGroupRuleArn": "arn:aws:ec2:me-central-1:291506017390:security-group-rule/sgr-0e805ff79baa67f38"
    }
  ]
}
```

task3 \_describe.png

```
@mariamalik11 @ /workspaces/Lab-9 (main) $ aws ec2 describe-security-groups --group-ids sg-006be544db1a757c8
{
  "SecurityGroups": [
    {
      "GroupId": "sg-006be544db1a757c8",
      "IpPermissionsEgress": [
        {
          "IpProtocol": "-1",
          "UserIdGroupPairs": [],
          "IpRanges": [
            {
              "CidrIp": "0.0.0.0/0"
            }
          ],
          "Ipv6Ranges": [],
          "PrefixListIds": []
        }
      ],
      "VpcId": "vpc-0e3a7ba238e097490",
      "SecurityGroupArn": "arn:aws:ec2:me-central-1:291506017390:security-group/sg-006be544db1a757c8",
      "OwnerId": "291506017390",
      "GroupName": "MySecurityGroup",
      "Description": "My Security Group",
      "IpPermissions": [
        {
          "IpProtocol": "tcp",
          "FromPort": 22,
          "ToPort": 22,
          "UserIdGroupPairs": [],
          "IpRanges": [
            {
              "CidrIp": "13.71.3.97/32"
            }
          ],
          "Ipv6Ranges": [],
          "PrefixListIds": []
        }
      ]
    }
  ]
}
```

task3\_authorize\_http\_and\_describe.png

```
@mariamalik11 @ /workspaces/Lab-9 (main) $ aws ec2 authorize-security-group-ingress \
> --group-id sg-006be544db1a757c8 \
> --ip-permissions '{"FromPort":80,"ToPort":80,"IpProtocol":"tcp","IpRanges":[{"CidrIp":"13.71.3.97/32"}]}'
{
  "Return": true,
  "SecurityGroupRules": [
    {
      "SecurityGroupRuleId": "sgr-061271e523ce54c97",
      "GroupId": "sg-006be544db1a757c8",
      "GroupOwnerId": "291506017390",
      "IsEgress": false,
      "IpProtocol": "tcp",
      "FromPort": 80,
      "ToPort": 80,
      "CidrIpv4": "13.71.3.97/32",
      "SecurityGroupRuleArn": "arn:aws:ec2:me-central-1:291506017390:security-group-rule/sgr-061271e523ce54c97"
    }
  ]
}
```

task3\_describe\_sg\_final.png

```
@mariamalik11 @ /workspaces/Lab-9 (main) $ aws ec2 describe-security-groups --group-ids sg-006be544db1a757c8
{
  "SecurityGroups": [
    {
      "GroupId": "sg-006be544db1a757c8",
      "IpPermissionsEgress": [
        {
          "IpProtocol": "-1",
          "UserIdGroupPairs": [],
          "IpRanges": [
            {
              "CidrIp": "0.0.0.0/0"
            }
          ],
          "Ipv6Ranges": [],
          "PrefixListIds": []
        }
      ],
      "VpcId": "vpc-0e3a7ba238e097490",
      "SecurityGroupArn": "arn:aws:ec2:me-central-1:291506017390:security-group/sg-006be544db1a757c8",
      "OwnerId": "291506017390",
      "GroupName": "MySecurityGroup",
      "Description": "My Security Group",
      "IpPermissions": [
        {
          "IpProtocol": "tcp",
          "FromPort": 80,
          "ToPort": 80,
          "UserIdGroupPairs": [],
          "IpRanges": [
            {
              "CidrIp": "13.71.3.97/32"
            }
          ],
          "Ipv6Ranges": [],
          "PrefixListIds": []
        },
        {
          "IpProtocol": "tcp",
          "FromPort": 22,
          "ToPort": 22,
          "UserIdGroupPairs": [],
          "IpRanges": [
            {
              "CidrIp": "13.71.3.97/32"
            }
          ],
          "Ipv6Ranges": [],
          "PrefixListIds": []
        }
      ]
    }
  ]
}
```

## Task 4 — Create a key pair, describe key pairs, and launch EC2 instance

task4\_create\_keypair\_output.png

```
@mariamalik11 @ /workspaces/Lab-9 (main) $ aws ec2 create-key-pair \
> --key-name MyED25519Key \
> --key-type ed25519 \
> --key-format pem \
> --query 'KeyMaterial' \
> --output text > MyED25519Key.pem
```

task4\_describe\_keypairs.png

```
@mariamalik11 /workspaces/Lab-9 (main) $ aws ec2 describe-key-pairs
{
  "KeyPairs": [
    {
      "KeyPairId": "key-0b3321e4b62c4b840",
      "KeyType": "ed25519",
      "Tags": [],
      "CreateTime": "2026-01-06T10:01:58.286000+00:00",
      "KeyName": "MyED25519Key",
      "KeyFingerprint": "hrChoNMA65kihbam0ALAncj7DjBaJ3R5lFSuSiHXiYs="
    }
  ]
}
```

task4\_run\_instances\_output.png

```
@mariamalik11 /workspaces/Lab-9 (main) $ aws ec2 run-instances \
> --image-id ami-05e66df2bafcb7dea \
> --count 1 \
> --instance-type t3.micro \
> --key-name MyED25519Key \
> --security-group-ids sg-006be544db1a757c8 \
> --subnet-id subnet-0e02d581cfd0ee452 \
> --tag-specifications "ResourceType=instance,Tags=[{Key=Name,Value=MyServer}]"
{
  "ReservationId": "r-0fac0d6675ffaf878",
  "OwnerId": "291506017390",
  "Groups": [],
  "Instances": [
    {
      "Architecture": "x86_64",
      "BlockDeviceMappings": [],
      "ClientToken": "372f1e5c-c8cc-4a4a-bec5-5f9995cf44e1",
      "EbsOptimized": false,
      "EnaSupport": true,
      "Hypervisor": "xen",
      "NetworkInterfaces": [
        {
          "Attachment": {
            "AttachTime": "2026-01-06T13:14:00+00:00",
            "AttachmentId": "eni-attach-03795d98af75436f7",
            "DeleteOnTermination": true,
            "DeviceIndex": 0,
            "Status": "attaching",
            "NetworkCardIndex": 0
          },
          "Description": "",
          "Groups": [
            {
              "GroupId": "sg-006be544db1a757c8",
              "GroupName": "MySecurityGroup"
            }
          ],
          "Ipv6Addresses": [],
          "MacAddress": "0a:ad:95:4c:15:f5",
          "NetworkInterfaceId": "eni-0fd644f08a9f5dbcb",
          "OwnerId": "291506017390",
          "PrivateDnsName": "ip-172-31-24-116.me-central-1.compute.internal",
          "PrivateIpAddress": "172.31.24.116",

```

task4\_describe\_instances\_public\_ip.pn

```
@mariamalik11 /workspaces/Lab-9 (main) $ aws ec2 describe-instances --query "Reservations[*].Instances[*].PublicIpAddress,State.Name" --output table
-----
| DescribeInstances |
+-----+-----+-----+
| i-0fdbb82cc7e99be09 | 51.112.142.8 | running |
+-----+-----+-----+
@mariamalik11 /workspaces/Lab-9 (main) $
```

## Task 5 — Understand AWS describe-\* commands

- task5\_describe\_security\_groups.png

```

@mariamalik11 @ /workspaces/Lab-9 (main) $ aws ec2 describe-security-groups
{
  "SecurityGroups": [
    {
      "GroupId": "sg-006be544db1a757c8",
      "IpPermissionsEgress": [
        {
          "IpProtocol": "-1",
          "UserIdGroupPairs": [],
          "IpRanges": [
            {
              "CidrIp": "0.0.0.0/0"
            }
          ],
          "Ipv6Ranges": [],
          "PrefixListIds": []
        }
      ],
      "VpcId": "vpc-0e3a7ba238e097490",
      "SecurityGroupArn": "arn:aws:ec2:me-central-1:291506017390:security-group/sg-",
      "OwnerId": "291506017390",
      "GroupName": "MySecurityGroup",
      "Description": "My Security Group",
      "IpPermissions": [
        {
          "IpProtocol": "tcp",
          "FromPort": 80,
          "ToPort": 80,
          "UserIdGroupPairs": [],
          "IpRanges": [
            {
              "CidrIp": "0.0.0.0/0"
            }
          ]
        }
      ]
    }
  ]
}
: ...skipping...
{
  "SecurityGroups": [
    {
      "GroupId": "sg-006be544db1a757c8",
      "IpPermissionsEgress": [
        {
          "IpProtocol": "-1",

```

task5\_describe\_vpcs.png

```

@mariamalik11 @ /workspaces/Lab-9 (main) $ aws ec2 describe-vpcs
{
  "Vpcs": [
    {
      "OwnerId": "291506017390",
      "InstanceTenancy": "default",
      "CidrBlockAssociationSet": [
        {
          "AssociationId": "vpc-cidr-assoc-0decd793abda69466",
          "CidrBlock": "172.31.0.0/16",
          "CidrBlockState": {
            "State": "associated"
          }
        }
      ],
      "IsDefault": true,
      "BlockPublicAccessStates": {
        "InternetGatewayBlockMode": "off"
      },
      "VpcId": "vpc-0e3a7ba238e097490",
      "State": "available",
      "CidrBlock": "172.31.0.0/16",
      "DhcpOptionsId": "dopt-09d2afde96c48ccf8"
    }
  ]
}

```

task5\_describe\_subnets.png



```
@mariamalik11 @ /workspaces/Lab-9 (main) $ aws ec2 describe-subnets
{
  "Subnets": [
    {
      "AvailabilityZoneId": "mec1-az1",
      "MapCustomerOwnedIpOnLaunch": false,
      "OwnerId": "291506017390",
      "AssignIpv6AddressOnCreation": false,
      "Ipv6CidrBlockAssociationSet": [],
      "SubnetArn": "arn:aws:ec2:me-central-1:291506017390:subnet/subnet-06a59b3771518f03a",
      "EnableDns64": false,
      "Ipv6Native": false,
      "PrivateDnsNameOptionsOnLaunch": {
        "HostnameType": "ip-name",
        "EnableResourceNameDnsARecord": false,
        "EnableResourceNameDnsAAAARecord": false
      },
      "BlockPublicAccessStates": {
        "InternetGatewayBlockMode": "off"
      },
      "SubnetId": "subnet-06a59b3771518f03a",
      "State": "available",
      "VpcId": "vpc-0e3a7ba238e097490",
      "CidrBlock": "172.31.32.0/20",
      "AvailableIpAddressCount": 4091,
      "AvailabilityZone": "me-central-1a",
      "DefaultForAz": true,
      "MapPublicIpOnLaunch": true
    },
    {
      "AvailabilityZoneId": "mec1-az2",
      "MapCustomerOwnedIpOnLaunch": false,
      "OwnerId": "291506017390",
      "AssignIpv6AddressOnCreation": false,
      "Ipv6CidrBlockAssociationSet": [],
      "SubnetArn": "arn:aws:ec2:me-central-1:291506017390:subnet/subnet-0e02d581cf0",
      "EnableDns64": false,
      "Ipv6Native": false,

```

task5\_describe\_instances.png

```
@mariamalik11 @ /workspaces/Lab-9 (main) $ aws ec2 describe-instances
{
  "Reservations": [
    {
      "ReservationId": "r-0fac0d6675ffaf878",
      "OwnerId": "291506017390",
      "Groups": [],
      "Instances": [
        {
          "Architecture": "x86_64",
          "BlockDeviceMappings": [
            {
              "DeviceName": "/dev/xvda",
              "Ebs": {
                "AttachTime": "2026-01-06T13:14:00+00:00",
                "DeleteOnTermination": true,
                "Status": "attached",
                "VolumeId": "vol-0fa829739547640a6"
              }
            }
          ],
          "ClientToken": "372f1e5c-c8cc-4a4a-bec5-5f9995cf44e1",
          "EbsOptimized": false,
          "EnaSupport": true,
          "Hypervisor": "xen",
          "NetworkInterfaces": [
            {
              "Association": {
                "IpOwnerId": "amazon",
                "PublicDnsName": "ec2-51-112-142-8.me-central-1.com",
                "PublicIp": "51.112.142.8"
              },
              "Attachment": {
                "AttachTime": "2026-01-06T13:14:00+00:00",
                "AttachmentId": "eni-attach-03795d98af75436f7",
                "DeleteOnTermination": true,
                "DeviceIndex": 0,
                "Status": "attached",
                "NetworkCardIndex": 0
              },
              "Description": "",
              "Groups": [

```

task5\_describe\_regions.png

```

@mariamalik11 @ /workspaces/Lab-9 (main) $ aws ec2 describe-regions
{
  "Regions": [
    {
      "OptInStatus": "opt-in-not-required",
      "RegionName": "ap-south-1",
      "Endpoint": "ec2.ap-south-1.amazonaws.com"
    },
    {
      "OptInStatus": "opt-in-not-required",
      "RegionName": "eu-north-1",
      "Endpoint": "ec2.eu-north-1.amazonaws.com"
    },
    {
      "OptInStatus": "opt-in-not-required",
      "RegionName": "eu-west-3",
      "Endpoint": "ec2.eu-west-3.amazonaws.com"
    },
    {
      "OptInStatus": "opt-in-not-required",
      "RegionName": "eu-west-2",
      "Endpoint": "ec2.eu-west-2.amazonaws.com"
    },
    {
      "OptInStatus": "opt-in-not-required",
      "RegionName": "eu-west-1",
      "Endpoint": "ec2.eu-west-1.amazonaws.com"
    },
    {
      "OptInStatus": "opt-in-not-required",
      "RegionName": "ap-northeast-3",
      "Endpoint": "ec2.ap-northeast-3.amazonaws.com"
    }
  ]
}

```

task5\_describe\_availability\_zones.png

```

@mariamalik11 @ /workspaces/Lab-9 (main) $ aws ec2 describe-availability-zones
{
  "AvailabilityZones": [
    {
      "OptInStatus": "opt-in-not-required",
      "Messages": [],
      "RegionName": "me-central-1",
      "ZoneName": "me-central-1a",
      "ZoneId": "mec1-az1",
      "GroupName": "me-central-1-zg-1",
      "NetworkBorderGroup": "me-central-1",
      "ZoneType": "availability-zone",
      "GroupLongName": "Middle East (UAE) 1",
      "State": "available"
    },
    {
      "OptInStatus": "opt-in-not-required",
      "Messages": [],
      "RegionName": "me-central-1",
      "ZoneName": "me-central-1b",
      "ZoneId": "mec1-az2",
      "GroupName": "me-central-1-zg-1",
      "NetworkBorderGroup": "me-central-1",
      "ZoneType": "availability-zone",
      "GroupLongName": "Middle East (UAE) 1",
      "State": "available"
    },
    {
      "OptInStatus": "opt-in-not-required",
      "Messages": [],
      "RegionName": "me-central-1",
      "ZoneName": "me-central-1c",
      "ZoneId": "mec1-az3",
      "GroupName": "me-central-1-zg-1",
      "NetworkBorderGroup": "me-central-1",
      "ZoneType": "availability-zone",
      "GroupLongName": "Middle East (UAE) 1",
      "State": "available"
    }
  ]
}

```

## Task 6 — IAM: create group, user, attach policies, create console login & keys

task6\_create\_group\_and\_user.png

```
@mariamalik11 [ /workspaces/Lab-9 (main) ] $ aws iam create-group --group-name MyGroupCli
{
  "Group": {
    "Path": "/",
    "GroupName": "MyGroupCli",
    "GroupId": "AGPAUHX42RXNQ5VYVLT",
    "Arn": "arn:aws:iam::291506017390:group/MyGroupCli",
    "CreateDate": "2026-01-06T14:18:06+00:00"
  }
}
```

task6\_create\_group\_and\_user.png

```
@mariamalik11 [ /workspaces/Lab-9 (main) ] $ aws iam get-group --group-name MyGroupCli
{
  "Users": [],
  "Group": {
    "Path": "/",
    "GroupName": "MyGroupCli",
    "GroupId": "AGPAUHX42RXNQ5VYVLT",
    "Arn": "arn:aws:iam::291506017390:group/MyGroupCli",
    "CreateDate": "2026-01-06T14:18:06+00:00"
  }
}
```

task6\_create\_group\_and\_user.png

```
@mariamalik11 [ /workspaces/Lab-9 (main) ] $ aws iam create-user --user-name MyUserCli
{
  "User": {
    "Path": "/",
    "UserName": "MyUserCli",
    "UserId": "AIDAUX42RXNXZ4ISGJZ",
    "Arn": "arn:aws:iam::291506017390:user/MyUserCli",
    "CreateDate": "2026-01-06T14:19:06+00:00"
  }
}
```

task6\_create\_group\_and\_user.png

```
@mariamalik11 [ /workspaces/Lab-9 (main) ] $ aws iam get-user --user-name MyUserCli
{
  "User": {
    "Path": "/",
    "UserName": "MyUserCli",
    "UserId": "AIDAUX42RXNXZ4ISGJZ",
    "Arn": "arn:aws:iam::291506017390:user/MyUserCli",
    "CreateDate": "2026-01-06T14:19:06+00:00"
  }
}
```

task6\_add\_user\_to\_group\_and\_verify.png

```
@mariamalik11 [ /workspaces/Lab-9 (main) ] $ aws iam add-user-to-group --user-name MyUserCli --group-name MyGroupCli
```

task6\_add\_user\_to\_group\_and\_verify.png

```
@mariamalik11 @ /workspaces/Lab-9 (main) $ aws iam get-group --group-name MyGroupCli
{
  "Users": [
    {
      "Path": "/",
      "UserName": "MyUserCli",
      "UserId": "AIDAUHXY42RXNXZ4ISGJZ",
      "Arn": "arn:aws:iam::291506017390:user/MyUserCli",
      "CreateDate": "2026-01-06T14:19:06+00:00"
    }
  ],
  "Group": {
    "Path": "/",
    "GroupName": "MyGroupCli",
    "GroupId": "AGPAUHX42RXNQMSVYVLT",
    "Arn": "arn:aws:iam::291506017390:group/MyGroupCli",
    "CreateDate": "2026-01-06T14:18:06+00:00"
  }
}
```

task6\_policy\_list\_and\_attach.png

```
@mariamalik11 @ /workspaces/Lab-9 (main) $ aws iam list-policies \
> --query "Policies[?contains(PolicyName, 'EC2')].{Name:PolicyName}" \
> --output text
AmazonEC2FullAccess
AmazonEC2ReadOnlyAccess
AmazonElasticMapReduceforEC2Role
AmazonEC2RoleforDataPipelineRole
AmazonEC2ContainerServiceforEC2Role
AmazonEC2ContainerServiceRole
AmazonEC2RoleforAWSCodeDeploy
AmazonEC2RoleforSSM
CloudWatchActionsEC2Access
AmazonEC2ContainerRegistryReadOnly
AmazonEC2ContainerRegistryPowerUser
AmazonEC2ContainerRegistryFullAccess
AmazonEC2ContainerServiceAutoscaleRole
AmazonEC2SpotFleetAutoscaleRole
AWSElasticBeanstalkCustomPlatformforEC2Role
AmazonEC2ContainerServiceEventsRole
AmazonEC2SpotFleetTaggingRole
AWSEC2SpotServiceRolePolicy
AWSServiceRoleforEC2ScheduledInstances
AWSEC2SpotFleetServiceRolePolicy
AWSApplicationAutoscalingEC2SpotFleetRequestPolicy
AWSEC2FleetServiceRolePolicy
AWSAutoScalingPlansEC2AutoScalingPolicy
EC2InstanceConnect
AmazonEC2RolePolicyForLaunchWizard
EC2InstanceProfileForImageBuilder
EC2FleetTimeShiftableServiceRolePolicy
AmazonEC2RoleforAWSCodeDeployLimited
EC2InstanceProfileForImageBuilderECRContainerBuilds
AWSApplicationMigrationEC2Access
AWSEC2CapacityReservationFleetRolePolicy
EC2FastLaunchServiceRolePolicy
AmazonSSMManagedEC2InstanceDefaultPolicy
AWSFaultInjectionSimulatorEC2Access
EC2ImageBuilderLifecycleExecutionPolicy
AWSEC2VssSnapshotPolicy
EC2FastLaunchFullAccess
```

task6\_policy\_list\_and\_attach.png

```
@mariamalik11 @ /workspaces/Lab-9 (main) $ aws iam list-policies --query 'Policies[
?PolicyName=`AmazonEC2FullAccess`].{Name:PolicyName, ARN:Arn}' --output table
-----
|                               ListPolicies                               |
|-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+
|                               ARN                               | Name |
|-----+-----+-----+-----+-----+-----+-----+-----+-----+
| arn:aws:iam::aws:policy/AmazonEC2FullAccess | AmazonEC2FullAccess |
|-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+
|                               |                               |
```

task6\_policy\_list\_and\_attach.png

```
@mariamalik11 @ /workspaces/Lab-9 (main) $ aws iam attach-group-policy \
> --group-name MyGroupCli \
> --policy-arn arn:aws:iam::aws:policy/AmazonEC2FullAccess
```

task6\_policy\_list\_and\_attach.png

```
@mariamalik11 @ /workspaces/Lab-9 (main) $ aws iam list-attached-group-policies --group-name MyGroupCli
{
  "AttachedPolicies": [
    {
      "PolicyName": "AmazonEC2FullAccess",
      "PolicyArn": "arn:aws:iam::aws:policy/AmazonEC2FullAccess"
    }
  ]
}
```

task6\_create\_login\_profile\_and\_signin.png

```
@mariamalik11 @ /workspaces/Lab-9 (main) $ aws iam attach-group-policy --group-name MyGroupCli --policy-arn arn:aws:iam::aws:policy/IAMUserChangePassword
@mariamalik11 @ /workspaces/Lab-9 (main) $ aws iam detach-group-policy --group-name MyGroupCli --policy-arn arn:aws:iam::aws:policy/IAMUserChangePassword
```

task6\_create\_access\_key\_output.png

```
@mariamalik11 @ /workspaces/Lab-9 (main) $ aws iam create-access-key --user-name MyUserCli
{
  "AccessKey": {
    "UserName": "MyUserCli",
    "AccessKeyId": "AKIAUHX42RXI2JEINEH",
    "Status": "Active",
    "SecretAccessKey": "A2/3W0VEV3hNAwyh/rYVD2Pjw1BW/7PbueIQpm53",
    "CreateDate": "2026-01-06T14:46:29+00:00"
  }
}
```

task6\_create\_access\_key\_output.png

```
@mariamalik11 @ /workspaces/Lab-9 (main) $ aws iam list-access-keys --user-name MyUserCli
{
  "AccessKeyMetadata": [
    {
      "UserName": "MyUserCli",
      "AccessKeyId": "AKIAUHX42RXI2JEINEH",
      "Status": "Active",
      "CreateDate": "2026-01-06T14:46:29+00:00"
    }
  ]
}
```

task6\_create\_access\_key\_output.png

```
@mariamalik11 @ /workspaces/Lab-9 (main) $ export AWS_ACCESS_KEY_ID=AKIAUHX42RXI2JEINEH
@mariamalik11 @ /workspaces/Lab-9 (main) $ export AWS_SECRET_ACCESS_KEY=A2/3W0VEV3hNAwyh/rYVD2Pjw1BW/7PbueIQpm53
@mariamalik11 @ /workspaces/Lab-9 (main) $ printenv | grep AWS_
AWS_SECRET_ACCESS_KEY=A2/3W0VEV3hNAwyh/rYVD2Pjw1BW/7PbueIQpm53
AWS_ACCESS_KEY_ID=AKIAUHX42RXI2JEINEH
@mariamalik11 @ /workspaces/Lab-9 (main) $ aws iam get-user --user-name MyUserCli
An error occurred (AccessDenied) when calling the GetUser operation: User: arn:aws:iam::291506017390:user/MyUserCli is not authorized to perform: iam:GetUser on resource: user MyUserCli because no identity-based policy allows the iam:GetUser action
@mariamalik11 @ /workspaces/Lab-9 (main) $ _
```

task6\_env\_exports\_and\_get\_user\_error.png

## Task 7 — Filters: query with filters to find instances and their attributes

task7\_filter\_by\_tag\_public\_ip.png

```
> --filters "Name=tag:Name,Values=MyServer" \
> --query "Reservations[*].Instances[*].PublicIpAddress" \
> --output text
40.172.230.52
```

task7\_filter\_by\_instance\_type.png

```
> --filters "Name=instance-type,Values=t3.micro" \
> --query "Reservations[].Instances[].InstanceId" \
> --output table
```

DescribeInstances
i-0403609d04099cbcb

task7\_filter\_by\_subnet.png

```
> --filters "Name=subnet-id,Values= subnet-05d6cfad232c55c6f" \
> --query "Reservations[*].Instances[*].InstanceId" \
> --output table
```

DescribeInstances
i-0403609d04099cbcb

task7\_filter\_by\_vpc.png

```
> --filters "Name=vpc-id,Values= vpc-0bfb7302dc628797" \
> --query "Reservations[*].Instances[*].InstanceId" \
> --output table
```

DescribeInstances
i-0403609d04099cbcb

## Task 8 — Use --query to format outputs for reporting

task8\_query\_table\_instances\_name\_ip.png

```
> --filters "Name=tag:Name,Values=MyServer" \
> --query "Reservations[*].Instances[*].[InstanceId,PublicIpAddress,Tags[?Key=='Name'].Value|[0]]" \
> --output table
```

DescribeInstances
i-0403609d04099cbcb   40.172.230.52   MyServer

task8\_query\_table\_instance\_state.png

```
> --query "Reservations[*].Instances[*].[InstanceId,State.Name]" \
> --output table
```

DescribeInstances
i-0403609d04099cbcb   running

task8\_query\_table\_instance\_type\_az.png

```
> --query "Reservations[*].Instances[*].[InstanceId,InstanceType,Placement.AvailabilityZone]" \
> --output table
```

DescribeInstances
i-0403609d04099cbcb   t3.micro   me-central-1b

## Cleanup — Remove resources to avoid charges


cleanup\_terminate\_instance.png

```

@mariamalik11 @workspaces/Lab12 (main) $ aws ec2 terminate-instances --instance-ids i-0403609d04099cbcb
{
  "TerminatingInstances": [
    {
      "InstanceId": "i-0403609d04099cbcb",
      "CurrentState": {
        "Code": 32,
        "Name": "shutting-down"
      },
      "PreviousState": {
        "Code": 16,
        "Name": "running"
      }
    }
  ]
}

```

cleanup\_delete\_volumes\_snapshots.png



cleanup\_delete\_security\_group\_and\_keypair.png

```

@mariamalik11 @/workspaces/Lab-9 (main) $ aws ec2 delete-security-group --group-id sg-030a3daa25d097dca
{
  "Return": true,
  "GroupId": "sg-030a3daa25d097dca"
}
@mariamalik11 @/workspaces/Lab-9 (main) $ aws ec2 delete-key-pair --key-name MyED25519Key
{
  "Return": true,
  "KeyPairId": "key-0d56d4d48d655a50f"
}

```

cleanup\_iam\_users\_deleted.png

```

@mariamalik11 @/workspaces/Lab12 (main) $ aws iam delete-access-key --user-name MyUserCli --access-key-id AKIAZCUSI5S7GM4AUFLM
@mariamalik11 @/workspaces/Lab12 (main) $ aws iam delete-login-profile --user-name MyUserCli
@mariamalik11 @/workspaces/Lab12 (main) $ aws iam remove-user-from-group --user-name MyUserCli --group-name MyGroupCli
@mariamalik11 @/workspaces/Lab12 (main) $ aws iam delete-user --user-name MyUserCli
@mariamalik11 @/workspaces/Lab12 (main) $ aws iam detach-group-policy --group-name MyGroupCli --policy-arn arn:aws:iam::aws:policy/AmazonEC2FullAccess
@mariamalik11 @/workspaces/Lab12 (main) $ aws iam delete-group --group-name MyGroupCli

```

cleanup\_summary.png

