

- [Skip to main navigation](#)
- [Skip to search](#)
- [Skip to main content](#)

[Coventry University Home](#) [Coventry University Logo](#)

- [Help & FAQ](#)
- [Home](#)
- [Organisational Units](#)
- [Profiles](#)
- [Research output](#)
- [Projects](#)
- [Coventry awarded Student theses](#)
- [Activities](#)
- [Prizes](#)
- [Datasets](#)
- [Press/Media](#)
- [Equipment](#)

Search by expertise, name or affiliation

The effect of raisin (currant) intake on anthropometric indices and blood pressure: systematic review and meta-analysis of randomized controlled trials

Yasaman Aali, Atieh Mirzababaei, Cain C.T. Clark, Khadijeh Mirzaei

- [Centre for Intelligent Healthcare](#)
- [Tehran University of Medical Sciences](#)

Research output: Contribution to journal › Review article › peer-review

- [Overview](#)
- [Fingerprint](#)

Abstract

Objective Raisins are a relatively healthy snack, particularly when compared to snacks with a high glycemic index, and can have beneficial effects on human health against chronic disorders. However, contradictory information has been reported on the effect of raisin consumption on anthropometric indices and blood pressure (BP). This systematic review and meta-analysis

sought to evaluate the effect of raisin consumption on body weight (BW), body mass index (BMI), waist circumference (WC), systolic blood pressure (SBP), and diastolic blood pressure (DBP) in adults. **Methods** We comprehensively searched electronic databases, including PubMed, Scopus, Google Scholar, ISI Web of Science, and Embase, from inception to February 2021. Overall, 8 randomized clinical trials with 352 participants were included in the present study. **Results** There was significant effect between raisin consumption and SBP (WMD: 3.45 mmHg, 95% CI: - 6.30, - 0.59, $p = 0.01$), but no significant effect was found between raisin consumption with DBP (WMD: - 0.51 mmHg, 95% CI: - 2.67, 1.65, $p = 0.64$), BW (WMD: 0.08 kg, 95% CI: - 0.41, 0.57, $p = 0.74$), BMI (WMD: 0.02 kg/m², 95% CI: - 0.54, 0.59, $p = 0.93$), and WC (WMD: - 0.38 cm, 95% CI: - 1.24, 0.48, $p = 0.38$). Consumption of raisins can reduce SBP, with greater effects found in unhealthy individuals, in the dosages of ≤ 84 g/d, and intervention durations > 6 weeks. **Conclusion** It appears that raisins could be advocated as a SBP-reducing snack in the management of hypertension in adults.

Original language English

Article number 100830

Number of pages 25

Journal [Journal of Herbal Medicine](#)

Volume 43

Early online date 16 Dec 2023

DOIs • <https://doi.org/10.1016/j.hermed.2023.100830>

Publication status Published - Feb 2024

Bibliographical note

Funding Information:

This study was supported by grants (ID: 1401-4-125-62907) from the Student's Scientific Research Center , Tehran, Iran.

Publisher Copyright:

© 2023

Funder

This study was supported by grants (ID: 1401-4-125-62907) from the Student's Scientific Research Center , Tehran, Iran.

Keywords

- Raisin
- Anthropometric indices
- Blood pressure
- Meta-Analysis
- Systematic Review

UN SDGs

This output contributes to the following UN [Sustainable Development Goals \(SDGs\)](#)

- SDG 3 - Good Health and Well-being

Access to Document

- [10.1016/j.hermed.2023.100830](https://doi.org/10.1016/j.hermed.2023.100830)

Other files and links

- [Link to publication in Scopus](#)

Fingerprint

Dive into the research topics of 'The effect of raisin (currant) intake on anthropometric indices and blood pressure: systematic review and meta-analysis of randomized controlled trials'. Together they form a unique fingerprint.

- 

Anthropometry
Nursing and Health Professions
100%

- 

Blood Pressure
Nursing and Health Professions
100%

- 

Systematic Review
Nursing and Health Professions
100%

- 

Systolic Blood Pressure
Nursing and Health Professions
100%

- 

Meta Analysis
Nursing and Health Professions
100%

- 

Body Mass Index
Neuroscience
100%

- 

Meta-Analysis
Neuroscience
100%

- 

Randomized Controlled Trial
Neuroscience
100%

[View full fingerprint](#)

Cite this

- APA
- Standard
- Harvard
- Vancouver
- Author
- BIBTEX
- RIS

Aali, Y., Mirzababaei, A., Clark, C. C. T., & Mirzaei, K. (2024). [The effect of raisin \(currant\) intake on anthropometric indices and blood pressure: systematic review and meta-analysis of randomized controlled trials.](#) **Journal**

of Herbal Medicine, 43, Article 100830. <https://doi.org/10.1016/j.hermed.2023.100830>

The effect of raisin (currant) intake on anthropometric indices and blood pressure: systematic review and meta-analysis of randomized controlled trials. / Aali, Yasaman; Mirzababaei, Atieh; Clark, Cain C.T. et al.

In: [Journal of Herbal Medicine](#), Vol. 43, 100830, 02.2024.

Research output: Contribution to journal › Review article › peer-review

Aali, Y, Mirzababaei, A, Clark, CCT & Mirzaei, K 2024, '[The effect of raisin \(currant\) intake on anthropometric indices and blood pressure: systematic review and meta-analysis of randomized controlled trials](#)', **Journal of Herbal Medicine**, vol. 43, 100830. <https://doi.org/10.1016/j.hermed.2023.100830>
Aali Y, Mirzababaei A, Clark CCT, Mirzaei K. [The effect of raisin \(currant\) intake on anthropometric indices and blood pressure: systematic review and meta-analysis of randomized controlled trials](#). [Journal of Herbal Medicine](#). 2024 Feb;43:100830. Epub 2023 Dec 16. doi: 10.1016/j.hermed.2023.100830

Aali, Yasaman ; Mirzababaei, Atieh ; Clark, Cain C.T. et al. / **[The effect of raisin \(currant\) intake on anthropometric indices and blood pressure : systematic review and meta-analysis of randomized controlled trials](#)**. In: [Journal of Herbal Medicine](#). 2024 ; Vol. 43.

@article{52e78b5eec394088b48d0432e666c9ac,

title = "The effect of raisin (currant) intake on anthropometric indices and blood pressure: systematic review and meta-analysis of randomized controlled trials",

abstract = "Objective Raisins are a relatively healthy snack, particularly when compared to snacks with a high glycemic index, and can have beneficial effects on human health against chronic disorders. However, contradictory information has been reported on the effect of raisin consumption on anthropometric indices and blood pressure (BP). This systematic review and meta-analysis sought to evaluate the effect of raisin consumption on body weight (BW), body mass index (BMI), waist circumference (WC), systolic blood pressure (SBP), and diastolic blood pressure (DBP) in adults. Methods We comprehensively searched electronic databases, including PubMed, Scopus, Google Scholar, ISI Web of Science, and Embase, from inception to February 2021, Overall, 8 randomized clinical trials with 352 participants were included in the present study. Results There was significant effect between raisin consumption and SBP (WMD: 3.45 mmHg, 95% CI: - 6.30, - 0.59, p = 0.01), but no significant effect was found between raisin consumption with DBP (WMD: - 0.51 mmHg, 95% CI: - 2.67, 1.65, p = 0.64), BW (WMD: 0.08 kg, 95% CI: - 0.41, 0.57, p = 0.74), BMI (WMD: 0.02 kg/m², 95% CI: - 0.54, 0.59, p = 0.93), and WC (WMD: - 0.38 cm, 95% CI: - 1.24, 0.48, p = 0.38). Consumption of raisins can reduce SBP, with greater effects found in unhealthy individuals, in the dosages of ≤ 84 g/d, and intervention durations > 6 weeks. Conclusion It appears that raisins could be advocated as a SBP-reducing snack in the management of hypertension in adults.",

keywords = "Raisin, Anthropometric indices, Blood pressure, Meta-Analysis, Systematic Review",

```

author = "Yasaman Aali and Atieh Mirzababaei and Clark, {Cain C.T.} and
Khadijeh Mirzaei",
note = "Funding Information: This study was supported by grants (ID:
1401-4-125-62907 ) from the Student{\textquoteright}s Scientific Research
Center , Tehran, Iran. Publisher Copyright: {\textcopyright} 2023",
year = "2024",
month = feb,
doi = "10.1016/j.hermed.2023.100830",
language = "English",
volume = "43",
journal = "Journal of Herbal Medicine",
issn = "2210-8033",
publisher = "Elsevier",
}

```

TY - JOUR

T1 - The effect of raisin (currant) intake on anthropometric indices and blood pressure

T2 - systematic review and meta-analysis of randomized controlled trials

AU - Aali, Yasaman

AU - Mirzababaei, Atieh

AU - Clark, Cain C.T.

AU - Mirzaei, Khadijeh

N1 - Funding Information: This study was supported by grants (ID: 1401-4-125-62907) from the Student's Scientific Research Center , Tehran, Iran. Publisher Copyright: © 2023

PY - 2024/2

Y1 - 2024/2

N2 - Objective Raisins are a relatively healthy snack, particularly when compared to snacks with a high glycemic index, and can have beneficial effects on human health against chronic disorders. However, contradictory information has been reported on the effect of raisin consumption on anthropometric indices and blood pressure (BP). This systematic review and meta-analysis sought to evaluate the effect of raisin consumption on body weight (BW), body mass index (BMI), waist circumference (WC), systolic blood pressure (SBP), and diastolic blood pressure (DBP) in adults. Methods We comprehensively searched electronic databases, including PubMed, Scopus, Google Scholar, ISI Web of Science, and Embase, from inception to February 2021, Overall, 8 randomized clinical trials with 352 participants were included in the present study. Results There was significant effect between raisin consumption and SBP (WMD: 3.45 mmHg, 95% CI: – 6.30, - 0.59, p = 0.01), but no significant effect was found between raisin

consumption with DBP (WMD: - 0.51 mmHg, 95% CI: - 2.67, 1.65, $p = 0.64$), BW (WMD: 0.08 kg, 95% CI: - 0.41, 0.57, $p = 0.74$), BMI (WMD: 0.02 kg/m², 95% CI: - 0.54, 0.59, $p = 0.93$), and WC (WMD: - 0.38 cm, 95% CI: - 1.24, 0.48, $p = 0.38$). Consumption of raisins can reduce SBP, with greater effects found in unhealthy individuals, in the dosages of ≤ 84 g/d, and intervention durations > 6 weeks. Conclusion It appears that raisins could be advocated as a SBP-reducing snack in the management of hypertension in adults.

AB - Objective Raisins are a relatively healthy snack, particularly when compared to snacks with a high glycemic index, and can have beneficial effects on human health against chronic disorders. However, contradictory information has been reported on the effect of raisin consumption on anthropometric indices and blood pressure (BP). This systematic review and meta-analysis sought to evaluate the effect of raisin consumption on body weight (BW), body mass index (BMI), waist circumference (WC), systolic blood pressure (SBP), and diastolic blood pressure (DBP) in adults. **Methods** We comprehensively searched electronic databases, including PubMed, Scopus, Google Scholar, ISI Web of Science, and Embase, from inception to February 2021. Overall, 8 randomized clinical trials with 352 participants were included in the present study. **Results** There was significant effect between raisin consumption and SBP (WMD: 3.45 mmHg, 95% CI: - 6.30, - 0.59, $p = 0.01$), but no significant effect was found between raisin consumption with DBP (WMD: - 0.51 mmHg, 95% CI: - 2.67, 1.65, $p = 0.64$), BW (WMD: 0.08 kg, 95% CI: - 0.41, 0.57, $p = 0.74$), BMI (WMD: 0.02 kg/m², 95% CI: - 0.54, 0.59, $p = 0.93$), and WC (WMD: - 0.38 cm, 95% CI: - 1.24, 0.48, $p = 0.38$). Consumption of raisins can reduce SBP, with greater effects found in unhealthy individuals, in the dosages of ≤ 84 g/d, and intervention durations > 6 weeks. **Conclusion** It appears that raisins could be advocated as a SBP-reducing snack in the management of hypertension in adults.

KW - Raisin

KW - Anthropometric indices

KW - Blood pressure

KW - Meta-Analysis

KW - Systematic Review

UR - <http://www.scopus.com/inward/record.url?scp=85182245146&partnerID=8YFLogxK>

U2 - 10.1016/j.hermed.2023.100830

DO - 10.1016/j.hermed.2023.100830

M3 - Review article

SN - 2210-8033

VL - 43

JO - Journal of Herbal Medicine

JF - Journal of Herbal Medicine

M1 - 100830

ER -



Powered by [Pure](#), [Scopus](#) & [Elsevier Fingerprint Engine™](#)

All content on this site: Copyright © 2024 [Elsevier B.V.](#) or its licensors and contributors. All rights are reserved, including those for text and data mining, AI training, and similar technologies. For all open access content, the Creative Commons licensing terms apply

We use cookies to help provide and enhance our service and tailor content. By continuing you agree to the [use of cookies](#)



[Log in to Pure](#)

[Coventry University data protection policy](#)

[About web accessibility](#)

[Report vulnerability](#)

[Contact us](#)