

```
psql (16.13 (Ubuntu 16.13-0ubuntu0.24.04.1))
SSL connection (protocol: TLSv1.3, cipher: TLS_AES_256_GCM_SHA384, compression: off)
Type "help" for help.
```

```
postgres=# \c nutrigestor1b
SSL connection (protocol: TLSv1.3, cipher: TLS_AES_256_GCM_SHA384, compression: off)
You are now connected to database "nutrigestor1b" as user "postgres".
```

```
nutrigestor1b=# \dt
```

List of relations

Schema	Name	Type	Owner
public	alunos	table	postgres
public	cardapio	table	postgres
public	desperdicio	table	postgres
public	estoque	table	postgres
public	item_restricao	table	postgres
public	merenda	table	postgres
public	participacao	table	postgres
public	restricao	table	postgres
public	restricao_aluno	table	postgres

(9 rows)

```
nutrigestor1b=#
```

nutrigestor1b=# \d alunos

Table "public.alunos"				
Column	Type	Collation	Nullable	Default
id	integer		not null	nextval('alunos_id_seq'::regclass)
nome	character varying(100)		not null	
serie	character varying(10)		not null	

Indexes:

"alunos_pkey" PRIMARY KEY, btree (id)

Referenced by:

TABLE "participacao" CONSTRAINT "fk_part_aluno" FOREIGN KEY (id_aluno) REFERENCES alunos(id) ON DELETE RESTRICT

TABLE "restricao_aluno" CONSTRAINT "fk_ra_aluno" FOREIGN KEY (id_aluno) REFERENCES alunos(id) ON DELETE CASCADE

nutrigestor1b=# \d cardapio

Table "public.cardapio"				
Column	Type	Collation	Nullable	Default
id	integer		not null	nextval('cardapio_id_seq'::regclass)
data	date		not null	
descricao	character varying(200)		not null	
itens_utilizados	text			

Indexes:

"cardapio_pkey" PRIMARY KEY, btree (id)

Referenced by:

TABLE "merenda" CONSTRAINT "fk_merenda_cardapio" FOREIGN KEY (id_cardapio) REFERENCES cardapio(id) ON DELETE RESTRICT

nutrigestor1b=# \d desperdicio

Table "public.desperdicio"				
Column	Type	Collation	Nullable	Default
id_cardapio	integer		not null	
dt_merenda	timestamp without time zone		not null	
peso_descartado	numeric(8,2)		not null	
item_mais_rejeitado	character varying(100)			

Indexes:

"pk_desperdicio" PRIMARY KEY, btree (id_cardapio, dt_merenda)

"idx_desp_merenda" btree (id_cardapio, dt_merenda)

Foreign-key constraints:

"fk_desp_merenda" FOREIGN KEY (id_cardapio, dt_merenda) REFERENCES merenda(id_cardapio, dt_merenda) ON DELETE CASCADE

nutrigestor1b=#

nutrigestor1b=# \d estoque

		Table "public.estoque"		
Column	Type	Collation	Nullable	Default
id	integer		not null	nextval('estoque_id_seq'::regclass)
item	character varying(100)		not null	
quantidade	numeric(8,2)		not null	
validade	date		not null	

Indexes:
 "estoque_pkey" PRIMARY KEY, btree (id)
Referenced by:
 TABLE "item_restricao" CONSTRAINT "fk_ri_estoque" FOREIGN KEY (id_estoque) REFERENCES estoque(id) ON DELETE CASCADE

nutrigestor1b=# \d item restricao

		Table "public.item_restricao"		
Column	Type	Collation	Nullable	Default
id_restricao	integer		not null	
id_estoque	integer		not null	

Indexes:
 "pk_item_restricao" PRIMARY KEY, btree (id_restricao, id_estoque)
 "idx_ir_restricao" btree (id_restricao)
Foreign-key constraints:
 "fk_ir_restricao" FOREIGN KEY (id_restricao) REFERENCES restricao(id) ON DELETE CASCADE
 "fk_ri_estoque" FOREIGN KEY (id_estoque) REFERENCES estoque(id) ON DELETE CASCADE

nutrigestor1b=# \d merenda

		Table "public.merenda"		
Column	Type	Collation	Nullable	Default
id_cardapio	integer		not null	
dt_merenda	timestamp without time zone		not null	
qtd_produzida	numeric(8,2)		not null	

Indexes:
 "pk_merenda" PRIMARY KEY, btree (id_cardapio, dt_merenda)
Foreign-key constraints:
 "fk_merenda_cardapio" FOREIGN KEY (id_cardapio) REFERENCES cardapio(id) ON DELETE RESTRICT
Referenced by:
 TABLE "desperdicio" CONSTRAINT "fk_desp_merenda" FOREIGN KEY (id_cardapio, dt_merenda) REFERENCES merenda(id_cardapio, dt_merenda) ON DELETE CASCADE
 TABLE "participacao" CONSTRAINT "fk_part_merenda" FOREIGN KEY (id_cardapio, dt_merenda) REFERENCES merenda(id_cardapio, dt_merenda) ON DELETE CASCADE

nutrigestor1b=#

```
nutrigestor1b=# \d participacao
```

```
Table "public.participacao"
```

Column	Type	Collation	Nullable	Default
id_aluno	integer		not null	
id_cardapio	integer		not null	
dt_merenda	timestamp without time zone		not null	

```
Indexes:
```

```
"pk_restricao" PRIMARY KEY, btree (id_aluno, id_cardapio, dt_merenda)
```

```
"idx_part_aluno" btree (id_aluno)
```

```
"idx_part_merenda" btree (id_cardapio, dt_merenda)
```

```
Foreign-key constraints:
```

```
"fk_part_aluno" FOREIGN KEY (id_aluno) REFERENCES alunos(id) ON DELETE RESTRICT
```

```
"fk_part_merenda" FOREIGN KEY (id_cardapio, dt_merenda) REFERENCES merenda(id_cardapio, dt_merenda) ON DELETE CASCADE
```

```
nutrigestor1b=# \d restricao
```

```
Table "public.restricao"
```

Column	Type	Collation	Nullable	Default
id	integer		not null	nextval('restricao_id_seq'::regclass)
descricao	character varying(50)		not null	

```
Indexes:
```

```
"restricao_pkey" PRIMARY KEY, btree (id)
```

```
"restricao_descricao_key" UNIQUE CONSTRAINT, btree (descricao)
```

```
Referenced by:
```

```
TABLE "item_restricao" CONSTRAINT "fk_ir_restricao" FOREIGN KEY (id_restricao) REFERENCES restricao(id) ON DELETE CASCADE
```

```
TABLE "restricao_aluno" CONSTRAINT "fk_ra_restricao" FOREIGN KEY (id_restricao) REFERENCES restricao(id) ON DELETE CASCADE
```

```
nutrigestor1b=# \d restricao_aluno
```

```
Table "public.restricao_aluno"
```

Column	Type	Collation	Nullable	Default
id_aluno	integer		not null	
id_restricao	integer		not null	

```
Indexes:
```

```
"pk_restricao_aluno" PRIMARY KEY, btree (id_aluno, id_restricao)
```

```
"idx_ra_aluno" btree (id_aluno)
```

```
Foreign-key constraints:
```

```
"fk_ra_aluno" FOREIGN KEY (id_aluno) REFERENCES alunos(id) ON DELETE CASCADE
```

```
"fk_ra_restricao" FOREIGN KEY (id_restricao) REFERENCES restricao(id) ON DELETE CASCADE
```

```
nutrigestor1b=#
```

nutrigestor1b=# SELECT * FROM alunos;

id	nome	serie
----	------	-------

1	Aluno A	1ºA
2	Aluno B	1ºB
3	Aluno C	1ºC

(3 rows)

nutrigestor1b=# SELECT * FROM cardapio;

id	data	descricao	itens_utilizados
----	------	-----------	------------------

1	2026-06-23	feijão com farinha	feijão com farinha
2	2026-06-24	Estrogonof	batata palha, arroz, frango
3	2025-06-25	Arroz temperado	arroz, tempero, legumes

(3 rows)

nutrigestor1b=# SELECT * FROM desperdicio;

id_cardapio	dt_merenda	peso_descartado	item_mais_rejeitado
-------------	------------	-----------------	---------------------

1	2025-06-23 11:00:00	5.20	salada
2	2025-06-24 11:00:00	8.10	macarrao
1	2025-06-25 00:00:00	4.90	

(3 rows)

nutrigestor1b=# SELECT * FROM estoque;

id	item	quantidade	validade
----	------	------------	----------

1	arroz	38.01	2026-12-01
2	feijão	25.00	2026-11-10
3	farinha	10.00	2027-01-10

(3 rows)

nutrigestor1b=# SELECT * FROM item_restricao;

id_restricao	id_estoque
--------------	------------

1	1
2	2
3	3

(3 rows)

nutrigestor1b=# SELECT * FROM merenda;

id_cardapio	dt_merenda	qtd_produzida
-------------	------------	---------------

1	2025-06-23 11:00:00	120.00
2	2025-06-24 11:00:00	115.50
1	2025-06-25 00:00:00	118.00

(3 rows)

nutrigestor1b=# SELECT * FROM participacao;

id_aluno	id_cardapio	dt_merenda
----------	-------------	------------

1	1	2025-06-23 11:00:00
2	1	2025-06-23 11:00:00
3	1	2025-06-23 11:00:00
1	2	2025-06-24 11:00:00
2	2	2025-06-24 11:00:00

(5 rows)

nutrigestor1b=#

```
nutrigestor1b=# SELECT * FROM restricao;
```

```
id | descricao
```

```
-----+-----
```

```
1 | lactose
```

```
2 | gluten
```

```
3 | amendoim
```

```
4 | ovo
```

```
(4 rows)
```

```
nutrigestor1b=# SELECT * FROM restricao_aluno;
```

```
id_aluno | id_restricao
```

```
-----+-----
```

```
1 | 1
```

```
1 | 2
```

```
2 | 3
```

```
3 | 1
```

```
(4 rows)
```

```
nutrigestor1b=#
```