Sta 325 Final Project

Calleigh Smith, Hannah Bogomilsky, Hugh Esterson, Maria Henriquez, Mariana Izon

11/22/2020


```
library(readr)
library(dplyr)
library(tidyverse)
flights <- read_csv("data/flights.csv")</pre>
## Warning: 1 parsing failure.
## row
                      col
                                    expected actual
                                                                   file
## 1143 CANCELLATION_CODE 1/0/T/F/TRUE/FALSE
                                                   A 'data/flights.csv'
unique(flights$OP_CARRIER)
## [1] "AA" "DL" "B6" "AS"
unique(flights$DEST)
  [1] "LAX" "SFO" "SJC" "SAN" "PSP" "SMF" "OAK" "LGB" "ONT" "BUR"
class(flights$CARRIER_DELAY)
## [1] "numeric"
flights <- flights %>%
  mutate(CARRIER_DELAY = case_when(CARRIER_DELAY > 0 ~ 1),
         WEATHER_DELAY = case_when(WEATHER_DELAY > 0 ~ 1),
         NAS_DELAY = case_when(NAS_DELAY > 0 ~ 1),
         SECURITY_DELAY = case_when(SECURITY_DELAY > 0 ~ 1),
         LATE_AIRCRAFT_DELAY = case_when(LATE_AIRCRAFT_DELAY > 0 ~ 1))
flights
## # A tibble: 2,044 x 34
##
       YEAR MONTH DAY_OF_MONTH DAY_OF_WEEK FL_DATE
                                                       OP_CARRIER TAIL_NUM
##
      <dbl> <dbl>
                         <dbl>
                                     <dbl> <date>
                                                                  <chr>
   1 2020
                                                                  N110AN
##
                1
                             1
                                         3 2020-01-01 AA
##
   2 2020
                1
                             2
                                         4 2020-01-02 AA
                                                                  N111ZM
##
  3 2020
                             3
                                         5 2020-01-03 AA
                                                                  N108NN
  4 2020
##
                             4
                                         6 2020-01-04 AA
                                                                  N102NN
                1
## 5 2020
                             5
                                         7 2020-01-05 AA
                                                                  N113AN
##
   6 2020
                             6
                                         1 2020-01-06 AA
                                                                  N103NN
                1
##
   7 2020
                             7
                                         2 2020-01-07 AA
                                                                  N113AN
##
   8 2020
                             8
                                         3 2020-01-08 AA
                                                                  N106NN
                1
       2020
                             9
##
   9
                                         4 2020-01-09 AA
                                                                  N102NN
## 10 2020
                            10
                                         5 2020-01-10 AA
                                                                  N117AN
                1
## # ... with 2,034 more rows, and 27 more variables: OP_CARRIER_FL_NUM <dbl>,
       ORIGIN <chr>, ORIGIN_CITY_NAME <chr>, DEST <chr>, DEST_CITY_NAME <chr>,
```

```
## # CRS_DEP_TIME <dbl>, DEP_TIME <dbl>, DEP_DELAY <dbl>, TAXI_OUT <dbl>,
## # WHEELS_OFF <dbl>, WHEELS_ON <dbl>, TAXI_IN <dbl>, CRS_ARR_TIME <dbl>,
## # ARR_TIME <dbl>, ARR_DELAY <dbl>, CANCELLED <dbl>, CANCELLATION_CODE <lgl>,
## # DIVERTED <dbl>, CRS_ELAPSED_TIME <dbl>, ACTUAL_ELAPSED_TIME <dbl>,
## # AIR_TIME <dbl>, DISTANCE <dbl>, CARRIER_DELAY <dbl>, WEATHER_DELAY <dbl>,
## # NAS_DELAY <dbl>, SECURITY_DELAY <dbl>, LATE_AIRCRAFT_DELAY <dbl>
```

Taxi Histograms

Warning: Removed 1 rows containing non-finite values (stat_bin).


Histogram of TAXI_IN



```
ggplot(data = flights, aes(x = TAXI_OUT)) +
geom_histogram(binwidth = 5, fill = "#E81828", color = "#002D72") +
labs(x = "Time to Taxi Out",
    title = "Histogram of TAXI_OUT")
```

Warning: Removed 1 rows containing non-finite values (stat_bin).


Histogram of TAXI_OUT



Delay Histograms

- ## Warning: Removed 22 rows containing non-finite values (stat_bin).
- ## Warning: Removed 1 rows containing missing values (geom_bar).

Histogram of ARR_DELAY



```
ggplot(data = flights, aes(x = DEP_DELAY)) +
geom_histogram(binwidth = 4, fill = "#E81828", color = "#002D72") +
xlim(-25, 50) +
labs(x = "Departure Delay",
    title = "Histogram of DEP_DELAY")
```

Warning: Removed 75 rows containing non-finite values (stat_bin).

Warning: Removed 1 rows containing missing values (geom_bar).

Histogram of DEP_DELAY

