## Tuitt Philippines Incorporated | HTML Quiz

Multiple Choice. Choose the letter of the best answer.

- 1. It is a computer language that describes the structure of web pages
  - a. HyperMark Text Language
  - b. HyperTest Markup Language
  - c. HyperText Markdown Language
  - d. HyperText Markup Language
- 2. Which is a correctly-written HTML element?
  - a. <H1>Hello!<H1>
  - b. <h1>hello<h1>
  - c. Hi there!
  - d. Hi there!<P>
- 3. Which character is uniquely added to a closing HTML Tag?
  - a. Left-angle bracket
  - b. Backslash
  - c. Right-angle bracket
  - d. Forward slash
- 4. Which of the following HTML elements is NOT an empty Tag?
  - a. < input>
  - b. < img>
  - c. <label>
  - d. None of the above
- 5. These provide extra information about an HTML element and are always specified in the start tag.
  - a. HTML tags
  - b. HTML attributes
  - c. HTML elements
  - d. All of the above
- 6. A basic HTML skeleton is composed of the following tags:
  - a. Doctype, head, body, link, image
  - b. Title, body, head, html, dectype
  - c. Html, head, doctype, title, body
  - d. Doctype, image, head, title, body
- 7. This element contains information that is used by web crawlers but is not displayed to website visitors
  - a. Doctype declaration
  - b. Head
  - c. Body
  - d. Title
- This lets the browser know how the document should be interpreted by indicating the HTML version or standard
  - a. Doctype declaration
  - b. Head
  - c. Body
  - d. Title

a.	Atom
b.	
C.	
d.	<u>Notepad</u>
10. TRUE	or FALSE: All meta elements should be placed before the <title> tag.&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;a.&lt;/td&gt;&lt;td&gt;True&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;b.&lt;/td&gt;&lt;td&gt;&lt;u&gt;False&lt;/u&gt;&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;11. Which&lt;/td&gt;&lt;td&gt;heading tag has the lowest rank in terms of importance?&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;a.&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;b.&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;h1&gt;&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;d.&lt;/td&gt;&lt;td&gt;&lt;h3&gt;&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;12. Which&lt;/td&gt;&lt;td&gt;of the following is an immediate subheading of &lt;h6&gt;?&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;a.&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;b.&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;h7&gt;&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;d.&lt;/td&gt;&lt;td&gt;&lt;h6.5&gt;&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;element defines a simple paragraph of text?&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;a.&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;b.&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;span&gt;&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;a.&lt;/td&gt;&lt;td&gt;&lt;u&gt;&lt;/u&gt;&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;14. This is&lt;/td&gt;&lt;td&gt;a non-semantic element that is used to group block elements.&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;a.&lt;/td&gt;&lt;td&gt;&lt;span&gt;&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;b.&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;c.&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;d.&lt;/td&gt;&lt;td&gt;&lt;main&gt;&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;15. This el&lt;/td&gt;&lt;td&gt;ement creates break between themes and adds a horizontal line by default.&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;a.&lt;/td&gt;&lt;td&gt;&lt;br/&gt;br&gt;&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;b.&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;c.&lt;/td&gt;&lt;td&gt;&lt;div&gt;&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;d.&lt;/td&gt;&lt;td&gt;&lt;li&gt;&lt;li&gt;&lt;li&gt;&lt;/li&gt;&lt;/ul&gt;&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;ement indicates a subtle change in the meaning of a sentence.&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;a.&lt;/td&gt;&lt;td&gt;&lt;en&gt;&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;b.&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;C.&lt;/td&gt;&lt;td&gt;E&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;d.&lt;/td&gt;&lt;td&gt;&lt;u&gt;&lt;em&gt;&lt;/u&gt;&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;17. Nested&lt;/td&gt;&lt;td&gt;HTML elements follow the rule:&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;a.&lt;/td&gt;&lt;td&gt;LIFO (Last In, First Out)&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;b.&lt;/td&gt;&lt;td&gt;, , ,&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;C.&lt;/td&gt;&lt;td&gt;&lt;del&gt;&lt;/del&gt;&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;d.&lt;/td&gt;&lt;td&gt;None of the above&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;18. This at&lt;/td&gt;&lt;td&gt;tribute designates a source document or message for the information quoted.&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;a.&lt;/td&gt;&lt;td&gt;q&lt;br&gt;&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;b.&lt;/td&gt;&lt;td&gt;&lt;u&gt;cite&lt;/u&gt;&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;c.&lt;/td&gt;&lt;td&gt;blockquote&lt;/td&gt;&lt;/tr&gt;&lt;/tbody&gt;&lt;/table&gt;</title>

d. quote

9. Which of the following softwares is not an example of a text editor?

19.		ates that something is no longer accurate or relevant, but should not be deleted.
	a. b.	<strike> <s></s></strike>
	о. С.	
		<del></del>
	u.	<u>- vucp-</u>
20.	Which	of the following is an absolute URL?
	a.	www.facebook.com
	b.	https://facebook.com
	c.	
	d.	Facebook
21.	Which	character/s is/are used to indicate a relative URL containing a parent directory?
	a.	
	b.	//
	c.	home/
	d.	<u>/</u>
22	What at	ttribute name/value is used to open links in a new window?
22.	a.	target="blank"
	b.	target="new"
	c.	target="blank_"
	d.	target="_blank"
22	This ob	areator is used to indicate the name of the section where a link will jump to
23.	a.	aracter is used to indicate the name of the section where a link will jump to  Pound symbol
	b.	Exclamation mark
	c.	Dot
		Dollar sign
24	Th: -1-	- Cityma i matematica de la contra de Cityma i matematica de la contra dela contra dela contra de la contra del contra de la contra del contra del contra del contra de la contra de la contra del
24.		ement creates a list where the order of items is not important <ol> <li><ol> </ol> <li><ol> <li><ol> </ol></li> <li><ol> <li><ol> </ol> <li><ol> <li><ol> </ol> <li><ol> <li><ol> <li><ol> <li><ol> <li><ol> <li><ol> <li><ol> </ol></li> <li><ol> </ol></li> <li><ol> <li><ol></ol></li></ol></li></ol></li></ol></li></ol></li></ol></li></ol></li></ol></li></ol></li></ol></li></ol></li></ol></li></ol></li></ol></li></ol></li></ol></li></ol></li></ol></li></ol></li></ol></li></li></ol></li></li></ol></li></ol></li></li></ol></li></ol></li></ol></li></ol></li></ol></li></ol></li></ol></li></ol></li></ol></li></ol></li></ol></li></ol></li></ol></li></ol></li></ol></li></ol></li></ol></li></ol></li></ol></li></ol></li></ol></li></ol></li></ol></li></ol></li></ol></li></ol></li></ol></li></ol></li></ol></li></ol></li></ol></li></ol></li></ol></li></ol></li></ol></li></ol></li></ol></li></ol></li></ol></li></ol></li></ol></li></ol></li></ol></li></ol></li></ol></li></ol></li></ol></li></ol></li></ol></li></ol></li></ol></li></ol></li></ol></li></ol></li></ol></li></ol></li></ol></li></ol></li></ol></li></ol></li></ol></li></ol></li></ol></li></ol></li></ol></li></ol>
	a. b	< <u>01&gt;</u> < <u>ul&gt;</u>
	c.	
		<d ></d >
	-	<del></del>
25.	This rec	quired attribute describes an image and also serves as its fallback content
	a.	src :
	b.	img
	c. d.	alt figcaption
	u.	ngeaphon
26.	It is use	ed to represent the heading for either a table column or a table row
	a.	<thead></thead>
	b.	
	c.	
	d.	<u>&gt;</u>
27.	This att	ribute is used on  elements and can take the values: row or col to indicate a heading for a row
		respectively.
	a.	span
	b.	<u>scope</u>
	c.	cols
	d.	Colspan
28. This form attribute specifies where to send the data when a form is submitted.		
	a.	Method
	b.	Action

c. Datad. Post

29.	This for	rm control is used if only one option is allowed to be selected by the user
	a.	Checkbox
	b.	Radio Button
	c.	Textfield
	d.	Password
30.	Which o	of the following form elements is used to group related forms?
	a.	Fieldgroup
		<u>Fieldset</u>
		Legend
		Field
31.	It refers	to the idea that HTML markup should convey the underlying meaning of contents and not their
	appeara	nce.
	a.	Syntactic HTML
	b.	Synergy HTML
	c.	Symbiotic HTML
		Semantic HTML
	u.	Schiantic ITTML
32	This ser	mantic HTML element marks up various navigation sections of a website
	a.	<navbar></navbar>
	b.	<navi></navi>
	c. d.	<a href="mailto:square;"><a href="mailto:square;"></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a>