

# Replace scalar values using `.replace()`

WRITING EFFICIENT CODE WITH PANDAS



**Leonidas Souliotis**  
PhD Candidate

# The popular name dataset

Year of Birth	Gender	Ethnicity	Child's First Name	Count	Rank
2011	FEMALE	ASIAN AND PACIFIC ISLANDER	SOPHIA	119	1
2011	FEMALE	ASIAN AND PACIFIC ISLANDER	CHLOE	106	2

# Replace values in pandas

```
start_time = time.time()
names['Gender'].loc[names.Gender=='MALE'] = 'BOY'
print("Replace values using .loc[]: {} sec".format(time.time() - start_time))
```

Results from the first method calculated in 0.0311849 seconds

# Replace values using .replace()

```
start_time = time.time()
names['Gender'].replace('MALE', 'BOY', inplace=True)
print("Time using .replace(): {} sec".format(time.time() - start_time))
```

```
Time using .replace(): 0.0016758441925 sec
```

```
Difference in speed: 1,704.52411439%
```

# Let's do it

WRITING EFFICIENT CODE WITH PANDAS

# Replace values using lists

WRITING EFFICIENT CODE WITH PANDAS



**Leonidas Souliotis**  
PhD Candidate

# Replace multiple values with one value

Year of Birth	Gender	Ethnicity	Child's First Name	Count	Rank
2011	FEMALE	WHITE NON HISP	HELENA	97	4

```
start_time = time.time()
names['Ethnicity'].loc[(names["Ethnicity"] == 'WHITE NON HISPANIC') |
(names["Ethnicity"] == 'WHITE NON HISP')] = 'WNH'
print("Results from the above operation calculated in %s seconds" %
(time.time() - start_time))
```

Results from the second method calculated in 0.0276169776917 seconds

# Replace multiple values using .replace() I

```
start_time = time.time()
names['Ethnicity'].replace(['WHITE NON HISPANIC', 'WHITE NON HISP'],
                           'WNH', inplace=True)
print("Time using .replace(): {} sec".format(time.time() - start_time))
```

```
Time using .replace(): 0.00144791603088 sec
```

```
Difference in speed: 2160.68681809%
```



```
names['Ethnicity'].replace(['WHITE NON HISP'], 'WHITE NON HISPANIC', inplace=True)
names['Ethnicity'].replace(['BLACK NON HISP'], 'BLACK NON HISPANIC', inplace=True)
```

```
names['Ethnicity'].replace(['BLACK NON HISP', 'WHITE NON HISP'], ['BLACK NON HISPANIC',
'WHITE NON HISPANIC'], inplace=True)
```

# Let's do it

WRITING EFFICIENT CODE WITH PANDAS

# Replace values using dictionaries

WRITING EFFICIENT CODE WITH PANDAS



**Leonidas Souliotis**  
PhD Candidate

# Replace single values with dictionaries

```
start_time = time.time()
names['Gender'].replace({'MALE':'BOY', 'FEMALE':'GIRL'},
inplace=True)
print("Time using .replace() with dictionary: {} sec".format(time.time() - start_time))
```

```
Time using .replace() with dictionary: 0.00197792053223 sec
```

```
start_time = time.time()
names['Gender'].replace('MALE', 'BOY', inplace=True)
names['Gender'].replace('FEMALE', 'GIRL', inplace=True)
print("Time using multiple .replace(): {} sec".format(time.time() - start_time))
```

```
Time using multiple .replace(): 0.00307083129883 sec
```

```
Difference in speed: 55.2555448407%
```

# Replace multiple values using dictionaries

```
start_time = time.time()
names.replace({'Ethnicity': {'ASIAN AND PACI': 'ASIAN', 'ASIAN AND PACIFIC ISLANDER': 'ASIAN',
                             'BLACK NON HISPANIC': 'BLACK', 'BLACK NON HISP': 'BLACK',
                             'WHITE NON HISPANIC': 'WHITE', 'WHITE NON HISP': 'WHITE'}}})

print("Time using .replace() with dictionary: {} sec".format(time.time() - start_time))
```

```
Time using .replace() with dictionary: 0.0028018 sec
```

# Let's do it!

WRITING EFFICIENT CODE WITH PANDAS