Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for auctionCreate.blade.php

Checker Input
Show source outline outline Options
Check by file upload v Browse No file selected.
Uploaded files with .xhtml or .xht extensions are parsed using the XML parser. Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1. Warning Consider adding a lang attribute to the html start tag to declare the language of this document.

From line 1, column 1; to line 1, column 6

<head>← <st

For further guidance, consult <u>Declaring the overall language of a page</u> and <u>Choosing language tags</u>.

If the HTML checker has misidentified the language of this document, please <u>file an issue report</u> or <u>send e-mail to report the problem</u>.

- 2. Error The character encoding was not declared. Proceeding using windows-1252.
- 3. Error Start tag seen without seeing a doctype first. Expected <!DOCTYPE html>.

 From line 1, column 1; to line 1, column 6

 <head>
 ← <st
- 4. Error Element head is missing a required instance of child element title.

From line 12, column 1; to line 12, column 7

</style>↔</head>↔<arti

Content model for element <u>head</u>:

If the document is <u>an iframe srcdoc document</u> or if title information is available from a higher-level protocol: Zero or more elements of <u>metadata content</u>, of

```
which no more than one is a <u>title</u> element and no more than one is a <u>base</u> element.
```

Otherwise: One or more elements of <u>metadata content</u>, of which exactly one is a <u>title</u> element and no more than one is a <u>base</u> element.

```
5. Error Bad value {{ route('api/auctions') }} for attribute

action on element form: Illegal character in path segment: {

is not allowed.

From line 17, column 3; to line 17, column 89

ction)) ← <form method="POST" action="{{ route('api/auctions') }}"

enctype="multipart/form-data">←@else
```

```
6. Error Saw a form start tag, but there was already an active form element. Nested forms are not allowed. Ignoring the tag.

From line 19, column 3; to line 19, column 127

> ← @else ← < form method="POST" action="{{ route('auctions/{id}/edit', ['id' => $auction->auction_id]) }}" enctype="multipart/form-data"> ← @endi
```

7. Error Attribute type not allowed on element textarea at this point.

```
From line 31, column 1; to line 31, column 170

n</label>

n</label>

e
textarea type="text" name="description" class="form-control" placeholder="Optional" id="description" value="{{

$auction->description ?? old('description') }}" autofocus>{{ $auction}}

Attributes for element textarea:
```

Global attributes

autocomplete — Hint for form autofill feature

cols — Maximum number of characters per line

<u>dirname</u> — Name of form control to use for sending the element's <u>directionality</u> in form submission

disabled — Whether the form control is disabled

form — Associates the element with a form element

<u>maxlength</u> — Maximum <u>length</u> of value

<u>minlength</u> — Minimum <u>length</u> of value

<u>name</u> — Name of the element to use for <u>form submission</u> and in the

form.elements API

<u>placeholder</u> — User-visible label to be placed within the form control

<u>readonly</u> — Whether to allow the value to be edited by the user

<u>required</u> — Whether the control is required for <u>form submission</u>

```
    <u>rows</u> — Number of lines to show
    <u>wrap</u> — How the value of the form control is to be wrapped for <u>form submission</u>
```

Error Attribute value not allowed on element textarea at this 8. point. From line 31, column 1; to line 31, column 170 n</label>↩<textarea type="text" name="description" class="formcontrol" placeholder="Optional" id="description" value="{{ \$auction->description ?? old('description') }}" autofocus>{{ \$au Attributes for element <u>textarea</u>: Global attributes <u>autocomplete</u> — Hint for form autofill feature cols — Maximum number of characters per line dirname — Name of form control to use for sending the element's directionality in form submission disabled — Whether the form control is disabled form — Associates the element with a form element <u>maxlength</u> — Maximum <u>length</u> of value <u>minlength</u> — Minimum <u>length</u> of value <u>name</u> — Name of the element to use for <u>form submission</u> and in the

placeholder — User-visible label to be placed within the form control

<u>readonly</u> — Whether to allow the value to be edited by the user

<u>required</u> — Whether the control is required for <u>form submission</u>

<u>rows</u> — Number of lines to show

form.elements API

<u>wrap</u> — How the value of the form control is to be wrapped for <u>form submission</u>

9. Error A document must not include more than one autofocus attribute.

10. Error A document must not include more than one autofocus attribute.

```
From line 35, column 1; to line 35, column 170

d</label>e<input type="text" name= "min_opening_bid" class="form-
control" id="min_opening_bid" value="{{ $auction->min_opening_bid ??}

old('min_opening_bid') }}" required autofocus>e</div
```

```
11. Error Bad value {{ $auction->start_date ?? date('Y-m-d\TH:i') }} for attribute value on element input: The literal did not satisfy the local datetime format.

From line 44, column 1; to line 44, column 141

e</label>
e</label>
e</label>
e<input type="datetime-local" name="start" class="form-control" id="start" value="{{ $auction->start_date ?? date('Y-m-d\TH:i') }}" required>
e</div
```

m-d\TH:i', strtotime(date('Y-m-d\TH:i') . ' +1 day'))}} for attribute value on element input: The literal did not satisfy the local datetime format.

From line 49, column 1; to line 49, column 182

e</label>e</label>e</label>e</label>e</label>e</label>e</label>e</label>e</label>e</label>e</label>e</label>e</label>e</label>e</label>e</label>e</label>e</label>e</label>e</label>e</label>e</label>e</label>e</label>e</label>e</label>e</label>e</label>e</label>e</label>e</label>e</label>e</label>e</label>e</label>e</label>e</label>e</label>e

Error Attribute value not allowed on element select at this 13. point. From line 63, column 1; to line 63, column 189 y</label>↔<select class="form-select" id="auction_categories" aria-?? old('auction_category') }}" name="auction_category" required>← Attributes for element **select**: Global attributes <u>autocomplete</u> — Hint for form autofill feature <u>disabled</u> — Whether the form control is disabled form — Associates the element with a form element <u>multiple</u> — Whether to allow multiple values <u>name</u> — Name of the element to use for <u>form submission</u> and in the form.elements API <u>required</u> — Whether the control is required for <u>form submission</u> size — Size of the control

14. Error The first child option element of a select element with a required attribute, and without a multiple attribute, and without a size attribute whose value is greater than 1, must have either an empty value attribute, or must have no text content. Consider either adding a placeholder option label, or

```
Error Attribute value not allowed on element select at this
15.
      point.
      From line 72, column 1; to line 72, column 180
       s</label>

s

// label

<
      old('auction status') }}" name="auction status" required>↩ <op
      Attributes for element <u>select</u>:
          Global attributes
          <u>autocomplete</u> — Hint for form autofill feature
          <u>disabled</u> — Whether the form control is disabled
          <u>form</u> — Associates the element with a <u>form</u> element
          <u>multiple</u> — Whether to allow multiple values
          <u>name</u> — Name of the element to use for <u>form submission</u> and in the
          form.elements API
          <u>required</u> — Whether the control is required for <u>form submission</u>
          size — Size of the control
```

16. Error The first child option element of a select element with a required attribute, and without a multiple attribute, and without a size attribute whose value is greater than 1, must have either an empty value attribute, or must have no text content. Consider either adding a placeholder option label, or adding a size attribute with a value equal to the number of option elements.

From line 73, column 3; to line 73, column 25

quired>e <option value="Active">Active

17. Warning Article lacks heading. Consider using h2 h6 elements to add identifying headings to all articles.

From line 13, column 1; to line 13, column 25

>e</head>e<article class="auction"> ee

18. Error The value of the for attribute of the label element must be the ID of a non-hidden form control.

19. Error The value of the for attribute of the label element must be the ID of a non-hidden form control.

From line 71, column 1; to line 71, column 47

/select>↔<label for="auction_status" class="form-label">Status

Document checking completed.

Used the HTML parser.

Total execution time 16 milliseconds.

About this checker • Report an issue • Version: 22.1.25