Mensura Honorem! // V0

Lauri Tarkkonen and Maria Valaste

2025-11-09

Contents

Chapter 1

Preface

Testing references here (Tarkkonen and Vehkalahti, 2005) and without brackets Vehkalahti (2000). References are saved in file book.bib which comes from Zotero.

This is a *sample* book written in **Markdown**. You can use anything that Pandoc's Markdown supports, e.g., a math equation $a^2 + b^2 = c^2$.

The **bookdown** package can be installed from CRAN or Github:

```r
install.packages("bookdown")
# or the development version
# devtools::install_github("rstudio/bookdown")
```

Remember each Rmd file contains one and only one chapter, and a chapter is defined by the first-level heading #.

To compile this example to PDF, you need XeLaTeX.

Chapter 2

Introduction

You can label chapter and section titles using `{#label}` after them, e.g., we can reference Chapter 2. If you do not manually label them, there will be automatic labels anyway, e.g., Chapter 4.

Figures and tables with captions will be placed in `figure` and `table` environments, respectively.

```r
par(mar = c(4, 4, .1, .1))
plot(pressure, type = 'b', pch = 19)
```


Figure 2.1: Here is a nice figure!

Table 2.1: Here is a nice table!

Sepal.Length	Sepal.Width	Petal.Length	Petal.Width	Species
5.1	3.5	1.4	0.2	setosa
4.9	3.0	1.4	0.2	setosa
4.7	3.2	1.3	0.2	setosa
4.6	3.1	1.5	0.2	setosa
5.0	3.6	1.4	0.2	setosa
5.4	3.9	1.7	0.4	setosa
4.6	3.4	1.4	0.3	setosa
5.0	3.4	1.5	0.2	setosa
4.4	2.9	1.4	0.2	setosa
4.9	3.1	1.5	0.1	setosa
5.4	3.7	1.5	0.2	setosa
4.8	3.4	1.6	0.2	setosa
4.8	3.0	1.4	0.1	setosa
4.3	3.0	1.1	0.1	setosa
5.8	4.0	1.2	0.2	setosa
5.7	4.4	1.5	0.4	setosa
5.4	3.9	1.3	0.4	setosa
5.1	3.5	1.4	0.3	setosa
5.7	3.8	1.7	0.3	setosa
5.1	3.8	1.5	0.3	setosa

Reference a figure by its code chunk label with the `fig:` prefix, e.g., see Figure 2.1. Similarly, you can reference tables generated from `knitr::kable()`, e.g., see Table 2.1.

```
knitr::kable(
  head(iris, 20), caption = 'Here is a nice table!',
  booktabs = TRUE
)
```

You can write citations, too. For example, we are using the **bookdown** package (Xie, 2025) in this sample book, which was built on top of R Markdown and **knitr** (Xie, 2015).

2.1   Subsection

Just to test to add a subsection.

Chapter 3

Literature

Here is a review of existing methods.

Chapter 4

Methods

We describe our methods in this chapter.

Math can be added in body using usual syntax like this

4.1 math example

p is unknown but expected to be around 1/3. Standard error will be approximated

$$SE = \sqrt{\frac{p(1-p)}{n}} \approx \sqrt{\frac{1/3(1-1/3)}{300}} = 0.027$$

You can also use math in footnotes like this[1].

We will approximate standard error to 0.027[2]

---

[1] where we mention $p = \frac{a}{b}$

[2] p is unknown but expected to be around 1/3. Standard error will be approximated

$$SE = \sqrt{\frac{p(1-p)}{n}} \approx \sqrt{\frac{1/3(1-1/3)}{300}} = 0.027$$

Chapter 5

Applications

Some *significant* applications are demonstrated in this chapter.

5.1   Example one

5.2   Example two

• Intersection point

Chapter 6

Final Words

We have finished a nice book.

Bibliography

Tarkkonen, L. and Vehkalahti, K. (2005). Measurement errors in multivariate measurement scales. *Journal of Multivariate Analysis*, 96(1):172–189.

Vehkalahti, K. (2000). *Reliability of measurement scales : Tarkkonen's general method supersedes Cronbach's alpha*. PhD thesis, Helsinki.

Xie, Y. (2015). *Dynamic Documents with R and knitr*. Chapman and Hall/CRC, Boca Raton, Florida, 2nd edition. ISBN 978-1498716963.

Xie, Y. (2025). *bookdown: Authoring Books and Technical Documents with R Markdown*. R package version 0.45.