La struttura del DESADV

Formato documento: XML

← TORNA ALLA PAGINA PRINCIPALE

- Visualizza i campi della testata: HEADER
- Visualizza i campi della sezione di Dettaglio: DETAIL
- Visualizza i campi del sommario: SUMMARY

Scarica come PDF

n.	Elementi & Path	Descrizione	Regole di compilazione
1	DESADV /DESADV	Dichiarazione del tipo di messaggio	Root Element
2	Header /DESADV/Header	Apertura testata del messaggio	Complex Type
3	Envelope /DESADV/Header/Envelope	Intestazione del DESADV	Complex Type
4	Sender /DESADV/Header/Envelope/Sender	II Mittente del DESADV	Complex Type
5	Identification /DESADV/Header/Envelope/Sender/Identification	Identificazione del Mittente	Stringa alfanumerica di massimo 35 caratteri
6	IdentificationCodeQualifier /DESADV/Header/Envelope/Sender/IdentificationCodeQualifier	Codice identificativo del Mittente	<u>Valore dinamico:</u> 14 - ZZ - EN

7	Recipient /DESADV/Header/Envelope/Recipient	II Destinatario del DESADV	Complex Type
8	Identification /DESADV/Header/Envelope/Recipient/Identification	Identificazione del Destinatario	Stringa alfanumerica di massimo 35 caratteri
9	IdentificationCodeQualifier /DESADV/Header/Envelope/Recipient/IdentificationCodeQualifier	Codice identificativo del Destinatario	<u>Valore dinamico:</u> 14 - ZZ - EN
10	SendDateTime /DESADV/Header/Envelope/SendDateTime	Data e Ora di Invio Messaggio	Complex Type
11	Date /DESADV/Header/Envelope/SendDateTime/Date	Data Invio Messaggio	Formato Data
12	Time /DESADV/Header/Envelope/SendDateTime/Time	Ora Invio Messaggio	Formato Ora
13	InterchangeControlReference /DESADV/Header/Envelope/InterchangeControlReference	Riferimento al controllo degli scambi	Stringa alfanumerica di massimo 35 caratteri
14	MessageType /DESADV/Header/Envelope/MessageType	Tipo di Messaggio	Valore Fisso: DESADV
15	Document /DESADV/Header/Document	Intestazione Documento	Complex Type
16	TypeIdentification /DESADV/Header/Document/TypeIdentification	Tipo di Identificazione del Documento	Valore dinamico: 351 - 35E - YA9 - 345 - 748 - YA5 - YA6 - YB3 - YC3 - YC4

17	Number /DESADV/Header/Document/Number	Numero Identificativo Documento	Stringa alfanumerica di massimo 35 caratteri
18	MessageFunction /DESADV/Header/Document/MessageFunction	Funzione del Messaggio	Valore dinamico: 1 - 4 - 7 - 9 - 5 - 31 - 42
19	Date /DESADV/Header/Document/Date	Data Documento	Formato Data
20	Time /DESADV/Header/Document/Time	Ora Documento	Formato Ora
21	Information /DESADV/Header/Information	Informazioni di Testata	Complex Type
22	References /DESADV/Header/Information/References	Riferimenti	Complex Type, massimo 19 record
23	ReferenceQualifier /DESADV/Header/Information/References/ReferenceQualifier	Qualificatore di riferimento	Valore dinamico: ON - VN - AAJ - AAS - CR - CN - CT - BM - IP - PK - POR - AAU - AAB - AAK - ALQ - RPE - AAN - AWT - PP
24	ReferenceNumber /DESADV/Header/Information/References/ReferenceNumber	Numero di riferimento	Stringa alfanumerica di massimo 35 caratteri
25	ReferenceDate /DESADV/Header/Information/References/ReferenceDate	Data di riferimento	Complex Type, massimo 4 record

26	DateType /DESADV/Header/Information/References/ReferenceDate/DateType	Tipo Data	<u>Valore dinamico:</u> 157 - 171 - 21E - 54E
27	Date /DESADV/Header/Information/References/ReferenceDate/Date	Data	Formato Data
28	Time /DESADV/Header/Information/References/ReferenceDate/Time	Ora	Formato Ora
29	FormatQualifier /DESADV/Header/Information/References/ReferenceDate/FormatQualifier	Qualificatore di Formato	Valore dinamico: 102 - 203
30	DateOfDelivery /DESADV/Header/Information/DateOfDelivery	Data di Spedizione	Complex Type, massimo 16 record
31	DateType /DESADV/Header/Information/DateOfDelivery/DateType	Tipo Data	Valore dinamico: 2 - 11 - 63 - 64 - 95 - 234 - 358 - 359 - 17 - 59 - 162 - 191 - 200 - 235 - 806 - 54E
32	Date /DESADV/Header/Information/DateOfDelivery/Date	Data	Formato Data
33	Time /DESADV/Header/Information/DateOfDelivery/Time	Ora	Formato Ora
34	ToDate /DESADV/Header/Information/DateOfDelivery/ToDate	Data limite	Formato Data
35	FormatQualifier /DESADV/Header/Information/DateOfDelivery/FormatQualifier	Qualificatore di Formato	<u>Valore dinamico:</u> 102 - 203 - 718
36	Supplier /DESADV/Header/Information/Supplier	Fornitore	Complex Type, massimo 1

			record
37	PartyType /DESADV/Header/Information/Supplier/PartyType	Tipo di Referente	Valore Fisso: SU
38	Identification /DESADV/Header/Information/Supplier/Identification	Identificazione	Stringa alfanumerica di massimo 35 caratteri
39	CodeListQualifier /DESADV/Header/Information/Supplier/CodeListQualifier	Qualificatore del codice di lista	Valore dinamico: 14 - ZZ - IT - IA - VA
40	Name /DESADV/Header/Information/Supplier/Name	Nome del Fornitore	Stringa alfanumerica di massimo 35 caratteri
41	Address /DESADV/Header/Information/Supplier/Address	Indirizzo del Fornitore	Stringa alfanumerica di massimo 35 caratteri
42	City /DESADV/Header/Information/Supplier/City	Città del Fornitore	Stringa alfanumerica di massimo 35 caratteri
43	CountrySubEntity /DESADV/Header/Information/Supplier/CountrySubEntity	Provincia del Fornitore	Stringa alfanumerica di massimo 9 caratteri
44	Postcode /DESADV/Header/Information/Supplier/Postcode	Codice postale del Fornitore	Stringa alfanumerica di massimo 9 caratteri

45	Country /DESADV/Header/Information/Supplier/Country	Nazione del Fornitore	Stringa alfanumerica di massimo 3 caratteri
46	ContactReference /DESADV/Header/Information/Supplier/ContactReference	Contatti di Riferimento del Fornitore	Complex Type, massimo 10 record
47	Contactfunction /DESADV/Header/Information/Supplier/ContactReference/Contactfunction	Funzione del Contatto	Valore dinamico: DL - IC - TR
48	DepartmentOrEmployee /DESADV/Header/Information/Supplier/ContactReference/DepartmentOrEmployee	Ufficio o Impiegato di Riferimento	Stringa alfanumerica di massimo 35 caratteri
49	Telephone /DESADV/Header/Information/Supplier/ContactReference/Telephone	Numero di Telefono	Stringa alfanumerica di massimo 25 caratteri
50	Fax /DESADV/Header/Information/Supplier/ContactReference/Fax	Fax	Stringa alfanumerica di massimo 25 caratteri
51	Telex /DESADV/Header/Information/Supplier/ContactReference/Telex	Telex	Stringa alfanumerica di massimo 25 caratteri
52	Email /DESADV/Header/Information/Supplier/ContactReference/Email	Indirizzo Email	Stringa alfanumerica di massimo 70 caratteri
53	X400 /DESADV/Header/Information/Supplier/ContactReference/X400	X400	Stringa alfanumerica di

			massimo 512 caratteri
54	URL /DESADV/Header/Information/Supplier/ContactReference/URL	URL	Stringa alfanumerica di massimo 512 caratteri
55	Buyer /DESADV/Header/Information/Buyer	Acquirente	Complex Type, massimo 1 record
56	PartyType /DESADV/Header/Information/Buyer/PartyType	Tipo di Referente	Valore Fisso: BY
57	Identification /DESADV/Header/Information/Buyer/Identification	Identificazione	Stringa alfanumerica di massimo 35 caratteri
58	CodeListQualifier /DESADV/Header/Information/Buyer/CodeListQualifier	Qualificatore del codice di lista	Valore dinamico: 14 - ZZ - IT - IA - VA
59	Name /DESADV/Header/Information/Buyer/Name	Nome dell'Acquirente	Stringa alfanumerica di massimo 35 caratteri
60	Address /DESADV/Header/Information/Buyer/Address	Indirizzo dell'Acquirente	Stringa alfanumerica di massimo 35 caratteri
61	City /DESADV/Header/Information/Buyer/City	Città dell'Acquirente	Stringa alfanumerica di massimo 35 caratteri

62	CountrySubEntity /DESADV/Header/Information/Buyer/CountrySubEntity	Provincia dell'Acquirente	Stringa alfanumerica di massimo 9 caratteri
63	Postcode /DESADV/Header/Information/Buyer/Postcode	Codice Postale dell'Acquirente	Stringa alfanumerica di massimo 9 caratteri
64	Country /DESADV/Header/Information/Buyer/Country	Nazione dell'Acquirente	Stringa alfanumerica di massimo 3 caratteri
65	ContactReference /DESADV/Header/Information/Buyer/ContactReference	Contatti di riferimento dell'Acquirente	Complex Type, massimo 10 record
66	Contactfunction /DESADV/Header/Information/Buyer/ContactReference/Contactfunction	Funzione del Contatto	Valore dinamico: DL - IC - TR
67	DepartmentOrEmployee /DESADV/Header/Information/Buyer/ContactReference/DepartmentOrEmployee	Ufficio o Impiegato di Riferimento	Stringa alfanumerica di massimo 35 caratteri
68	Telephone /DESADV/Header/Information/Buyer/ContactReference/Telephone	Numero di Telefono	Stringa alfanumerica di massimo 25 caratteri
69	Fax /DESADV/Header/Information/Buyer/ContactReference/Fax	Fax	Stringa alfanumerica di massimo 25 caratteri
70	Telex /DESADV/Header/Information/Buyer/ContactReference/Telex	Telex	Stringa alfanumerica di

			massimo 25 caratteri
71	Email /DESADV/Header/Information/Buyer/ContactReference/Email	Indirizzo Email	Stringa alfanumerica di massimo 70 caratteri
72	X400 /DESADV/Header/Information/Buyer/ContactReference/X400	X400	Stringa alfanumerica di massimo 512 caratteri
73	URL /DESADV/Header/Information/Buyer/ContactReference/URL	URL	Stringa alfanumerica di massimo 512 caratteri
74	DeliveryPoint /DESADV/Header/Information/DeliveryPoint	Punto di Consegna	Complex Type, massimo 1 record
75	PartyType /DESADV/Header/Information/DeliveryPoint/PartyType	Tipo di Referente	Valore Fisso: DP
76	Identification /DESADV/Header/Information/DeliveryPoint/Identification	Identificazione	Stringa alfanumerica di massimo 35 caratteri
77	CodeListQualifier /DESADV/Header/Information/DeliveryPoint/CodeListQualifier	Qualificatore del codice di lista	Valore dinamico: 14 - ZZ - IT - IA - VA
78	Name /DESADV/Header/Information/DeliveryPoint/Name	Nome del Punto di Consegna	Stringa alfanumerica di massimo 35 caratteri

79	Address /DESADV/Header/Information/DeliveryPoint/Address	Indirizzo del Punto di Consegna	Stringa alfanumerica di massimo 35 caratteri
80	City /DESADV/Header/Information/DeliveryPoint/City	Città del Punto di Consegna	Stringa alfanumerica di massimo 35 caratteri
81	CountrySubEntity /DESADV/Header/Information/DeliveryPoint/CountrySubEntity	Provincia del Punto di Consegna	Stringa alfanumerica di massimo 9 caratteri
82	Postcode /DESADV/Header/Information/DeliveryPoint/Postcode	Codice postale del Punto di Consegna	Stringa alfanumerica di massimo 9 caratteri
83	Country /DESADV/Header/Information/DeliveryPoint/Country	Nazione del Punto di Consegna	Stringa alfanumerica di massimo 3 caratteri
84	ContactReference /DESADV/Header/Information/DeliveryPoint/ContactReference	Contatti di Riferimento del Punto di Consegna	Complex Type, massimo 10 record
85	Contactfunction /DESADV/Header/Information/DeliveryPoint/ContactReference/Contactfunction	Funzione del Contatto	Valore dinamico: DL - IC - TR
86	DepartmentOrEmployee /DESADV/Header/Information/DeliveryPoint/ContactReference/DepartmentOrEmployee	Ufficio o Impiegato di Riferimento	Stringa alfanumerica di massimo 35 caratteri

87	Telephone /DESADV/Header/Information/DeliveryPoint/ContactReference/Telephone	Numero di Telefono	Stringa alfanumerica di massimo 25 caratteri
88	Fax /DESADV/Header/Information/DeliveryPoint/ContactReference/Fax	Fax	Stringa alfanumerica di massimo 25 caratteri
89	Telex /DESADV/Header/Information/DeliveryPoint/ContactReference/Telex	Telex	Stringa alfanumerica di massimo 25 caratteri
90	Email /DESADV/Header/Information/DeliveryPoint/ContactReference/Email	Indirizzo Email	Stringa alfanumerica di massimo 70 caratteri
91	X400 /DESADV/Header/Information/DeliveryPoint/ContactReference/X400	X400	Stringa alfanumerica di massimo 512 caratteri
92	URL /DESADV/Header/Information/DeliveryPoint/ContactReference/URL	URL	Stringa alfanumerica di massimo 512 caratteri
93	OtherParty /DESADV/Header/Information/OtherParty	Altre parti coinvolte	Complex Type, massimo 10 record
94	PartyType /DESADV/Header/Information/OtherParty/PartyType	Tipo di Referente	Valore dinamico: CA - CN - FD - FR - IV - OB - PW - SF - SH - UC

95	Identification /DESADV/Header/Information/OtherParty/Identification	Identificazione	Stringa alfanumerica di massimo 35 caratteri
96	CodeListQualifier /DESADV/Header/Information/OtherParty/CodeListQualifier	Qualificatore del codice di lista	Valore dinamico: 14 - ZZ - IT - IA - VA
97	Name /DESADV/Header/Information/OtherParty/Name	Nome della Parte coinvolta	Stringa alfanumerica di massimo 35 caratteri
98	Address /DESADV/Header/Information/OtherParty/Address	Indirizzo Parte coinvolta	Stringa alfanumerica di massimo 35 caratteri
99	City /DESADV/Header/Information/OtherParty/City	Città Parte coinvolta	Stringa alfanumerica di massimo 35 caratteri
100	CountrySubEntity /DESADV/Header/Information/OtherParty/CountrySubEntity	Provincia Parte coinvolta	Stringa alfanumerica di massimo 9 caratteri
101	Postcode /DESADV/Header/Information/OtherParty/Postcode	Codice Postale Parte coinvolta	Stringa alfanumerica di massimo 9 caratteri
102	Country /DESADV/Header/Information/OtherParty/Country	Nazione Parte coinvolta	Stringa alfanumerica di massimo 3 caratteri

103	ContactReference /DESADV/Header/Information/OtherParty/ContactReference	Contatti di Riferiemento Parte coinvolta	Complex Type, massimo 10 record
104	Contactfunction /DESADV/Header/Information/OtherParty/ContactReference/Contactfunction	Funzione del Contatto	Valore dinamico: DL - IC - TR
105	DepartmentOrEmployee /DESADV/Header/Information/OtherParty/ContactReference/DepartmentOrEmployee	Ufficio o Impiegato di Riferimento	Stringa alfanumerica di massimo 35 caratteri
106	Telephone /DESADV/Header/Information/OtherParty/ContactReference/Telephone	Numero di Telefono	Stringa alfanumerica di massimo 25 caratteri
107	Fax /DESADV/Header/Information/OtherParty/ContactReference/Fax	Fax	Stringa alfanumerica di massimo 25 caratteri
108	Telex /DESADV/Header/Information/OtherParty/ContactReference/Telex	Telex	Stringa alfanumerica di massimo 25 caratteri
109	Email /DESADV/Header/Information/OtherParty/ContactReference/Email	Indirizzo Email	Stringa alfanumerica di massimo 70 caratteri
110	X400 /DESADV/Header/Information/OtherParty/ContactReference/X400	X400	Stringa alfanumerica di massimo 512 caratteri
111	URL /DESADV/Header/Information/OtherParty/ContactReference/URL	URL	Stringa alfanumerica di

			massimo 512 caratteri
112	TermOfDeliveryOrTransport /DESADV/Header/Information/TermOfDeliveryOrTransport	Condizioni di Spedizione o Trasporto	Complex Type, massimo 10 record
113	TermOfDelivery /DESADV/Header/Information/TermOfDeliveryOrTransport/TermOfDelivery	Condizioni di Spedizione	Valore dinamico: 3 oppure 2
114	TransportCosts /DESADV/Header/Information/TermOfDeliveryOrTransport/TransportCosts	Costi di Trasporto	Valore dinamico: PP - CC - PC
115	TermOfDeliveryCoded /DESADV/Header/Information/TermOfDeliveryOrTransport/TermOfDeliveryCoded	Termine di consegna codificato	Valore dinamico: EXW - FCA - FAS - FOB - CFR - CIF - CPT - CIP - DAF - DES - DEQ - DDU - DDP
116	Descr1TermOfDelivery /DESADV/Header/Information/TermOfDeliveryOrTransport/Descr1TermOfDelivery	Descrizione 1 Condizioni di Spedizione	<u>Valore dinamico:</u> <u>FS - FB</u>
117	Descr2TermOfDelivery /DESADV/Header/Information/TermOfDeliveryOrTransport/Descr2TermOfDelivery	Descrizione 2 Condizioni di Spedizione	Stringa alfanumerica di massimo 70 caratteri
118	DetailsOfTransport /DESADV/Header/Information/DetailsOfTransport	Dettagli di Trasporto	Complex Type, massimo 10 record
119	TransportQualifier /DESADV/Header/Information/DetailsOfTransport/TransportQualifier	Qualificatore del Trasporto	Valore fisso: 20

120	Number /DESADV/Header/Information/DetailsOfTransport/Number	Numero di riferimento del Trasporto	Stringa alfanumerica di massimo 17 caratteri
121	TransportModeCode /DESADV/Header/Information/DetailsOfTransport/TransportModeCode	Codice Modalità Trasporto	<u>Valore dinamico:</u> 10 - 20 - 30 - 40 - 60
122	TransportMode /DESADV/Header/Information/DetailsOfTransport/TransportMode	Modalità Trasporto	Stringa alfanumerica di massimo 17 caratteri
123	TransportMeansCode /DESADV/Header/Information/DetailsOfTransport/TransportMeansCode	Codice Mezzi di Trasporto	Valore dinamico: 23 - 25 - 31 - 35 - 23E - 25E - 32E - 34E - 35E - 36E - 37E - 38E - 43E
124	TransportMeans /DESADV/Header/Information/DetailsOfTransport/TransportMeans	Mezzi di Trasporto	Stringa alfanumerica di massimo 17 caratteri
125	CarrierIdentifier /DESADV/Header/Information/DetailsOfTransport/CarrierIdentifier	Identificatore del vettore	Stringa alfanumerica di massimo 17 caratteri
126	CarrierName /DESADV/Header/Information/DetailsOfTransport/CarrierName	Nome del vettore	Stringa alfanumerica di massimo 35 caratteri
127	Detail /DESADV/Detail	Dettaglio	Complex Type

128	LogisticsUnit /DESADV/Detail/LogisticsUnit	Unità Logistiche	Complex Type
129	TotalLogisticsUnit /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit	Unità Logistiche Totali	Complex Type
130	ConsignmentSequence /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/ConsignmentSequence	Sequenza di Consegna *Si raccomanda I'uso della numerazione progressiva sequenziale.	Complex Type
131	LevelIdentifier /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/ConsignmentSequence/LevelIdentifier	Identificatore di Livello	Complex Type
132	Package /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/Package	Imballo	Complex Type
133	PackageQuantity /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/Package/PackageQuantity	Quantità Imballi	Valore numerico intero positivo
134	PackageType /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/Package/PackageType	Tipo di Imballo	Valore dinamico: 08 - 09 - 200 - 201 - 203 - DPE - HR - PK - PA
135	Measurements /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/Measurements	Misure	Complex Type, massimo 10 record
136	MeasurementQualifier /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/Measurements/MeasurementQualifier	Qualificatore delle Misure	Valore fisso: PD
137	MeasuredCode /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/Measurements/MeasuredCode	Codice Misurato	Valore dinamico: AAA - AAB - DBX - DN - HT - LAY - LN - T -

			UCO - ULY - WD
138	MeasurementSignificanceCode /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/Measurements/MeasurementSignificanceCode	Misurazione Significato Codice	Valore dinamico: 3 oppure 4
139	MeasurementName /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/Measurements/MeasurementName	Nome Misura	Stringa alfanumerica di massimo 70 caratteri
140	MeasurementUnitCode /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/Measurements/MeasurementUnitCode	Codice Unità Misurazione	Valore dinamico: CMT - GRM - KGM - LTR - MLT - MTR - MTK - PCE
141	MeasurementValue /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/Measurements/MeasurementValue	Valore Misura	Valore numerico decimale
142	HandlingInstructions /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/HandlingInstructions	Istruzioni per la Gestione	Complex Type, massimo 17 record
143	HandlingCode /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/HandlingInstructions/HandlingCode	Codice di Gestione	Valore dinamico: CRU - EAT - HWC - STR - UST - BIG - PSC
144	IdentificationCode /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/HandlingInstructions/IdentificationCode	Codice di Identificazione	Stringa alfanumerica di massimo 17 caratteri
145	ResponsibleAgencyCode /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/HandlingInstructions/ResponsibleAgencyCode	Codice Agenzia Responsabile	Valore dinamico: 9 oppure 60

146	Description /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/HandlingInstructions/Description	Descrizione	Stringa alfanumerica di massimo 70 caratteri
147	SingleLogisticsUnit /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/SingleLogisticsUnit	Singola Unità Logistica	Complex Type
148	ConsignmentSequence /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/SingleLogisticsUnit/ConsignmentSequence	Sequenza di Consegna *Si raccomanda I'uso della numerazione progressiva sequenziale.	Complex Type
149	LevelIdentifier /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/SingleLogisticsUnit/ConsignmentSequence/LevelIdentifier	Identificazione di Livello	Valore numerico intero
150	ParentIdentifier /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/SingleLogisticsUnit/ConsignmentSequence/ParentIdentifier	Identificazione del Nodo Padre	Valore numerico intero
151	Package /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/SingleLogisticsUnit/Package	Imballo	Complex Type
152	PackageQuantity /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/SingleLogisticsUnit/Package/PackageQuantity	Quantità Imballi	Valore numerico intero
153	PackageType /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/SingleLogisticsUnit/Package/PackageType	Tipo di Imballo	Valore dinamico: 08 - 09 - 200 - 201 - 203 - DPE - HR - PK - PA
154	Measurements /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/	Misure	Complex Type, massimo 10

	SingleLogisticsUnit/Measurements		record
155	MeasurementQualifier /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/SingleLogisticsUnit/Measurements/MeasurementQualifier	Qualificatore delle Misure	Valore fisso: PD
156	MeasuredCode /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/SingleLogisticsUnit/Measurements/MeasuredCode	Codice Misurato	Valore dinamico: AAA - AAB - DBX - DN - HT - LAY - LN - T - UCO - ULY - WD
157	MeasurementSignificanceCode /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/SingleLogisticsUnit/Measurements/MeasurementSignificanceCode	Misurazione Significato Codice	Valore dinamico: 3 oppure 4
158	MeasurementName /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/SingleLogisticsUnit/Measurements/MeasurementName	Nome Misura	Stringa alfanumerica di massimo 70 caratteri
159	MeasurementUnitCode /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/SingleLogisticsUnit/Measurements/MeasurementUnitCode	Codice Unità Misurazione	Valore dinamico: CMT - GRM - KGM - LTR - MLT - MTR - MTK - PCE
160	MeasurementValue /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/SingleLogisticsUnit/Measurements/MeasurementValue	Valore Misura	Valore numerico decimale
161	PackageIdentification /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/SingleLogisticsUnit/PackageIdentification	Identificazione Imballo	Complex Type, massimo 10 record
162	InstructionsCode /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/SingleLogisticsUnit/PackageIdentification/InstructionsCode	Codice Istruzioni	Valore dinamico: 17 - 33E - 34E - 39 - 34 - 47

163	IdentificationCodeQualifier /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/SingleLogisticsUnit/PackageIdentification/IdentificationCodeQualifier	Qualificatore del Codice di Identificazione	Valore dinamico: BJ - BN - EU - CU - DA - DB - SRV
164	IdentificationCode /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/SingleLogisticsUnit/PackageIdentification/IdentificationCode	Codice di Identificazione	Stringa alfanumerica di massimo 35 caratteri
165	LogisticsUnitContent /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/SingleLogisticsUnit/LogisticsUnitContent	Contenuto dell'Unità Logistica	Complex Type, nessun limite di quantità
166	ConsignmentSequence /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/SingleLogisticsUnit/LogisticsUnitContent/ConsignmentSequence	Sequenza di Consegna *Si raccomanda I'uso della numerazione progressiva sequenziale.	Complex Type
167	LevelIdentifier /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/SingleLogisticsUnit/LogisticsUnitContent/ConsignmentSequence/LevelIdentifier	Identificazione di Livello	Valore numerico intero
168	ParentIdentifier /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/SingleLogisticsUnit/LogisticsUnitContent/ConsignmentSequence/ParentIdentifier	Identificazione del Nodo Padre	Valore numerico intero
169	Package /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/SingleLogisticsUnit/LogisticsUnitContent/Package	Imballo	Complex Type
170	PackageQuantity /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/SingleLogisticsUnit/LogisticsUnitContent/Package/PackageQuantity	Quantità Imballi	Valore numerico intero
171	PackageType /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/	Tipo di Imballo	<u>Valore dinamico:</u> 08 - 09 - 200 -

	SingleLogisticsUnit/LogisticsUnitContent/Package/PackageType		<u>201 - 203 - DPE</u> <u>- HR - PK - PA</u>
172	Measurements /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/SingleLogisticsUnit/LogisticsUnitContent/Measurements	Misure	Complex Type, massimo 10 record
173	MeasurementQualifier /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/SingleLogisticsUnit/LogisticsUnitContent/Measurements/MeasurementQualifier	Qualificatore delle Misure	Valore fisso: PD
174	MeasuredCode /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/SingleLogisticsUnit/LogisticsUnitContent/Measurements/MeasuredCode	Codice Misurato	Valore dinamico: ADZ - DI - DP - G - HT - LN - T - TH - WD - AAA - AAB - DBX - DN - LAY - UCO - ULY - AAK - X13 - PG
175	MeasurementSignificanceCode /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/SingleLogisticsUnit/LogisticsUnitContent/Measurements/MeasurementSignificanceCode	Misurazione Significato Codice	Valore dinamico: 3 oppure 4
176	MeasurementName /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/SingleLogisticsUnit/LogisticsUnitContent/Measurements/MeasurementName	Nome Misura	Stringa alfanumerica di massimo 70 caratteri
177	MeasurementUnitCode /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/SingleLogisticsUnit/LogisticsUnitContent/Measurements/MeasurementUnitCode	Codice Unità Misurazione	Valore dinamico: CMT - GRM - KGM - LTR - MLT - MTR - MTK - PCE
178	MeasurementValue /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/SingleLogisticsUnit/LogisticsUnitContent/Measurements/MeasurementValue	Valore Misura	Valore numerico decimale

179	Product /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/SingleLogisticsUnit/LogisticsUnitContent/Product	Prodotto	Complex Type, nessun limite di quantità
180	Item /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/SingleLogisticsUnit/LogisticsUnitContent/Product/Item	Elemento	Complex Type, massimo 2 record
181	PrimaryItem /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/SingleLogisticsUnit/LogisticsUnitContent/Product/Item/PrimaryItem	Elemento Primario	Variabile boolean
182	RowNumber /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/SingleLogisticsUnit/LogisticsUnitContent/Product/Item/RowNumber	Numero Riga	Valore numerico intero positivo
183	AdditionalIdentification /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/SingleLogisticsUnit/LogisticsUnitContent/Product/Item/AdditionalIdentification	Identificazione Aggiuntiva	Complex Type, massimo 10 record Apri allegato dedicato alla LIN
184	ItemNumber /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/SingleLogisticsUnit/LogisticsUnitContent/Product/Item/AdditionalIdentification/ItemNumber	Numero Elemento	Stringa alfanumerica di massimo 35 caratteri
185	ItemQualifier /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/SingleLogisticsUnit/LogisticsUnitContent/Product/Item/AdditionalIdentification/ItemQualifier	Qualificatore Elemento	Valore dinamico: EN - SA - IN - UP - IB - AC - PV - SRX - X2 - FS
186	ItemType /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/SingleLogisticsUnit/LogisticsUnitContent/Product/Item/ItemType	Tipo di Elemento	Valore dinamico: CU oppure TU

187	Description /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/SingleLogisticsUnit/LogisticsUnitContent/Product/Item/Description	Descrizione	Stringa alfanumerica di massimo 512 caratteri
188	Quantity /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/SingleLogisticsUnit/LogisticsUnitContent/Product/Item/Quantity	Quantità	Complex Type, massimo 8 record
189	QuantityQualifier /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/SingleLogisticsUnit/LogisticsUnitContent/Product/Item/Quantity/QuantityQualifier	Qualificatore Quantità	Valore dinamico: 12 - 59 - 21 - 61 - 121 - 192 - 193 - 45E
190	Quantity /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/SingleLogisticsUnit/LogisticsUnitContent/Product/Item/Quantity/Quantity	Quantità	Valore numerico decimale
191	MeasureUnitQualifier /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/SingleLogisticsUnit/LogisticsUnitContent/Product/Item/Quantity/MeasureUnitQualifier	Qualificatore Unità di Misura	Valore dinamico: PCE - CT - KGM - MTR - MTK - LTR - CU - CT - CMT - GRM - MLT
192	QuantityVariances /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/SingleLogisticsUnit/LogisticsUnitContent/Product/Item/QuantityVariances	Variazioni di Quantità	Complex Type
193	QuantityVarianceValue /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/SingleLogisticsUnit/LogisticsUnitContent/Product/Item/QuantityVariances/QuantityVarianceValue	Valore Variazioni di Quantità	Valore numerico decimale
194	QuantityQualifier /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/SingleLogisticsUnit/LogisticsUnitContent/Product/Item/QuantityVariances/QuantityQualifier	Qualificatore Quantità	Valore dinamico: 21 oppure 66

195	Discrepancy /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/SingleLogisticsUnit/LogisticsUnitContent/Product/Item/QuantityVariances/Discrepancy	Discrepanza	Valore dinamico: BP - CP - AC - AE - AF - AG
196	ReasonForChange /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/SingleLogisticsUnit/LogisticsUnitContent/Product/Item/QuantityVariances/ReasonForChange	Motivo della Modifica	Stringa alfanumerica di massimo 35 caratteri
197	ReasonForChangeCoded /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/SingleLogisticsUnit/LogisticsUnitContent/Product/Item/QuantityVariances/ReasonForChangeCoded	Codice Motivo della Modifica	Valore dinamico: AT - AUE - BN - DME - IS - PC - PE - WR
198	PlaceLocationIdentification /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/SingleLogisticsUnit/LogisticsUnitContent/Product/PlaceLocationIdentification	Identificazione del Luogo	Complex Type: massimo 100 record
199	LocationQualifier /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/SingleLogisticsUnit/LogisticsUnitContent/Product/PlaceLocationIdentification/LocationQualifier	Qualificatore Luogo	<u>Valore dinamico:</u> 7 - 244 - 256 - 19 - 299
200	Identification /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/SingleLogisticsUnit/LogisticsUnitContent/Product/PlaceLocationIdentification/Identification	Identificazione	Stringa alfanumerica di massimo 25 caratteri
201	CodeListQualifier /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/SingleLogisticsUnit/LogisticsUnitContent/Product/PlaceLocationIdentification/CodeListQualifier	Qualificatore del Codice Lista	Valore dinamico: 14 - ZZ - 91 - 92 - VA - 5 - 194
202	Name /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/SingleLogisticsUnit/LogisticsUnitContent/Product/PlaceLocationIdentification/Name	Nome dell'Identificazione del Luogo	Stringa alfanumerica di massimo 256 caratteri

203	Address /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/SingleLogisticsUnit/LogisticsUnitContent/Product/PlaceLocationIdentification/Address	Indirizzo	Stringa alfanumerica di massimo 70 caratteri
204	City /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/SingleLogisticsUnit/LogisticsUnitContent/Product/PlaceLocationIdentification/City	Città	Stringa alfanumerica di massimo 35 caratteri
205	CountrySubEntity /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/SingleLogisticsUnit/LogisticsUnitContent/Product/PlaceLocationIdentification/CountrySubEntity	Provincia	Stringa alfanumerica di massimo 9 caratteri
206	Postcode /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/SingleLogisticsUnit/LogisticsUnitContent/Product/PlaceLocationIdentification/Postcode	Codice Postale	Stringa alfanumerica di massimo 9 caratteri
207	Country /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/SingleLogisticsUnit/LogisticsUnitContent/Product/PlaceLocationIdentification/Country	Nazione	Stringa alfanumerica di massimo 3 caratteri *Vedi tabella ISO 3166
208	ReferenceDate /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/SingleLogisticsUnit/LogisticsUnitContent/Product/PlaceLocationIdentification/ReferenceDate	Data di Riferimento	Massimo 18 record
209	DateType /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/SingleLogisticsUnit/LogisticsUnitContent/Product/PlaceLocationIdentification/ReferenceDate/DateType	Tipo Data	Valore dinamico: 2 - 11 - 17 - 63 - 64 - 69 - 94 - 200 - 755 - 793 - 807 - 808 - 54E - X14 - X19 - 234 - 358 - 359

210	Date /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/SingleLogisticsUnit/LogisticsUnitContent/Product/PlaceLocationIdentification/ReferenceDate/Date	Data	Formato Data
211	Time /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/SingleLogisticsUnit/LogisticsUnitContent/Product/PlaceLocationIdentification/ReferenceDate/Time	Ora	Formato Ora
212	ToDate /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/SingleLogisticsUnit/LogisticsUnitContent/Product/PlaceLocationIdentification/ReferenceDate/ToDate	Data limite	Formato Data
213	FormatQualifier /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/SingleLogisticsUnit/LogisticsUnitContent/Product/PlaceLocationIdentification/ReferenceDate/FormatQualifier	Qualificatore del Formato	<u>Valore dinamico:</u> 102 - 203 - 718
214	Quantity /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/SingleLogisticsUnit/LogisticsUnitContent/Product/PlaceLocationIdentification/Quantity	Quantità	Complex Type: massimo 3 record
215	QuantityQualifier /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/SingleLogisticsUnit/LogisticsUnitContent/Product/PlaceLocationIdentification/Quantity/QuantityQualifier	Qualificatore della Quantità	<u>Valore dinamico:</u> 12 - 21 - 11
216	Quantity /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/SingleLogisticsUnit/LogisticsUnitContent/Product/PlaceLocationIdentification/Quantity/Quantity	Quantità	Valore numerico decimale
217	MeasureUnitQualifier /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/SingleLogisticsUnit/LogisticsUnitContent/Product/PlaceLocationIdentification/Quantity/MeasureUnitQualifier	Qualificatore Unità di Misura	Valore dinamico: PCE - CT - KGM - MTR - MTK - LTR - CU - CT - CMT - GRM - MLT
218	OtherPartyLocation /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/SingleLogisticsUnit/LogisticsUnitContent/Product/PlaceLocationIdentification/OtherPartyLocation	Luogo Altre Parti coinvolte	Massimo 5 record

219	PartyType /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/SingleLogisticsUnit/LogisticsUnitContent/Product/PlaceLocationIdentification/OtherPartyLocation/PartyType	Tipo di Parte coinvolta	Valore dinamico: IV - OB - SU - UC - DGD - UD
220	Identification /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/SingleLogisticsUnit/LogisticsUnitContent/Product/PlaceLocationIdentification/OtherPartyLocation/Identification	Identificazione	Stringa alfanumerica di massimo 35 caratteri
221	CodeListQualifier /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/SingleLogisticsUnit/LogisticsUnitContent/Product/PlaceLocationIdentification/OtherPartyLocation/CodeListQualifier	Qualificatore della Lista Codici	Valore dinamico: 14 - IT - IA - ZZ - VA
222	Name /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/SingleLogisticsUnit/LogisticsUnitContent/Product/PlaceLocationIdentification/OtherPartyLocation/Name	Nome altra Parte coinvolta	Stringa alfanumerica di massimo 35 caratteri
223	Address /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/SingleLogisticsUnit/LogisticsUnitContent/Product/PlaceLocationIdentification/OtherPartyLocation/Address	Indirizzo	Stringa alfanumerica di massimo 35 caratteri
224	City /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/SingleLogisticsUnit/LogisticsUnitContent/Product/PlaceLocationIdentification/OtherPartyLocation/City	Città	Stringa alfanumerica di massimo 35 caratteri
225	CountrySubEntity /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/SingleLogisticsUnit/LogisticsUnitContent/Product/PlaceLocationIdentification/OtherPartyLocation/CountrySubEntity	Provincia	Stringa alfanumerica di massimo 9 caratteri
226	Postcode /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/SingleLogisticsUnit/LogisticsUnitContent/Product/PlaceLocationIdentification/OtherPartyLocation/Postcode	Codice Postale	Stringa alfanumerica di massimo 9 caratteri
227	Country /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/SingleLogisticsUnit/	Nazione *Vedi tabella ISO	Stringa alfanumerica di

	LogisticsUnitContent/Product/PlaceLocationIdentification/OtherPartyLocation/Country	3166	massimo 3 caratteri
228	ASLCodeFarm /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/SingleLogisticsUnit/LogisticsUnitContent/Product/PlaceLocationIdentification/OtherPartyLocation/ASLCodeFarm	Codice Ufficio ASL	Stringa alfanumerica di massimo 35 caratteri
229	PackageIdentification /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/SingleLogisticsUnit/LogisticsUnitContent/Product/PackageIdentification	Identificazione Imballo	Complex Type: massimo 10 record
230	InstructionsCode /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/SingleLogisticsUnit/LogisticsUnitContent/Product/PackageIdentification/InstructionsCode	Codice Istruzioni	<u>Valore dinamico:</u> <u>17 - 33E - 34E -</u> <u>39 - 34 - 47 -</u> <u>36E</u>
231	IdentificationCodeQualifier /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/SingleLogisticsUnit/LogisticsUnitContent/Product/PackageIdentification/IdentificationCodeQualifier	Qualificatore Codice di identificazione	Valore dinamico: BX - EU - CRE - SRV - BN
232	IdentificationCode /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/SingleLogisticsUnit/LogisticsUnitContent/Product/PackageIdentification/IdentificationCode	Codice di Identificazione	Stringa alfanumerica di massimo 35 caratteri
233	ProductDate /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/SingleLogisticsUnit/LogisticsUnitContent/Product/ProductDate	Data del Prodotto	Complex Type, massimo 5 record
234	DateType /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/SingleLogisticsUnit/LogisticsUnitContent/Product/ProductDate/DateType	Tipo Data	Valore dinamico: 36 - 94 - 361 - 365 - 360 - 91E - 796 - 382 - 434 - 656 - 753 - 804 - 54E
235	Date /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/SingleLogisticsUnit/LogisticsUnitContent/Product/ProductDate/Date	Data	Formato Data

236	Time /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/SingleLogisticsUnit/LogisticsUnitContent/Product/ProductDate/Time	Ora	Formato Ora
237	ToDate /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/SingleLogisticsUnit/LogisticsUnitContent/Product/ProductDate/ToDate	Data Limite	Formato Data
238	FormatQualifier /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/SingleLogisticsUnit/LogisticsUnitContent/Product/ProductDate/FormatQualifier	Qualificatore del Formato	<u>Valore dinamico:</u> 102 - 203 - 718
239	Measurements /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/SingleLogisticsUnit/LogisticsUnitContent/Product/Measurements	Misure	Complex Type, massimo 10 record
240	MeasurementQualifier /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/SingleLogisticsUnit/LogisticsUnitContent/Product/Measurements/MeasurementQualifier	Qualificatore Misure	Valore fisso: PD
241	MeasuredCode /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/SingleLogisticsUnit/LogisticsUnitContent/Product/Measurements/MeasuredCode	Codice Misurato	Valore dinamico: ADZ - DI - DP - G - HT - LN - T - TH - WD - AAA - AAB - DBX - DN - LAY - UCO - ULY - AAK - X13 - PG - ET - OD
242	MeasurementSignificanceCode /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/SingleLogisticsUnit/LogisticsUnitContent/Product/Measurements/MeasurementSignificanceCode	Misurazione Significato Codice	Valore dinamico: 3 oppure 4
243	MeasurementName /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/SingleLogisticsUnit/LogisticsUnitContent/Product/Measurements/MeasurementName	Nome Misura	Stringa alfanumerica di massimo 70 caratteri

244	MeasurementUnitCode /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/SingleLogisticsUnit/LogisticsUnitContent/Product/Measurements/MeasurementUnitCode	Codice Unità Misurazione	Valore dinamico: CMT - GRM - KGM - LTR - MLT - MTR - MTK - PCE - P1 - MON
245	MeasurementValue /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/SingleLogisticsUnit/LogisticsUnitContent/Product/Measurements/MeasurementValue	Valore Misura	Valore numerico decimale
246	AssignmentType /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/SingleLogisticsUnit/LogisticsUnitContent/Product/AssignmentType	Tipo di Assegnazione	Valore dinamico: L01 L14
247	Traceability /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/SingleLogisticsUnit/LogisticsUnitContent/Product/Traceability	Tracciabilità	Complex Type, massimo 100 record
248	TraceabilityType /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/SingleLogisticsUnit/LogisticsUnitContent/Product/Traceability/TraceabilityType	Tipo di Tracciabilità	Valore dinamico: BOV - SUI - ITT - ORT - LAT - SAL - GEN - ANM - FRZ - 249 - GEO - FGT - PRO - LAV - ASC - 216 - X2 - BRN - ALM - 38 - 13 - FIC - 27
249	Frozen /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/SingleLogisticsUnit/LogisticsUnitContent/Product/Traceability/Frozen	Congelato	Variabile boolean
250	Code /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/SingleLogisticsUnit/LogisticsUnitContent/Product/Traceability/Code	Codice	Stringa alfanumerica di massimo 200 caratteri

251	Name /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/SingleLogisticsUnit/LogisticsUnitContent/Product/Traceability/Name	Nome	Stringa alfanumerica di massimo 200 caratteri
252	References /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/SingleLogisticsUnit/LogisticsUnitContent/Product/References	Riferiementi	Complex Type, massimo 19 record
253	ReferenceQualifier /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/SingleLogisticsUnit/LogisticsUnitContent/Product/References/ReferenceQualifier	Qualificatore di Riferimento	Valore dinamico: ON - VN - AAJ - AAS - CR - CN - CT - BM - IP - PK - POR - AAU - AAB - AAK - ALQ - RPE - AAN - AWT - PP
254	ReferenceNumber /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/SingleLogisticsUnit/LogisticsUnitContent/Product/References/ReferenceNumber	Numero di Riferimento	Stringa alfanumerica di massimo 35 caratteri
255	ReferenceLineNumber /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/SingleLogisticsUnit/LogisticsUnitContent/Product/References/ReferenceLineNumber	Numero Riga di Riferiemento	Valore numerico intero
256	ReferenceDate /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/SingleLogisticsUnit/LogisticsUnitContent/Product/References/ReferenceDate	Data di Riferimento	Massimo 4 record
257	DateType /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/SingleLogisticsUnit/LogisticsUnitContent/Product/References/ReferenceDate/DateType	Tipo Data	<u>Valore dinamico:</u> 157 - 171 - 21E - 54E
258	Date /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/SingleLogisticsUnit/LogisticsUnitContent/Product/References/ReferenceDate/Date	Data	Formato Data

259	Time /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/SingleLogisticsUnit/LogisticsUnitContent/Product/References/ReferenceDate/Time	Ora	Formato Ora
260	FormatQualifier /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/SingleLogisticsUnit/LogisticsUnitContent/Product/References/ReferenceDate/FormatQualifier	Qualificatore di Formato	Valore dinamico: 102 - 203
261	Various /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/SingleLogisticsUnit/LogisticsUnitContent/Product/Various	Varie	Complex Type, nessun limite di quantità
262	NoteType /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/SingleLogisticsUnit/LogisticsUnitContent/Product/Various/NoteType	Tipo Nota	Valore dinamico: GEN - ZZZ - AAI - LIN - BLY - 27 - ACL
263	Note /DESADV/Detail/LogisticsUnit/TotalLogisticsUnit/SingleLogisticsUnit/LogisticsUnitContent/Product/Various/Note	Nota	Stringa alfanumerica di massimo 350 caratteri
264	Summary /DESADV/Summary	Sommario	Complex Type
265	CheckInfo /DESADV/Summary/CheckInfo	Controllo Informazioni	Complex Type, massimo 7 record
266	ControlQualifier /DESADV/Summary/CheckInfo/ControlQualifier	Qualificatore di Controllo	<u>Valore dinamico:</u> 11 - 33 - 7 - 29 - 1 - 2 - 26
267	ControlValue /DESADV/Summary/CheckInfo/ControlValue	Valore di Controllo	Valore numerico decimale

268	MeasureUnitQualifier /DESADV/Summary/CheckInfo/MeasureUnitQualifier	Qualificatore Unità di Misura	Valore dinamico: CMT - GRM - KGM - LTR - MLT - MTR - MTK - PCE - TNE
-----	---	----------------------------------	--

Document Version: 1.0 /Release date: 09/04/2025

Torna all'inizio