

```

import { useState, useEffect } from "react";

const proposals = [
  {
    id: 1,
    name: "AURA",
    sub: "オーラ",
    meaning: "「その人だけが持つ雰囲気・輝き」。一言で全てを表す最強ワード。海外でも超トレンド！",
    tagline: "Your vibe. Your aura. ✦",
    vibe: "Z世代・海外トレンド直球",
    bg: ["#0a0a0a", "#1a0533", "#3d0070"],
    accent: "#bf5fff",
    textGrad: "linear-gradient(90deg, #bf5fff, #ff6ef7, #7ee8fa)",
    iconBg: "linear-gradient(135deg, #bf5fff, #7ee8fa)",
    deco: ["✦", "◆", "◇", "●"],
    decoColor: "#bf5fff",
    style: "dark-luxury",
  },
  {
    id: 2,
    name: "BLINK✦",
    sub: "ブリンク",
    meaning: "「またたく・きらめく」という意味。一瞬で目を引く、SNS映え最強の名前！",
    tagline: "blink and they'll see you ✦",
    vibe: "Y2K・ポップ・バズりやすい",
    bg: ["#ff2d78", "#ff6eb4", "#ffb347"],
    accent: "#fff",
    textGrad: "linear-gradient(90deg, #fff, #ffe0f5, #fff)",
    iconBg: "linear-gradient(135deg, #fff, #ffe0f5)",
    deco: ["★", "✦", "◇", "★"],
    decoColor: "rgba(255,255,255,0.7)",
    style: "hot-pink",
  },
  {
    id: 3,
    name: "GLOSS",
    sub: "グロス",
    meaning: "リップグロスの「グロス」＝ツヤ・輝き。美容好きなら絶対刺さる、おしゃれすぎる名前",
    tagline: "Glossy life, glossy you.",
    vibe: "美容特化・おしゃれ可愛・ブランド感◎",
    bg: ["#fff5fb", "#ffe0f0", "#ffc0e0"],
    accent: "#e0006a",
    textGrad: "linear-gradient(90deg, #e0006a, #ff6eb4, #ff9de2)",
    iconBg: "linear-gradient(135deg, #ff6eb4, #e0006a)",
  },

```

```

    deco: ["◆", "✦", "◆", "✦"],
    decoColor: "#ff6eb4",
    style: "glossy-pink",
  },
  {
    id: 4,
    name: "LUMÉ",
    sub: "リュメ",
    meaning: "フランス語で「光・輝き」を意味するLumière の造語。アクセント記号がおしゃれで唯一",
    tagline: "La beauté qui brille. ✦",
    vibe: "フレンチ・上品・大人かわいい",
    bg: ["#0d0d1a", "#1a1a3e", "#0d2040"],
    accent: "#ffd700",
    textGrad: "linear-gradient(90deg, #ffd700, #fff5a0, #ffd700)",
    iconBg: "linear-gradient(135deg, #ffd700, #ff9900)",
    deco: ["✦", "✦", "◆", "✦"],
    decoColor: "#ffd700",
    style: "dark-gold",
  },
  {
    id: 5,
    name: "GIRLÉE",
    sub: "ガーリー",
    meaning: "Girly（ガーリー）をフランス語風にアレンジ。10〜20代女子の「私たちのアプリ」感が",
    tagline: "For girls who glow ✦",
    vibe: "ガーリー・共感度MAX・親しみやすい",
    bg: ["#fff0f8", "#ffd6f0", "#ffb3e6"],
    accent: "#c2006a",
    textGrad: "linear-gradient(90deg, #c2006a, #ff2d78, #ff9de2)",
    iconBg: "linear-gradient(135deg, #ff2d78, #c2006a)",
    deco: ["🌸", "✦", "🌸", "✦"],
    decoColor: "#ff6eb4",
    style: "girly",
  },
  {
    id: 6,
    name: "ZENN✦",
    sub: "ゼン",
    meaning: "Zen（禅・完全な）+z世代の「Z」をかけた造語。「完璧な私」を表す新感覚ネーミング",
    tagline: "Perfectly you. Always. ✦",
    vibe: "クール・z世代直撃・唯一無二",
    bg: ["#050510", "#0a0a20", "#05050f"],
    accent: "#00ffcc",
    textGrad: "linear-gradient(90deg, #00ffcc, #7ee8fa, #00ffcc)",
    iconBg: "linear-gradient(135deg, #00ffcc, #0099ff)",
    deco: ["✦", "◆", "✦", "✦"],
    decoColor: "#00ffcc",
  }

```

```

    style: "cyber",
  },
];

export default function App() {
  const [selected, setSelected] = useState(null);
  const [hoveredId, setHoveredId] = useState(null);
  const [sparkles, setSparkles] = useState([]);

  useEffect(() => {
    const items = Array.from({ length: 24 }, (_, i) => ({
      id: i,
      left: Math.random() * 100,
      top: Math.random() * 100,
      char: ["♦", "◆", "★", "◆", "."][Math.floor(Math.random() * 5)],
      size: 8 + Math.random() * 10,
      delay: Math.random() * 4,
      color: ["#ff9de2", "#ffd700", "#7ee8fa", "#bf5fff", "#00ffcc"][Math.floor(M
    )));
    setSparkles(items);
  }, []);

  return (
    <div style={{
      fontFamily: "'Hiragino Sans', 'Noto Sans JP', sans-serif",
      background: "linear-gradient(160deg, #0a0a14 0%, #12001f 50%, #0a0a14 100%)",
      minHeight: "100vh",
      maxWidth: 390,
      margin: "0 auto",
      paddingBottom: 50,
      position: "relative",
      overflow: "hidden",
    }}>
      <style>{`
        @keyframes floatUp {
          0% { transform: translateY(0) scale(1); opacity: 0.5; }
          50% { opacity: 1; }
          100% { transform: translateY(-20px) scale(1.2); opacity: 0; }
        }
        @keyframes shimmer {
          0% { background-position: -300% center; }
          100% { background-position: 300% center; }
        }
        @keyframes glowPulse {
          0%, 100% { box-shadow: 0 0 20px var(--glow), 0 8px 32px rgba(0,0,0,0.5) }
          50% { box-shadow: 0 0 40px var(--glow), 0 8px 40px rgba(0,0,0,0.5); }
        }
      `}
    </style>
  )

```

```

@keyframes fadeSlide {
  from { opacity: 0; transform: translateY(20px); }
  to { opacity: 1; transform: translateY(0); }
}
@keyframes rotate {
  from { transform: rotate(0deg); }
  to { transform: rotate(360deg); }
}
@keyframes borderGlow {
  0%, 100% { opacity: 0.6; }
  50% { opacity: 1; }
}
`}</style>

{/* Floating bg sparkles */}
{sparkles.map(s => (
  <span key={s.id} style={{
    position: "fixed",
    left: `${s.left}%`,
    top: `${s.top}%`,
    fontSize: s.size,
    color: s.color,
    pointerEvents: "none",
    animation: `floatUp ${3 + s.delay}s ease-in-out ${s.delay}s infinite`,
    zIndex: 0,
  }}>{s.char}</span>
))}

{/* Header */}
<div style={{ position: "relative", zIndex: 1, padding: "32px 20px 20px", t
  <div style={{
    fontSize: 10, letterSpacing: 5, color: "#bf5fff",
    fontWeight: 700, textTransform: "uppercase", marginBottom: 10,
  }}>♦ NEW DESIGN PROPOSALS ♦</div>
  <h1 style={{
    fontSize: 24, fontWeight: 900, margin: 0,
    background: "linear-gradient(90deg, #ff6eb4, #bf5fff, #7ee8fa, #ff6eb4)
    backgroundSize: "300% auto",
    WebkitBackgroundClip: "text",
    WebkitTextFillColor: "transparent",
    animation: "shimmer 4s linear infinite",
  }}>どれが一番好き？</h1>
  <p style={{ color: "#666", fontSize: 12, marginTop: 6 }}>タップして選んでね
</div>

{/* Cards */}
<div style={{ position: "relative", zIndex: 1, padding: "0 14px", display:

```

```

{proposals.map((p, idx) => {
  const isSelected = selected === p.id;
  const isHovered = hoveredId === p.id;
  const isDark = ["dark-luxury", "dark-gold", "cyber", "hot-pink"].includ

return (
  <div
    key={p.id}
    onClick={() => setSelected(isSelected ? null : p.id)}
    onMouseEnter={() => setHoveredId(p.id)}
    onMouseLeave={() => setHoveredId(null)}
    style={{
      borderRadius: 28,
      overflow: "hidden",
      cursor: "pointer",
      border: isSelected ? `2px solid ${p.accent}` : "2px solid rgba(25
        "--glow": `${p.accent}88`,
      animation: isSelected ? "glowPulse 2s ease infinite" : `fadeSlide
      transform: isSelected ? "scale(1.02)" : isHovered ? "scale(1.01)"
      transition: "transform 0.25s ease",
    }}
  >
    {/* Logo canvas */}
    <div style={{
      background: `linear-gradient(145deg, ${p.bg[0]}, ${p.bg[1]}, ${p.
      padding: "36px 24px 32px",
      position: "relative",
      overflow: "hidden",
      display: "flex",
      flexDirection: "column",
      alignItems: "center",
      justifyContent: "center",
      gap: 10,
      minHeight: 200,
    }}>
      {/* Radial glow behind icon */}
      <div style={{
        position: "absolute",
        width: 200, height: 200,
        borderRadius: "50%",
        background: `radial-gradient(circle, ${p.accent}33 0%, transpar
        top: "50%", left: "50%",
        transform: "translate(-50%, -50%)",
        pointerEvents: "none",
      }} />

      {/* Corner deco stars */}

```

```

{p.deco.map((d, i) => (
  <span key={i} style={{
    position: "absolute",
    fontSize: [20, 12, 18, 10][i],
    color: p.decoColor,
    opacity: 0.6,
    top: [`12%`, `75%`, `18%`, `70%`][i],
    left: [`8%`, `10%`, `84%`, `82%`][i],
    animation: `floatUp ${2.5 + i * 0.6}s ease-in-out ${i * 0.5}s
  }}>{d}</span>
))}

```

```

{/* App icon */}
<div style={{
  width: 72, height: 72,
  borderRadius: 22,
  background: p.iconBg,
  display: "flex", alignItems: "center", justifyContent: "center"
  fontSize: 32,
  boxShadow: `0 8px 32px ${p.accent}66`,
  border: "2px solid rgba(255,255,255,0.3)",
  marginBottom: 4,
  position: "relative", zIndex: 1,
}}>★</div>

```

```

{/* App name */}
<div style={{
  fontSize: 42,
  fontWeight: 900,
  letterSpacing: p.style === "cyber" ? 4 : 1,
  background: p.textGrad,
  backgroundSize: "300% auto",
  WebkitBackgroundClip: "text",
  WebkitTextFillColor: "transparent",
  animation: isSelected ? "shimmer 2s linear infinite" : "none",
  position: "relative", zIndex: 1,
  lineHeight: 1,
  fontStyle: p.style === "hot-pink" ? "italic" : "normal",
}}>
  {p.name}
</div>

```

```

{/* Sub / kana */}
<div style={{
  fontSize: 12, fontWeight: 700, letterSpacing: 3,
  color: p.accent, opacity: 0.9, zIndex: 1,
}}>- {p.sub} -</div>

```

```

    { /* Tagline */ }
    <div style={{
      fontSize: 11, color: isDark ? "rgba(255,255,255,0.5)" : "rgba(0
      fontStyle: "italic", letterSpacing: 0.5, zIndex: 1,
    }}>{p.tagline}</div>

    { /* Selected badge */ }
    {isSelected && (
      <div style={{
        position: "absolute", top: 14, right: 14,
        background: p.accent,
        color: isDark ? "#000" : "#fff",
        borderRadius: 30, padding: "5px 14px",
        fontSize: 11, fontWeight: 800,
        boxShadow: `0 4px 16px ${p.accent}88`,
      }}>✦ 選択中</div>
    )}
  </div>

  { /* Info */ }
  <div style={{
    background: "rgba(255,255,255,0.03)",
    borderTop: `1px solid ${p.accent}33`,
    padding: "16px 20px",
  }}>
    <p style={{ margin: "0 0 10px", fontSize: 12, color: "#bbb", line
      {p.meaning}
    </p>
    <span style={{
      display: "inline-block",
      background: `${p.accent}22`,
      border: `1px solid ${p.accent}55`,
      borderRadius: 30, padding: "4px 14px",
      fontSize: 11, color: p.accent, fontWeight: 700,
    }}>💡 {p.vibe}</span>
  </div>
</div>

  );
  }}}
</div>

{ /* Bottom result */ }
{selected && (() => {
  const p = proposals.find(x => x.id === selected);
  return (
    <div style={{

```

```

        position: "relative", zIndex: 1,
        margin: "24px 14px 0",
        borderRadius: 24,
        padding: "24px 20px",
        background: `linear-gradient(135deg, ${p.accent}22, ${p.accent}11)`,
        border: `1.5px solid ${p.accent}66`,
        textAlign: "center",
        animation: "fadeSlide 0.3s ease",
    }}>
    <div style={{ fontSize: 32, marginBottom: 8 }}>🎉</div>
    <div style={{
        fontWeight: 900, fontSize: 20, marginBottom: 6,
        background: p.textGrad,
        backgroundSize: "300% auto",
        WebkitBackgroundClip: "text",
        WebkitTextFillColor: "transparent",
        animation: "shimmer 3s linear infinite",
    }}>「{p.name}」 いいね!</div>
    <div style={{ color: "#888", fontSize: 12, lineHeight: 1.8 }}>
        このアプリ名でロゴを確定して<br />次のステップに進もう✨
    </div>
    <button style={{
        marginTop: 16,
        background: p.iconBg,
        border: "none", borderRadius: 30,
        padding: "12px 32px",
        color: "#fff", fontWeight: 800, fontSize: 14,
        cursor: "pointer",
        boxShadow: `0 6px 24px ${p.accent}66`,
    }}>これに決める ✨</button>
</div>

);
}) ()}
</div>

);
}

```