

```

import { useState, useEffect } from "react";

const posts = [
  {
    id: 1,
    user: "yui.glow",
    avatar: "🌸",
    gradient: "linear-gradient(135deg, #1a0533 0%, #ff6eb4 60%, #ffb347 100%)",
    caption: "サイバーメイクにしてみた✦ 未来感やばすぎ",
    likes: 7821,
    comments: 312,
    tags: ["#グロウメイク", "#サイバーガール", "#盛れた"],
    badge: "AI加工✦",
  },
  {
    id: 2,
    user: "mika.__",
    avatar: "⚡",
    gradient: "linear-gradient(135deg, #0a0020 0%, #bf5fff 50%, #ff9de2 100%)",
    caption: "着せ替えコーデがかわいすぎて投稿せずにはいられない♥✦",
    likes: 11204,
    comments: 589,
    tags: ["#OOTD", "#着せ替え", "#Y2K"],
    badge: "着せ替え✦",
  },
  {
    id: 3,
    user: "hana_glow",
    avatar: "✦",
    gradient: "linear-gradient(135deg, #050510 0%, #00ffcc 50%, #ff6eb4 100%)",
    caption: "シアン×ピンクのフィルター最強すぎた🔥✦✦",
    likes: 19032,
    comments: 1204,
    tags: ["#爆盛れ", "#グロウアップ", "#トレンド"],
    badge: "トレンド✦",
  },
];

const stories = [
  { name: "追加", avatar: "+", c1: "#ff6eb4", c2: "#00ffcc" },
  { name: "yui", avatar: "🌸", c1: "#ff6eb4", c2: "#ffb347" },
  { name: "mika", avatar: "⚡", c1: "#bf5fff", c2: "#00ffcc" },
  { name: "hana", avatar: "✦", c1: "#00ffcc", c2: "#ff6eb4" },
  { name: "ren", avatar: "♥", c1: "#7b2fbe", c2: "#ff9de2" },
];

```

```

    { name: "saki", avatar: "👉", c1: "#ff9de2", c2: "#ffb347" },
  ];

const tabs = [
  { id: "home", icon: "△", label: "ホーム" },
  { id: "camera", icon: "✦", label: "カメラ" },
  { id: "chat", icon: "◆", label: "トーク" },
  { id: "closet", icon: "👗", label: "着替え" },
  { id: "profile", icon: "○", label: "マイページ" },
];

const chatList = [
  { name: "yui.glow", avatar: "🌸", msg: "このフィルターどれ?! ", time: "今", unread: 1 },
  { name: "mika.__", avatar: "⚡", msg: "コーデ見せて〜!! ", time: "2分前", unread: 1 },
  { name: "GLOW女子会✦", avatar: "✦", msg: "新機能がきたよ〜!", time: "10分前", unread: 1 },
  { name: "ren", avatar: "❤️", msg: "かっこかわいい!", time: "1時間前", unread: 0 },
];

const outfits = [
  { name: "サイバーガール", emoji: "❤️⚡", c1: "#0a0020", c2: "#3d0070" },
  { name: "ピンクY2K", emoji: "💖✦", c1: "#2a0020", c2: "#6a0040" },
  { name: "ネオンポップ", emoji: "💚🌸", c1: "#001a10", c2: "#003a20" },
  { name: "ダークフェミニン", emoji: "❤️👗", c1: "#0a0010", c2: "#200030" },
  { name: "グロウストリート", emoji: "✦👟", c1: "#001020", c2: "#002040" },
  { name: "フューチャーガール", emoji: "🌐👉", c1: "#100020", c2: "#200040" },
];

const filters = ["ナチュラル", "サイバー", "グロウ", "ネオン", "ドリーミー", "ダーク"];

export default function App() {
  const [activeTab, setActiveTab] = useState("home");
  const [liked, setLiked] = useState({});
  const [selectedOutfit, setSelectedOutfit] = useState(null);
  const [selectedFilter, setSelectedFilter] = useState(0);
  const [particles, setParticles] = useState([]);

  useEffect(() => {
    setParticles(Array.from({ length: 24 }, (_, i) => ({
      id: i,
      left: Math.random() * 100,
      top: Math.random() * 100,
      char: ["✦", "✧", "◆", "·", "★"][i % 5],
      delay: Math.random() * 4,
      size: 7 + Math.random() * 9,
      color: ["#ff6eb4", "#00ffcc", "#bf5fff", "#ffb347", "#ff9de2"][i % 5],
    })));
  }, []);

```

```

const toggleLike = (id) => setLiked(p => ({ ...p, [id]: !p[id] }));

// Hybrid color tokens
const C = {
  bg: "#0a0015",
  card: "rgba(255,255,255,0.04)",
  border: "rgba(255,110,180,0.15)",
  borderCyan: "rgba(0,255,204,0.15)",
  pink: "#ff6eb4",
  cyan: "#00ffcc",
  purple: "#bf5fff",
  orange: "#ffb347",
  text: "#eee",
  sub: "#888",
  logoGrad: "linear-gradient(90deg, #ff6eb4, #bf5fff, #00ffcc, #ff6eb4)",
  btnGrad: "linear-gradient(135deg, #ff6eb4, #bf5fff, #00ffcc)",
  glowPink: "0 0 20px #ff6eb455",
  glowCyan: "0 0 20px #00ffcc55",
};

return (
  <div style={{
    fontFamily: "'Hiragino Sans', 'Noto Sans JP', sans-serif",
    background: C.bg,
    minHeight: "100vh",
    maxWidth: 390,
    margin: "0 auto",
    position: "relative",
    overflowX: "hidden",
    color: C.text,
  }}>
    <style>{`
      @keyframes float {
        0%,100%{transform:translateY(0) rotate(0deg);opacity:0.3;}
        50%{transform:translateY(-14px) rotate(18deg);opacity:0.7;}
      }
      @keyframes shimmer {
        0%{background-position:-400% center;}
        100%{background-position:400% center;}
      }
      @keyframes glowPulse {
        0%,100%{box-shadow:0 0 16px #ff6eb455,0 0 32px #00ffcc22;}
        50%{box-shadow:0 0 32px #ff6eb488,0 0 48px #00ffcc44;}
      }
      @keyframes fadeUp {
        from{opacity:0;transform:translateY(16px);}

```

```

        to{opacity:1;transform:translateY(0);}
    }
    @keyframes scanline {
        0%{transform:translateY(-100%);}
        100%{transform:translateY(100vh);}
    }
    @keyframes borderRotate {
        0%{background-position:0% 50%;}
        50%{background-position:100% 50%;}
        100%{background-position:0% 50%;}
    }
    ::-webkit-scrollbar{display:none;}
`}</style>

{/* BG particles */}
{particles.map(p => (
    <span key={p.id} style={{
        position: "fixed", left: `${p.left}%`, top: `${p.top}%`,
        fontSize: p.size, color: p.color,
        pointerEvents: "none", zIndex: 0,
        animation: `float ${3 + p.delay}s ease-in-out ${p.delay}s infinite`,
        opacity: 0.2,
    }}>{p.char}</span>
))}

{/* Scanline */}
<div style={{
    position: "fixed", top: 0, left: 0, right: 0, height: 1,
    background: "linear-gradient(90deg, transparent, #ff6eb433, #00ffcc33, tr
    zIndex: 50, pointerEvents: "none",
    animation: "scanline 10s linear infinite",
}} />

{/* — HEADER — */}
<div style={{
    position: "sticky", top: 0, zIndex: 100,
    background: "rgba(10,0,21,0.88)",
    backdropFilter: "blur(24px)",
    borderBottom: "1px solid rgba(255,110,180,0.12)",
    padding: "13px 20px",
    display: "flex", alignItems: "center", justifyContent: "space-between",
}}>
    <div style={{ display: "flex", alignItems: "center", gap: 10 }}>
        {/* Icon */}
        <div style={{
            width: 38, height: 38, borderRadius: 12,
            background: "linear-gradient(135deg, #ff6eb4, #bf5fff, #00ffcc)",

```

```

        display: "flex", alignItems: "center", justifyContent: "center",
        fontSize: 18, color: "#fff", fontWeight: 900,
        animation: "glowPulse 3s ease infinite",
    }}>✦</div>
    { /* App name — hybrid: could be GLOWZ, VIBE✦, LUMZ, etc. */ }
    <div>
        <div style={{
            fontSize: 22, fontWeight: 900, letterSpacing: 3,
            background: C.logoGrad,
            backgroundSize: "300% auto",
            WebkitBackgroundClip: "text", WebkitTextFillColor: "transparent",
            animation: "shimmer 4s linear infinite",
        }}>GLOWZ✦</div>
        <div style={{ fontSize: 8, color: "#555", letterSpacing: 2, marginTop
    </div>
</div>
<div style={{ display: "flex", gap: 16 }}>
    {[ "🔔", "🔍" ].map((ic, i) => (
        <span key={i} style={{ fontSize: 20, cursor: "pointer", opacity: 0.5
    ))}
</div>
</div>

{ /* — CONTENT — */ }
<div style={{ paddingBottom: 80, position: "relative", zIndex: 1 }}>

    { /* HOME */ }
    { activeTab === "home" && (
        <div>
            { /* Stories */ }
            <div style={{ display: "flex", gap: 12, padding: "16px 16px 8px", ove
            { stories.map((s, i) => (
                <div key={i} style={{ display: "flex", flexDirection: "column", a
                <div style={{
                    width: 54, height: 54, borderRadius: "50%",
                    background: `linear-gradient(135deg, ${s.c1}, ${s.c2})`,
                    display: "flex", alignItems: "center", justifyContent: "cente
                    fontSize: 22, cursor: "pointer",
                    boxShadow: `0 0 14px ${s.c1}66`,
                    border: "2px solid transparent",
                    outline: `2px solid ${s.c1}88`,
                    outlineOffset: 2,
                }}>{s.avatar}</div>
                <span style={{ fontSize: 9, color: "#555", fontWeight: 600 }}>{
            </div>
        ))}
    </div>

```

```

{/* Posts */}
{posts.map((post, idx) => (
  <div key={post.id} style={{
    margin: "0 12px 20px",
    borderRadius: 22, overflow: "hidden",
    background: C.card,
    border: "1px solid rgba(255,110,180,0.1)",
    boxShadow: "0 4px 30px rgba(0,0,0,0.4)",
    animation: `fadeUp 0.4s ease ${idx * 0.1}s both`,
  }}>
    <div style={{ display: "flex", alignItems: "center", justifyConte
      <div style={{ display: "flex", alignItems: "center", gap: 10 }}
        <div style={{
          width: 36, height: 36, borderRadius: "50%",
          background: "linear-gradient(135deg, #ff6eb4, #bf5fff, #00f
            display: "flex", alignItems: "center", justifyContent: "cen
            fontSize: 18, boxShadow: "0 0 12px #ff6eb444",
          }}>{post.avatar}</div>
          <span style={{ fontWeight: 700, fontSize: 13, color: "#ddd" }
        </div>
          <span style={{ color: "#333", fontSize: 18 }}>...</span>
        </div>

      <div style={{
        height: 260, background: post.gradient,
        display: "flex", alignItems: "center", justifyContent: "center"
        fontSize: 64, position: "relative",
      }}>
        <span style={{ filter: "drop-shadow(0 0 24px rgba(255,110,180,0
          <div style={{
            position: "absolute", bottom: 10, left: 10,
            background: "rgba(10,0,21,0.75)",
            backdropFilter: "blur(8px)",
            border: "1px solid rgba(255,110,180,0.3)",
            borderRadius: 20, padding: "4px 12px",
            fontSize: 10, fontWeight: 700,
            background: "linear-gradient(90deg, #ff6eb4, #00ffcc)",
            WebkitBackgroundClip: "text", WebkitTextFillColor: "transpare
          }}>{post.badge}</div>
        </div>

      <div style={{ padding: "12px 14px" }}>
        <div style={{ display: "flex", justifyContent: "space-between",
          <div style={{ display: "flex", gap: 18 }}>
            <button onClick={() => toggleLike(post.id)} style={{
              background: "none", border: "none", cursor: "pointer",

```

```

        fontSize: 22, transition: "transform 0.2s",
        transform: liked[post.id] ? "scale(1.3)" : "scale(1)",
        filter: liked[post.id] ? "drop-shadow(0 0 8px #ff6eb4)" :
    }}>{liked[post.id] ? "💖" : "💙"}</button>
    <span style={{ fontSize: 22, cursor: "pointer", opacity: 0.
    <span style={{ fontSize: 22, cursor: "pointer", opacity: 0.
</div>
    <span style={{ fontSize: 22, cursor: "pointer", opacity: 0.5
</div>
<div style={{ fontSize: 12, fontWeight: 700, marginBottom: 4,
    background: "linear-gradient(90deg, #ff6eb4, #00ffcc)",
    WebkitBackgroundClip: "text", WebkitTextFillColor: "transpare
}}>
    * {(post.likes + (liked[post.id] ? 1 : 0)).toLocaleString()}
</div>
<div style={{ fontSize: 12, color: "#888", marginBottom: 8, lin
    <span style={{ fontWeight: 700, color: "#ccc" }}>{post.user}<
</div>
<div style={{ display: "flex", flexWrap: "wrap", gap: 6 }}>
    {post.tags.map((t, i) => (
        <span key={i} style={{
            fontSize: 10, fontWeight: 600,
            background: i % 2 === 0 ? "rgba(255,110,180,0.1)" : "rgba
            border: `1px solid ${i % 2 === 0 ? "rgba(255,110,180,0.25
            color: i % 2 === 0 ? C.pink : C.cyan,
            borderRadius: 20, padding: "2px 10px",
        }}>{t}</span>
    ))}
</div>
</div>
</div>
    ))}
</div>
))}
{activeTab === "camera" && (
    <div style={{ padding: 16 }}>
        <div style={{
            borderRadius: 24, height: 340,
            background: "linear-gradient(135deg, #0a0015, #1a0030, #0a0015)",
            border: "1px solid rgba(255,110,180,0.2)",
            display: "flex", alignItems: "center", justifyContent: "center",
            flexDirection: "column", gap: 12, marginBottom: 20,
            position: "relative", overflow: "hidden",
            boxShadow: "0 0 60px rgba(255,110,180,0.08) inset",
        }}>

```

```

    /* Corner brackets - pink & cyan alternating */
    [[["0","0","#ff6eb4"],["0","auto","#00ffcc"],["auto","0","#00ffcc"]
    <div key={i} style={{
      position:"absolute",
      top:t=="auto"?undefined:16, bottom:t=="auto"?16:undefined,
      left:r=="auto"?undefined:16, right:r=="auto"?16:undefined,
      width:24, height:24,
      borderTop: i<2 ? `2px solid ${col}` : "none",
      borderBottom: i>=2 ? `2px solid ${col}` : "none",
      borderLeft: i%2===0 ? `2px solid ${col}` : "none",
      borderRight: i%2===1 ? `2px solid ${col}` : "none",
      borderRadius: 2,
    }}/>
  )))
  <div style={{ fontSize: 64, filter: "drop-shadow(0 0 20px #ff6eb4)"
  <div style={{
    fontSize: 12, fontWeight: 700, letterSpacing: 2,
    background: "linear-gradient(90deg, #ff6eb4, #00ffcc)",
    WebkitBackgroundClip: "text", WebkitTextFillColor: "transparent",
  }}>GLOWZ CAMERA</div>
  <div style={{
    position: "absolute", top: 14, right: 14,
    background: "rgba(255,110,180,0.12)",
    border: "1px solid rgba(255,110,180,0.4)",
    borderRadius: 20, padding: "5px 14px",
    fontSize: 10, fontWeight: 700, letterSpacing: 1,
    background: "linear-gradient(90deg, #ff6eb4, #00ffcc)",
    WebkitBackgroundClip: "text", WebkitTextFillColor: "transparent",
  }}>★ AI ON</div>
</div>

<div style={{ fontWeight: 700, fontSize: 11, letterSpacing: 2, margin
  background: "linear-gradient(90deg, #ff6eb4, #00ffcc)",
  WebkitBackgroundClip: "text", WebkitTextFillColor: "transparent",
}}>★ FILTER</div>
<div style={{ display: "flex", gap: 10, overflowX: "auto", paddingBot
  {filters.map((f, i) => (
    <div key={i} onClick={() => setSelectedFilter(i)} style={{
      minWidth: 68, height: 68, borderRadius: 16, cursor: "pointer",
      background: `linear-gradient(135deg,
        hsl(${300 + i * 25}, 80%, 25%),
        hsl(${170 + i * 20}, 80%, 20%))`,
      display: "flex", alignItems: "center", justifyContent: "center"
      border: selectedFilter === i
        ? "2px solid #ff6eb4"
        : "1.5px solid rgba(255,110,180,0.1)",
      boxShadow: selectedFilter === i ? "0 0 16px #ff6eb455" : "none"
    }}
  ))}

```



```

        transition: "all 0.2s", flexDirection: "column",
      }}>
      <span style={{
        fontSize: 10, fontWeight: 700, letterSpacing: 0.5,
        color: selectedFilter === i ? "#ff6eb4" : "#555",
      }}>{f}</span>
    </div>
  )))
</div>

<div style={{ fontWeight: 700, fontSize: 11, letterSpacing: 2, margin
  background: "linear-gradient(90deg, #ff6eb4, #00ffcc)",
  WebkitBackgroundClip: "text", WebkitTextFillColor: "transparent",
}}>✦ MAKEUP</div>
<div style={{ display: "grid", gridTemplateColumns: "1fr 1fr", gap: 1
  [[
    { name: "リップ", emoji: "💄", c: "rgba(255,110,180,0.1)", b: "rgb
    { name: "チーク", emoji: "🌸", c: "rgba(191,95,255,0.1)", b: "rgba
    { name: "アイライン", emoji: "👁", c: "rgba(0,255,204,0.08)", b: "r
    { name: "ハイライト", emoji: "✦", c: "rgba(255,179,71,0.1)", b: "rg
  ].map((m, i) => (
    <div key={i} style={{
      background: m.c, border: `1px solid ${m.b}`,
      borderRadius: 16, padding: "14px",
      display: "flex", alignItems: "center", gap: 10, cursor: "pointe
    }}>
      <span style={{ fontSize: 22 }}>{m.emoji}</span>
      <span style={{ fontWeight: 700, fontSize: 12, color: "#888" }}>
    </div>
  )))
</div>

<button style={{
  width: "100%", marginTop: 20,
  background: "linear-gradient(135deg, #ff6eb4, #bf5fff, #00ffcc)",
  border: "none", borderRadius: 20, padding: 16,
  color: "#fff", fontWeight: 900, fontSize: 15, cursor: "pointer",
  letterSpacing: 2, boxShadow: "0 6px 30px #ff6eb455",
}}>✦ 撮影する</button>
</div>
))

{/* CHAT */}
{activeTab === "chat" && (
  <div>
    <div style={{ padding: "14px 16px", display: "flex", justifyContent:
      <div style={{

```

```

        fontSize: 16, fontWeight: 900, letterSpacing: 2,
        background: "linear-gradient(90deg, #ff6eb4, #00ffcc)",
        WebkitBackgroundClip: "text", WebkitTextFillColor: "transparent",
    }}>◆ TALK</div>
    <button style={{
        background: "linear-gradient(135deg, #ff6eb4, #bf5fff, #00ffcc)",
        border: "none", borderRadius: 20, padding: "6px 16px",
        color: "#fff", fontWeight: 700, fontSize: 11, cursor: "pointer",
    }}>+ 新規</button>
</div>
{chatList.map((c, i) => (
    <div key={i} style={{
        display: "flex", alignItems: "center", gap: 12,
        padding: "14px 16px", cursor: "pointer",
        borderBottom: "1px solid rgba(255,110,180,0.06)",
        background: c.unread > 0 ? "rgba(255,110,180,0.04)" : "transparen
        animation: `fadeUp 0.3s ease ${i * 0.08}s both`,
    }}>
        <div style={{
            width: 48, height: 48, borderRadius: "50%",
            background: "linear-gradient(135deg, #ff6eb444, #00ffcc33)",
            border: "1.5px solid rgba(255,110,180,0.35)",
            display: "flex", alignItems: "center", justifyContent: "center"
            fontSize: 22, flexShrink: 0,
            boxShadow: c.unread > 0 ? "0 0 12px #ff6eb444" : "none",
        }}>{c.avatar}</div>
        <div style={{ flex: 1, overflow: "hidden" }}>
            <div style={{ display: "flex", justifyContent: "space-between",
                <span style={{ fontWeight: 700, fontSize: 13, color: "#ddd" }
                <span style={{ fontSize: 10, color: "#333" }}>{c.time}</span>
            </div>
            <span style={{ fontSize: 11, color: "#444", display: "block", o
        </div>
        {c.unread > 0 && (
            <div style={{
                background: "linear-gradient(135deg, #ff6eb4, #00ffcc)",
                color: "#fff", borderRadius: "50%",
                width: 20, height: 20,
                display: "flex", alignItems: "center", justifyContent: "cente
                fontSize: 10, fontWeight: 900, flexShrink: 0,
            }}>{c.unread}</div>
        )}
    </div>
    )})
</div>
)}

```

```

{ /* CLOSET */ }
{ activeTab === "closet" && (
  <div style={{ padding: 16 }}>
    <div style={{
      fontSize: 16, fontWeight: 900, letterSpacing: 2, marginBottom: 4,
      background: "linear-gradient(90deg, #ff6eb4, #bf5fff, #00ffcc)",
      WebkitBackgroundClip: "text", WebkitTextFillColor: "transparent",
    }}>◆ CLOSET</div>
    <div style={{ fontSize: 11, color: "#ff6eb488", fontWeight: 600, lett
      コードを選んでAR試着しよう ✦
    </div>

    <div style={{
      borderRadius: 24, height: 200, marginBottom: 20,
      background: "linear-gradient(135deg, #0a0015, #1a0030)",
      border: selectedOutfit
        ? "1.5px solid #ff6eb4"
        : "1.5px dashed rgba(255,110,180,0.15)",
      display: "flex", alignItems: "center", justifyContent: "center",
      flexDirection: "column", gap: 8, position: "relative",
      boxShadow: selectedOutfit ? "0 0 40px rgba(255,110,180,0.12) inset"
    }}>
      <div style={{
        fontSize: 64,
        filter: selectedOutfit
          ? "drop-shadow(0 0 16px #ff6eb4) drop-shadow(0 0 32px #00ffcc44)"
          : "none",
      }}>
        {selectedOutfit ? outfits.find(o => o.name === selectedOutfit)?.e
      </div>
      <div style={{
        fontSize: 11, fontWeight: 700, letterSpacing: 1,
        background: selectedOutfit ? "linear-gradient(90deg, #ff6eb4, #00
        WebkitBackgroundClip: selectedOutfit ? "text" : "unset",
        WebkitTextFillColor: selectedOutfit ? "transparent" : "#333",
      }}>
        {selectedOutfit ? selectedOutfit : "SELECT OUTFIT"}
      </div>
    {selectedOutfit && (
      <div style={{
        position: "absolute", top: 12, right: 12,
        background: "rgba(255,110,180,0.12)",
        border: "1px solid rgba(255,110,180,0.4)",
        borderRadius: 20, padding: "4px 12px",
        fontSize: 10, fontWeight: 700,
        background: "linear-gradient(90deg, #ff6eb4, #00ffcc)",
        WebkitBackgroundClip: "text", WebkitTextFillColor: "transparent

```

```
}}>● AR試着中</div>
```

```
)}
```

```
</div>
```

```
<div style={{
```

```
fontWeight: 700, fontSize: 11, letterSpacing: 2, marginBottom: 12,
```

```
background: "linear-gradient(90deg, #ff6eb4, #00ffcc)",
```

```
WebkitBackgroundClip: "text", WebkitTextFillColor: "transparent",
```

```
}}>★ STYLE SELECT</div>
```

```
<div style={{ display: "grid", gridTemplateColumns: "1fr 1fr 1fr", ga
```

```
{outfits.map((o, i) => (
```

```
<div key={i} onClick={() => setSelectedOutfit(o.name)} style={{
```

```
background: `linear-gradient(135deg, ${o.c1}, ${o.c2})`,
```

```
borderRadius: 16, padding: "16px 8px",
```

```
display: "flex", flexDirection: "column", alignItems: "center",
```

```
cursor: "pointer",
```

```
border: selectedOutfit === o.name
```

```
? "2px solid #ff6eb4"
```

```
: "1.5px solid rgba(255,110,180,0.1)",
```

```
boxShadow: selectedOutfit === o.name ? "0 0 16px #ff6eb444" : "
```

```
transition: "all 0.2s",
```

```
}}>
```

```
<span style={{ fontSize: 26 }}>{o.emoji}</span>
```

```
<span style={{
```

```
fontSize: 8, fontWeight: 700, letterSpacing: 0.5, textAlign:
```

```
color: selectedOutfit === o.name ? "#ff6eb4" : "#444",
```

```
}}>{o.name}</span>
```

```
</div>
```

```
)))
```

```
</div>
```

```
{selectedOutfit && (
```

```
<button style={{
```

```
width: "100%", marginTop: 20,
```

```
background: "linear-gradient(135deg, #ff6eb4, #bf5fff, #00ffcc)",
```

```
border: "none", borderRadius: 20, padding: 16,
```

```
color: "#fff", fontWeight: 900, fontSize: 14,
```

```
cursor: "pointer", letterSpacing: 1,
```

```
boxShadow: "0 6px 30px #ff6eb455",
```

```
}}>★ この着こなしで投稿する</button>
```

```
)}
```

```
</div>
```

```
)}
```

```
{/* PROFILE */}
```

```
{activeTab === "profile" && (
```

```
<div>
```

```

<div style={{
  background: "linear-gradient(135deg, #0a0015, #2a0040, #0a1a20)",
  borderBottom: "1px solid rgba(255,110,180,0.12)",
  padding: "30px 20px 50px",
  textAlign: "center", position: "relative", overflow: "hidden",
}}>
  /* BG glow orbs */
  <div style={{
    position:"absolute", width:150, height:150, borderRadius:"50%",
    background:"radial-gradient(circle, #ff6eb433, transparent)",
    top:"10%", left:"10%", pointerEvents:"none",
  }}/>
  <div style={{
    position:"absolute", width:120, height:120, borderRadius:"50%",
    background:"radial-gradient(circle, #00ffcc22, transparent)",
    top:"20%", right:"10%", pointerEvents:"none",
  }}/>

  <div style={{
    width: 82, height: 82, borderRadius: "50%", margin: "0 auto 12px"
    background: "linear-gradient(135deg, #ff6eb4, #bf5fff, #00ffcc)",
    display: "flex", alignItems: "center", justifyContent: "center",
    fontSize: 36,
    boxShadow: "0 0 30px #ff6eb466, 0 0 60px #00ffcc33",
    animation: "glowPulse 3s ease infinite",
  }}>★</div>
  <div style={{
    fontSize: 18, fontWeight: 900, letterSpacing: 2,
    background: "linear-gradient(90deg, #ff6eb4, #bf5fff, #00ffcc)",
    WebkitBackgroundClip: "text", WebkitTextFillColor: "transparent",
  }}>my.glowz</div>
  <div style={{ color: "#444", fontSize: 11, marginTop: 4, letterSpacing: 2,
    textShadow: "0 0 2px #444" }}>
    your vibe. your glow. ★
  </div>
</div>

<div style={{
  background: "rgba(255,255,255,0.03)",
  border: "1px solid rgba(255,110,180,0.1)",
  margin: "-24px 16px 16px",
  borderRadius: 20, padding: "18px 20px",
  display: "flex", justifyContent: "space-around",
  backdropFilter: "blur(12px)",
}}>
  {[["投稿", "72"], ["フォロワー", "3.1K"], ["フォロー", "412"]].map(([l,v],i) =>
    <div key={i} style={{ textAlign:"center" }}>
      <div style={{

```

```

        fontWeight:900, fontSize:18,
        background:"linear-gradient(90deg, #ff6eb4, #00ffcc)",
        WebkitBackgroundClip:"text", WebkitTextFillColor:"transparent
    }}>{v}</div>
    <div style={{ fontSize:10, color:"#444", letterSpacing:1 }}>{l}
  </div>
  )))
</div>

<div style={{ display:"grid", gridTemplateColumns:"1fr 1fr 1fr", gap:
  [...Array(9)].map((_,i)=>(
    <div key={i} style={{
      aspectRatio:"1",
      background:`linear-gradient(${i*40}deg,
        hsl(${300+i*15},70%,${15+i*2}%),
        hsl(${170+i*20},80%,${12+i*2}%)`},
      borderRadius: i===0?"12px 0 0 0":i===2?"0 12px 0 0":i===6?"0 0
      display:"flex", alignItems:"center", justifyContent:"center", f
      border:"0.5px solid rgba(255,110,180,0.08)",
    }}>
      {[ "♦", "🌸", "⚡", "♠", "🌀", "♥", "♣", "♠", "🌸" ][i]}
    </div>
  )))
</div>
</div>
  ))
</div>

{/* — BOTTOM NAV — */}
<div style={{
  position:"fixed", bottom:0, left:"50%", transform:"translateX(-50%)",
  width:390,
  background:"rgba(10,0,21,0.92)",
  backdropFilter:"blur(24px)",
  borderTop:"1px solid rgba(255,110,180,0.1)",
  display:"flex", justifyContent:"space-around",
  padding:"10px 0 16px", zIndex:100,
}}>
  {tabs.map((tab)=>(
    <button key={tab.id} onClick={()=>setActiveTab(tab.id)} style={{
      background:"none", border:"none", cursor:"pointer",
      display:"flex", flexDirection:"column", alignItems:"center", gap:3,
      padding:"4px 10px",
    }}>
      <div style={{
        fontSize: tab.id==="camera"?24:20,
        background: tab.id==="camera"

```

```

        ?"linear-gradient(135deg,#ff6eb4,#bf5fff,#00ffcc)": "none",
borderRadius: tab.id==="camera"? "50%":0,
width: tab.id==="camera"?46:"auto",
height: tab.id==="camera"?46:"auto",
display:"flex", alignItems:"center", justifyContent:"center",
marginTop: tab.id==="camera"?-20:0,
boxShadow: tab.id==="camera"? "0 0 24px #ff6eb466": "none",
color: activeTab===tab.id ? "#ff6eb4" : "#333",
animation: tab.id==="camera"? "glowPulse 2s ease infinite": "none",
}}>{tab.icon}</div>
<span style={{
  fontSize:8, fontWeight:700, letterSpacing:1,
  color: activeTab===tab.id ? "#ff6eb4" : "#333",
}}>{tab.label}</span>
</button>
  )}
</div>
</div>
);
}

```