

```

import { useState, useEffect } from "react";

const C = {
  bg: "#05050f",
  pink: "#ff6eb4",
  sky: "#7ee8fa",
  cyan: "#00ffcc",
  purple: "#bf5fff",
  orange: "#ffb347",
};

// — 通話時間カウンター —
function useTimer(active) {
  const [seconds, setSeconds] = useState(0);
  useEffect(() => {
    if (!active) return;
    const t = setInterval(() => setSeconds(s => s + 1), 1000);
    return () => clearInterval(t);
  }, [active]);
  const m = String(Math.floor(seconds / 60)).padStart(2, "0");
  const s = String(seconds % 60).padStart(2, "0");
  return `${m}:${s}`;
}

// — 着信画面 —
function IncomingScreen({ onAccept, onDecline, isVideo }) {
  const [ring, setRing] = useState(0);
  useEffect(() => {
    const t = setInterval(() => setRing(r => (r + 1) % 3), 800);
    return () => clearInterval(t);
  }, []);

  return (
    <div style={{
      minHeight: "100vh", background: "linear-gradient(160deg,#0a0015,#1a0030,#0a
      display: "flex", flexDirection: "column",
      alignItems: "center", justifyContent: "space-between",
      padding: "60px 30px 60px", position: "relative", overflow: "hidden",
    }}>
      <style>{`
        @keyframes ripple{0%{transform:scale(1);opacity:0.6;}100%{transform:scale
        @keyframes shimmer{0%{background-position:-400% center;}100%{background-p
        @keyframes fadeUp{from{opacity:0;transform:translateY(16px);}to{opacity:1
        @keyframes pulse{0%,100%{transform:scale(1);}50%{transform:scale(1.05);}}

```

```

    @keyframes float{0%,100%{transform:translateY(0);}50%{transform:translate
`}</style>

{/* BG orbs */}
<div style={{ position:"absolute", inset:0, pointerEvents:"none",
  background:`radial-gradient(ellipse at 30% 20%, rgba(255,110,180,0.15) 0%
  radial-gradient(ellipse at 70% 80%, rgba(126,232,250,0.1) 0%, transparent

{/* Top info */}
<div style={{ textAlign:"center", animation:"fadeUp 0.5s ease both", zIndex
  <div style={{ fontSize:13, color:"rgba(255,255,255,0.5)", letterSpacing:2
    {isVideo ? "📺 GLOWZビデオ通話" : "📞 GLOWZ通話"}
  </div>
  <div style={{ fontSize:14, color:"rgba(255,255,255,0.4)", letterSpacing:1
</div>

{/* Avatar with ripple */}
<div style={{ display:"flex", flexDirection:"column", alignItems:"center",
  <div style={{ position:"relative", display:"flex", alignItems:"center", j
    {[0,1,2].map(i=>(
      <div key={i} style={{
        position:"absolute",
        width:120+i*50, height:120+i*50, borderRadius:"50%",
        border:`1.5px solid rgba(255,110,180,${0.4-i*0.12})`,
        animation:`ripple 2s ease-out ${i*0.5}s infinite`,
      >>/>
    )>>
  <div style={{
    width:110, height:110, borderRadius:"50%",
    background:"linear-gradient(135deg,#ff6eb4,#bf5fff,#7ee8fa)",
    display:"flex", alignItems:"center", justifyContent:"center",
    fontSize:48,
    boxShadow:"0 0 40px rgba(255,110,180,0.5), 0 0 80px rgba(126,232,250,
    animation:"pulse 2s ease-in-out infinite",
    position:"relative", zIndex:1,
  >>🌸</div>
</div>

<div style={{ textAlign:"center" }}>
  <div style={{ fontSize:28, fontWeight:900, color:"#fff", marginBottom:6
  <div style={{
    fontSize:13, fontWeight:600, letterSpacing:2,
    background:"linear-gradient(90deg,#ff6eb4,#7ee8fa)",
    WebkitBackgroundClip:"text", WebkitTextFillColor:"transparent",
  >>GLOWZ友達 · 東京</div>
</div>
</div>

```

```

    { /* Buttons */
    <div style={{ display:"flex", justifyContent:"space-around", width:"100%",
      { /* Decline */
      <div style={{ display:"flex", flexDirection:"column", alignItems:"center"
        <button onClick={onDecline} style={{
          width:68, height:68, borderRadius:"50%",
          background:"linear-gradient(135deg,#ff4444,#cc0000)",
          border:"none", cursor:"pointer", fontSize:28,
          boxShadow:"0 0 24px rgba(255,68,68,0.5)",
          display:"flex", alignItems:"center", justifyContent:"center",
          transition:"transform 0.2s",
        }}> " : "📞"}</button>
        <span style={{fontSize:11,color:"rgba(255,255,255,0.5)",letterSpacing:1
      </div>
    </div>
  </div>
);
}

// — 音声通話画面 —
function VoiceCallScreen({ onEnd }) {

```

```

const [muted, setMuted] = useState(false);
const [speaker, setSpeaker] = useState(false);
const [onHold, setOnHold] = useState(false);
const [showKeypad, setShowKeypad] = useState(false);
const timer = useTimer(!onHold);

return (
  <div style={{
    minHeight:"100vh",
    background:"linear-gradient(160deg,#0a0015,#150025,#0a1020)",
    display:"flex", flexDirection:"column",
    alignItems:"center", justifyContent:"space-between",
    padding:"50px 30px 55px", position:"relative", overflow:"hidden",
  }}>
    <style>{`
      @keyframes shimmer{0%{background-position:-400% center;}100%{background-p
      @keyframes fadeUp{from{opacity:0;transform:translateY(12px);}to{opacity:1
      @keyframes soundWave{0%,100%{height:8px;}50%{height:28px;}}
      @keyframes glow{0%,100%{box-shadow:0 0 20px #ff6eb433;}50%{box-shadow:0 0
    `}</style>

    {/* BG gradient */}
    <div style={{ position:"absolute", inset:0, pointerEvents:"none",
      background:`radial-gradient(ellipse at 50% 30%, rgba(255,110,180,0.08) 0%

    {/* Status bar */}
    <div style={{ textAlign:"center", zIndex:1, animation:"fadeUp 0.4s ease bot
      <div style={{
        fontSize:12, letterSpacing:3, fontWeight:700,
        background:"linear-gradient(90deg,#ff6eb4,#7ee8fa)",
        WebkitBackgroundClip:"text", WebkitTextFillColor:"transparent",
        marginBottom:6,
      }}>GLOWZ 通話中 ✦</div>
      <div style={{ fontSize:28, fontWeight:900, color:C.cyan, fontFamily:"mono
        {onHold ? "保留中..." : timer}
      </div>
    </div>

    {/* Avatar */}
    <div style={{ display:"flex", flexDirection:"column", alignItems:"center",
      <div style={{
        width:110, height:110, borderRadius:"50%",
        background:"linear-gradient(135deg,#ff6eb4,#bf5fff,#7ee8fa)",
        display:"flex", alignItems:"center", justifyContent:"center",
        fontSize:48,
        animation:"glow 3s ease infinite",
      }}>🌸</div>

```

```

<div style={{ textAlign:"center" }}>
  <div style={{ fontSize:26, fontWeight:900, color:"#fff", marginBottom:4
    <div style={{ fontSize:11, color:"rgba(255,255,255,0.4)", letterSpacing
      {onHold ? "🔴 保留中" : "通話中 ●"}
    </div>
  </div>
</div>

{/* Sound wave */}
{!onHold && (
  <div style={{ display:"flex", gap:4, alignItems:"center", height:36 }}>
    {[0.3,0.7,1,0.5,0.8,0.4,0.9,0.6,0.3,0.7,1,0.5].map((h,i)=>(
      <div key={i} style={{
        width:3, borderRadius:10,
        background:`linear-gradient(180deg,#ff6eb4,#7ee8fa)`,
        animation:`soundWave ${0.5+h*0.5}s ease-in-out ${i*0.1}s infinite
        height:8,
        boxShadow:`0 0 6px #ff6eb488`,
      }}/>
    ))}
  </div>
)}
</div>

{/* Controls */}
<div style={{ width:"100%", zIndex:1 }}>
  {/* Keypad */}
  {showKeypad && (
    <div style={{
      display:"grid", gridTemplateColumns:"1fr 1fr 1fr",
      gap:12, marginBottom:20,
      animation:"fadeUp 0.3s ease both",
    }}>
      {[ "1","2","3","4","5","6","7","8","9","*","0","#"].map(k=>(
        <button key={k} style={{
          background:"rgba(255,255,255,0.08)",
          border:"1px solid rgba(255,110,180,0.15)",
          borderRadius:16, padding:"14px",
          color:"#fff", fontWeight:700, fontSize:18, cursor:"pointer",
        }}>{k}</button>
      ))}
    </div>
  )}

  {/* Main controls grid */}
  <div style={{ display:"grid", gridTemplateColumns:"1fr 1fr 1fr", gap:16,
    {[

```

```

    { icon: muted?"🔇":"🎤", label: muted?"ミュート中":"ミュート", active: muted,
    { icon:"🇮🇹", label:"キーパッド", active:showKeypad, action:()=>setShowKeypad(!showKeypad)},
    { icon:speaker?"🔊":"🔇", label:speaker?"スピーカー":"スピーカー", active: !muted,
    { icon:"⏸", label:onHold?"再開":"保留", active:onHold, action:()=>setOnHold(!onHold)},
    { icon:"📺", label:"ビデオON", active:false, action:()=>{}, color:C.cyan},
    { icon:"+", label:"追加", active:false, action:()=>{}, color:"#888"}
  ].map((btn,i)=>{
    <div key={i} style={{ display:"flex", flexDirection:"column", alignItems:"center" }}>
      <button onClick={btn.action} style={{
        width:54, height:54, borderRadius:"50%",
        background:btn.active?`${btn.color}33`:"rgba(255,255,255,0.08)",
        border:`1px solid ${btn.active?btn.color:"rgba(255,255,255,0.12)"}",
        cursor:"pointer", fontSize:22,
        display:"flex", alignItems:"center", justifyContent:"center",
        boxShadow:btn.active?`0 0 16px ${btn.color}55`:"none",
        transition:"all 0.2s",
      }}>{btn.icon}</button>
      <span style={{fontSize:9,color:btn.active?btn.color:"rgba(255,255,255,0.4)"}>{btn.label}</span>
    </div>
  ))}
</div>

{/* End call */}
<div style={{ display:"flex", justifyContent:"center" }}>
  <div style={{ display:"flex", flexDirection:"column", alignItems:"center" }}>
    <button onClick={onEnd} style={{
      width:72, height:72, borderRadius:"50%",
      background:"linear-gradient(135deg,#ff4444,#cc0000)",
      border:"none", cursor:"pointer", fontSize:28,
      boxShadow:"0 0 30px rgba(255,68,68,0.6), 0 8px 20px rgba(0,0,0,0.5)",
      display:"flex", alignItems:"center", justifyContent:"center",
      transition:"transform 0.2s",
    }}>🔴</button>
    <span style={{fontSize:11,color:"rgba(255,255,255,0.4)",letterSpacing:0.5}}>通話終了</span>
  </div>
</div>
</div>
);
}

// — ビデオ通話画面 —
function VideoCallScreen({ onEnd }) {
  const [muted, setMuted] = useState(false);
  const [camOff, setCamOff] = useState(false);
  const [flipped, setFlipped] = useState(false);
  const [showControls, setShowControls] = useState(true);

```

```

const timer = useTimer(true);

useEffect(() => {
  const t = setTimeout(() => setShowControls(false), 4000);
  return () => clearTimeout(t);
}, []);

return (
  <div onClick={() => setShowControls(s => !s)} style={{
    minHeight:"100vh", position:"relative", overflow:"hidden",
    background:"#000", cursor:"pointer",
  }}>
    <style>{`
      @keyframes shimmer{0%{background-position:-400% center;}100%{background-p
      @keyframes fadeIn{from{opacity:0;}to{opacity:1;}}
      @keyframes slideUp{from{opacity:0;transform:translateY(30px);}to{opacity:
      @keyframes glow{0%,100%{box-shadow:0 0 16px #ff6eb444;}50%{box-shadow:0 0
    `}</style>

    {/* Main video (相手) */}
    <div style={{
      position:"absolute", inset:0,
      background:camOff
        ?"linear-gradient(135deg,#0a0015,#1a0030)"
        :"linear-gradient(135deg,#0a0015,#1a0530,#0a1525)",
      display:"flex", alignItems:"center", justifyContent:"center",
    }}>
      {camOff ? (
        <div style={{ textAlign:"center" }}>
          <div style={{ fontSize:80, marginBottom:16, opacity:0.4 }}>📺</div>
          <div style={{ fontSize:13, color:"rgba(255,255,255,0.4)" }}><カメラオフ<
        </div>
      ) : (
        <div style={{ fontSize:100, filter:"drop-shadow(0 0 30px #ff6eb4aa)" }}
      )}
    </div>

    {/* Self video (自分) */}
    <div style={{
      position:"absolute", top:16, right:16,
      width:90, height:130, borderRadius:16,
      background:"linear-gradient(135deg,#1a0030,#0a1020)",
      border:"2px solid rgba(255,110,180,0.4)",
      overflow:"hidden",
      boxShadow:"0 4px 20px rgba(0,0,0,0.6), 0 0 16px rgba(255,110,180,0.2)",
      display:"flex", alignItems:"center", justifyContent:"center",
      fontSize:36,
    }}
  </div>

```

```

        animation:"glow 3s ease infinite",
        zIndex:10,
    }}>
    {camOff ? "👤" : "♦"}
    <div style={{
        position:"absolute", bottom:6, left:0, right:0,
        textAlign:"center", fontSize:8, color:"rgba(255,255,255,0.5)",
    }}>あなた</div>
</div>

{/* Top overlay */}
{showControls && (
    <div style={{
        position:"absolute", top:0, left:0, right:0,
        background:"linear-gradient(180deg,rgba(0,0,0,0.7),transparent)",
        padding:"20px 20px 40px",
        zIndex:20, animation:"fadeIn 0.3s ease both",
    }}>
        <div style={{ display:"flex", alignItems:"center", justifyContent:"space-around" }}>
            <div>
                <div style={{
                    fontSize:16, fontWeight:900, color:"#fff", marginBottom:2,
                }}>yui.glowz</div>
                <div style={{ fontSize:11, color:C.cyan, fontFamily:"monospace", letterSpacing:2 }}>
                    GLOWZ
                </div>
            </div>
            <div style={{
                fontSize:10, fontWeight:700, letterSpacing:2,
                background:"linear-gradient(90deg,#ff6eb4,#7ee8fa)",
                WebkitBackgroundClip:"text", WebkitTextFillColor:"transparent",
            }}>GLOWZ♦</div>
        </div>
    </div>
)}

{/* Bottom controls */}
{showControls && (
    <div style={{
        position:"absolute", bottom:0, left:0, right:0,
        background:"linear-gradient(0deg,rgba(0,0,0,0.85),transparent)",
        padding:"40px 24px 50px",
        zIndex:20, animation:"slideUp 0.3s ease both",
    }}>
        <div style={{ display:"flex", justifyContent:"space-around", alignItems:center }}>
            <div>
                <div style={{ display:"flex", flexDirection:"column", alignItems:"center" }}>
                    <button onClick={e=>{e.stopPropagation();setMuted(m=>!m);}} style={{
                        width:54, height:54, borderRadius:"50%",
                    }}>

```



```

        background:muted?"rgba(255,110,180,0.3)": "rgba(255,255,255,0.15)"
        border:`1px solid ${muted?C.pink:"rgba(255,255,255,0.2)"}`,
        cursor:"pointer", fontSize:22,
        display:"flex", alignItems:"center", justifyContent:"center",
        boxShadow:muted?`0 0 16px ${C.pink}55`:"none",
    }>{muted?"🔇":"🔊"}</button>
    <span style={{fontSize:9,color:"rgba(255,255,255,0.6)"}>{muted?"≡".
</div>

{/* End call */}
<div style={{ display:"flex", flexDirection:"column", alignItems:"cen
    <button onClick={e=>{e.stopPropagation();onEnd();}} style={{
        width:68, height:68, borderRadius:"50%",
        background:"linear-gradient(135deg,#ff4444,#cc0000)",
        border:"none", cursor:"pointer", fontSize:26,
        display:"flex", alignItems:"center", justifyContent:"center",
        boxShadow:"0 0 30px rgba(255,68,68,0.6)",
    }}>🔊</button>
    <span style={{fontSize:9,color:"rgba(255,255,255,0.6)"}>終了</span>
</div>

{/* Camera */}
<div style={{ display:"flex", flexDirection:"column", alignItems:"cen
    <button onClick={e=>{e.stopPropagation();setCamOff(c=>!c);}} style=
        width:54, height:54, borderRadius:"50%",
        background:camOff?"rgba(126,232,250,0.2)": "rgba(255,255,255,0.15)
        border:`1px solid ${camOff?C.sky:"rgba(255,255,255,0.2)"}`,
        cursor:"pointer", fontSize:22,
        display:"flex", alignItems:"center", justifyContent:"center",
    }}>{camOff?"📷":"🖥️"}</button>
    <span style={{fontSize:9,color:"rgba(255,255,255,0.6)"}>{camOff?"🔦".
</div>
</div>

{/* Sub controls */}
<div style={{ display:"flex", justifyContent:"space-around", marginTop:
    [[
        {icon:"🔄",label:"カメラ切替",action:()=>setFlipped(f=>!f)},
        {icon:"🔊",label:"スピーカー",action:()=>{}},
        {icon:"🔦",label:"AI加工",action:()=>{}},
        {icon:"🖥️",label:"背景",action:()=>{}},
    ]}.map((btn,i)=>(
        <div key={i} style={{ display:"flex", flexDirection:"column", align
            <button onClick={e=>{e.stopPropagation();btn.action();}} style={{
                width:40, height:40, borderRadius:"50%",
                background:"rgba(255,255,255,0.1)",
                border:"1px solid rgba(255,255,255,0.15)",

```

```

        cursor:"pointer", fontSize:16,
        display:"flex", alignItems:"center", justifyContent:"center",
      }}>{btn.icon}</button>
      <span style={{fontSize:8,color:"rgba(255,255,255,0.4)"}}>{btn.lab
    </div>
  )}}
</div>
</div>
  )}
</div>
);
}

```

// — グループ通話画面 —

```

function GroupCallScreen({ onEnd }) {
  const [muted, setMuted] = useState(false);
  const timer = useTimer(true);
  const members = [
    {name:"yui",avatar:"🌸",active:true},
    {name:"mika",avatar:"⚡",active:false},
    {name:"hana",avatar:"💜",active:true},
    {name:"ren",avatar:"💜",active:false},
    {name:"あなた",avatar:"💎",active:true,isMe:true},
  ];

  return (
    <div style={{
      minHeight:"100vh",
      background:"linear-gradient(160deg,#05050f,#0a0020,#05050f)",
      display:"flex", flexDirection:"column",
      alignItems:"center", justifyContent:"space-between",
      padding:"50px 20px 55px", position:"relative", overflow:"hidden",
    }}>
      <style>{`
        @keyframes shimmer{0%{background-position:-400% center;}100%{background-p
        @keyframes fadeUp{from{opacity:0;transform:translateY(12px);}to{opacity:1
        @keyframes speaking{0%,100%{box-shadow:0 0 0px transparent;}50%{box-shado
        `}</style>

      <div style={{ position:"absolute", inset:0, pointerEvents:"none",
        background:`radial-gradient(ellipse at 50% 30%, rgba(191,95,255,0.08) 0%,

      {/* Header */}
      <div style={{ textAlign:"center", zIndex:1, animation:"fadeUp 0.4s ease bot
        <div style={{
          fontSize:12, letterSpacing:3, fontWeight:700, marginBottom:6,
          background:"linear-gradient(90deg,#bf5fff,#7ee8fa)",

```

```

      WebkitBackgroundClip:"text", WebkitTextFillColor:"transparent",
    }}>GLOWZ グループ通話 ✦</div>
    <div style={{ fontSize:26, fontWeight:900, color:C.cyan, fontFamily:"mono"
    <div style={{ fontSize:11, color:"rgba(255,255,255,0.4)", marginTop:4 }}>
  </div>

  { /* Members grid */ }
  <div style={{ zIndex:1, width:"100%" }}>
    <div style={{ display:"grid", gridTemplateColumns:"1fr 1fr", gap:12, marg
      {members.filter(m=>!m.isMe).map((m,i)=>(
        <div key={i} style={{
          background:m.active?"rgba(0,255,204,0.06)": "rgba(255,255,255,0.03)"
          border:`1.5px solid ${m.active?"rgba(0,255,204,0.3)": "rgba(255,255,
          borderRadius:20, padding:"20px 16px",
          display:"flex", flexDirection:"column", alignItems:"center", gap:10
          animation:`fadeUp 0.3s ease ${i*0.1}s both`,
        }}>
          <div style={{
            width:64, height:64, borderRadius:"50%",
            background:`linear-gradient(135deg,${m.active?C.cyan+"44":C.purpl
            border:`2px solid ${m.active?C.cyan:"rgba(255,255,255,0.1)"}`,
            display:"flex", alignItems:"center", justifyContent:"center",
            fontSize:30,
            animation:m.active?"speaking 2s ease-in-out infinite":"none",
          }}>{m.avatar}</div>
          <div>
            <div style={{ fontSize:12, fontWeight:700, color:m.active?"#fff":
              <div style={{ fontSize:9, color:m.active?C.cyan:"#333", textAlign
                {m.active?"● 話し中":"マイクオフ"}
              </div>
            </div>
          </div>
        </div>
      )}}
    </div>

    { /* My tile */ }
    <div style={{
      background:"rgba(255,110,180,0.08)",
      border:"1.5px solid rgba(255,110,180,0.3)",
      borderRadius:20, padding:"14px 16px",
      display:"flex", alignItems:"center", gap:14,
      marginBottom:24,
    }}>
      <div style={{
        width:48, height:48, borderRadius:"50%",
        background:"linear-gradient(135deg,#ff6eb4,#bf5fff,#7ee8fa)",
        display:"flex", alignItems:"center", justifyContent:"center",

```

```

        fontSize:22, boxShadow:"0 0 16px rgba(255,110,180,0.4)",
    }}>★</div>
<div>
    <div style={{fontSize:13,fontWeight:700,color:"#fff"}}>あなた</div>
    <div style={{fontSize:9,color:C.pink,letterSpacing:1}}>● 参加中</div>
</div>
<div style={{marginLeft:"auto",display:"flex",gap:10}}>
    <button onClick={()=>setMuted(m=>!m)} style={{
        width:36,height:36,borderRadius:"50%",
        background:muted?"rgba(255,68,68,0.2)": "rgba(255,255,255,0.1)",
        border:`1px solid ${muted?"#ff444488":"rgba(255,255,255,0.15)"}`,
        cursor:"pointer",fontSize:16,
        display:"flex",alignItems:"center",justifyContent:"center",
    }}>{muted?"🔇 ":"🔊"}</button>
</div>
</div>
</div>

{/* End button */}
<div style={{ display:"flex", flexDirection:"column", alignItems:"center",
    <button onClick={onEnd} style={{
        width:72, height:72, borderRadius:"50%",
        background:"linear-gradient(135deg,#ff4444,#cc0000)",
        border:"none", cursor:"pointer", fontSize:28,
        boxShadow:"0 0 30px rgba(255,68,68,0.6)",
        display:"flex", alignItems:"center", justifyContent:"center",
    }}>📺</button>
    <span style={{fontSize:11,color:"rgba(255,255,255,0.4)",letterSpacing:1}}
</div>
</div>
);
}

// — メイン —
export default function App() {
    const [screen, setScreen] = useState("menu");
    const [callType, setCallType] = useState(null);

    if (screen === "incoming") return <IncomingScreen isVideo={callType==="video"}>
    if (screen === "active" && callType === "voice") return <VoiceCallScreen onEnd=
    if (screen === "active" && callType === "video") return <VideoCallScreen onEnd=
    if (screen === "active" && callType === "group") return <GroupCallScreen onEnd=

    return (
        <div style={{
            fontFamily:"'Hiragino Sans','Noto Sans JP',sans-serif",
            background:C.bg, minHeight:"100vh",

```

```

    maxWidth:390, margin:"0 auto",
    display:"flex", flexDirection:"column",
    alignItems:"center", justifyContent:"center",
    gap:16, padding:32, color:"#eee",
  })>
  <style>{`
    @keyframes shimmer{0%{background-position:-400% center;}100%{background-p
    @keyframes fadeUp{from{opacity:0;transform:translateY(14px);}to{opacity:1
    `}</style>
  <div style={{
    fontSize:26,fontWeight:900,letterSpacing:4,marginBottom:8,
    background:"linear-gradient(90deg,#ff6eb4,#bf5fff,#7ee8fa,#00ffcc,#ff6eb4
    backgroundSize:"300% auto",
    WebkitBackgroundClip:"text",WebkitTextFillColor:"transparent",
    animation:"shimmer 4s linear infinite",
  }}>GLOWZ+ 通話</div>
  <div style={{fontSize:11,color:"#444",letterSpacing:2,marginBottom:8}}>画面?

  {[
    {label:"📞 着信画面（音声）",sub:"着信が来たときの画面",type:"voice",incoming:t
    {label:"📺 着信画面（ビデオ）",sub:"ビデオ通話の着信",type:"video",incoming:tru
    {label:"📞 音声通話中",sub:"通話コントロール画面",type:"voice",incoming:false}
    {label:"📺 ビデオ通話中",sub:"カメラON/OFF・AI加工",type:"video",incoming:fal
    {label:"👥 グループ通話",sub:"複数人での通話画面",type:"group",incoming:false}
  ]}.map((btn,i)=>(
    <button key={i} onClick={()=>{
      setCallType(btn.type);
      setScreen(btn.incoming?"incoming":"active");
    }} style={{
      width:"100%",
      background:"rgba(255,255,255,0.04)",
      border:"1px solid rgba(255,110,180,0.2)",
      borderRadius:20,padding:"18px 20px",
      cursor:"pointer",textAlign:"left",
      animation:`fadeUp 0.4s ease ${i*0.08}s both`,
      transition:"all 0.2s",
    }}>
      <div style={{fontSize:15,fontWeight:800,color:"#eee",marginBottom:3}}>{
        <div style={{fontSize:10,color:"#555"}}>{btn.sub}</div>
      </div>
    </button>
  )))
</div>
);
}

```