

```

import { useState, useEffect, useRef } from "react";

// — 時間帯テーマ定義 —
const TIME_THEMES = {
  pure_crystal: {
    name: "Pure Crystal",
    time: "10:00 - 16:00",
    emoji: "💎",
    bg: "linear-gradient(160deg, #f0f8ff 0%, #e8f4f8 40%, #f0faff 100%)",
    card: "rgba(255,255,255,0.7)",
    border: "rgba(0,200,220,0.2)",
    text: "#1a3a4a",
    sub: "#5a8a9a",
    accent: "#00bcd4",
    accent2: "#00e5ff",
    logoGrad: "linear-gradient(90deg, #00bcd4, #0099bb, #00e5ff, #00bcd4)",
    btnGrad: "linear-gradient(135deg, #00bcd4, #00e5ff)",
    glow: "rgba(0,188,212,0.3)",
    navBg: "rgba(255,255,255,0.9)",
    navBorder: "rgba(0,188,212,0.15)",
    desc: "太陽光の下でも見やすい、透明度の高いホワイト×シアン",
  },
  sunset_prism: {
    name: "Sunset Prism",
    time: "17:00 - 19:00",
    emoji: "🌅",
    bg: "linear-gradient(160deg, #fff0f8 0%, #f5e8ff 40%, #ffe8f0 100%)",
    card: "rgba(255,240,248,0.8)",
    border: "rgba(191,95,255,0.2)",
    text: "#3a1a4a",
    sub: "#8a5a9a",
    accent: "#bf5fff",
    accent2: "#ff6eb4",
    logoGrad: "linear-gradient(90deg, #bf5fff, #ff6eb4, #ffb347, #bf5fff)",
    btnGrad: "linear-gradient(135deg, #bf5fff, #ff6eb4)",
    glow: "rgba(191,95,255,0.3)",
    navBg: "rgba(255,248,255,0.9)",
    navBorder: "rgba(191,95,255,0.15)",
    desc: "仕事や学校が終わる時間に、視覚からリラックスを促す夕暮れ色",
  },
  cyber_night: {
    name: "Cyber Night",
    time: "20:00 - 05:00",
    emoji: "🌙",
  }
};

```

```

    bg: "linear-gradient(160deg, #05050f 0%, #0a0020 40%, #050510 100%)",
    card: "rgba(255,255,255,0.04)",
    border: "rgba(255,110,180,0.2)",
    text: "#eee",
    sub: "#888",
    accent: "#ff6eb4",
    accent2: "#00ffcc",
    logoGrad: "linear-gradient(90deg, #ff6eb4, #bf5fff, #7ee8fa, #00ffcc, #ff6eb4",
    btnGrad: "linear-gradient(135deg, #ff6eb4, #bf5fff, #7ee8fa)",
    glow: "rgba(255,110,180,0.4)",
    navBg: "rgba(5,5,15,0.95)",
    navBorder: "rgba(255,110,180,0.12)",
    desc: "深い闇にネオンが輝く。ブルーライトを抑えた目に優しい夜モード",
  },
};

const STYLE_THEMES = {
  digital_ethereal: {
    name: "Digital Ethereal",
    tag: "デジタル・エセリアル",
    desc: "水面にインクを垂らしたような流動的なグラデーション",
    preview: "linear-gradient(135deg, #667eea 0%, #764ba2 30%, #f093fb 60%, #00d2",
    emoji: "💧",
  },
  y2k_glossy: {
    name: "Y2K Hyper-Glossy",
    tag: "ハイパー・グロッシー",
    desc: "2000年代ガラケー文化を4K画質で再解釈。ネオンピンク×グリッター",
    preview: "linear-gradient(135deg, #ff2d78 0%, #ff6eb4 40%, #ffb347 70%, #fff7",
    emoji: "💅",
  },
  soft_focus: {
    name: "Soft Focus Muse",
    tag: "ソフトフォーカス・ミューズ",
    desc: "アイボリーやパールピンク。雑誌1ページのような余白を活かしたデザイン",
    preview: "linear-gradient(135deg, #ffecd2 0%, #fcb69f 40%, #ffeaa7 70%, #ddd6",
    emoji: "💕",
  },
};

// — ハートエフェクト —
function HeartEffect({ active, onEnd, theme }) {
  const particles = Array.from({ length: 20 }, (_, i) => ({
    id: i,
    x: 30 + Math.random() * 40,
    delay: Math.random() * 0.5,
    size: 14 + Math.random() * 20,
  }));

```

```

    emoji: ["💖", "✚", "🦋", "🌟", "👉", "💎", "🌸"][Math.floor(Math.random() * 7)],
  ));

useEffect(() => {
  if (active) {
    const t = setTimeout(onEnd, 2500);
    return () => clearTimeout(t);
  }
}, [active]);

if (!active) return null;
return (
  <div style={{
    position: "fixed", inset: 0, pointerEvents: "none", zIndex: 999,
    overflow: "hidden",
  }}>
    <style>{`
      @keyframes heartFly {
        0% { transform: translateY(100vh) scale(0) rotate(0deg); opacity: 1; }
        60% { opacity: 1; }
        100% { transform: translateY(-20vh) scale(1.5) rotate(${Math.random()*3
      }
      @keyframes screenFlash {
        0%,100% { opacity: 0; }
        20%,80% { opacity: 0.15; }
      }
    `}</style>
    {/* Flash */}
    <div style={{
      position: "absolute", inset: 0,
      background: theme.btnGrad,
      animation: "screenFlash 0.8s ease forwards",
    }}/>
    {/* Particles */}
    {particles.map(p => (
      <div key={p.id} style={{
        position: "absolute",
        bottom: 0, left: `${p.x}%`,
        fontSize: p.size,
        animation: `heartFly 2s ease-out ${p.delay}s forwards`,
        filter: `drop-shadow(0 0 8px ${theme.accent})`,
      }}>{p.emoji}</div>
    ))}
  </div>
);
}

```

// — ラインストーン通知エフェクト —

```
function RhinestoneEffect({ active, theme }) {
  if (!active) return null;
  return (
    <div style={{
      position: "fixed", inset: 0, pointerEvents: "none", zIndex: 998,
    }}>
      <style>{`
        @keyframes rhinestone {
          0%,100% { opacity: 0; transform: scale(0.8); }
          50% { opacity: 1; transform: scale(1); }
        }
      `}</style>
      {/* Border glow */}
      {[ "top", "bottom", "left", "right" ].map((side, i) => (
        <div key={side} style={{
          position: "absolute",
          ...(side === "top" ? { top: 0, left: 0, right: 0, height: 4 } :
            side === "bottom" ? { bottom: 0, left: 0, right: 0, height: 4 } :
            side === "left" ? { left: 0, top: 0, bottom: 0, width: 4 } :
            { right: 0, top: 0, bottom: 0, width: 4 } ),
          background: `linear-gradient(${i % 2 === 0 ? "90deg" : "180deg"}`, trans
            animation: `rhinestone 0.6s ease-in-out ${i * 0.1}s infinite`,
          boxShadow: `0 0 20px ${theme.glow}`,
        }}/>
      ))}
    </div>
  );
}
```

// — メインアプリ —

```
export default function App() {
  const [hour, setHour] = useState(22); // デフォルト: Cyber Night
  const [activeTab, setActiveTab] = useState("home");
  const [styleTheme, setStyleTheme] = useState("digital_ethereal");
  const [heartActive, setHeartActive] = useState(false);
  const [notifActive, setNotifActive] = useState(false);
  const [liked, setLiked] = useState({});
  const [view, setView] = useState("app"); // app | theme_select | time_demo

  // 時間帯に応じたテーマ取得
  const getTimeTheme = (h) => {
    if (h >= 10 && h < 17) return TIME_THEMES.pure_crystal;
    if (h >= 17 && h < 20) return TIME_THEMES.sunset_prism;
    return TIME_THEMES.cyber_night;
  };
}
```

```

const T = getTimeTheme(hour);

const triggerHeart = (postId) => {
  setLiked(l => ({ ...l, [postId]: !l[postId] }));
  if (!liked[postId]) {
    setHeartActive(true);
  }
};

const triggerNotif = () => {
  setNotifActive(true);
  setTimeout(() => setNotifActive(false), 3000);
};

// — テーマ選択画面 —
if (view === "theme_select") return (
  <div style={{
    fontFamily: "'Hiragino Sans','Noto Sans JP',sans-serif",
    background: T.bg, minHeight: "100vh",
    maxWidth: 390, margin: "0 auto", color: T.text,
  }}>
    <style>{`
      @keyframes fadeUp{from{opacity:0;transform:translateY(12px);}to{opacity:1
      @keyframes shimmer{0%{background-position:-400% center;}100%{background-p
    `}</style>
    <div style={{
      position: "sticky", top: 0, zIndex: 100,
      background: T.navBg, backdropFilter: "blur(20px)",
      borderBottom: `1px solid ${T.navBorder}`,
      padding: "13px 16px",
      display: "flex", alignItems: "center", justifyContent: "space-between",
    }}>
      <button onClick={() => setView("app")} style={{ background: "none", borde
    <div style={{
      fontSize: 14, fontWeight: 900, letterSpacing: 2,
      background: T.logoGrad, backgroundSize: "300% auto",
      WebkitBackgroundClip: "text", WebkitTextFillColor: "transparent",
      animation: "shimmer 4s linear infinite",
    }}>テーマを選ぶ ✦</div>
    <div/>
  </div>

  <div style={{ padding: "20px 16px" }}>
    <div style={{ fontSize: 10, fontWeight: 700, letterSpacing: 2, color: T.s
    {Object.entries(STYLE_THEMES).map(([key, st], i) => (
      <div key={key} onClick={() => { setStyleTheme(key); setView("app"); }}
        borderRadius: 20, overflow: "hidden", marginBottom: 14, cursor: "poin

```

```

        border: `2px solid ${styleTheme === key ? T.accent : "transparent"}`,
        boxShadow: styleTheme === key ? `0 0 20px ${T.glow}` : "0 4px 20px rg",
        animation: `fadeUp 0.3s ease ${i * 0.1}s both`,
        transition: "all 0.2s",
    }}>
    <div style={{ height: 80, background: st.preview, display: "flex", al
        {st.emoji}
    </div>
    <div style={{ background: T.card, padding: "14px 16px" }}>
        <div style={{ fontSize: 13, fontWeight: 800, color: T.text, marginB
            <div style={{ fontSize: 10, color: T.accent, fontWeight: 600, margi
                <div style={{ fontSize: 11, color: T.sub }}>{st.desc}</div>
            </div>
        </div>
    </div>
    )))

<div style={{ fontSize: 10, fontWeight: 700, letterSpacing: 2, color: T.s
{Object.values(TIME_THEMES).map((tt, i) => (
    <div key={tt.name} style={{
        background: T.card, border: `1px solid ${T.border}`,
        borderRadius: 16, padding: "14px 16px", marginBottom: 10,
        animation: `fadeUp 0.3s ease ${i * 0.1}s both`,
    }}>
        <div style={{ display: "flex", alignItems: "center", gap: 10 }}>
            <span style={{ fontSize: 24 }}>{tt.emoji}</span>
            <div style={{ flex: 1 }}>
                <div style={{ fontSize: 12, fontWeight: 800, color: T.text }}>{tt
                    <div style={{ fontSize: 10, color: T.accent }}>{tt.time}</div>
                    <div style={{ fontSize: 10, color: T.sub, marginTop: 2 }}>{tt.des
                </div>
            </div>
        </div>
    </div>
    )))
</div>
</div>
);

// — 時間デモ画面 —
if (view === "time_demo") return (
    <div style={{
        fontFamily: "'Hiragino Sans','Noto Sans JP',sans-serif",
        background: T.bg, minHeight: "100vh",
        maxWidth: 390, margin: "0 auto", color: T.text,
        transition: "all 1.5s ease",
    }}>
        <style>{`
            @keyframes fadeUp{from{opacity:0;transform:translateY(12px);}to{opacity:1

```

```

    @keyframes shimmer{0%{background-position:-400% center;}100%{background-p
`}</style>
<div style={{
  position: "sticky", top: 0, zIndex: 100,
  background: T.navBg, backdropFilter: "blur(20px)",
  borderBottom: `1px solid ${T.navBorder}`,
  padding: "13px 16px",
  display: "flex", alignItems: "center", justifyContent: "space-between",
}}>
  <button onClick={() => setView("app")} style={{ background: "none", borde
  <div style={{
    fontSize: 14, fontWeight: 900,
    background: T.logoGrad, backgroundSize: "300% auto",
    WebkitBackgroundClip: "text", WebkitTextFillColor: "transparent",
    animation: "shimmer 4s linear infinite",
  }}>時間連動テーマ 🚀</div>
  <div/>
</div>

<div style={{ padding: "20px 16px" }}>
  <div style={{
    background: T.card, border: `1px solid ${T.border}`,
    borderRadius: 20, padding: "20px", marginBottom: 20,
    textAlign: "center",
  }}>
    <div style={{ fontSize: 48, marginBottom: 8 }}>{T.emoji}</div>
    <div style={{
      fontSize: 22, fontWeight: 900, marginBottom: 4,
      background: T.logoGrad, backgroundSize: "300% auto",
      WebkitBackgroundClip: "text", WebkitTextFillColor: "transparent",
      animation: "shimmer 3s linear infinite",
    }}>{T.name}</div>
    <div style={{ fontSize: 12, color: T.accent, marginBottom: 8 }}>{T.time
    <div style={{ fontSize: 11, color: T.sub }}>{T.desc}</div>
  </div>

  {/* Time slider */}
  <div style={{ marginBottom: 20 }}>
    <div style={{ fontSize: 10, fontWeight: 700, letterSpacing: 2, color: T
    <input type="range" min={0} max={23} value={hour} onChange={e => setHou
      width: "100%", accentColor: T.accent,
    }}/>
    <div style={{ display: "flex", justifyContent: "space-between", marginT
      <span style={{ fontSize: 10, color: T.sub }}>0:00</span>
      <span style={{ fontSize: 14, fontWeight: 900, color: T.accent }}>{hou
      <span style={{ fontSize: 10, color: T.sub }}>23:00</span>
    </div>
  </div>

```

```

</div>

{/* Theme timeline */}
{Object.values(TIME_THEMES).map((tt, i) => {
  const isActive = T.name === tt.name;
  return (
    <div key={tt.name} style={{
      background: isActive ? `${tt.accent}15` : T.card,
      border: `1.5px solid ${isActive ? tt.accent : T.border}`,
      borderRadius: 16, padding: "14px", marginBottom: 10,
      transition: "all 0.5s ease",
      boxShadow: isActive ? `0 0 20px ${tt.glow}` : "none",
    }}>
      <div style={{ display: "flex", alignItems: "center", gap: 12 }}>
        <span style={{ fontSize: 24 }}>{tt.emoji}</span>
        <div style={{ flex: 1 }}>
          <div style={{ fontSize: 12, fontWeight: 800, color: isActive ?
            <div style={{ fontSize: 10, color: T.sub }}>{tt.time}</div>
          </div>
          {isActive && (
            <div style={{
              fontSize: 9, fontWeight: 700, color: tt.accent,
              background: `${tt.accent}22`, border: `1px solid ${tt.accent}`,
              borderRadius: 20, padding: "3px 10px",
            }}>現在 ●</div>
          )}
        </div>
      </div>
    );
  )}
</div>
</div>
);

// — メインアプリ画面 —
const posts = [
  { id: 1, user: "yui.glowz", avatar: "🌸", caption: "今日のコード最強すぎた💎", li1
  { id: 2, user: "mika.__", avatar: "⚡", caption: "このフィルター神💎 みんな試して！
];

return (
  <div style={{
    fontFamily: "'Hiragino Sans','Noto Sans JP',sans-serif",
    background: T.bg, minHeight: "100vh",
    maxWidth: 390, margin: "0 auto", color: T.text,
    position: "relative", transition: "background 2s ease",
  }}>

```



```

<style>{`
  @keyframes shimmer{0%{background-position:-400% center;}100%{background-p
  @keyframes fadeUp{from{opacity:0;transform:translateY(10px);}to{opacity:1
  @keyframes glassShimmer{0%{transform:translateX(-100%);}100%{transform:tr
  @keyframes float{0%,100%{transform:translateY(0);}50%{transform:translate
  @keyframes neonPulse{0%,100%{text-shadow:0 0 10px currentColor;}50%{text-
  @keyframes crystalGlow{0%,100%{box-shadow:0 0 16px rgba(0,188,212,0.3);}5
  ::-webkit-scrollbar{display:none;}
`}
</style>

```

```

<HeartEffect active={heartActive} onEnd={() => setHeartActive(false)} theme
<RhinestoneEffect active={notifActive} theme={T} />

```

```

{/* — HEADER — */}
<div style={{
  position: "sticky", top: 0, zIndex: 100,
  background: T.navBg, backdropFilter: "blur(24px)",
  borderBottom: `1px solid ${T.navBorder}` ,
  padding: "13px 20px",
  display: "flex", alignItems: "center", justifyContent: "space-between",
  transition: "all 1.5s ease",
}}>
  {/* Logo */}
  <div style={{ display: "flex", alignItems: "center", gap: 8 }}>
    <div style={{
      width: 34, height: 34, borderRadius: 10,
      background: T.btnGrad,
      display: "flex", alignItems: "center", justifyContent: "center",
      fontSize: 16, fontWeight: 900, color: "#fff",
      boxShadow: `0 4px 16px ${T.glow}` ,
      position: "relative", overflow: "hidden",
    }}>
      <span style={{ position: "relative", zIndex: 1 }}>★</span>
      {/* Crystal shimmer */}
      <div style={{
        position: "absolute", width: "50%", height: "100%",
        background: "linear-gradient(90deg, transparent, rgba(255,255,255,0
        animation: "glassShimmer 3s ease-in-out infinite",
      }}/>
    </div>
    <div style={{
      fontSize: 20, fontWeight: 900, letterSpacing: 3,
      background: T.logoGrad, backgroundSize: "300% auto",
      WebkitBackgroundClip: "text", WebkitTextFillColor: "transparent",
      animation: "shimmer 4s linear infinite",
    }}>GLOWZ★</div>
  </div>

```

```

<div style={{ display: "flex", gap: 10 }}>
  {/* Theme button */}
  <button onClick={() => setView("theme_select")} style={{
    background: `${T.accent}18`, border: `1px solid ${T.accent}44`,
    borderRadius: 20, padding: "5px 12px",
    color: T.accent, fontWeight: 700, fontSize: 9,
    cursor: "pointer", letterSpacing: 1,
  }}>🌈 テーマ</button>
  {/* Time demo */}
  <button onClick={() => setView("time_demo")} style={{
    background: `${T.accent}18`, border: `1px solid ${T.accent}44`,
    borderRadius: 20, padding: "5px 10px",
    color: T.accent, fontSize: 14, cursor: "pointer",
  }}>{T.emoji}</button>
  {/* Notif test */}
  <button onClick={triggerNotif} style={{
    background: "none", border: "none", fontSize: 20,
    cursor: "pointer", position: "relative",
  }}>
    🛎️
    <div style={{
      position: "absolute", top: -2, right: -2,
      width: 8, height: 8, borderRadius: "50%",
      background: T.accent, boxShadow: `0 0 6px ${T.glow}`,
    }}/>
  </button>
</div>
</div>

{/* Theme info banner */}
<div style={{
  background: `${T.accent}12`, border: `1px solid ${T.accent}33`,
  margin: "10px 14px 0", borderRadius: 14, padding: "10px 14px",
  display: "flex", alignItems: "center", justifyContent: "space-between",
  animation: "fadeUp 0.4s ease both",
}}>
  <div style={{ display: "flex", alignItems: "center", gap: 8 }}>
    <span style={{ fontSize: 16 }}>{T.emoji}</span>
    <div>
      <div style={{ fontSize: 11, fontWeight: 700, color: T.accent }}>{T.name}
      <div style={{ fontSize: 9, color: T.sub }}>{T.time}</div>
    </div>
  </div>
  <div style={{
    fontSize: 9, fontWeight: 700, color: T.accent,
    background: `${T.accent}15`, border: `1px solid ${T.accent}33`,

```

```

        borderRadius: 20, padding: "3px 8px",
    }}>自動切替 ●</div>
</div>

<div style={{ paddingBottom: 80 }}>

    {/* HOME */}
    {activeTab === "home" && (
        <div>
            {/* Stories */}
            <div style={{ display: "flex", gap: 12, padding: "14px 16px 8px", ove
                [[
                    { name: "追加", avatar: "+" },
                    { name: "yui", avatar: "🌸" },
                    { name: "mika", avatar: "⚡" },
                    { name: "hana", avatar: "✦" },
                    { name: "ren", avatar: "❤️" },
                ]}.map((s, i) => (
                    <div key={i} style={{ display: "flex", flexDirection: "column", a
                        <div style={{
                            width: 52, height: 52, borderRadius: "50%",
                            background: i === 0 ? `${T.accent}22` : T.btnGrad,
                            border: `2.5px solid ${T.accent}`,
                            display: "flex", alignItems: "center", justifyContent: "cente
                            fontSize: 20, cursor: "pointer",
                            boxShadow: `0 4px 14px ${T.glow}`,
                            position: "relative", overflow: "hidden",
                        }}>
                            <span style={{ position: "relative", zIndex: 1 }}>{s.avatar}<
                                <div style={{
                                    position: "absolute", width: "40%", height: "100%",
                                    background: "linear-gradient(90deg,transparent,rgba(255,255
                                    animation: "glassShimmer 4s ease-in-out infinite",
                                }}/>
                            </div>
                            <span style={{ fontSize: 9, color: T.sub, fontWeight: 600 }}>{s
                        </div>
                    )))
                </div>

            {/* Posts */}
            {posts.map((post, idx) => (
                <div key={post.id} style={{
                    margin: "0 12px 20px",
                    borderRadius: 22, overflow: "hidden",
                    background: T.card,
                    border: `1px solid ${T.border}`,

```

```

    boxShadow: `0 4px 24px ${T.glow}22`,
    animation: `fadeUp 0.4s ease ${idx * 0.1}s both`,
    backdropFilter: "blur(10px)",
  }}>
  <div style={{ display: "flex", alignItems: "center", justifyConte
    <div style={{ display: "flex", alignItems: "center", gap: 10 }}
      <div style={{
        width: 36, height: 36, borderRadius: "50%",
        background: T.btnGrad,
        display: "flex", alignItems: "center", justifyContent: "cen
        fontSize: 18, boxShadow: `0 2px 10px ${T.glow}`,
      }}>{post.avatar}</div>
      <span style={{ fontWeight: 700, fontSize: 13, color: T.text }
    </div>
    <span style={{ color: T.sub, fontSize: 18 }}>...</span>
  </div>

  {/ * Post image */}
  <div style={{
    height: 260,
    background: STYLE_THEMES[styleTheme].preview,
    display: "flex", alignItems: "center", justifyContent: "center"
    fontSize: 64, position: "relative", overflow: "hidden",
  }}>
    <span style={{ filter: `drop-shadow(0 0 24px ${T.accent})`, pos
    {/ * Glass overlay */}
    <div style={{
      position: "absolute", inset: 0,
      background: "linear-gradient(180deg,transparent 60%,rgba(0,0,
    }}/>
    <div style={{
      position: "absolute", bottom: 10, left: 10,
      background: "rgba(0,0,0,0.4)", backdropFilter: "blur(8px)",
      border: `1px solid ${T.accent}55`,
      borderRadius: 20, padding: "4px 12px",
      fontSize: 10, color: T.accent, fontWeight: 700,
    }}>✨ AI加工済み</div>
  </div>

  <div style={{ padding: "12px 14px" }}>
    <div style={{ display: "flex", justifyContent: "space-between",
      <div style={{ display: "flex", gap: 18 }}>
        <button onClick={() => triggerHeart(post.id)} style={{
          background: "none", border: "none", cursor: "pointer",
          fontSize: 24, transition: "transform 0.2s",
          transform: liked[post.id] ? "scale(1.3)" : "scale(1)",
          filter: liked[post.id] ? `drop-shadow(0 0 8px ${T.accent}

```

```

        animation: liked[post.id] ? "float 1s ease-in-out infinite" : "none";
      }}>{liked[post.id] ? "❤️" : "💔"}</button>
      <span style={{ fontSize: 22, cursor: "pointer", opacity: 0.5 }}>
        <span style={{ fontSize: 22, cursor: "pointer", opacity: 0.5 }}>
      </div>
      <span style={{ fontSize: 22, cursor: "pointer", opacity: 0.6 }}>
    </div>
    <div style={{ fontSize: 12, fontWeight: 700, color: T.accent, margin: 0 0 10px 0 }}>
      ✦ {(post.likes + (liked[post.id] ? 1 : 0)).toLocaleString()}
    </div>
    <div style={{ fontSize: 12, color: T.sub, marginBottom: 6, lineHeight: 1.2 }}>
      <span style={{ fontWeight: 700, color: T.text }}>{post.user}<
    </div>
    <div style={{ display: "flex", gap: 6, flexWrap: "wrap" }}>
      {post.tags.map((t, i) => (
        <span key={i} style={{
          fontSize: 10, color: T.accent, fontWeight: 600,
          background: `${T.accent}12`, border: `1px solid ${T.accent}`,
          borderRadius: 20, padding: "2px 10px",
        }}>{t}</span>
      ))}
    </div>
  </div>
</div>
))}

{/* Feature showcase */}
<div style={{ margin: "0 12px", padding: "16px", background: T.card,
  <div style={{ fontSize: 10, fontWeight: 700, letterSpacing: 2, color: T.sub }}>
    <div style={{ display: "flex", flexDirection: "column", gap: 10 }}>
      {[
        { label: "❤️ ハートエフェクト", desc: "投稿のハートをタップ!", action: "like" },
        { label: "🔔 ラインストーン通知", desc: "通知ボタンをタップ!", action: "notification" },
        { label: "🕒 時間連動テーマ", desc: "時間を変えてデザインが変わる", action: "time" },
        { label: "🎨 スタイルテーマ", desc: "3種のテーマから選ぼう", action: "style" }
      ]}.map((f, i) => (
        <button key={i} onClick={f.action} style={{
          background: `${T.accent}08`, border: `1px solid ${T.accent}22`,
          borderRadius: 14, padding: "12px 14px",
          display: "flex", alignItems: "center", justifyContent: "space-between",
          cursor: "pointer", transition: "all 0.2s", textAlign: "left",
        }}>
          <div>
            <div style={{ fontSize: 12, fontWeight: 700, color: T.text }}>{f.label}</div>
            <div style={{ fontSize: 10, color: T.sub }}>{f.desc}</div>
          </div>
          <span style={{ fontSize: 14, color: T.accent }}>></span>
        </button>
      ))}
    </div>
  </div>

```

```

        </button>
      )))
    </div>
  </div>
</div>
))

{/* Other tabs placeholder */}
{activeTab !== "home" && (
  <div style={{
    display: "flex", alignItems: "center", justifyContent: "center",
    height: "60vh", flexDirection: "column", gap: 12,
  }}>
    <div style={{ fontSize: 48, opacity: 0.3 }}>+</div>
    <div style={{ fontSize: 13, color: T.sub }}>このタブは準備中です</div>
  </div>
)}
</div>

{/* — BOTTOM NAV — */}
<div style={{
  position: "fixed", bottom: 0, left: "50%", transform: "translateX(-50%)",
  width: 390,
  background: T.navBg, backdropFilter: "blur(24px)",
  borderTop: `1px solid ${T.navBorder}`,
  display: "flex", justifyContent: "space-around",
  padding: "10px 0 16px", zIndex: 100,
  transition: "all 1.5s ease",
}}>
  {[
    { id: "home", icon: "△", label: "ホーム" },
    { id: "camera", icon: "➤", label: "カメラ", center: true },
    { id: "chat", icon: "◆", label: "トーク" },
    { id: "closet", icon: "👗", label: "着替え" },
    { id: "profile", icon: "○", label: "マイページ" },
  ].map(tab => (
    <button key={tab.id} onClick={() => setActiveTab(tab.id)} style={{
      background: "none", border: "none", cursor: "pointer",
      display: "flex", flexDirection: "column", alignItems: "center", gap:
    }}>
      <div style={{
        fontSize: tab.center ? 24 : 20,
        width: tab.center ? 46 : "auto",
        height: tab.center ? 46 : "auto",
        borderRadius: tab.center ? "50%" : 0,
        background: tab.center ? T.btnGrad : "none",
        display: "flex", alignItems: "center", justifyContent: "center",

```

```

        marginTop: tab.center ? -20 : 0,
        boxShadow: tab.center ? `0 0 20px ${T.glow}` : "none",
        color: activeTab === tab.id ? T.accent : T.sub,
        filter: activeTab === tab.id && !tab.center ? `drop-shadow(0 0 4px
        transition: "all 0.2s",
    }}>{tab.icon}</div>
    <span style={{
        fontSize: 8, fontWeight: 700, letterSpacing: 1,
        color: activeTab === tab.id ? T.accent : T.sub,
    }}>{tab.label}</span>
  </button>
  )))
</div>
</div>
);
}

```