

```

import { useState } from "react";

const C = {
  bg: "#05050f",
  pink: "#ff6eb4",
  sky: "#7ee8fa",
  cyan: "#00ffcc",
  purple: "#bf5fff",
  orange: "#ffb347",
  green: "#00e676",
  red: "#ff4444",
};

// — サンプルデータ —
const sampleEvents = [
  {
    id: 1, type: "schedule", title: "女子会📅", status: "調整中",
    deadline: "5/3", creator: "marie", color: C.pink,
    dates: [
      { date: "5/10(金)", votes: ["marie","yui","mika","hana"], ng: ["ren"] },
      { date: "5/11(土)", votes: ["marie","yui","ren","saki"], ng: ["mika"] },
      { date: "5/17(土)", votes: ["marie","mika","ren","hana","saki"], ng: [] },
      { date: "5/18(日)", votes: ["yui","mika"], ng: ["marie","ren","saki"] },
    ],
    members: [
      {id:1,name:"marie",avatar:"🌸"}, {id:2,name:"yui",avatar:"⚡"},
      {id:3,name:"mika",avatar:"💜"}, {id:4,name:"hana",avatar:"💎"},
      {id:5,name:"ren",avatar:"❤️"}, {id:6,name:"saki",avatar:"👉"},
    ],
  },
  {
    id: 2, type: "task", title: "文化祭準備📅", status: "進行中",
    deadline: "5/20", creator: "yui", color: C.sky,
    tasks: [
      {id:1,text:"会場の予約",done:true,assignee:"marie",avatar:"🌸"},
      {id:2,text:"チラシのデザイン",done:true,assignee:"yui",avatar:"⚡"},
      {id:3,text:"SNS投稿用写真撮影",done:false,assignee:"mika",avatar:"💜"},
      {id:4,text:"備品リストの作成",done:false,assignee:"hana",avatar:"💎"},
      {id:5,text:"参加者への連絡",done:false,assignee:"ren",avatar:"❤️"},
      {id:6,text:"当日のタイムライン作成",done:false,assignee:"saki",avatar:"👉"},
    ],
    members: [
      {id:1,name:"marie",avatar:"🌸"}, {id:2,name:"yui",avatar:"⚡"},
      {id:3,name:"mika",avatar:"💜"}, {id:4,name:"hana",avatar:"💎"},
    ],
  },
];

```

```

      {id:5,name:"ren",avatar:"❤️"},{id:6,name:"saki",avatar:"🍌"}],
    ],
  },
  {
    id: 3, type: "vote", title: "旅行先を決めよう✈️", status: "投票中",
    deadline: "5/5", creator: "hana", color: C.purple,
    options: [
      {id:1,text:"大阪🏯",emoji:"🏯",votes:["marie","yui","mika"]},
      {id:2,text:"沖縄🌺",emoji:"🌺",votes:["ren","saki","hana"]},
      {id:3,text:"北海道🦀",emoji:"🦀",votes:["marie","hana"]},
      {id:4,text:"京都🏯",emoji:"🏯",votes:["yui","mika","ren"]},
    ],
    members: [
      {id:1,name:"marie",avatar:"🌸"},{id:2,name:"yui",avatar:"⚡"},
      {id:3,name:"mika",avatar:"💜"},{id:4,name:"hana",avatar:"💎"},
      {id:5,name:"ren",avatar:"❤️"},{id:6,name:"saki",avatar:"🍌"},
    ],
    isPublic: true,
  },
],
];

```

```

const typeLabels = { schedule:"📅 日程調整", task:"📁 タスク管理", vote:"💡 アイデア投票" };
const typeColors = { schedule: C.pink, task: C.sky, vote: C.purple };

```

// — メイン —

```

export default function App() {
  const [screen, setScreen] = useState("list");
  const [events, setEvents] = useState(sampleEvents);
  const [selected, setSelected] = useState(null);
  const [tab, setTab] = useState("all");

  const filtered = tab === "all" ? events : events.filter(e => e.type === tab);

  if (screen === "detail" && selected) {
    const ev = events.find(e => e.id === selected.id);
    if (ev.type === "schedule") return <ScheduleDetail event={ev} onBack={() => setScreen("list")} />;
    if (ev.type === "task") return <TaskDetail event={ev} onBack={() => setScreen("list")} />;
    if (ev.type === "vote") return <VoteDetail event={ev} onBack={() => setScreen("list")} />;
  }
  if (screen === "create") return <CreateScreen onBack={() => setScreen("list")} />;

  const activeCount = events.filter(e => e.status !== "完了").length;

  return (
    <div style={{
      fontFamily: "'Hiragino Sans','Noto Sans JP',sans-serif",
      background: C.bg, minHeight: "100vh",
    }}

```

```

    maxWidth: 390, margin: "0 auto", color: "#eee",
    position: "relative", overflowX: "hidden",
  }}>
  <style>{`
    @keyframes shimmer{0%{background-position:-400% center;}100%{background-p
    @keyframes fadeUp{from{opacity:0;transform:translateY(12px);}to{opacity:1
    @keyframes glow{0%,100%{box-shadow:0 0 16px #bf5fff33;}50%{box-shadow:0 0
    ::-webkit-scrollbar{display:none;}
  `}</style>

  <div style={{ position: "fixed", inset: 0, pointerEvents: "none", zIndex: 0
    background: `radial-gradient(ellipse at 20% 10%, rgba(191,95,255,0.06) 0%
    radial-gradient(ellipse at 80% 90%, rgba(126,232,250,0.05) 0%, transparen

  { /* Header */}
  <div style={{
    position: "sticky", top: 0, zIndex: 100,
    background: "rgba(5,5,15,0.9)", backdropFilter: "blur(24px)",
    borderBottom: "1px solid rgba(191,95,255,0.15)",
    padding: "13px 16px",
    display: "flex", alignItems: "center", justifyContent: "space-between",
  }}>
    <div style={{ display: "flex", alignItems: "center", gap: 10 }}>
      <div style={{
        width: 34, height: 34, borderRadius: 10,
        background: "linear-gradient(135deg,#bf5fff,#7ee8fa)",
        display: "flex", alignItems: "center", justifyContent: "center",
        fontSize: 18, animation: "glow 3s ease infinite",
      }}>17</div>
    <div>
      <div style={{
        fontSize: 18, fontWeight: 900, letterSpacing: 2,
        background: "linear-gradient(90deg,#bf5fff,#ff6eb4,#7ee8fa,#00ffcc,
        backgroundSize: "300% auto",
        WebkitBackgroundClip: "text", WebkitTextFillColor: "transparent",
        animation: "shimmer 4s linear infinite",
      }}>GLOWZ調整 ✦</div>
      <div style={{ fontSize: 8, color: "#444", letterSpacing: 2 }}>GROUP S
    </div>
  </div>
  <button onClick={() => setScreen("create")} style={{
    background: "linear-gradient(135deg,#bf5fff,#7ee8fa)",
    border: "none", borderRadius: 20, padding: "7px 16px",
    color: "#fff", fontWeight: 800, fontSize: 12, cursor: "pointer",
    letterSpacing: 1, boxShadow: "0 4px 14px rgba(191,95,255,0.4)",
  }}>+ 作成</button>
</div>

```

```

<div style={{ position: "relative", zIndex: 1, paddingBottom: 30 }}>

  {/* Stats */}
  <div style={{ display: "grid", gridTemplateColumns: "1fr 1fr 1fr", gap: 1
    {[
      { label: "進行中", value: activeCount, color: C.purple, icon: "⚡" },
      { label: "日程調整", value: events.filter(e=>e.type==="schedule").length, color: C.purple },
      { label: "投票中", value: events.filter(e=>e.type==="vote").length, color: C.purple }
    ]}.map((s, i) => (
      <div key={i} style={{
        background: `${s.color}11`, border: `1px solid ${s.color}33`,
        borderRadius: 16, padding: "12px 10px", textAlign: "center",
        boxShadow: `0 0 16px ${s.color}22`,
      }}>
        <div style={{ fontSize: 18, marginBottom: 4 }}>{s.icon}</div>
        <div style={{
          fontSize: 20, fontWeight: 900,
          background: `linear-gradient(135deg,${s.color},#fff)`,
          WebkitBackgroundClip: "text", WebkitTextFillColor: "transparent",
        }}>{s.value}</div>
        <div style={{ fontSize: 8, color: "#444", marginTop: 2, letterSpacing: 1.5 }}>{s.label}</div>
      </div>
    )))
  </div>

  {/* Type tabs */}
  <div style={{ display: "flex", gap: 8, padding: "14px 16px 0", overflowX: "auto" }}>
    {[
      { k: "all", l: "📌 すべて" },
      { k: "schedule", l: "📅 日程" },
      { k: "task", l: "📋 タスク" },
      { k: "vote", l: "🗳️ 投票" },
    ]}.map(t => (
      <button key={t.k} onClick={() => setTab(t.k)} style={{
        flexShrink: 0,
        background: tab === t.k ? "linear-gradient(135deg,rgba(191,95,255,0.8),#fff)" : "linear-gradient(135deg,rgba(191,95,255,0.1),#fff)",
        border: `1px solid ${tab === t.k ? C.purple : "rgba(191,95,255,0.1)"} `,
        borderRadius: 20, padding: "6px 14px",
        color: tab === t.k ? C.purple : "#444",
        fontWeight: 700, fontSize: 10, cursor: "pointer",
        letterSpacing: 1, transition: "all 0.2s",
      }}>{t.l}</button>
    )))
  </div>

  {/* Event cards */}

```

```

<div style={{ padding: "14px 16px 0" }}>
  {filtered.map((ev, i) => {
    const color = typeColors[ev.type] || C.purple;
    let progress = 0;
    if (ev.type === "task") {
      const done = ev.tasks.filter(t => t.done).length;
      progress = done / ev.tasks.length;
    } else if (ev.type === "schedule") {
      const answered = new Set(ev.dates.flatMap(d => [...d.votes, ...d.ng
      progress = answered.size / ev.members.length;
    } else if (ev.type === "vote") {
      const voted = new Set(ev.options.flatMap(o => o.votes));
      progress = voted.size / ev.members.length;
    }
  })

  return (
    <div key={ev.id} onClick={() => { setSelected(ev); setScreen("detail") }}
      background: "rgba(255,255,255,0.03)",
      border: `1px solid ${color}33`,
      borderRadius: 20, padding: "16px", marginBottom: 12,
      cursor: "pointer", transition: "all 0.2s",
      animation: `fadeUp 0.3s ease ${i * 0.1}s both`,
      boxShadow: `0 4px 20px rgba(0,0,0,0.3)` ,
    >>
    <div style={{ display: "flex", alignItems: "flex-start", justify-content: space-between }}>
      <div>
        <div style={{ display: "flex", alignItems: "center", gap: 6, width: 100% }}>
          <span style={{
            fontSize: 9, fontWeight: 700, letterSpacing: 1,
            background: `${color}22`, border: `1px solid ${color}55`,
            borderRadius: 20, padding: "2px 8px", color: color,
          }}>{typeLabels[ev.type]}</span>
          {ev.isPublic && (
            <span style={{
              fontSize: 9, fontWeight: 700,
              background: "rgba(0,230,118,0.15)", border: "1px solid #000",
              borderRadius: 20, padding: "2px 8px", color: C.green,
            }}><img alt="globe icon" data-bbox="380 755 400 770" style="vertical-align: middle;"/> 公開</span>
          )}
        </div>
        <div style={{ fontSize: 15, fontWeight: 800, color: "#eee" }}>
          {ev.status}
        </div>
        <div style={{ textAlign: "right" }}>
          <div style={{
            fontSize: 10, fontWeight: 700,
            color: ev.status === "完了" ? C.green : color,
            background: ev.status === "完了" ? "rgba(0,230,118,0.15)" : "transparent",
            padding: "2px 8px", border: "1px solid #000",
          }}>
            {ev.status}
          </div>
        </div>
      </div>
    </div>
  )
}
)

```

```

        border: `1px solid ${ev.status === "完了" ? "rgba(0,230,118,
        borderRadius: 20, padding: "3px 10px",
    }}>{ev.status}</div>
    <div style={{ fontSize: 9, color: "#444", marginTop: 4 }}>期限
  </div>
</div>

{/* Progress */}
<div style={{ marginBottom: 10 }}>
  <div style={{ height: 5, borderRadius: 10, background: "rgba(25
    <div style={{
      height: "100%", width: `${progress * 100}%`,
      background: `linear-gradient(90deg,${color},${C.sky})`,
      borderRadius: 10, boxShadow: `0 0 8px ${color}88`,
      transition: "width 0.5s ease",
    }} />
  </div>
  <div style={{ fontSize: 9, color: "#444", marginTop: 3 }}>
    {Math.round(progress * 100)}% 回答済み · {ev.members.length}人
  </div>
</div>

{/* Avatars */}
<div style={{ display: "flex", alignItems: "center", justifyConte
  <div style={{ display: "flex" }}>
    {ev.members.slice(0, 5).map((m, j) => (
      <div key={m.id} style={{
        width: 26, height: 26, borderRadius: "50%",
        background: `linear-gradient(135deg,${color}44,${color}22
        border: `2px solid ${color}55`,
        display: "flex", alignItems: "center", justifyContent: "c
        fontSize: 12, marginLeft: j > 0 ? -7 : 0,
      }}>{m.avatar}</div>
    ))}
  </div>
  <div style={{ fontSize: 9, fontWeight: 700, color, background:
    詳細 →
  </div>
</div>
</div>
);
}}}
</div>
</div>
</div>
);
}

```



```

}}>
  <div style={{ fontSize: 9, fontWeight: 700, letterSpacing: 2, color, ma
    <div style={{ fontSize: 18, fontWeight: 900, color: "#eee", marginBotto
      <div style={{ fontSize: 11, color: "#888" }}>✅ {best.votes.length}人が
    </div>
  </div>

  {/ * Date grid */}
  <div style={{ fontSize: 10, fontWeight: 700, letterSpacing: 2, color: "#4
    {ev.dates.map((d, i) => {
      const isOk = d.votes.includes(myName);
      const isNg = d.ng.includes(myName);
      const pct = ev.members.length > 0 ? d.votes.length / ev.members.length
      const isBest = d.date === best.date;
      return (
        <div key={i} style={{
          background: isBest ? `${color}10` : "rgba(255,255,255,0.03)",
          border: `1px solid ${isBest ? color + "44" : "rgba(255,110,180,0.1)"}
          borderRadius: 16, padding: "14px", marginBottom: 10,
          animation: `fadeUp 0.3s ease ${i * 0.06}s both`,
        }}>
          <div style={{ display: "flex", alignItems: "center", justifyContent
            <div style={{ display: "flex", alignItems: "center", gap: 8 }}>
              {isBest && <span style={{ fontSize: 9, background: `${color}33`
                <span style={{ fontSize: 13, fontWeight: 700, color: "#ddd" }}>
              </div>
            </div>
            <span style={{ fontSize: 11, color, fontWeight: 700 }}>✅ {d.vote
          </div>

        {/ * Progress */}
        <div style={{ height: 4, borderRadius: 10, background: "rgba(255,25
          <div style={{ height: "100%", width: `${pct * 100}%`, background:
        </div>

        {/ * Vote avatars */}
        <div style={{ display: "flex", gap: 4, marginBottom: 10, flexWrap:
          {ev.members.map(m => {
            const voted = d.votes.includes(m.name);
            const ng = d.ng.includes(m.name);
            return (
              <div key={m.id} style={{
                width: 28, height: 28, borderRadius: "50%",
                background: voted ? `${color}44` : ng ? "rgba(255,68,68,0.2)
                border: `1.5px solid ${voted ? color : ng ? C.red : "rgba(2
                display: "flex", alignItems: "center", justifyContent: "cen
                opacity: voted || ng ? 1 : 0.3,
              }}>{m.avatar}</div>
            );
          }

```



```

    }}}
  </div>

  { /* Vote buttons */ }
  <div style={{ display: "flex", gap: 8 }}>
    <button onClick={() => vote(i, "ok")} style={{
      flex: 1,
      background: isOk ? `${color}33` : "rgba(255,255,255,0.04)",
      border: `1px solid ${isOk ? color : "rgba(255,110,180,0.15)"}`,
      borderRadius: 12, padding: "8px",
      color: isOk ? color : "#555", fontWeight: 700, fontSize: 11, cu
      transition: "all 0.2s",
    }}>{isOk ? "✅ 参加できる" : "○ 参加できる"}</button>
    <button onClick={() => vote(i, "ng")} style={{
      flex: 1,
      background: isNg ? "rgba(255,68,68,0.15)" : "rgba(255,255,255,0
      border: `1px solid ${isNg ? C.red : "rgba(255,68,68,0.1)"}`,
      borderRadius: 12, padding: "8px",
      color: isNg ? C.red : "#555", fontWeight: 700, fontSize: 11, cu
    }}>× 無理</button>
  </div>
</div>
);
}}

{ /* Share */ }
<button style={{
  width: "100%", marginTop: 8,
  background: "rgba(191,95,255,0.1)", border: "1px solid rgba(191,95,255,
  borderRadius: 16, padding: "13px",
  color: C.purple, fontWeight: 800, fontSize: 12, cursor: "pointer",
}}>🔗 URLをシェアして回答を集める</button>
</div>
</div>
);
}

```

// — タスク管理詳細 —

```

function TaskDetail({ event, onBack, onUpdate }) {
  const [ev, setEv] = useState(event);
  const [newTask, setNewTask] = useState("");
  const color = C.sky;
  const done = ev.tasks.filter(t => t.done).length;

  const toggleTask = (id) => {
    const updated = { ...ev, tasks: ev.tasks.map(t => t.id === id ? { ...t, done:
    setEv(updated);
  }

```

```

    onUpdate(updated);
  };

const addTask = () => {
  if (!newTask.trim()) return;
  const updated = {
    ...ev,
    tasks: [...ev.tasks, { id: Date.now(), text: newTask, done: false, assignee
  }];
  setEv(updated);
  onUpdate(updated);
  setNewTask("");
};

return (
  <div style={{ fontFamily: "'Hiragino Sans','Noto Sans JP',sans-serif", backgr
    <style>{`
      @keyframes fadeUp{from{opacity:0;transform:translateY(10px);}to{opacity:1
        input::placeholder{color:#333;}input{caret-color:#7ee8fa;}
      `}</style>
    <div style={{
      position: "sticky", top: 0, zIndex: 100,
      background: "rgba(5,5,15,0.9)", backdropFilter: "blur(24px)",
      borderBottom: "1px solid rgba(126,232,250,0.1)",
      padding: "13px 16px",
      display: "flex", alignItems: "center", justifyContent: "space-between",
    }}>
      <button onClick={onBack} style={{ background: "none", border: "none", col
        <div style={{ fontSize: 14, fontWeight: 900, background: `linear-gradient
          <div style={{ fontSize: 10, color, fontWeight: 700 }}>{done}/{ev.tasks.le
        </div>
      </div>

    <div style={{ padding: "16px", animation: "fadeUp 0.4s ease both" }}>
      {/* Progress */}
      <div style={{
        background: `${color}11`, border: `1px solid ${color}33`,
        borderRadius: 20, padding: "16px", marginBottom: 16,
      }}>
        <div style={{ display: "flex", justifyContent: "space-between", marginB
          <span style={{ fontSize: 12, color: "#888" }}>進捗</span>
          <span style={{ fontSize: 14, fontWeight: 900, color }}>
            {Math.round(done / ev.tasks.length * 100)}%
          </span>
        </div>
        <div style={{ height: 8, borderRadius: 10, background: "rgba(255,255,25
          <div style={{
            height: "100%", width: `${done / ev.tasks.length * 100}%`,

```

```

        background: `linear-gradient(90deg,${color},${C.cyan})`,
        borderRadius: 10, boxShadow: `0 0 10px ${color}88`,
        transition: "width 0.5s ease",
    }} />
</div>
</div>

{/* Add task */}
<div style={{ display: "flex", gap: 8, marginBottom: 16 }}>
  <input type="text" value={newTask} onChange={e => setNewTask(e.target.v
    onKeyDown={e => e.key === "Enter" && addTask()}
    placeholder="タスクを追加..." style={{
      flex: 1, background: "rgba(255,255,255,0.04)",
      border: "1px solid rgba(126,232,250,0.15)",
      borderRadius: 14, padding: "11px 14px",
      color: "#eee", fontSize: 12, outline: "none", fontFamily: "inherit",
    }} />
  <button onClick={addTask} style={{
    background: `linear-gradient(135deg,${color},${C.cyan})`,
    border: "none", borderRadius: 14, padding: "11px 18px",
    color: "#000", fontWeight: 800, fontSize: 13, cursor: "pointer",
  }}>+</button>
</div>

{/* Task list */}
[["未完了", "完了"].map(section => (
  <div key={section} style={{ marginBottom: 16 }}>
    <div style={{
      fontSize: 9, fontWeight: 700, letterSpacing: 2, marginBottom: 8,
      color: section === "完了" ? C.green : color,
    }}>{section === "完了" ? "✅" : "🕒"} {section} {(ev.tasks.filter(t =>
    {ev.tasks.filter(t => section === "完了" ? t.done : !t.done).map((task
      <div key={task.id} onClick={() => toggleTask(task.id)} style={{
        display: "flex", alignItems: "center", gap: 12,
        padding: "13px 14px",
        background: task.done ? "rgba(0,230,118,0.04)" : "rgba(255,255,25
        border: `1px solid ${task.done ? "rgba(0,230,118,0.15)" : "rgba(1
        borderRadius: 14, marginBottom: 8, cursor: "pointer",
        animation: `fadeUp 0.3s ease ${i * 0.05}s both`,
        transition: "all 0.2s",
      }}>
    <div style={{
      width: 22, height: 22, borderRadius: "50%", flexShrink: 0,
      background: task.done ? C.green : "rgba(255,255,255,0.06)",
      border: `2px solid ${task.done ? C.green : "rgba(126,232,250,0.
      display: "flex", alignItems: "center", justifyContent: "center"
      fontSize: 11, fontWeight: 900,

```

```

        transition: "all 0.2s",
      }}>{task.done ? "✓" : ""}</div>
<div style={{ flex: 1 }}>
  <div style={{
    fontSize: 13, fontWeight: 600,
    color: task.done ? "#444" : "#ddd",
    textDecoration: task.done ? "line-through" : "none",
  }}>{task.text}</div>
  <div style={{ fontSize: 10, color: "#444", marginTop: 2 }}>
    {task.avatar} {task.assignee}
  </div>
</div>
</div>
  )})
</div>
  )})
</div>
</div>
);
}

```

// — 投票詳細 —

```

function VoteDetail({ event, onBack, onUpdate }) {
  const [ev, setEv] = useState(event);
  const myName = "marie";
  const color = C.purple;
  const totalVotes = ev.options.reduce((s, o) => s + o.votes.length, 0);
  const best = ev.options.reduce((a, b) => b.votes.length > a.votes.length ? b :

  const vote = (optId) => {
    const alreadyVoted = ev.options.find(o => o.votes.includes(myName));
    const updated = {
      ...ev,
      options: ev.options.map(o => {
        if (o.id === optId) {
          return o.votes.includes(myName)
            ? { ...o, votes: o.votes.filter(v => v !== myName) }
            : { ...o, votes: [...o.votes, myName] };
        }
        return { ...o, votes: o.votes.filter(v => v !== myName) };
      }),
    };
    setEv(updated);
    onUpdate(updated);
  };

  return (

```

```

<div style={{ fontFamily: "'Hiragino Sans','Noto Sans JP',sans-serif", backgr
<style>{@keyframes fadeUp{from{opacity:0;transform:translateY(10px);}to{op
<div style={{
  position: "sticky", top: 0, zIndex: 100,
  background: "rgba(5,5,15,0.9)", backdropFilter: "blur(24px)",
  borderBottom: "1px solid rgba(191,95,255,0.15)",
  padding: "13px 16px",
  display: "flex", alignItems: "center", justifyContent: "space-between",
}}>
  <button onClick={onBack} style={{ background: "none", border: "none", col
  <div style={{ fontSize: 14, fontWeight: 900, background: `linear-gradient
  {ev.isPublic && <span style={{ fontSize: 9, background: "rgba(0,230,118,0
</div>

<div style={{ padding: "16px", animation: "fadeUp 0.4s ease both" }}>
  {/* Winner preview */}
  <div style={{
    background: `${color}12`, border: `1px solid ${color}33`,
    borderRadius: 20, padding: "16px", marginBottom: 16,
    display: "flex", alignItems: "center", gap: 14,
  }}>
    <span style={{ fontSize: 40 }}>{best.emoji}</span>
    <div>
      <div style={{ fontSize: 9, color, fontWeight: 700, letterSpacing: 1,
      <div style={{ fontSize: 18, fontWeight: 900, color: "#eee" }}>{best.t
      <div style={{ fontSize: 11, color: "#888" }}>{best.votes.length}票
    </div>
  </div>

  {/* Options */}
  <div style={{ fontSize: 10, fontWeight: 700, letterSpacing: 2, color: "#4
  {ev.options.map((opt, i) => {
    const pct = totalVotes > 0 ? opt.votes.length / totalVotes : 0;
    const isVoted = opt.votes.includes(myName);
    const isBest = opt.id === best.id;
    return (
      <div key={opt.id} onClick={() => vote(opt.id)} style={{
        background: isVoted ? `${color}15` : "rgba(255,255,255,0.03)",
        border: `1.5px solid ${isVoted ? color : isBest ? color + "44" : "r
        borderRadius: 18, padding: "14px", marginBottom: 10,
        cursor: "pointer", transition: "all 0.2s",
        animation: `fadeUp 0.3s ease ${i * 0.06}s both`,
        boxShadow: isVoted ? `0 0 16px ${color}33` : "none",
      }}>
      <div style={{ display: "flex", alignItems: "center", justifyContent
        <div style={{ display: "flex", alignItems: "center", gap: 10 }}>
          <span style={{ fontSize: 28 }}>{opt.emoji}</span>

```

```

        <span style={{ fontSize: 13, fontWeight: 700, color: isVoted ?
        {isBest && <span style={{ fontSize: 9, background: `${color}22`
</div>
<div style={{ display: "flex", flexDirection: "column", alignItem
    <span style={{ fontSize: 14, fontWeight: 900, color: isVoted ?
        {isVoted && <span style={{ fontSize: 9, color, fontWeight: 700
    </div>
</div>
    { /* Bar */ }
    <div style={{ height: 5, borderRadius: 10, background: "rgba(255,25
        <div style={{
            height: "100%", width: `${pct * 100}%`,
            background: isVoted ? `linear-gradient(90deg,${color},${C.sky})
            borderRadius: 10, transition: "width 0.5s ease",
        }} />
    </div>
    { /* Voter avatars */ }
    <div style={{ display: "flex", gap: 4 }}>
        {opt.votes.map((voterName, j) => {
            const member = ev.members.find(m => m.name === voterName);
            return member ? (
                <div key={j} style={{
                    width: 22, height: 22, borderRadius: "50%",
                    background: `${color}33`, border: `1.5px solid ${color}66`,
                    display: "flex", alignItems: "center", justifyContent: "cen
                }}>{member.avatar}</div>
            ) : null;
        })}
    </div>
</div>
    );
    )}
    { /* Share */ }
    {ev.isPublic && (
        <button style={{
            width: "100%", marginTop: 8,
            background: "rgba(0,230,118,0.08)", border: "1px solid rgba(0,230,118
            borderRadius: 16, padding: "13px",
            color: C.green, fontWeight: 800, fontSize: 12, cursor: "pointer",
        }}><img alt="Globe icon" data-bbox="250 815 270 830"/> SNSでシェアして投票を集める</button>
    )}
</div>
</div>
    );
}

```

// — 新規作成 —

```
function CreateScreen({ onBack, onCreate }) {
  const [type, setType] = useState("schedule");
  const [title, setTitle] = useState("");
  const [deadline, setDeadline] = useState("");
  const [isPublic, setIsPublic] = useState(false);

  const canCreate = title.trim().length > 0;

  const handleCreate = () => {
    if (!canCreate) return;
    const base = { id: Date.now(), title, deadline: deadline || "未設定", creator:
    if (type === "schedule") {
      onCreate({ ...base, type: "schedule", dates: [
        { date: "候補日1", votes: [], ng: [] },
        { date: "候補日2", votes: [], ng: [] },
      ], members: [{ id:1,name:"marie",avatar:"🌸" }] });
    } else if (type === "task") {
      onCreate({ ...base, type: "task", status: "進行中", tasks: [], members: [{ i
    } else {
      onCreate({ ...base, type: "vote", status: "投票中", options: [
        { id:1,text:"選択肢1",emoji:"1️⃣",votes:[] },
        { id:2,text:"選択肢2",emoji:"2️⃣",votes:[] },
      ], members: [{ id:1,name:"marie",avatar:"🌸" }] });
    }
  };

  return (
    <div style={{ fontFamily: "'Hiragino Sans','Noto Sans JP',sans-serif", backgr
    <style>{`
      @keyframes fadeUp{from{opacity:0;transform:translateY(10px);}to{opacity:1
      input::placeholder{color:#333;}input{caret-color:#7ee8fa;}
    `}</style>
    <div style={{
      position: "sticky", top: 0, zIndex: 100,
      background: "rgba(5,5,15,0.9)", backdropFilter: "blur(24px)",
      borderBottom: "1px solid rgba(191,95,255,0.15)",
      padding: "13px 16px",
      display: "flex", alignItems: "center", justifyContent: "space-between",
    }}>
      <button onClick={onBack} style={{ background: "none", border: "none", col
    <div style={{ fontSize: 14, fontWeight: 900, background: "linear-gradient
    <button onClick={handleCreate} disabled={!canCreate} style={{
      background: canCreate ? "linear-gradient(135deg,#bf5fff,#7ee8fa)" : "rg
      border: "none", borderRadius: 20, padding: "6px 16px",
      color: canCreate ? "#fff" : "#333", fontWeight: 800, fontSize: 12,
      cursor: canCreate ? "pointer" : "not-allowed",
```

```

    }}>作成 </button>
</div>

```

```

<div style={{ padding: "20px 16px", animation: "fadeUp 0.4s ease both" }}>
  { /* Type selector */ }
  <div style={{ fontSize: 9, fontWeight: 700, letterSpacing: 2, color: "#55
  <div style={{ display: "flex", flexDirection: "column", gap: 10, marginBo
  { [
    { k: "schedule", l: "📅 日程調整", desc: "みんなの空き日程を集めて最適な日を
    { k: "task", l: "📋 タスク管理", desc: "グループのやることリストを一元管理"
    { k: "vote", l: "🗳️ アイデア投票", desc: "行き先・テーマ・アイデアをみんなで選
  ].map(t => (
    <div key={t.k} onClick={() => setType(t.k)} style={{
      background: type === t.k ? `${typeColors[t.k]}12` : "rgba(255,255,2
      border: `1.5px solid ${type === t.k ? typeColors[t.k] : "rgba(191,9
      borderRadius: 16, padding: "14px 16px", cursor: "pointer",
      transition: "all 0.2s",
      boxShadow: type === t.k ? `0 0 16px ${typeColors[t.k]}33` : "none",
    }}>
      <div style={{ fontSize: 13, fontWeight: 800, color: type === t.k ?
      <div style={{ fontSize: 10, color: "#444" }}>{t.desc}</div>
    </div>
  )))
</div>

```

```

{ /* Title */ }
<div style={{ marginBottom: 14 }}>
  <div style={{ fontSize: 9, fontWeight: 700, letterSpacing: 2, color: "#
  <input type="text" value={title} onChange={e => setTitle(e.target.value
    placeholder="例) 女子会の日程を決めよう!" style={{
      width: "100%", boxSizing: "border-box",
      background: title ? "rgba(126,232,250,0.05)" : "rgba(255,255,255,0.03
      border: `1px solid ${title ? C.sky : "rgba(191,95,255,0.15)"}`,
      borderRadius: 14, padding: "13px 14px",
      color: "#eee", fontSize: 13, outline: "none", fontFamily: "inherit",
    }} />
</div>

```

```

{ /* Deadline */ }
<div style={{ marginBottom: 14 }}>
  <div style={{ fontSize: 9, fontWeight: 700, letterSpacing: 2, color: "#
  <input type="text" value={deadline} onChange={e => setDeadline(e.target
    placeholder="例) 5/31" style={{
      width: "100%", boxSizing: "border-box",
      background: "rgba(255,255,255,0.03)",
      border: "1px solid rgba(191,95,255,0.15)",
      borderRadius: 14, padding: "13px 14px",

```



```

        color: "#eee", fontSize: 13, outline: "none", fontFamily: "inherit",
    }} />
</div>

{/* Public toggle */}
<div style={{
    display: "flex", alignItems: "center", justifyContent: "space-between",
    background: "rgba(255,255,255,0.03)", border: "1px solid rgba(191,95,25,0.03)",
    borderRadius: 14, padding: "14px 16px",
}}>
    <div>
        <div style={{ fontSize: 13, fontWeight: 700, color: "#ddd", marginBot
        <div style={{ fontSize: 10, color: "#444" }}>グループ外からも投票・回答でき
        </div>
        <div onClick={() => setIsPublic(p => !p)} style={{
            width: 46, height: 26, borderRadius: 13,
            background: isPublic ? "linear-gradient(135deg,#bf5fff,#7ee8fa)" : "r
            border: `1px solid ${isPublic ? C.purple : "rgba(255,255,255,0.1)"}`,
            position: "relative", cursor: "pointer", transition: "all 0.3s",
            boxShadow: isPublic ? `0 0 12px ${C.purple}55` : "none",
        }}>
            <div style={{
                position: "absolute", width: 20, height: 20, borderRadius: "50%",
                background: isPublic ? "#fff" : "#444",
                top: 2, left: isPublic ? 22 : 2, transition: "all 0.3s",
            }} />
        </div>
    </div>

{/* GLOWZグループから一括招待 */}
<button style={{
    width: "100%", marginTop: 14,
    background: "rgba(126,232,250,0.08)", border: "1px solid rgba(126,232,2
    borderRadius: 14, padding: "12px",
    color: C.sky, fontWeight: 700, fontSize: 12, cursor: "pointer",
    display: "flex", alignItems: "center", justifyContent: "center", gap: 8
}}><img alt="GLOWZ Group icon" data-bbox="140 888 168 905"/> GLOWZグループから一括招待</button>
</div>
</div>
);
}

```