

```

import { useState } from "react";

const C = {
  bg: "#05050f",
  pink: "#ff6eb4",
  sky: "#7ee8fa",
  cyan: "#00ffcc",
  purple: "#bf5fff",
  orange: "#ffb347",
};

// — 投稿画面 —
function PostScreen({ onBack }) {
  const [step, setStep] = useState(0); // 0:撮影 1:加工 2:投稿
  const [selectedFilter, setSelectedFilter] = useState(0);
  const [selectedEffect, setSelectedEffect] = useState(null);
  const [caption, setCaption] = useState("");
  const [tags, setTags] = useState("");
  const [posting, setPosting] = useState(false);
  const [posted, setPosted] = useState(false);

  const filters = [
    { name: "ナチュラル", grad: "linear-gradient(135deg,#1a0530,#0a1520)" },
    { name: "サイバー", grad: "linear-gradient(135deg,#050520,#003030)" },
    { name: "グロウ", grad: "linear-gradient(135deg,#300020,#1a0030)" },
    { name: "ネオン", grad: "linear-gradient(135deg,#001a10,#100030)" },
    { name: "ドリーミー", grad: "linear-gradient(135deg,#200030,#001530)" },
    { name: "ダーク", grad: "linear-gradient(135deg,#050505,#0a0510)" },
  ];

  const effects = [
    { name: "美肌", emoji: "✨", color: C.pink },
    { name: "小顔", emoji: "👉", color: C.sky },
    { name: "目拡大", emoji: "👁", color: C.purple },
    { name: "リップ", emoji: "💋", color: C.pink },
    { name: "チーク", emoji: "🌸", color: C.orange },
    { name: "HL", emoji: "★", color: C.sky },
  ];

  const handlePost = () => {
    setPosting(true);
    setTimeout(() => { setPosting(false); setPosted(true); }, 2000);
  };

```

```

if (posted) return (
  <div style={{
    background: C.bg, minHeight: "100vh",
    display: "flex", flexDirection: "column",
    alignItems: "center", justifyContent: "center",
    gap: 20, padding: 40,
  }}>
    <style>{`
      @keyframes popIn{0%{transform:scale(0);opacity:0;}60%{transform:scale(1.2
      @keyframes shimmer{0%{background-position:-400% center;}100%{background-p
      @keyframes fadeUp{from{opacity:0;transform:translateY(14px);}to{opacity:1
    `}</style>
    <div style={{ fontSize: 80, animation: "popIn 0.5s ease both" }}>🎉</div>
    <div style={{
      fontSize: 22, fontWeight: 900, letterSpacing: 2,
      background: "linear-gradient(90deg,#ff6eb4,#bf5fff,#7ee8fa,#00ffcc,#ff6eb
      backgroundSize: "300% auto",
      WebkitBackgroundClip: "text", WebkitTextFillColor: "transparent",
      animation: "shimmer 3s linear infinite",
    }}>投稿完了! ⬆</div>
    <div style={{ fontSize: 12, color: "#444", animation: "fadeUp 0.5s ease 0.3
      フィードに公開されました
    </div>
    <button onClick={onBack} style={{
      background: "linear-gradient(135deg,#ff6eb4,#bf5fff,#7ee8fa)",
      border: "none", borderRadius: 20, padding: "14px 40px",
      color: "#fff", fontWeight: 900, fontSize: 14, cursor: "pointer",
      letterSpacing: 2, boxShadow: "0 6px 24px rgba(255,110,180,0.4)",
      animation: "fadeUp 0.5s ease 0.5s both",
    }}>⬆ フィードへ戻る</button>
  </div>
);

return (
  <div style={{
    background: C.bg, minHeight: "100vh",
    maxWidth: 390, margin: "0 auto", color: "#eee",
    fontFamily: "'Hiragino Sans','Noto Sans JP',sans-serif",
  }}>
    <style>{`
      @keyframes shimmer{0%{background-position:-400% center;}100%{background-p
      @keyframes fadeUp{from{opacity:0;transform:translateY(12px);}to{opacity:1
      @keyframes scanline{0%{transform:translateY(-100%);}100%{transform:transl
      @keyframes glow{0%,100%{opacity:0.6;}50%{opacity:1;}}
      textarea::placeholder,input::placeholder{color:#333;}
      textarea,input{caret-color:#7ee8fa;}
    `}</style>

```

```

{/* Header */}
<div style={{
  position: "sticky", top: 0, zIndex: 100,
  background: "rgba(5,5,15,0.9)", backdropFilter: "blur(20px)",
  borderBottom: "1px solid rgba(255,110,180,0.1)",
  padding: "13px 20px",
  display: "flex", alignItems: "center", justifyContent: "space-between",
}}>
  <button onClick={onBack} style={{
    background: "none", border: "none", color: "#555",
    fontSize: 13, cursor: "pointer", fontWeight: 700,
  }}><- キャンセル</button>
  <div style={{
    fontSize: 13, fontWeight: 900, letterSpacing: 2,
    background: "linear-gradient(90deg,#ff6eb4,#7ee8fa)",
    WebkitBackgroundClip: "text", WebkitTextFillColor: "transparent",
  }}>
    {step === 0 ? "📷 撮影" : step === 1 ? "✨ 加工" : "✍️ 投稿"}
  </div>
  {step < 2 ? (
    <button onClick={() => setStep(s => s + 1)} style={{
      background: "linear-gradient(135deg,#ff6eb4,#7ee8fa)",
      border: "none", borderRadius: 20, padding: "6px 16px",
      color: "#fff", fontWeight: 800, fontSize: 12, cursor: "pointer",
    }}>次へ ➡</button>
  ) : (
    <button onClick={handlePost} disabled={posting} style={{
      background: posting ? "rgba(255,110,180,0.3)" : "linear-gradient(135d
      border: "none", borderRadius: 20, padding: "6px 16px",
      color: "#fff", fontWeight: 800, fontSize: 12,
      cursor: posting ? "not-allowed" : "pointer",
    }}>{posting ? "投稿中..." : "投稿 ➡"}</button>
  )}
</div>

{/* Step indicator */}
<div style={{ display: "flex", padding: "12px 20px 0", gap: 6 }}>
  [{"撮影", "加工", "投稿"].map((s, i) => (
    <div key={i} style={{ flex: 1, display: "flex", flexDirection: "column"
      <div style={{
        height: 3, borderRadius: 10,
        background: step >= i
          ? "linear-gradient(90deg,#ff6eb4,#7ee8fa)"
          : "rgba(255,255,255,0.08)",
        transition: "all 0.3s",
      }} />

```

```

        <span style={{ fontSize: 9, color: step >= i ? C.sky : "#333", fontWe
    </div>
    )}}
</div>

```

```

<div style={{ padding: "16px 16px 40px", animation: "fadeUp 0.3s ease both"

```

```

    {/* STEP 0: Camera */}

```

```

    {step === 0 && (

```

```

        <div>

```

```

            {/* Viewfinder */}

```

```

            <div style={{

```

```

                borderRadius: 24, height: 340, marginBottom: 20,

```

```

                background: "linear-gradient(135deg,#050510,#0a0a20)",

```

```

                border: "1px solid rgba(255,110,180,0.15)",

```

```

                display: "flex", alignItems: "center", justifyContent: "center",

```

```

                flexDirection: "column", gap: 12, position: "relative", overflow: "

```

```

            }}>

```

```

            <div style={{

```

```

                position: "absolute", top: 0, left: 0, right: 0, height: 2,

```

```

                background: "linear-gradient(90deg,transparent,#ff6eb433,#7ee8fa3

```

```

                animation: "scanline 6s linear infinite",

```

```

            }} />

```

```

            {/* Corner brackets */}

```

```

            {[["0","0"],["0","auto"],["auto","0"],["auto","auto"]].map(([t,r],i

```

```

                <div key={i} style={{

```

```

                    position: "absolute",

```

```

                    top: t === "auto" ? undefined : 16, bottom: t === "auto" ? 16 :

```

```

                    left: r === "auto" ? undefined : 16, right: r === "auto" ? 16 :

```

```

                    width: 20, height: 20,

```

```

                    borderTop: i < 2 ? `2px solid ${i===0?C.pink:C.sky}` : "none",

```

```

                    borderBottom: i >= 2 ? `2px solid ${i===2?C.sky:C.pink}` : "non

```

```

                    borderLeft: i % 2 === 0 ? `2px solid ${i===0?C.pink:C.sky}` : "

```

```

                    borderRight: i % 2 === 1 ? `2px solid ${i===1?C.sky:C.pink}` :

```

```

                }} />

```

```

            )}}

```

```

        <div style={{ fontSize: 64, filter: "drop-shadow(0 0 20px #ff6eb4aa

```

```

        <div style={{

```

```

            fontSize: 11, fontWeight: 700, letterSpacing: 2,

```

```

            background: "linear-gradient(90deg,#ff6eb4,#7ee8fa)",

```

```

            WebkitBackgroundClip: "text", WebkitTextFillColor: "transparent",

```

```

        }}>タップして撮影</div>

```

```

        <div style={{

```

```

            position: "absolute", top: 12, right: 12,

```

```

            background: "rgba(255,110,180,0.12)",

```

```

            border: "1px solid rgba(255,110,180,0.3)",

```

```

            borderRadius: 20, padding: "4px 12px",

```

```

        fontSize: 10, color: C.pink, fontWeight: 700, letterSpacing: 1,
        animation: "glow 2s ease infinite",
    }}>● AI ON</div>
</div>

```

```

{/* Camera controls */}
<div style={{ display: "flex", justifyContent: "space-around", alignI
    {[, "🔴", "

```

```

{/* Gallery recent */}
<div style={{ fontSize: 10, fontWeight: 700, letterSpacing: 2, color:
    + ライブラリから選ぶ
</div>
<div style={{ display: "grid", gridTemplateColumns: "1fr 1fr 1fr 1fr"
    {Array.from({ length: 8 }, (_, i) => (
        <div key={i} style={{
            aspectRatio: "1",
            borderRadius: 10,
            background: `linear-gradient(${i * 45}deg, hsl(${300 + i * 20},
            display: "flex", alignItems: "center", justifyContent: "center"
            cursor: "pointer", border: i === 0 ? `2px solid ${C.pink}` : "2
        }}>
            {[, ", ", ", ", ", ", ", ""]}
        </div>
    )}}
</div>
</div>
)}

```

```

{/* STEP 1: Edit */}
{step === 1 && (
    <div>
        {/* Preview */}
    </div>

```

```

<div style={{
  borderRadius: 24, height: 280, marginBottom: 20,
  background: filters[selectedFilter].grad,
  display: "flex", alignItems: "center", justifyContent: "center",
  fontSize: 72, position: "relative", overflow: "hidden",
  border: "1px solid rgba(255,110,180,0.15)",
}}>
  <span style={{ filter: "drop-shadow(0 0 24px #ff6eb4) drop-shadow(0
  <div style={{
    position: "absolute", bottom: 10, left: 10,
    background: "rgba(5,5,15,0.7)", backdropFilter: "blur(8px)",
    border: "1px solid rgba(255,110,180,0.3)",
    borderRadius: 20, padding: "4px 12px",
    fontSize: 10, color: C.pink, fontWeight: 700,
  }}>🌟 {filters[selectedFilter].name}</div>
  {selectedEffect !== null && (
    <div style={{
      position: "absolute", top: 10, right: 10,
      background: "rgba(5,5,15,0.7)",
      border: `1px solid ${effects[selectedEffect].color}66`,
      borderRadius: 20, padding: "4px 12px",
      fontSize: 10, color: effects[selectedEffect].color, fontWeight:
    }}>{effects[selectedEffect].emoji} {effects[selectedEffect].name}
  )}
</div>

{/* Filters */}
<div style={{ fontSize: 10, fontWeight: 700, letterSpacing: 2, color:
<div style={{ display: "flex", gap: 10, overflowX: "auto", paddingBot
  {filters.map((f, i) => (
    <div key={i} onClick={() => setSelectedFilter(i)} style={{
      minWidth: 64, height: 64, borderRadius: 14, cursor: "pointer",
      background: f.grad,
      border: selectedFilter === i ? `2px solid ${C.pink}` : "2px sol
      display: "flex", alignItems: "center", justifyContent: "center"
      boxShadow: selectedFilter === i ? `0 0 14px ${C.pink}55` : "non
      transition: "all 0.2s",
    }}>
      <span style={{ fontSize: 9, color: selectedFilter === i ? C.pin
    </div>
  )}}
</div>

{/* AI Effects */}
<div style={{ fontSize: 10, fontWeight: 700, letterSpacing: 2, color:
<div style={{ display: "grid", gridTemplateColumns: "1fr 1fr 1fr", ga
  {effects.map((e, i) => (

```

```

    <div key={i} onClick={() => setSelectedEffect(selectedEffect ===
      background: selectedEffect === i ? `${e.color}15` : "rgba(255,2
      border: `1px solid ${selectedEffect === i ? e.color : "rgba(255
      borderRadius: 14, padding: "12px 8px",
      display: "flex", flexDirection: "column", alignItems: "center",
      cursor: "pointer", transition: "all 0.2s",
      boxShadow: selectedEffect === i ? `0 0 12px ${e.color}33` : "no
    >>>
      <span style={{ fontSize: 22 }}>{e.emoji}</span>
      <span style={{ fontSize: 10, color: selectedEffect === i ? e.co
    </div>
  )))
</div>
</div>
)}

{/* STEP 2: Post */}
{step === 2 && (
  <div>
    {/* Preview thumb */}
    <div style={{
      display: "flex", gap: 14, alignItems: "flex-start", marginBottom: 2
    }}>
      <div style={{
        width: 90, height: 90, borderRadius: 16, flexShrink: 0,
        background: filters[selectedFilter].grad,
        display: "flex", alignItems: "center", justifyContent: "center",
        fontSize: 36,
        border: "1px solid rgba(255,110,180,0.2)",
      }}>★</div>
      <div style={{ flex: 1 }}>
        <textarea
          value={caption}
          onChange={e => setCaption(e.target.value)}
          placeholder="キャプションを書こう...★"
          maxLength={200}
          rows={4}
          style={{
            width: "100%", boxSizing: "border-box",
            background: "rgba(255,255,255,0.03)",
            border: "1px solid rgba(255,110,180,0.15)",
            borderRadius: 14, padding: "12px",
            color: "#eee", fontSize: 13, outline: "none",
            fontFamily: "inherit", resize: "none",
          }}
        />
        <div style={{ fontSize: 9, color: "#333", textAlign: "right" }}>{

```

```

    </div>
  </div>

  { /* Tags */ }
  <div style={{
    background: "rgba(255,255,255,0.03)",
    border: "1px solid rgba(255,110,180,0.12)",
    borderRadius: 16, padding: 16, marginBottom: 14,
  }}>
    <div style={{ fontSize: 10, fontWeight: 700, letterSpacing: 2, color:
    <input
      type="text"
      value={tags}
      onChange={e => setTags(e.target.value)}
      placeholder="#GLOWZ #メイク #コーデ"
      style={{
        width: "100%", boxSizing: "border-box",
        background: "none", border: "none", outline: "none",
        color: C.pink, fontSize: 13, fontFamily: "inherit",
      }}
    />
  </div>

  { /* Settings */ }
  {[
    { label: "公開範囲", value: "全員に公開", icon: "🌐" },
    { label: "コメント", value: "全員OK", icon: "💬" },
    { label: "位置情報", value: "オフ", icon: "📍" },
  ].map((s, i) => (
    <div key={i} style={{
      display: "flex", alignItems: "center", justifyContent: "space-between",
      padding: "14px 0",
      borderBottom: i < 2 ? "1px solid rgba(255,110,180,0.06)" : "none"
    }}>
      <div style={{ display: "flex", alignItems: "center", gap: 10 }}>
        <span style={{ fontSize: 16 }}>{s.icon}</span>
        <span style={{ fontSize: 12, color: "#888", fontWeight: 600 }}>
      </div>
      <span style={{ fontSize: 11, color: C.sky, fontWeight: 700 }}>{s.
    </div>
  )))
  </div>
  )}
</div>
</div>
);
}

```


// — チャット詳細画面 —

```
const demoMessages = [
  { id: 1, from: "other", text: "このフィルターどれ使った?+", time: "14:20" },
  { id: 2, from: "me", text: "サイバーフィルター!GLOWZ最高すぎる🔥", time: "14:21" },
  { id: 3, from: "other", text: "えええ!かわいすぎ😭💕", time: "14:21" },
  { id: 4, from: "other", text: "私も試してみる!", time: "14:22" },
  { id: 5, from: "me", text: "ぜひ!着せ替えも一緒に使うと最強だよ💎", time: "14:23" },
  { id: 6, from: "other", text: "コーデ見せて〜!!", time: "14:24" },
  { id: 7, from: "me", text: "今日のやつ送るね📺", time: "14:24" },
  { id: 8, from: "other", text: "待ってる!!ありがとう🌸+", time: "14:25" },
];
```

```
const stamps = ["🌸", "+", "💕", "⚡", "🔥", "💎", "📺", "💜", "👑", "👗", "🌿",
```

```
function ChatScreen({ onBack }) {
  const [messages, setMessages] = useState(demoMessages);
  const [input, setInput] = useState("");
  const [showStamps, setShowStamps] = useState(false);

  const send = (text) => {
    if (!text.trim()) return;
    setMessages(m => [...m, {
      id: Date.now(), from: "me", text, time: "今",
    }]);
    setInput("");
    setShowStamps(false);
  };

  return (
    <div style={{
      background: C.bg, height: "100vh", maxWidth: 390,
      margin: "0 auto", display: "flex", flexDirection: "column",
      fontFamily: "'Hiragino Sans','Noto Sans JP',sans-serif", color: "#eee",
      position: "relative",
    }}>
      <style>{`
        @keyframes fadeUp{from{opacity:0;transform:translateY(8px);}to{opacity:1;
        @keyframes shimmer{0%{background-position:-400% center;}100%{background-p
        @keyframes popIn{0%{transform:scale(0.8);opacity:0;}100%{transform:scale(
        input::placeholder{color:#333;}
        input{caret-color:#7ee8fa;}
      `}</style>

      {/* Header */}
      <div style={{
        background: "rgba(5,5,15,0.92)", backdropFilter: "blur(20px)",
```

```

borderBottom: "1px solid rgba(255,110,180,0.1)",
padding: "12px 16px",
display: "flex", alignItems: "center", gap: 12,
position: "sticky", top: 0, zIndex: 100,
}}>
<button onClick={onBack} style={{
  background: "none", border: "none", color: "#555",
  fontSize: 18, cursor: "pointer",
}}></button>
<div style={{
  width: 42, height: 42, borderRadius: "50%",
  background: "linear-gradient(135deg,#ff6eb4,#7ee8fa)",
  display: "flex", alignItems: "center", justifyContent: "center",
  fontSize: 20, boxShadow: "0 0 12px #ff6eb444", flexShrink: 0,
}}>🌸</div>
<div style={{ flex: 1 }}>
  <div style={{ fontWeight: 700, fontSize: 14, color: "#ddd" }}>yui.glowz
  <div style={{ fontSize: 10, color: C.cyan, fontWeight: 600 }}>● オンライン
</div>
<div style={{ display: "flex", gap: 16 }}>
  {[ "📞", "📠" ].map((ic, i) => (
    <span key={i} style={{ fontSize: 18, cursor: "pointer", opacity: 0.6
    ))}
  </div>
</div>
</div>

{/* Messages */}
<div style={{
  flex: 1, overflowY: "auto", padding: "16px 14px",
  display: "flex", flexDirection: "column", gap: 10,
}}>
  {/* Date */}
  <div style={{ textAlign: "center", marginBottom: 4 }}>
    <span style={{
      fontSize: 10, color: "#333", fontWeight: 600,
      background: "rgba(255,255,255,0.04)",
      borderRadius: 20, padding: "4px 12px",
    }}>今日</span>
  </div>

  {messages.map((msg, i) => {
    const isMe = msg.from === "me";
    return (
      <div key={msg.id} style={{
        display: "flex", justifyContent: isMe ? "flex-end" : "flex-start",
        gap: 8, alignItems: "flex-end",
        animation: `fadeUp 0.3s ease ${i > 6 ? "0s" : ""} both`,

```

```

    >>>
    {!isMe && (
      <div style={{
        width: 32, height: 32, borderRadius: "50%", flexShrink: 0,
        background: "linear-gradient(135deg,#ff6eb4,#7ee8fa)",
        display: "flex", alignItems: "center", justifyContent: "center"
        fontSize: 16,
      }}></div>
    )}
    <div style={{ maxWidth: "72%", display: "flex", flexDirection: "col
      <div style={{
        background: isMe
          ? "linear-gradient(135deg,#ff6eb4,#bf5fff)"
          : "rgba(255,255,255,0.06)",
        border: isMe ? "none" : "1px solid rgba(255,110,180,0.12)",
        borderRadius: isMe ? "18px 18px 4px 18px" : "18px 18px 18px 4px"
        padding: "11px 15px",
        fontSize: 13, lineHeight: 1.6, color: "#eee",
        boxShadow: isMe ? "0 4px 16px rgba(255,110,180,0.3)" : "none",
      }}>{msg.text}</div>
      <span style={{ fontSize: 9, color: "#333" }}>{msg.time}</span>
    </div>
  </div>
);
}}
</div>

{/* Stamps panel */}
{showStamps && (
  <div style={{
    background: "rgba(10,0,20,0.95)", backdropFilter: "blur(20px)",
    borderTop: "1px solid rgba(255,110,180,0.12)",
    padding: "14px 16px",
    display: "flex", flexWrap: "wrap", gap: 10, justifyContent: "center",
    animation: "fadeUp 0.2s ease both",
  }}>
    {stamps.map((s, i) => (
      <div key={i} onClick={() => send(s)} style={{
        width: 44, height: 44, borderRadius: 12,
        background: "rgba(255,110,180,0.08)",
        border: "1px solid rgba(255,110,180,0.15)",
        display: "flex", alignItems: "center", justifyContent: "center",
        fontSize: 22, cursor: "pointer",
        transition: "all 0.15s",
      }}>{s}</div>
    ))}
  </div>

```

```

  })

  { /* Input bar */
  <div style={{
    background: "rgba(5,5,15,0.95)", backdropFilter: "blur(20px)",
    borderTop: "1px solid rgba(255,110,180,0.1)",
    padding: "10px 14px",
    display: "flex", alignItems: "center", gap: 10,
  }}>

    <button onClick={() => setShowStamps(s => !s)} style={{
      width: 38, height: 38, borderRadius: "50%",
      background: showStamps ? "linear-gradient(135deg,#ff6eb4,#7ee8fa)" : "r
      border: "1px solid rgba(255,110,180,0.2)",
      display: "flex", alignItems: "center", justifyContent: "center",
      fontSize: 18, cursor: "pointer", flexShrink: 0,
    }}>✦</button>

    <button style={{
      width: 38, height: 38, borderRadius: "50%",
      background: "rgba(255,255,255,0.05)",
      border: "1px solid rgba(255,110,180,0.2)",
      display: "flex", alignItems: "center", justifyContent: "center",
      fontSize: 18, cursor: "pointer", flexShrink: 0,
    }}>📷</button>

    <input
      type="text"
      value={input}
      onChange={e => setInput(e.target.value)}
      onKeyDown={e => e.key === "Enter" && send(input)}
      placeholder="メッセージ..."
      style={{
        flex: 1, background: "rgba(255,255,255,0.05)",
        border: "1px solid rgba(255,110,180,0.15)",
        borderRadius: 24, padding: "10px 16px",
        color: "#eee", fontSize: 13, outline: "none",
        fontFamily: "inherit",
      }}
    />

    <button onClick={() => send(input)} style={{
      width: 38, height: 38, borderRadius: "50%",
      background: input.trim()
        ? "linear-gradient(135deg,#ff6eb4,#bf5fff,#7ee8fa)"
        : "rgba(255,255,255,0.05)",
      border: "none",
      display: "flex", alignItems: "center", justifyContent: "center",
    }}
  </div>

```

```

        fontSize: 16, cursor: "pointer", flexShrink: 0,
        boxShadow: input.trim() ? "0 0 16px rgba(255,110,180,0.4)" : "none",
        transition: "all 0.2s",
      }}></button>
    </div>
  </div>
);
}

// — Main —
export default function App() {
  const [screen, setScreen] = useState("menu");

  if (screen === "post") return <PostScreen onBack={() => setScreen("menu")} />;
  if (screen === "chat") return <ChatScreen onBack={() => setScreen("menu")} />;

  return (
    <div style={{
      background: C.bg, minHeight: "100vh", maxWidth: 390,
      margin: "0 auto", fontFamily: "'Hiragino Sans','Noto Sans JP',sans-serif",
      display: "flex", flexDirection: "column",
      alignItems: "center", justifyContent: "center",
      gap: 20, padding: 40, color: "#eee",
    }}>
      <style>{`
        @keyframes shimmer{0%{background-position:-400% center;}100%{background-p
        @keyframes fadeUp{from{opacity:0;transform:translateY(14px);}to{opacity:1
        `}</style>

      <div style={{
        fontSize: 28, fontWeight: 900, letterSpacing: 4,
        background: "linear-gradient(90deg,#ff6eb4,#bf5fff,#7ee8fa,#00ffcc,#ff6eb
        backgroundSize: "300% auto",
        WebkitBackgroundClip: "text", WebkitTextFillColor: "transparent",
        animation: "shimmer 4s linear infinite",
      }}>GLOWZ★</div>

      <div style={{ fontSize: 11, color: "#444", letterSpacing: 2 }}>画面を選んでね<

    [[
      { label: "📷 投稿画面", sub: "撮影→加工→投稿", key: "post" },
      { label: "💬 チャット詳細", sub: "個別トーク画面", key: "chat" },
    ]).map((btn, i) => (
      <button key={i} onClick={() => setScreen(btn.key)} style={{
        width: "100%",
        background: "rgba(255,255,255,0.04)",
        border: "1px solid rgba(255,110,180,0.2)",

```

```
borderRadius: 20, padding: "20px 24px",
  cursor: "pointer", textAlign: "left",
  animation: `fadeUp 0.4s ease ${i * 0.1}s both`,
  transition: "all 0.2s",
}}>
  <div style={{ fontSize: 16, fontWeight: 800, color: "#eee", marginBotto
    <div style={{ fontSize: 11, color: "#555" }}>{btn.sub}</div>
  </button>
)}}
</div>

);
}
```