

```
import { useState, useEffect, useRef } from "react";
```

```
// — NEO-PRISM カラーシステム —
```

```
const DARK = {  
  bg1: "#0a0015", bg2: "#0d0025", bg3: "#08001a",  
  glass: "rgba(20,0,40,0.7)",  
  glassBright: "rgba(120,80,255,0.12)",  
  border: "rgba(180,120,255,0.25)",  
  borderBright: "rgba(120,220,255,0.4)",  
  text: "#f0e8ff",  
  sub: "rgba(200,170,255,0.6)",  
  accent1: "#bf5fff",  
  accent2: "#00e5ff",  
  accent3: "#ff6eb4",  
  neon1: "#c084fc",  
  neon2: "#38bdf8",  
  neon3: "#f472b6",  
  navBg: "rgba(8,0,20,0.92)",  
  crystal1: "linear-gradient(135deg, rgba(192,132,252,0.8), rgba(56,189,248,0.8),  
  crystal2: "linear-gradient(135deg, rgba(56,189,248,0.9), rgba(192,132,252,0.7),  
  crystal3: "linear-gradient(135deg, rgba(244,114,182,0.8), rgba(192,132,252,0.8)  
  logo: "linear-gradient(90deg, #c084fc, #38bdf8, #f472b6, #c084fc)",  
  btn: "linear-gradient(135deg, #c084fc, #38bdf8)",  
  glow1: "rgba(192,132,252,0.5)",  
  glow2: "rgba(56,189,248,0.4)",  
};
```

```
const LIGHT = {  
  bg1: "#f8f0ff", bg2: "#f0f8ff", bg3: "#fff0f8",  
  glass: "rgba(255,255,255,0.65)",  
  glassBright: "rgba(180,120,255,0.08)",  
  border: "rgba(180,120,255,0.2)",  
  borderBright: "rgba(120,200,255,0.3)",  
  text: "#1a0a2e",  
  sub: "rgba(100,60,150,0.7)",  
  accent1: "#9333ea",  
  accent2: "#0891b2",  
  accent3: "#db2777",  
  neon1: "#9333ea",  
  neon2: "#0891b2",  
  neon3: "#db2777",  
  navBg: "rgba(255,248,255,0.92)",  
  crystal1: "linear-gradient(135deg, rgba(192,132,252,0.6), rgba(56,189,248,0.6),  
  crystal2: "linear-gradient(135deg, rgba(56,189,248,0.7), rgba(192,132,252,0.6),
```

```

crystal3: "linear-gradient(135deg, rgba(244,114,182,0.6), rgba(192,132,252,0.6)
logo: "linear-gradient(90deg, #9333ea, #0891b2, #db2777, #9333ea)",
btn: "linear-gradient(135deg, #9333ea, #0891b2)",
glow1: "rgba(147,51,234,0.3)",
glow2: "rgba(8,145,178,0.25)",
};

```

// — クリスタルジェム —

```

function CrystalGem({ size, grad, glow, x, y, delay, photo, dark }) {
  const clipId = `crystal-${Math.random().toString(36).substr(2,6)}`;
  return (
    <div style={{
      position: "absolute", left: `${x}%`, top: `${y}%`,
      width: size, height: size,
      animation: `crystalFloat ${3 + delay}s ease-in-out ${delay}s infinite`,
      filter: `drop-shadow(0 0 ${dark ? 20 : 12}px ${glow}) drop-shadow(0 0 ${dar
      zIndex: Math.floor(Math.random() * 3) + 1,
    }}>
    <svg width={size} height={size} viewBox="0 0 100 100">
      <defs>
        <clipPath id={clipId}>
          <polygon points="50,5 90,25 95,65 70,95 30,95 5,65 10,25" />
        </clipPath>
        <linearGradient id={`g-${clipId}`} x1="0%" y1="0%" x2="100%" y2="100%">
          <stop offset="0%" stopColor={dark ? "rgba(192,132,252,0.9)" : "rgba(1
          <stop offset="40%" stopColor={dark ? "rgba(56,189,248,0.8)" : "rgba(5
          <stop offset="100%" stopColor={dark ? "rgba(244,114,182,0.9)" : "rgba
        </linearGradient>
        <linearGradient id={`shine-${clipId}`} x1="0%" y1="0%" x2="100%" y2="10
          <stop offset="0%" stopColor="rgba(255,255,255,0.5)" />
          <stop offset="50%" stopColor="rgba(255,255,255,0.1)" />
          <stop offset="100%" stopColor="rgba(255,255,255,0.3)" />
        </linearGradient>
      </defs>
      <!-- Crystal body -->
      <polygon points="50,5 90,25 95,65 70,95 30,95 5,65 10,25"
        fill={`url(#g-${clipId})`} />
      <!-- Photo inside -->
      <photo && (
        <text x="50" y="55" textAnchor="middle" fontSize="28" clipPath={`url(#$
      )}
      <!-- Shine overlay -->
      <polygon points="50,5 90,25 95,65 70,95 30,95 5,65 10,25"
        fill={`url(#shine-${clipId})`} opacity="0.6" />
      <!-- Edge highlight -->
      <polygon points="50,5 90,25 95,65 70,95 30,95 5,65 10,25"
        fill="none" stroke="rgba(255,255,255,0.4)" strokeWidth="1.5" />
    </svg>
  )
}

```

```

    { /* Inner facets */}
    <line x1="50" y1="5" x2="50" y2="95" stroke="rgba(255,255,255,0.15)" stro
    <line x1="10" y1="25" x2="90" y2="65" stroke="rgba(255,255,255,0.1)" stro
    <line x1="90" y1="25" x2="10" y2="65" stroke="rgba(255,255,255,0.1)" stro
  </svg>
</div>
);
}

```

// — ホログラフィック背景 —

```

function HoloBg({ dark }) {
  return (
    <div style={{ position: "absolute", inset: 0, overflow: "hidden", pointerEven
      { /* Gradient mesh */}
      <div style={{
        position: "absolute", inset: 0,
        background: dark
          ? `radial-gradient(ellipse at 20% 20%, rgba(192,132,252,0.2) 0%, transp
            radial-gradient(ellipse at 80% 80%, rgba(56,189,248,0.15) 0%, transp
            radial-gradient(ellipse at 60% 30%, rgba(244,114,182,0.12) 0%, trans
            radial-gradient(ellipse at 30% 70%, rgba(34,211,238,0.1) 0%, transpa
          : `radial-gradient(ellipse at 20% 20%, rgba(192,132,252,0.15) 0%, trans
            radial-gradient(ellipse at 80% 80%, rgba(56,189,248,0.12) 0%, transp
            radial-gradient(ellipse at 60% 30%, rgba(244,114,182,0.1) 0%, transp
            radial-gradient(ellipse at 30% 70%, rgba(34,211,238,0.08) 0%, transp
        }}/>
      { /* Noise texture */}
      <div style={{
        position: "absolute", inset: 0,
        backgroundImage: `url("data:image/svg+xml,%3Csvg viewBox='0 0 200 200' xm
        opacity: dark ? 0.4 : 0.2,
      }}/>
      { /* Floating orbs */}
      {[
        { x:15, y:20, size:80, color:dark?"rgba(192,132,252,0.15)": "rgba(192,132,
        { x:70, y:15, size:60, color:dark?"rgba(56,189,248,0.12)": "rgba(56,189,24
        { x:80, y:60, size:100, color:dark?"rgba(244,114,182,0.1)": "rgba(244,114,
        { x:20, y:70, size:70, color:dark?"rgba(34,211,238,0.12)": "rgba(34,211,23
      ]).map((orb,i)=>(
        <div key={i} style={{
          position:"absolute",
          left:`${orb.x}%`, top:`${orb.y}%`,
          width:orb.size, height:orb.size, borderRadius:"50%",
          background:`radial-gradient(circle, ${orb.color}, transparent)`,
          animation:`orbFloat ${5+orb.d}s ease-in-out ${orb.d}s infinite`,
          filter:"blur(20px)",
        }}/>
      )
    )
  )
}

```

```

    )))
  </div>
);
}

// — グラスカード —
function GlassCard({ children, style, T, dark, glow }) {
  return (
    <div style={{
      background: T.glass,
      border: `1px solid ${T.border}`,
      backdropFilter: "blur(20px) saturate(180%)",
      WebkitBackdropFilter: "blur(20px) saturate(180%)",
      borderRadius: 20,
      position: "relative", overflow: "hidden",
      boxShadow: glow
        ? `0 8px 32px ${T.glow1}22, 0 0 0 1px ${T.borderBright}, inset 0 1px 0 rg
          : `0 4px 20px rgba(0,0,0,0.2), inset 0 1px 0 rgba(255,255,255,0.15)`
        ...style,
    }}>
      {/* Glass sheen */}
      <div style={{
        position:"absolute", inset:0, borderRadius:"inherit",
        background:"linear-gradient(135deg, rgba(255,255,255,0.12) 0%, transparen
        pointerEvents:"none",
      }}/>
      {children}
    </div>
  );
}

```

// — メインフィールド画面 —

```

function FeedScreen({ T, dark }) {
  const [liked, setLiked] = useState({});
  const [heartBurst, setHeartBurst] = useState(null);

  const triggerHeart = (id) => {
    setLiked(l=>({...l,[id]:!l[id]}));
    if (!liked[id]) {
      setHeartBurst(id);
      setTimeout(()=>setHeartBurst(null), 1500);
    }
  };

  const posts = [
    { id:1, user:"Marie Takada", handle:"marie_glowz", avatar:"🌸", caption:"今日(
    { id:2, user:"yui.crystal", handle:"yui_neo", avatar:"💎", caption:"このフィルド

```

```

];

return (
  <div style={{ paddingBottom: 20 }}>
    { /* Stories */ }
    <div style={{ display: "flex", gap: 12, padding: "14px 16px 8px", overflowX: "a
      <style>{::-webkit-scrollbar{display:none;}}`</style>
      [
        { name: "追加", avatar: "+", isAdd: true },
        { name: "marie", avatar: "🌸", active: true },
        { name: "yui", avatar: "💎", active: true },
        { name: "hana", avatar: "👤", active: false },
        { name: "ren", avatar: "🌙", active: true },
        { name: "saki", avatar: "👉", active: false },
      ].map((s, i) => (
        <div key={i} style={{ display: "flex", flexDirection: "column", alignItems: "
          <div style={{
            width: 52, height: 52, borderRadius: "50%", cursor: "pointer",
            background: s.isAdd
              ? `${T.glass}`
              : s.active ? T.crystal1 : T.glass,
            border: s.active
              ? `2px solid transparent`
              : `2px solid ${T.border}`,
            backgroundImage: s.active && !s.isAdd
              ? `${T.crystal1}, linear-gradient(${T.bg1}, ${T.bg1})`
              : undefined,
            backgroundOrigin: "border-box",
            backgroundClip: s.active ? "padding-box, border-box" : undefined,
            display: "flex", alignItems: "center", justifyContent: "center",
            fontSize: 22, position: "relative", overflow: "hidden",
            boxShadow: s.active ? `0 0 16px ${T.glow1}` : "none",
          }}>
            {s.isAdd ? (
              <span style={{ fontSize: 20, color: T.accent1, fontWeight: 300 }}>+</span>
            ) : (
              <>
                <span style={{ fontSize: 22, position: "relative", zIndex: 1 }}>{s.ava
                  {s.active && (
                    <div style={{
                      position: "absolute", inset: 0,
                      background: "linear-gradient(135deg, rgba(192,132,252,0.3), rg
                    }}/>
                  )}
                </>
              )}
            </div>

```

```

        <span style={{fontSize:9,color:T.sub,fontWeight:600}}>{s.name}</span>
      </div>
    )})
  </div>

  { /* Posts */ }
  {posts.map((post,idx)=>(
    <div key={post.id} style={{margin:"0 12px 20px",position:"relative"}}>
      { /* Heart burst */ }
      {heartBurst===post.id && (
        <div style={{
          position:"absolute",inset:0,zIndex:50,pointerEvents:"none",
          display:"flex",alignItems:"center",justifyContent:"center",
        }}>
          {Array.from({length:12},(_,i)=>(
            <div key={i} style={{
              position:"absolute",fontSize:18,
              animation:`heartBurst${i} 1.2s ease-out forwards`,
            }}>💖</div>
          ))}
        </div>
      )}
    </div>
  )}

  <GlassCard T={T} dark={dark} glow style={{animation:`fadeUp 0.4s ease $
    { /* Post header */ }
    <div style={{display:"flex",alignItems:"center",justifyContent:"space
      <div style={{display:"flex",alignItems:"center",gap:10}}>
        <div style={{
          width:38,height:38,borderRadius:"50%",
          background:T.crystal2,
          display:"flex",alignItems:"center",justifyContent:"center",
          fontSize:20,boxShadow:`0 0 12px ${T.glow1}`,
          position:"relative",overflow:"hidden",
        }}>
          <span style={{position:"relative",zIndex:1}}>{post.avatar}</spa
          <div style={{position:"absolute",inset:0;background:"linear-gra
        </div>
      <div>
        <div style={{fontWeight:800,fontSize:13,color:T.text}}>{post.us
          <div style={{fontSize:9,color:T.sub}}>@{post.handle}</div>
        </div>
      </div>
      <span style={{color:T.sub,fontSize:16}}>...</span>
    </div>

    { /* Crystal gem photo frame */ }
    <div style={{

```

```

height:280;margin:"0 12px 12px",borderRadius:16,
background:dark
  ?"linear-gradient(135deg,#1a0040,#0d2060,#200040)"
  :"linear-gradient(135deg,#e8d5ff,#d0e8ff,#ffd5e8)",
position:"relative",overflow:"hidden",
border:`1px solid ${T.borderBright}`,
boxShadow:`inset 0 0 40px ${T.glow1}22`,
}}>
{/* Holographic shimmer */}
<div style={{
  position:"absolute",inset:0,
  background:"linear-gradient(45deg,transparent 30%,rgba(255,255,25
  animation:"holoShimmer 4s ease-in-out infinite",
}}/>

{/* Floating crystals */}
<CrystalGem size={80} x={5} y={5} delay={0} photo="🌸" dark={dark}
<CrystalGem size={60} x={60} y={2} delay={1.2} photo="✨" dark={dar
<CrystalGem size={100} x={20} y={30} delay={0.5} photo="💎" dark={c
<CrystalGem size={70} x={58} y={45} delay={1.8} photo="🌙" dark={da
<CrystalGem size={55} x={10} y={65} delay={2.2} photo="⭐" dark={da

{/* AI badge */}
<div style={{
  position:"absolute",bottom:10,left:10,
  background:dark?"rgba(0,0,0,0.5)":"rgba(255,255,255,0.7)",
  backdropFilter:"blur(8px)",
  border:`1px solid ${T.borderBright}`,
  borderRadius:20,padding:"4px 12px",
  fontSize:9,fontWeight:700,
  background:T.logo, backgroundSize:"300% auto",
  WebkitBackgroundClip:"text",WebkitTextFillColor:"transparent",
  animation:"shimmer 3s linear infinite",
}}> NEO-PRISM加工済み</div>
</div>

{/* Actions */}
<div style={{padding:"0 14px 14px"}}>
  <div style={{display:"flex",justifyContent:"space-between",marginBo
    <div style={{display:"flex",gap:16}}>
      <button onClick={()=>triggerHeart(post.id)} style={{
        background:"none",border:"none",cursor:"pointer",fontSize:22,
        filter:liked[post.id]?`drop-shadow(0 0 8px ${T.accent3})`:"no
        transform:liked[post.id]?`scale(1.2)`:"scale(1)",
        transition:"all 0.2s",
      }}>{liked[post.id]?"💖":"💗"}</button>
      <span style={{fontSize:22,cursor:"pointer",opacity:0.6}}>💬</sp

```

```

        <span style={{fontSize:22,cursor:"pointer",opacity:0.6}}><img alt="share icon" data-bbox="828 46 852 60"/></span>
      </div>
      <span style={{fontSize:22,cursor:"pointer",opacity:0.6}}><img alt="heart icon" data-bbox="812 82 836 96"/></span>
    </div>
    <div style={{
      fontSize:12,fontWeight:700,marginBottom:4,
      background:T.logo,backgroundSize:"300% auto",
      WebkitBackgroundClip:"text",WebkitTextFillColor:"transparent",
      animation:"shimmer 4s linear infinite",
    }}>
      <img alt="diamond icon" data-bbox="278 238 292 252"/> {(post.likes+(liked[post.id]?1:0)).toLocaleString()} likes
    </div>
    <div style={{fontSize:12,color:T.sub,marginBottom:6,lineHeight:1.7}}
      <span style={{fontWeight:800,color:T.text}}>{post.handle}</span>
    </div>
    <div style={{display:"flex",gap:6,flexWrap:"wrap"}}>
      {post.tags.map((t,i)=>(
        <span key={i} style={{
          fontSize:10,fontWeight:700,
          background:`${T.accent1}15`,
          border:`1px solid ${T.accent1}40`,
          color:T.accent1,borderRadius:20,padding:"2px 10px",
        }}>{t}</span>
      ))}
    </div>
  </GlassCard>
</div>
)))
</div>
);
}

```

// — プロフィール画面 —

```

function ProfileScreen({ T, dark }) {
  return (
    <div style={{paddingBottom:20}}>
      {/* Hero */}
      <div style={{
        margin:"12px 12px 0",height:200,borderRadius:20,
        background:dark
          ?"linear-gradient(135deg,#1a0040,#0d2060,#200040)"
          :"linear-gradient(135deg,#e8d5ff,#d0e8ff,#ffd5e8)",
        position:"relative",overflow:"hidden",
        border:`1px solid ${T.border}`,
      }}>
        <HoloBg dark={dark}/>
      </div>
    </div>
  );
}

```



```

    { /* Crystals */ }
    <CrystalGem size={70} x={5} y={5} delay={0} photo="🌸" dark={dark} glow={
    <CrystalGem size={50} x={65} y={8} delay={1} photo="💎" dark={dark} glow={
    <CrystalGem size={60} x={75} y={45} delay={2} photo="👉" dark={dark} glow
    { /* BGM badge */ }
    <div style={{
      position:"absolute",bottom:10,left:10,
      background:dark?"rgba(0,0,0,0.5)": "rgba(255,255,255,0.6)",
      backdropFilter:"blur(12px)",
      border:`1px solid ${T.border}`,
      borderRadius:30,padding:"5px 14px",
      display:"flex",alignItems:"center",gap:6,
      fontSize:10,color:T.accent1,fontWeight:700,
    }}>
      <span style={{animation:"soundWave 0.8s ease-in-out infinite"}}>🎵</spa
    </div>
  </div>

```

```

    { /* Profile info */ }
    <GlassCard T={T} dark={dark} style={{margin:"12px 12px 0",padding:"16px"}}>
      <div style={{display:"flex",alignItems:"flex-start",justifyContent:"space
        <div style={{display:"flex",alignItems:"center",gap:12}}>
          <div style={{
            width:60,height:60,borderRadius:"50%",
            background:T.crystal1,
            display:"flex",alignItems:"center",justifyContent:"center",
            fontSize:28,
            boxShadow:`0 0 24px ${T.glow1}`,
            border:`2px solid ${T.borderBright}`,
            position:"relative",overflow:"hidden",
          }}>
            <span style={{position:"relative",zIndex:1}}>🌸</span>
            <div style={{position:"absolute",inset:0;background:"linear-gradien
          </div>
        </div>
        <div style={{fontWeight:900,fontSize:18,color:T.text,letterSpacing:
          <div style={{fontSize:11,color:T.sub,marginTop:2}}>愛始★華★大羽</div>
          <div style={{display:"flex",gap:6,marginTop:6}}>
            { ["NEO","Crystal","Prism"].map((tag,i)=>(
              <span key={i} style={{
                fontSize:8,fontWeight:700,
                background:`${[T.accent1,T.accent2,T.accent3][i]}18`,
                border:`1px solid ${[T.accent1,T.accent2,T.accent3][i]}44`,
                color:[T.accent1,T.accent2,T.accent3][i],
                borderRadius:20,padding:"2px 8px",
              }}>{tag}</span>
            ))}
          </div>
        </div>
      </div>

```

```

        </div>
      </div>
    </div>
  </div>

  <div style={{display:"flex",justifyContent:"space-around",padding:"12px 0
    {[["投稿","48"],["フォロー","2.4K"],["フォロー","318"]].map(([l,v],i)=>(
      <div key={i} style={{textAlign:"center"}}>
        <div style={{
          fontWeight:900,fontSize:18,
          background:T.logo,backgroundSize:"300% auto",
          WebkitBackgroundClip:"text",WebkitTextFillColor:"transparent",
          animation:"shimmer 4s linear infinite",
        }}>{v}</div>
        <div style={{fontSize:9,color:T.sub,marginTop:2}}>{l}</div>
      </div>
    )]}
  </div>

  { /* Photo grid */ }
  <div style={{display:"grid",gridTemplateColumns:"1fr 1fr 1fr",gap:6}}>
    {Array.from({length:9}, (_,i)=>(
      <div key={i} style={{
        aspectRatio:"1",borderRadius:10,overflow:"hidden",
        background:dark
          ?`linear-gradient(${i*40}deg,hsl(${270+i*15},70%,15%),hsl(${190+i
            :`linear-gradient(${i*40}deg,hsl(${270+i*15},60%,88%),hsl(${190+i
        display:"flex",alignItems:"center",justifyContent:"center",
        fontSize:22,
        border:`1px solid ${T.border}`,
        position:"relative",overflow:"hidden",
      }}>
        {[["💎","🌸","✦","🌙","🍷","🌙","🍷","💎","🌟"][i]}
        <div style={{
          position:"absolute",inset:0,
          background:"linear-gradient(135deg,rgba(255,255,255,0.1),transpar
        }}/>
      </div>
    )]}
  </div>
</GlassCard>
</div>

);
}

// — メインアプリ —
export default function App() {

```

```

const [dark, setDark] = useState(true);
const [activeTab, setActiveTab] = useState("home");
const T = dark ? DARK : LIGHT;

return (
  <div style={{
    fontFamily: "'Hiragino Sans', 'Noto Sans JP', sans-serif",
    background: `linear-gradient(160deg, ${T.bg1}, ${T.bg2}, ${T.bg3})`,
    minHeight: "100vh", maxWidth: 390, margin: "0 auto",
    color: T.text, position: "relative", overflowX: "hidden",
    transition: "all 1.2s ease",
  }}>
    <style>{`
      @keyframes crystalFloat {
        0%,100%{transform:translateY(0) rotate(0deg) scale(1);}
        33%{transform:translateY(-8px) rotate(3deg) scale(1.02);}
        66%{transform:translateY(4px) rotate(-2deg) scale(0.98);}
      }
      @keyframes orbFloat {
        0%,100%{transform:translate(0,0);}
        50%{transform:translate(10px,-15px);}
      }
      @keyframes shimmer {
        0%{background-position:-400% center;}
        100%{background-position:400% center;}
      }
      @keyframes fadeUp {
        from{opacity:0;transform:translateY(14px);}
        to{opacity:1;transform:translateY(0);}
      }
      @keyframes holoShimmer {
        0%{transform:translateX(-100%) rotate(45deg);}
        100%{transform:translateX(200%) rotate(45deg);}
      }
      @keyframes neonPulse {
        0%,100%{filter:drop-shadow(0 0 6px currentColor);}
        50%{filter:drop-shadow(0 0 16px currentColor) drop-shadow(0 0 32px curr
      }
      @keyframes glassShimmer {
        0%{transform:translateX(-100%);}
        100%{transform:translateX(300%);}
      }
      @keyframes soundWave {
        0%,100%{transform:scale(1);}
        50%{transform:scale(1.15);}
      }
      @keyframes borderGlow {

```

```

    0%,100%{box-shadow:0 0 10px rgba(192,132,252,0.3),0 0 20px rgba(56,189,
    50%{box-shadow:0 0 20px rgba(192,132,252,0.6),0 0 40px rgba(56,189,248,
  }
  ::-webkit-scrollbar{display:none;}
`}</style>

{/* Global BG */}
<HoloBg dark={dark}/>

{/* — HEADER — */}
<div style={{
  position:"sticky",top:0,zIndex:100,
  background:T.navBg,backdropFilter:"blur(24px) saturate(200%)",
  WebkitBackdropFilter:"blur(24px) saturate(200%)",
  borderBottom:`1px solid ${T.border}`,
  padding:"12px 18px",
  display:"flex",alignItems:"center",justifyContent:"space-between",
  transition:"all 1.2s ease",
}}>
  {/* Logo */}
  <div style={{display:"flex",alignItems:"center",gap:8}}>
    <svg width={28} height={28} viewBox="0 0 100 100">
      <defs>
        <linearGradient id="logoGrad" x1="0%" y1="0%" x2="100%" y2="100%">
          <stop offset="0%" stopColor={dark?"#c084fc":"#9333ea"}/>
          <stop offset="50%" stopColor={dark?"#38bdf8":"#0891b2"}/>
          <stop offset="100%" stopColor={dark?"#f472b6":"#db2777"}/>
        </linearGradient>
      </defs>
      <polygon points="50,5 90,30 90,70 50,95 10,70 10,30" fill="url(#logoG
      <polygon points="50,5 90,30 90,70 50,95 10,70 10,30" fill="none" stro
      <text x="50" y="58" textAnchor="middle" fontSize="28" fill="white" fo
    </svg>
    <div style={{
      fontSize:18,fontWeight:900,letterSpacing:3,
      background:T.logo,backgroundSize:"300% auto",
      WebkitBackgroundClip:"text",WebkitTextFillColor:"transparent",
      animation:"shimmer 4s linear infinite",
    }}>NEO-PRISM</div>
  </div>

  <div style={{display:"flex",gap:10,alignItems:"center"}}>
    {/* Dark/Light toggle */}
    <button onClick={()=>setDark(d=>!d)} style={{
      background:dark?"rgba(192,132,252,0.15)": "rgba(8,145,178,0.1)",
      border:`1px solid ${T.border}`,
      borderRadius:20,padding:"5px 12px",

```

```

        color:T.accent1,fontWeight:700,fontSize:11,cursor:"pointer",
        transition:"all 0.3s",
      }>{dark?"☀️ Light":"🌙 Dark"}</button>
    { /* Icons */ }
    [{"🔔","👤"].map((ic,i)=>(
      <span key={i} style={{fontSize:18,cursor:"pointer",opacity:0.7}}>{ic}
    )))
  </div>
</div>

{ /* Content */ }
<div style={{position:"relative",zIndex:1,paddingBottom:80}}>
  {activeTab==="home" && <FeedScreen T={T} dark={dark}/>}
  {activeTab==="profile" && <ProfileScreen T={T} dark={dark}/>}
  {activeTab!=="home"&&activeTab!=="profile" && (
    <div style={{
      height:"60vh",display:"flex",alignItems:"center",
      justifyContent:"center",flexDirection:"column",gap:12,
    }}>
      <div style={{fontSize:48,opacity:0.3,animation:"crystalFloat 3s ease-
        <div style={{fontSize:12,color:T.sub}}>準備中...</div>
      </div>
    )}
  </div>

{ /* — BOTTOM NAV — */ }
<div style={{
  position:"fixed",bottom:0,left:"50%",transform:"translateX(-50%)",
  width:390,
  background:T.navBg,backdropFilter:"blur(24px) saturate(200%)",
  WebkitBackdropFilter:"blur(24px) saturate(200%)",
  borderTop:`1px solid ${T.border}`,
  display:"flex",justifyContent:"space-around",
  padding:"10px 0 18px",zIndex:100,
  transition:"all 1.2s ease",
}}>
  {[
    {id:"home",icon:"△",label:"ホーム"},
    {id:"chat",icon:"💬",label:"トーク",badge:"999+"},
    {id:"camera",icon:"📷",label:"NEO",center:true},
    {id:"news",icon:"📰",label:"ニュース"},
    {id:"profile",icon:"👤",label:"MINI"},
  ].map(tab=>(
    <button key={tab.id} onClick={()=>setActiveTab(tab.id)} style={{
      background:"none",border:"none",cursor:"pointer",
      display:"flex",flexDirection:"column",alignItems:"center",gap:3,
      position:"relative",

```

```

    >>
    {tab.badge && (
      <div style={{
        position:"absolute",top:-4,right:-8,
        background:T.accent3,color:"#fff",
        borderRadius:10,padding:"1px 5px",
        fontSize:7,fontWeight:900,
      }}>{tab.badge}</div>
    )}
    <div style={{
      fontSize:tab.center?24:18,
      width:tab.center?48:"auto",
      height:tab.center?48:"auto",
      borderRadius:tab.center?"50%":0,
      background:tab.center?T.btn:"none",
      display:"flex",alignItems:"center",justifyContent:"center",
      marginTop:tab.center?-22:0,
      boxShadow:tab.center?`0 0 24px ${T.glow1}, 0 0 48px ${T.glow2}22`:"
      color:activeTab===tab.id?T.accent1:T.sub,
      animation:tab.center?"borderGlow 2s ease-in-out infinite":"none",
      filter:activeTab===tab.id&&!tab.center?`drop-shadow(0 0 6px ${T.acc
      transition:"all 0.2s",
      position:"relative",overflow:"hidden",
    }}>
    {tab.icon}
    {tab.center && (
      <div style={{
        position:"absolute",width:"60%",height:"100%",
        background:"linear-gradient(90deg,transparent,rgba(255,255,255,
        animation:"glassShimmer 3s ease-in-out infinite",
      }}/>
    )}
  </div>
  <span style={{
    fontSize:8,fontWeight:700,letterSpacing:0.5,
    color:activeTab===tab.id?T.accent1:T.sub,
  }}>{tab.label}</span>
</button>
  )}
</div>
</div>
);
}

```