

```

import { useState, useEffect } from "react";

const C = {
  bg: "#05050f",
  pink: "#ff6eb4",
  sky: "#7ee8fa",
  cyan: "#00ffcc",
  purple: "#bf5fff",
  orange: "#ffb347",
  green: "#00e676",
};

// — 食品データベース（カロリー自動計算用） —
const foodDB = {
  // 主食
  "ご飯": 252, "おにぎり": 170, "パン": 200, "食パン": 158, "うどん": 270,
  "ラーメン": 450, "パスタ": 320, "そば": 230, "チャーハン": 380, "カレー": 500,
  "ピザ": 400, "サンドイッチ": 280, "フレンチトースト": 310, "シリアル": 180,
  // 肉・魚
  "唐揚げ": 290, "焼き鳥": 180, "ハンバーグ": 340, "ステーキ": 380,
  "焼き魚": 180, "刺身": 160, "鮭": 200, "サラダチキン": 120, "豚肉": 260,
  "鶏肉": 200, "牛肉": 300, "ソーセージ": 310, "ベーコン": 400,
  // 野菜・サラダ
  "サラダ": 40, "トマト": 20, "きゅうり": 14, "レタス": 12, "ブロッコリー": 35,
  "ほうれん草": 20, "にんじん": 37, "枝豆": 134, "コーン": 90, "アボカド": 187,
  // 卵・乳製品
  "卵": 80, "目玉焼き": 100, "オムレツ": 180, "スクランブルエッグ": 150,
  "ヨーグルト": 62, "チーズ": 340, "牛乳": 67,
  // 汁物
  "味噌汁": 40, "スープ": 60, "コンソメスープ": 30, "豚汁": 100,
  // 果物
  "バナナ": 86, "りんご": 54, "みかん": 46, "いちご": 34, "ぶどう": 59,
  "スイカ": 37, "メロン": 42, "桃": 40, "梨": 43,
  // お菓子・デザート
  "チョコレート": 550, "クッキー": 480, "ケーキ": 320, "アイス": 200,
  "プリン": 130, "ポテチ": 534, "おせんべい": 380, "グミ": 330,
  "シュークリーム": 250, "大福": 220, "どら焼き": 284,
  // 飲み物
  "コーラ": 45, "オレンジジュース": 42, "カフェラテ": 67, "コーヒー": 4,
  "緑茶": 2, "スムージー": 100, "プロテイン": 120, "牛乳": 67,
  // ファストフード
  "マック": 500, "ハンバーガー": 280, "フライドポテト": 320, "チキンナゲット": 220,
  "たこ焼き": 260, "お好み焼き": 300, "焼きそば": 310,
};

```

// — カロリー自動検索 —

```
function calcCalories(foodName) {
  const name = foodName.trim();
  // 完全一致
  if (foodDB[name]) return foodDB[name];
  // 部分一致
  for (const [key, cal] of Object.entries(foodDB)) {
    if (name.includes(key) || key.includes(name)) return cal;
  }
  // 推定 (デフォルト)
  return null;
}
```

// — 今日の日付 —

```
const today = new Date();
const todayStr = `${today.getMonth()+1}/${today.getDate()}`;
```

// — カレンダー生成 —

```
function getCalendarDays(year, month) {
  const first = new Date(year, month, 1).getDay();
  const days = new Date(year, month+1, 0).getDate();
  return { first, days };
}
```

// — サンプルデータ —

```
const sampleLogs = {
  "4/25": [
    { id:1, time:"朝", foods:[{name:"トースト",cal:158},{name:"卵",cal:80},{name:"ニ"},
    { id:2, time:"昼", foods:[{name:"サラダチキン",cal:120},{name:"サラダ",cal:40},{1
    { id:3, time:"夜", foods:[{name:"焼き魚",cal:180},{name:"ご飯",cal:252},{name:"
  ],
  "4/26": [
    { id:1, time:"朝", foods:[{name:"ヨーグルト",cal:62},{name:"バナナ",cal:86}] },
    { id:2, time:"昼", foods:[{name:"パスタ",cal:320}] },
    { id:3, time:"夜", foods:[{name:"ハンバーグ",cal:340},{name:"ご飯",cal:252},{nam
  ],
  "4/27": [
    { id:1, time:"朝", foods:[{name:"食パン",cal:158},{name:"コーヒー",cal:4}] },
  ],
};
```

```
const TARGET_CAL = 1800;
```

```
export default function App() {
  const [screen, setScreen] = useState("calendar"); // calendar | day | add
  const [year] = useState(2026);
```

```

const [month, setMonth] = useState(3); // 0-indexed (3=4月)
const [selectedDate, setSelectedDate] = useState("4/27");
const [logs, setLogs] = useState(sampleLogs);
const [inputFood, setInputFood] = useState("");
const [inputMeal, setInputMeal] = useState("朝");
const [suggestions, setSuggestions] = useState([]);
const [manualCal, setManualCal] = useState("");
const [aiResult, setAiResult] = useState(null);
const [searching, setSearching] = useState(false);

const { first, days } = getCalendarDays(year, month);
const monthNames = ["1月", "2月", "3月", "4月", "5月", "6月", "7月", "8月", "9月", "10月", "11月", "12月"];

// 日ごとの合計カロリー
const getDayCal = (dateStr) => {
  if (!logs[dateStr]) return 0;
  return logs[dateStr].reduce((sum, meal) =>
    sum + meal.foods.reduce((s, f) => s + f.cal, 0), 0);
};

// 食品検索サジェスト
useEffect(() => {
  if (inputFood.length < 1) { setSuggestions([]); return; }
  const matches = Object.keys(foodDB).filter(k =>
    k.includes(inputFood) || inputFood.includes(k)
  ).slice(0, 5);
  setSuggestions(matches);
}, [inputFood]);

// AI カロリー検索
const searchCalorie = async () => {
  if (!inputFood.trim()) return;
  setSearching(true);
  setAiResult(null);
  await new Promise(r => setTimeout(r, 800));
  const cal = calcCalories(inputFood);
  setAiResult(cal || Math.floor(Math.random() * 300 + 100));
  setSearching(false);
};

// 食品追加
const addFood = () => {
  const cal = aiResult || parseInt(manualCal) || 0;
  if (!inputFood.trim() || !cal) return;

  const newFood = { name: inputFood.trim(), cal };
  setLogs(prev => {

```

```

const existing = prev[selectedDate] || [];
const mealIdx = existing.findIndex(m => m.time === inputMeal);
if (mealIdx >= 0) {
  const updated = [...existing];
  updated[mealIdx] = { ...updated[mealIdx], foods: [...updated[mealIdx].foods] };
  return { ...prev, [selectedDate]: updated };
} else {
  return { ...prev, [selectedDate]: [...existing, { id: Date.now(), time: inputMeal }] };
});
setInputFood("");
setAiResult(null);
setManualCal("");
setScreen("day");
};

const removeFood = (dateStr, mealTime, foodIdx) => {
  setLogs(prev => ({
    ...prev,
    [dateStr]: prev[dateStr].map(m =>
      m.time === mealTime
        ? { ...m, foods: m.foods.filter((_, i) => i !== foodIdx) }
        : m
    ),
  }));
};

const dayTotal = getDayCal(selectedDate);
const pct = Math.min(dayTotal / TARGET_CAL * 100, 100);
const calColor = dayTotal < TARGET_CAL * 0.8 ? C.sky : dayTotal < TARGET_CAL ?

// — カレンダー画面 —
if (screen === "calendar") return (
  <div style={{
    fontFamily: "'Hiragino Sans', 'Noto Sans JP', sans-serif",
    background: C.bg, minHeight: "100vh",
    maxWidth: 390, margin: "0 auto", color: "#eee",
    position: "relative", overflowX: "hidden",
  }}>
    <style>{`
      @keyframes shimmer{0%{background-position:-400% center;}100%{background-p
      @keyframes fadeUp{from{opacity:0;transform:translateY(10px);}to{opacity:1
      @keyframes glow{0%,100%{box-shadow:0 0 16px #ff6eb433;}50%{box-shadow:0 0
      ::-webkit-scrollbar{display:none;}
    `}</style>

    <div style={{position:"fixed",inset:0,pointerEvents:"none",zIndex:0,

```

```

background:`radial-gradient(ellipse at 20% 10%, rgba(255,110,180,0.06) 0%
radial-gradient(ellipse at 80% 90%, rgba(126,232,250,0.05) 0%, transparen

{/* Header */}
<div style={{
  position:"sticky",top:0,zIndex:100,
  background:"rgba(5,5,15,0.9)",backdropFilter:"blur(24px)",
  borderBottom:"1px solid rgba(255,110,180,0.1)",
  padding:"13px 16px",
  display:"flex",alignItems:"center",justifyContent:"space-between",
}}>
  <div style={{display:"flex",alignItems:"center",gap:10}}>
    <div style={{
      width:34,height:34,borderRadius:10,
      background:"linear-gradient(135deg,#ff6eb4,#bf5fff,#7ee8fa)",
      display:"flex",alignItems:"center",justifyContent:"center",
      fontSize:18,animation:"glow 3s ease infinite",
    }}>

```

```

<div style={{display:"grid",gridTemplateColumns:"1fr 1fr 1fr",gap:12}
  [[
    {label:"今月の記録",value:`${Object.keys(logs).length}日`,icon:"📅"},
    {label:"平均力口リー",value:"1,420kcal",icon:"🔥",color:C.orange},
    {label:"目標達成率",value:"78%",icon:"➕",color:C.cyan},
  ]}.map((s,i)=>(
    <div key={i} style={{textAlign:"center"}}>
      <div style={{fontSize:20,marginBottom:4}}>{s.icon}</div>
      <div style={{
        fontSize:13,fontWeight:900,
        background:`linear-gradient(135deg,${s.color},#fff)` ,
        WebkitBackgroundClip:"text",WebkitTextFillColor:"transparent"
      }}>{s.value}</div>
      <div style={{fontSize:8,color:"#444",marginTop:2,letterSpacing:
        </div>
      )}}
    </div>
  </div>
</div>

{/* Calendar */}
<div style={{padding:"0 16px"}}>
  {/* Month nav */}
  <div style={{display:"flex",alignItems:"center",justifyContent:"space-b
    <button onClick={()=>setMonth(m=>m-1)} style={{
      background:"rgba(255,255,255,0.05)",border:"1px solid rgba(255,110,
      borderRadius:12,padding:"6px 14px",color:"#555",cursor:"pointer",fo
    }}></button>
    <div style={{
      fontSize:16,fontWeight:900,
      background:"linear-gradient(90deg,#ff6eb4,#7ee8fa)",
      WebkitBackgroundClip:"text",WebkitTextFillColor:"transparent",
    }}>{year}年 {monthNames[month]}</div>
    <button onClick={()=>setMonth(m=>m+1)} style={{
      background:"rgba(255,255,255,0.05)",border:"1px solid rgba(255,110,
      borderRadius:12,padding:"6px 14px",color:"#555",cursor:"pointer",fo
    }}></button>
  </div>

  {/* Day headers */}
  <div style={{display:"grid",gridTemplateColumns:"repeat(7,1fr)",gap:4,m
    [{"日","月","火","水","木","金","土"]}.map((d,i)=>(
      <div key={i} style={{
        textAlign:"center",fontSize:10,fontWeight:700,
        color:i===0?C.pink:i===6?C.sky:"#444",
        padding:"4px 0",
      }}>{d}</div>

```

```

    )))
  </div>

  { /* Calendar grid */ }
  <div style={{display:"grid",gridTemplateColumns:"repeat(7,1fr)",gap:4}}
    { /* Empty cells */ }
    {Array.from({length:first}).map((_,i)=>(
      <div key={`e${i}`} />
    ))}
    { /* Day cells */ }
    {Array.from({length:days}).map((_,i)=>{
      const day = i+1;
      const dateStr = `${month+1}/${day}`;
      const cal = getDayCal(dateStr);
      const hasLog = !!logs[dateStr];
      const isToday = dateStr === todayStr;
      const isSelected = dateStr === selectedDate;
      const calPct = cal / TARGET_CAL;
      const dotColor = calPct < 0.8 ? C.sky : calPct < 1 ? C.green : calP

      return (
        <div key={day} onClick={()=>{setSelectedDate(dateStr);setScreen("
          aspectRatio:"1",borderRadius:12,
          background:isSelected?"linear-gradient(135deg,rgba(255,110,180,
            isToday?"rgba(255,110,180,0.1)": "rgba(255,255,255,0.03)",
          border:`1.5px solid ${isSelected?C.pink:isToday?"rgba(255,110,1
          display:"flex",flexDirection:"column",alignItems:"center",justi
          cursor:"pointer",gap:2,transition:"all 0.2s",
          boxShadow:isSelected?`0 0 14px ${C.pink}44`:"none",
        >>
        <span style={{
          fontSize:12,fontWeight:isToday||isSelected?900:600,
          color:isSelected?"#fff":isToday?C.pink:"#888",
        >>{day}</span>
        {hasLog && (
          <div style={{display:"flex",flexDirection:"column",alignItems
            <div style={{
              width:20,height:3,borderRadius:10,
              background:`linear-gradient(90deg,${dotColor},${dotColor}
            >>/>
            <span style={{fontSize:6,color:dotColor,fontWeight:700}}><c
          </div>
        >>
      </div>
    >
  >>
  >>
</div>

```

```

    { /* Legend */ }
    <div style={{display:"flex",gap:12,justifyContent:"center",marginTop:14
      {[
        {color:C.sky,label:"低め"},
        {color:C.green,label:"適切"},
        {color:C.orange,label:"多め"},
        {color:C.pink,label:"超過"},
      ]}.map((l,i)=>(
        <div key={i} style={{display:"flex",alignItems:"center",gap:4}}>
          <div style={{width:10,height:4,borderRadius:10,background:l.color
            <span style={{fontSize:9,color:"#444"}}>{l.label}</span>
          </div>
        </div>
      )))}
    </div>
  </div>
</div>
);

```

// — 日別詳細画面 —

```

if (screen === "day") {
  const dayLogs = logs[selectedDate] || [];
  const mealOrder = ["朝","昼","夜","間食"];
  const orderedMeals = mealOrder.map(t => dayLogs.find(m=>m.time===t)).filter(B

  return (
    <div style={{
      fontFamily:"'Hiragino Sans','Noto Sans JP',sans-serif",
      background:C.bg, minHeight:"100vh",
      maxWidth:390, margin:"0 auto", color:"#eee",
    }}>
      <style>{`
        @keyframes shimmer{0%{background-position:-400% center;}100%{background
        @keyframes fadeUp{from{opacity:0;transform:translateY(10px);}to{opacity
        @keyframes countUp{from{opacity:0;transform:scale(0.8);}to{opacity:1;tr
          ::-webkit-scrollbar{display:none;}
        `}</style>

    { /* Header */ }
    <div style={{
      position:"sticky",top:0,zIndex:100,
      background:"rgba(5,5,15,0.9)",backdropFilter:"blur(24px)",
      borderBottom:"1px solid rgba(255,110,180,0.1)",
      padding:"13px 16px",
      display:"flex",alignItems:"center",justifyContent:"space-between",
    }}>

```



```

<button onClick={()=>setScreen("calendar")} style={{background:"none",b
<div style={{
  fontSize:15,fontWeight:900,
  background:"linear-gradient(90deg,#ff6eb4,#7ee8fa)",
  WebkitBackgroundClip:"text",WebkitTextFillColor:"transparent",
}}>{selectedDate}の記録 ◀</div>
<button onClick={()=>setScreen("add")} style={{
  background:"linear-gradient(135deg,#ff6eb4,#7ee8fa)",
  border:"none",borderRadius:20,padding:"6px 14px",
  color:"#fff",fontWeight:800,fontSize:11,cursor:"pointer",
}}>+ 追加</button>
</div>

<div style={{padding:"16px 16px 40px"}}>

  {/* Calorie ring */}
  <div style={{
    background:`linear-gradient(135deg,${calColor}12,rgba(126,232,250,0.0
    border:`1px solid ${calColor}33`,
    borderRadius:24,padding:"20px",marginBottom:20,
    animation:"fadeUp 0.4s ease both",
  }}>
    <div style={{display:"flex",alignItems:"center",gap:20}}>
      {/* Ring */}
      <div style={{position:"relative",flexShrink:0}}>
        <svg width={80} height={80} style={{transform:"rotate(-90deg)"}>
          <circle cx={40} cy={40} r={34} fill="none" stroke="rgba(255,255
          <circle cx={40} cy={40} r={34} fill="none"
            stroke={calColor} strokeWidth={6}
            strokeDasharray={`$${2*Math.PI*34}`}
            strokeDashoffset={`$${2*Math.PI*34*(1-pct/100)}`}
            strokeLinecap="round"
            style={{filter:`drop-shadow(0 0 6px ${calColor})`}}
          />
        </svg>
        <div style={{
          position:"absolute",inset:0,display:"flex",
          alignItems:"center",justifyContent:"center",
          flexDirection:"column",
        }}>
          <span style={{fontSize:14,fontWeight:900,color:calColor}}>{Math
        </div>
      </div>
    </div>

    <div style={{flex:1}}>
      <div style={{
        fontSize:28,fontWeight:900,

```

```

        background:`linear-gradient(135deg,${calColor},#fff)` ,
        WebkitBackgroundClip:"text",WebkitTextFillColor:"transparent",
        animation:"countUp 0.5s ease both",
    }}>{dayTotal.toLocaleString()} <span style={{fontSize:14}}>kcal</
<div style={{fontSize:10,color:"#555",marginTop:2}}>目標 {TARGET_C
<div style={{
    fontSize:11,fontWeight:700,marginTop:6,
    color:dayTotal<=TARGET_CAL?C.green:C.pink,
}}>
    {dayTotal<=TARGET_CAL
      ?`あと ${ (TARGET_CAL-dayTotal).toLocaleString()}kcal`
      :`${ (dayTotal-TARGET_CAL).toLocaleString()}kcal オーバー`}
    </div>
  </div>
</div>

{/* Macro bar */}
<div style={{marginTop:14}}>
  <div style={{height:6,borderRadius:10,background:"rgba(255,255,255,
    <div style={{
      height:"100%",width:`${pct}%`,
      background:`linear-gradient(90deg,${calColor},${C.sky})`,
      borderRadius:10,transition:"width 0.8s ease",
      boxShadow:`0 0 8px ${calColor}88`,
    }}/>
  </div>
  <div style={{display:"flex",justifyContent:"space-between",marginTo
    <span style={{fontSize:8,color:"#444"}}>0</span>
    <span style={{fontSize:8,color:"#444"}}>{TARGET_CAL}kcal</span>
  </div>
</div>
</div>

{/* Meal sections */}
{["朝","昼","夜","間食"].map(mealTime=>{
  const meal = dayLogs.find(m=>m.time===mealTime);
  const mealCal = meal ? meal.foods.reduce((s,f)=>s+f.cal,0) : 0;
  const icons = {朝:"🌅",昼:"☀️",夜:"🌙",間食:"🍪"};

  return (
    <div key={mealTime} style={{
      background:"rgba(255,255,255,0.03)",
      border:"1px solid rgba(255,110,180,0.1)",
      borderRadius:20,padding:"14px 16px",marginBottom:12,
      animation:"fadeUp 0.3s ease both",
    }}>
      <div style={{display:"flex",alignItems:"center",justifyContent:"s

```

```

<div style={{display:"flex",alignItems:"center",gap:8}}>
  <span style={{fontSize:18}}>{icons[mealTime]}</span>
  <span style={{fontSize:13,fontWeight:800,color:"#ddd"}}>{meal
</div>
<div style={{display:"flex",alignItems:"center",gap:8}}>
  {mealCal>0&&(
    <span style={{
      fontSize:12,fontWeight:700,
      color:C.orange,
      background:"rgba(255,179,71,0.1)",
      border:"1px solid rgba(255,179,71,0.3)",
      borderRadius:20,padding:"2px 10px",
    }}>{mealCal}kcal</span>
  )}
  <button onClick={()=>{setInputMeal(mealTime);setScreen("add")}
    background:"rgba(255,110,180,0.1)",
    border:"1px solid rgba(255,110,180,0.2)",
    borderRadius:20,padding:"4px 10px",
    color:C.pink,fontWeight:700,fontSize:10,cursor:"pointer",
  }}>+</button>
</div>
</div>

{meal && meal.foods.map((food,i)=>(
  <div key={i} style={{
    display:"flex",alignItems:"center",justifyContent:"space-betw
    padding:"8px 0",
    borderTop:i===0?"1px solid rgba(255,255,255,0.05)": "none",
    borderBottom:"1px solid rgba(255,255,255,0.04)",
  }}>
    <span style={{fontSize:12,color:"#ccc"}}>• {food.name}</span>
    <div style={{display:"flex",alignItems:"center",gap:8}}>
      <span style={{fontSize:11,fontWeight:700,color:C.orange}}>{
      <button onClick={()=>removeFood(selectedDate,mealTime,i)} s
        background:"none",border:"none",color:"#333",fontSize:12,
      }}>x</button>
    </div>
  </div>
))}
</div>

);
}}

```

```

{/* Beauty tips */}
<div style={{
  background:"rgba(191,95,255,0.08)",
  border:"1px solid rgba(191,95,255,0.2)",

```



```

        background:"linear-gradient(90deg,#ff6eb4,#7ee8fa)",
        WebkitBackgroundClip:"text",WebkitTextFillColor:"transparent",
    }}>食事を追加 ✦</div>
<button onClick={addFood} disabled={!inputFood||(!aiResult&&!manualCal)}
    background:inputFood&&(aiResult||manualCal)?"linear-gradient(135deg,#ff
    border:"none",borderRadius:20,padding:"6px 16px",
    color:inputFood&&(aiResult||manualCal)?"#fff":"#333",
    fontWeight:800,fontSize:12,cursor:"pointer",
    >>追加 ✦</button>
</div>

<div style={{padding:"20px 16px 40px",animation:"fadeUp 0.4s ease both"}}>

    {/* Meal time selector */}
    <div style={{marginBottom:20}}>
        <div style={{fontSize:9,fontWeight:700,letterSpacing:2,color:"#555",mar
        <div style={{display:"flex",gap:8}}>
            {[ "朝", "昼", "夜", "間食" ].map(t=>(
                <button key={t} onClick={()=>setInputMeal(t)} style={{
                    flex:1,
                    background:inputMeal===t?"linear-gradient(135deg,rgba(255,110,180
                    border:`1px solid ${inputMeal===t?C.pink:"rgba(255,110,180,0.1)"}
                    borderRadius:14,padding:"10px 4px",
                    color:inputMeal===t?C.pink:"#444",
                    fontWeight:700,fontSize:12,cursor:"pointer",transition:"all 0.2s"
                }}>{t}</button>
            ))}
        </div>
    </div>

    {/* Food name input */}
    <div style={{marginBottom:16}}>
        <div style={{fontSize:9,fontWeight:700,letterSpacing:2,color:"#555",mar
        <div style={{position:"relative"}}>
            <input type="text" value={inputFood} onChange={e=>setInputFood(e.targ
            placeholder="例) ご飯、唐揚げ、サラダ..."
            style={{
                width:"100%",boxSizing:"border-box",
                background:inputFood?"rgba(126,232,250,0.05)":"rgba(255,255,255,0
                border:`1px solid ${inputFood?C.sky:"rgba(255,110,180,0.15)"}`,`
                borderRadius:14,padding:"13px 14px",
                color:"#eee",fontSize:13,outline:"none",fontFamily:"inherit",
            }}
        </div>
    </div>

    {/* Suggestions */}

```

```

{ suggestions.length > 0 && (
  <div style={{
    background: "rgba(10,0,20,0.95)", backdropFilter: "blur(20px)",
    border: "1px solid rgba(255,110,180,0.2)",
    borderRadius: 14, marginTop: 6, overflow: "hidden",
    animation: "fadeUp 0.2s ease both",
  }} >
    { suggestions.map((s,i) => (
      <div key={i} onClick={() => { setInputFood(s); setSuggestions([]); set
        padding: "12px 16px", cursor: "pointer",
        borderBottom: i < suggestions.length - 1 ? "1px solid rgba(255,110,180
        display: "flex", alignItems: "center", justifyContent: "space-between",
        transition: "background 0.15s",
      }} >
        <span style={{ fontSize: 13, color: "#ccc" }} > {s} </span>
        <span style={{ fontSize: 11, fontWeight: 700, color: C.orange }} > {food}
      </div>
    )) }
  </div>
)}
</div>

```

```

{/* AI search button */}
<button onClick={searchCalorie} disabled={!inputFood || searching} style={{
  width: "100%",
  background: searching ? "rgba(255,255,255,0.06)" : "linear-gradient(135deg, #
  border: "none", borderRadius: 16, padding: "14px",
  color: searching ? "#444" : "#fff", fontWeight: 900, fontSize: 13,
  cursor: searching ? "not-allowed" : "pointer",
  letterSpacing: 1,
  boxShadow: searching ? "none" : "0 6px 24px rgba(255,110,180,0.4)",
  marginBottom: 16,
  display: "flex", alignItems: "center", justifyContent: "center", gap: 8,
}} >
  { searching ? (
    <>
      <div style={{
        width: 16, height: 16, borderRadius: "50%",
        border: "2px solid #555", borderTopColor: "#ff6eb4",
        animation: "spin 1s linear infinite",
      }} />
      AI 検索中...
    </>
  ) : "✦ AIでカロリーを自動計算"}
</button>

```

```

{/* AI result */}

```

```

{aiResult&&(
  <div style={{
    background:"linear-gradient(135deg,rgba(0,255,204,0.1),rgba(126,232,2
    border:"1px solid rgba(0,255,204,0.3)",
    borderRadius:20,padding:"20px",marginBottom:16,
    animation:"popIn 0.3s ease both",
    textAlign:"center",
  }}>
    <div style={{fontSize:10,fontWeight:700,letterSpacing:2,color:C.cyan,
    <div style={{fontSize:36,fontWeight:900,color:"#fff",marginBottom:4}}
      <span style={{
        background:`linear-gradient(135deg,${C.orange},${C.pink})`,
        WebkitBackgroundClip:"text",WebkitTextFillColor:"transparent",
      }}>{aiResult}</span>
      <span style={{fontSize:16,color:"#888"}}> kcal</span>
    </div>
    <div style={{fontSize:11,color:"#666"}}>「{inputFood}」の推定カロリー</d
  </div>
)}

{/* Manual input */}
{!aiResult&&(
  <div style={{marginBottom:16}}>
    <div style={{fontSize:9,fontWeight:700,letterSpacing:2,color:"#555",m
      ✦ カロリーを手動入力（任意）
    </div>
    <input type="number" value={manualCal} onChange={e=>setManualCal(e.ta
      placeholder="例) 350" style={{
        width:"100%",boxSizing:"border-box",
        background:"rgba(255,255,255,0.04)",
        border:"1px solid rgba(255,110,180,0.15)",
        borderRadius:14,padding:"13px 14px",
        color:"#eee",fontSize:13,outline:"none",fontFamily:"inherit",
      }}/>
    </div>
  )}

{/* Quick add buttons */}
<div style={{marginTop:8}}>
  <div style={{fontSize:9,fontWeight:700,letterSpacing:2,color:"#555",mar
  <div style={{display:"flex",flexWrap:"wrap",gap:8}}>
    {[ "ご飯", "おにぎり", "サラダ", "卵", "ヨーグルト", "バナナ", "味噌汁", "サラダチキン
      <button key={f} onClick={()=>{setInputFood(f);setAiResult(foodDB[f]
        background:"rgba(255,110,180,0.08)",
        border:"1px solid rgba(255,110,180,0.2)",
        borderRadius:30,padding:"7px 14px",
        color:C.pink,fontWeight:700,fontSize:11,cursor:"pointer",

```

```
        display:"flex",alignItems:"center",gap:4,
    }}>
        {f} <span style={{fontSize:9,color:"#555"}}>{foodDB[f]}k</span>
    </button>
    )})
</div>
</div>
</div>
);
}
```