

```

import { useState } from "react";

const C = {
  bg: "#05050f",
  pink: "#ff6eb4",
  sky: "#7ee8fa",
  cyan: "#00ffcc",
  purple: "#bf5fff",
  orange: "#ffb347",
};

function Toggle({ value, onChange, color = C.pink }) {
  return (
    <div onClick={() => onChange(!value)} style={{
      width: 46, height: 26, borderRadius: 13,
      background: value
        ? `linear-gradient(135deg, ${color}, ${C.sky})`
        : "rgba(255,255,255,0.08)",
      border: `1px solid ${value ? color : "rgba(255,255,255,0.1)"}`,
      position: "relative", cursor: "pointer",
      transition: "all 0.3s ease",
      boxShadow: value ? `0 0 12px ${color}55` : "none",
      flexShrink: 0,
    }}>
      <div style={{
        position: "absolute",
        width: 20, height: 20, borderRadius: "50%",
        background: value ? "#fff" : "#444",
        top: 2, left: value ? 22 : 2,
        transition: "all 0.3s ease",
        boxShadow: value ? `0 2px 8px ${color}66` : "none",
      }}/>
    </div>
  );
}

function SettingRow({ icon, label, sub, right, onClick, danger, color }) {
  return (
    <div onClick={onClick} style={{
      display: "flex", alignItems: "center", gap: 14,
      padding: "14px 16px", cursor: onClick ? "pointer" : "default",
      borderBottom: "1px solid rgba(255,110,180,0.06)",
      transition: "background 0.2s",
    }}>

```

```

<div style={{
  width: 38, height: 38, borderRadius: 12, flexShrink: 0,
  background: color ? `${color}18` : "rgba(255,255,255,0.05)",
  border: `1px solid ${color ? `${color}33` : "rgba(255,110,180,0.1)"}`,
  display: "flex", alignItems: "center", justifyContent: "center",
  fontSize: 18,
}}>{icon}</div>
<div style={{ flex: 1, minWidth: 0 }}>
  <div style={{
    fontSize: 13, fontWeight: 700,
    color: danger ? "#ff4444" : "#ddd",
    marginBottom: sub ? 2 : 0,
  }}>{label}</div>
  {sub && <div style={{ fontSize: 10, color: "#444" }}>{sub}</div>}
</div>
{right && <div style={{ flexShrink: 0 }}>{right}</div>}
{onClick && !right && (
  <div style={{ fontSize: 14, color: "#333", flexShrink: 0 }}>></div>
)}
</div>
);
}

```

```

function SectionHeader({ title, color = C.pink }) {
  return (
    <div style={{
      padding: "18px 16px 8px",
      fontSize: 9, fontWeight: 700, letterSpacing: 3,
      color: color,
    }}>♦ {title}</div>
  );
}

```

```

export default function App() {
  const [screen, setScreen] = useState("main");

  // Toggle states
  const [toggles, setToggles] = useState({
    pushNotif: true,
    likeNotif: true,
    commentNotif: true,
    followNotif: true,
    dmNotif: false,
    officialNotif: true,
    privateAccount: false,
    showActivity: true,
    allowMention: true,
  });
}

```

```

    faceId: true,
    twoFactor: false,
    darkMode: true,
    autoPlay: true,
    hdUpload: false,
    saveOriginal: true,
    aiBeauty: true,
    arMode: true,
    locationTag: false,
  });

const setToggle = (key) => (val) => setToggle2(key, val);
const setToggle2 = (key, val) => setToggles(t => ({ ...t, [key]: val }));

if (screen === "account") return <AccountScreen onBack={() => setScreen("main")}
if (screen === "privacy") return <PrivacyScreen onBack={() => setScreen("main")}
if (screen === "notif") return <NotifScreen onBack={() => setScreen("main")} to
if (screen === "display") return <DisplayScreen onBack={() => setScreen("main")}
if (screen === "security") return <SecurityScreen onBack={() => setScreen("main")}

return (
  <div style={{
    fontFamily: "'Hiragino Sans','Noto Sans JP',sans-serif",
    background: C.bg, minHeight: "100vh",
    maxWidth: 390, margin: "0 auto", color: "#eee",
    position: "relative", overflowX: "hidden",
  }}>
    <style>{`
      @keyframes shimmer{0%{background-position:-400% center;}100%{background-p
      @keyframes fadeUp{from{opacity:0;transform:translateY(10px);}to{opacity:1
      @keyframes glow{0%,100%{box-shadow:0 0 20px #ff6eb433;}50%{box-shadow:0 0
      ::-webkit-scrollbar{display:none;}
    `}</style>

    {/* BG */}
    <div style={{
      position:"fixed",inset:0,pointerEvents:"none",zIndex:0,
      background:`
        radial-gradient(ellipse at 20% 10%, rgba(255,110,180,0.05) 0%, transpar
        radial-gradient(ellipse at 80% 90%, rgba(126,232,250,0.04) 0%, transpar
      `,
    }}/>

    {/* Header */}
    <div style={{
      position:"sticky",top:0,zIndex:100,
      background:"rgba(5,5,15,0.9)",backdropFilter:"blur(24px)",

```

```

borderBottom:"1px solid rgba(255,110,180,0.1)",
padding:"13px 16px",
display:"flex",alignItems:"center",gap:12,
}}>
<div style={{
  width:34,height:34,borderRadius:10,
  background:"linear-gradient(135deg,#ff6eb4,#bf5fff,#7ee8fa)",
  display:"flex",alignItems:"center",justifyContent:"center",
  fontSize:16,animation:"glow 3s ease infinite",
}}>✦</div>
<div style={{
  fontSize:18,fontWeight:900,letterSpacing:2,
  background:"linear-gradient(90deg,#ff6eb4,#bf5fff,#7ee8fa,#00ffcc,#ff6e
  backgroundSize:"300% auto",
  WebkitBackgroundClip:"text",WebkitTextFillColor:"transparent",
  animation:"shimmer 4s linear infinite",
}}>設定 ✦</div>
</div>

<div style={{position:"relative",zIndex:1,paddingBottom:40}}>

  {/* Profile card */}
  <div style={{
    margin:"16px",
    background:"rgba(255,255,255,0.03)",
    border:"1px solid rgba(255,110,180,0.15)",
    borderRadius:20,padding:"18px",
    display:"flex",alignItems:"center",gap:14,
    cursor:"pointer",
    animation:"fadeUp 0.4s ease both",
  }} onClick={()=>setScreen("account")}>
    <div style={{
      width:60,height:60,borderRadius:"50%",
      background:"linear-gradient(135deg,#ff6eb4,#bf5fff,#7ee8fa)",
      display:"flex",alignItems:"center",justifyContent:"center",
      fontSize:28,flexShrink:0,
      boxShadow:"0 0 20px #ff6eb444",
      animation:"glow 3s ease infinite",
    }}>✦</div>
    <div style={{flex:1}}>
      <div style={{fontWeight:800,fontSize:15,color:"#eee",marginBottom:2}}
        <div style={{fontSize:11,color:"#555"}}>@marie50924 ・ プロフィールを編集
      </div>
      <div style={{fontSize:16,color:"#333"}}>></div>
    </div>

  {/* アカウント */}

```

```

<SectionHeader title="アカウント" color={C.pink}/>
<div style={{background:"rgba(255,255,255,0.02)",borderTop:"1px solid rgb
  <SettingRow icon="👤" label="アカウント情報" sub="メール・ユーザー名・電話番号
  <SettingRow icon="🔒" label="セキュリティ" sub="パスワード・2段階認証" onCli
  <SettingRow icon="🛡️" label="プライバシー" sub="公開設定・アクティビティ" onC
</div>

{/* 通知 */}
<SectionHeader title="通知" color={C.sky}/>
<div style={{background:"rgba(255,255,255,0.02)",borderTop:"1px solid rgb
  <SettingRow icon="🔔" label="通知設定" sub="いいね・コメント・フォロー"
    onClick={()=>setScreen("notif")} color={C.orange}
    right={
      <div style={{
        background:"rgba(255,110,180,0.1)",border:"1px solid rgba(255,110
        borderRadius:20,padding:"3px 10px",fontSize:9,color:C.pink,fontWe
      }}>ON</div>
    }
  />
</div>

{/* 表示・加工 */}
<SectionHeader title="表示・加工" color={C.purple}/>
<div style={{background:"rgba(255,255,255,0.02)",borderTop:"1px solid rgb
  <SettingRow icon="🌈" label="表示設定" sub="ダークモード・フォントサイズ" onC
  <SettingRow icon="✨" label="AI美容加工" sub="自動補正レベル"
    right={<Toggle value={toggles.aiBeauty} onChange={v=>setToggle2("aiBe
    color={C.purple}
  />
  <SettingRow icon="👁️" label="ARモード" sub="リアルタイムAR着せ替え"
    right={<Toggle value={toggles.arMode} onChange={v=>setToggle2("arMode
    color={C.sky}
  />
</div>

{/* データ */}
<SectionHeader title="データ・ストレージ" color={C.cyan}/>
<div style={{background:"rgba(255,255,255,0.02)",borderTop:"1px solid rgb
  <SettingRow icon="📦" label="ストレージ使用量" sub="2.4GB / 15GB使用中"
    right={
      <div style={{
        fontSize:11,fontWeight:700,
        background:"linear-gradient(90deg,#ff6eb4,#7ee8fa)",
        WebkitBackgroundClip:"text",WebkitTextFillColor:"transparent",
      }}>管理 </div>
    }
  color={C.cyan}

```

```

/>
<SettingRow icon="📶" label="HD画質アップロード"
  right=<Toggle value={toggles.hdUpload} onChange={v=>setToggle2("hdUp
  color={C.cyan}
/>
<SettingRow icon="💾" label="オリジナル保存"
  right=<Toggle value={toggles.saveOriginal} onChange={v=>setToggle2("
  color={C.cyan}
/>
</div>

{ /* サポート */ }
<SectionHeader title="サポート" color="#666"/>
<div style={{background:"rgba(255,255,255,0.02)",borderTop:"1px solid rgb
  [
    {icon:"❓",label:"ヘルプセンター",sub:"よくある質問"},
    {icon:"💬",label:"お問い合わせ",sub:"不具合・ご要望"},
    {icon:"⭐",label:"アプリを評価する",sub:"App Store / Google Play"},
    {icon:"📄",label:"利用規約",sub:"Terms of Service"},
    {icon:"🔒",label:"プライバシーポリシー",sub:"Privacy Policy"},
    {icon:"📱",label:"バージョン情報",sub:"GLOWZ v1.0.0",right:<div style={
  ].map((item,i)=>(
    <SettingRow key={i} {...item} onClick={()=>{}} color="#444"/>
  ))}
</div>

{ /* ログアウト・退会 */ }
<SectionHeader title="アカウント操作" color="#666"/>
<div style={{background:"rgba(255,255,255,0.02)",borderTop:"1px solid rgb
  <SettingRow icon="🚪" label="ログアウト" onClick={()=>{}} color="#555"/>
  <SettingRow icon="⚠️" label="アカウントを削除する" danger onClick={()=>{}}
</div>

<div style={{textAlign:"center",padding:"24px",fontSize:9,color:"#222",le
  GLOWZ v1.0.0 ・ made with 💖
</div>
</div>
</div>
);
}

// — サブ画面共通ヘッダー —
function SubHeader({ title, onBack, color = C.pink }) {
  const C2 = { pink:"#ff6eb4", sky:"#7ee8fa" };
  return (
    <div style={{
      position:"sticky",top:0,zIndex:100,

```

```

        background:"rgba(5,5,15,0.9)",backdropFilter:"blur(24px)",
        borderBottom:"1px solid rgba(255,110,180,0.1)",
        padding:"13px 16px",
        display:"flex",alignItems:"center",gap:12,
    }}>
    <button onClick={onBack} style={{
        background:"none",border:"none",color:"#555",
        fontSize:18,cursor:"pointer",
    }}></button>
    <div style={{
        fontSize:16,fontWeight:900,letterSpacing:2,
        background:`linear-gradient(90deg,${color},#7ee8fa)`,
        WebkitBackgroundClip:"text",WebkitTextFillColor:"transparent",
    }}>{title} ♠</div>
</div>
);
}

```

// — アカウント画面 —

```

function AccountScreen({ onBack }) {
    const [name, setName] = useState("marie.glowz");
    const [email, setEmail] = useState("marie@glowz.app");
    const [phone, setPhone] = useState("090-xxxx-xxxx");

    return (
        <div style={{fontFamily:"'Hiragino Sans','Noto Sans JP',sans-serif",background
        <style>{@keyframes fadeUp{from{opacity:0;transform:translateY(10px);}to{op
        <SubHeader title="アカウント情報" onBack={onBack} color={C.pink}/>
        <div style={{padding:"20px 16px",animation:"fadeUp 0.3s ease both"}}>
            { /* Avatar */ }
            <div style={{textAlign:"center",marginBottom:28}}>
                <div style={{
                    width:80,height:80,borderRadius:"50%",margin:"0 auto 12px",
                    background:"linear-gradient(135deg,#ff6eb4,#bfff,#7ee8fa)",
                    display:"flex",alignItems:"center",justifyContent:"center",fontSize:3
                    boxShadow:"0 0 24px #ff6eb444",
                }}>♠</div>
                <button style={{
                    background:"rgba(255,110,180,0.1)",border:"1px solid rgba(255,110,180
                    borderRadius:20,padding:"6px 18px",
                    color:C.pink,fontWeight:700,fontSize:11,cursor:"pointer",
                }}>写真を変更 ♠</button>
            </div>

            {[
                {label:"ニックネーム",val:name,set:setName,icon:"♠"},
                {label:"メールアドレス",val:email,set:setEmail,icon:"✉"},
            ]}
        </div>
    )
}

```

```

    {label:"電話番号",val:phone,set:setPhone,icon:"📞"},
  ].map((f,i)=>(
    <div key={i} style={{marginBottom:16}}>
      <div style={{fontSize:9,fontWeight:700,letterSpacing:2,color:"#555",margin:0}}>
        <div style={{
          display:"flex",alignItems:"center",gap:10,
          background:"rgba(255,255,255,0.04)",
          border:"1px solid rgba(255,110,180,0.15)",
          borderRadius:14,padding:"0 14px",
        }}>
          <span style={{fontSize:16,opacity:0.5}}>{f.icon}</span>
          <input type="text" value={f.val} onChange={e=>f.set(e.target.value)}
            flex:1,background:"none",border:"none",outline:"none",
            color:"#eee",fontSize:13,padding:"13px 0",fontFamily:"inherit",
          </>
        </div>
      </div>
    ))}

    <button style={{
      width:"100%",marginTop:8,
      background:"linear-gradient(135deg,#ff6eb4,#bf5fff,#7ee8fa)",
      border:"none",borderRadius:16,padding:"15px",
      color:"#fff",fontWeight:900,fontSize:14,cursor:"pointer",
      letterSpacing:2,boxShadow:"0 6px 24px rgba(255,110,180,0.4)",
    }}>✦ 変更を保存</button>
  </div>
</div>
);
}

```

// — プライバシー画面 —

```

function PrivacyScreen({ onBack, toggles, setToggle2 }) {
  return (
    <div style={{fontFamily:"Hiragino Sans','Noto Sans JP',sans-serif",background:
      <style>{@keyframes fadeUp{from{opacity:0;transform:translateY(10px);}to{op
      <SubHeader title="プライバシー" onBack={onBack} color={C.sky}/>
      <div style={{animation:"fadeUp 0.3s ease both"}}>
        <div style={{padding:"14px 16px 6px",fontSize:9,fontWeight:700,letterSpac
        <div style={{background:"rgba(255,255,255,0.02)",borderTop:"1px solid rgb
          {[
            {icon:"🔒",label:"非公開アカウント",sub:"フォロワーのみ投稿を閲覧可",key:"pr
            {icon:"💚",label:"アクティビティを表示",sub:"オンライン状態を公開する",key:"
            {icon:"📍",label:"位置情報タグ",sub:"投稿に場所情報を追加",key:"locationTa
            {icon:"💎",label:"メンションを許可",sub:"全員 / フォロワーのみ",key:"allowMe
          ]}.map((item,i)=>(
            <div key={i} style={{

```

```

        display:"flex",alignItems:"center",gap:14,
        padding:"14px 16px",
        borderBottom:"1px solid rgba(255,110,180,0.06)",
    }}>
    <div style={{
        width:38,height:38,borderRadius:12,flexShrink:0,
        background:`${item.color}18`,border:`1px solid ${item.color}33`,
        display:"flex",alignItems:"center",justifyContent:"center",fontSi
    }}>{item.icon}</div>
    <div style={{flex:1}}>
        <div style={{fontSize:13,fontWeight:700,color:"#ddd",marginBottom
        <div style={{fontSize:10,color:"#444"}}>{item.sub}</div>
        </div>
        <Toggle value={toggles[item.key]} onChange={v=>setToggle2(item.key,
    </div>
    )}}
</div>

<div style={{padding:"14px 16px 6px",fontSize:9,fontWeight:700,letterSpac
<div style={{background:"rgba(255,255,255,0.02)",borderTop:"1px solid rgb
    {[
        {icon:"🚫",label:"ブロックリスト",sub:"0人"},
        {icon:"🔇",label:"ミュートリスト",sub:"3人"},
        {icon:"⚠️",label:"制限リスト",sub:"1人"},
    ]}.map((item,i)=>(
    <div key={i} style={{
        display:"flex",alignItems:"center",gap:14,
        padding:"14px 16px",cursor:"pointer",
        borderBottom:"1px solid rgba(255,110,180,0.06)",
    }}>
    <div style={{
        width:38,height:38,borderRadius:12,flexShrink:0,
        background:"rgba(255,255,255,0.05)",border:"1px solid rgba(255,11
        display:"flex",alignItems:"center",justifyContent:"center",fontSi
    }}>{item.icon}</div>
    <div style={{flex:1}}>
        <div style={{fontSize:13,fontWeight:700,color:"#ddd"}}>{item.labe
        <div style={{fontSize:10,color:"#444"}}>{item.sub}</div>
        </div>
        <div style={{fontSize:14,color:"#333"}}>></div>
    </div>
    )}}
</div>
</div>
</div>
);
}

```

// — 通知設定画面 —

```
function NotifScreen({ onBack, toggles, setToggle2 }) {
  const items = [
    {icon:"💖",label:"いいね",key:"likeNotif",color:C.pink},
    {icon:"💬",label:"コメント",key:"commentNotif",color:C.purple},
    {icon:"➡",label:"フォロー",key:"followNotif",color:C.sky},
    {icon:"💬",label:"ダイレクトメッセージ",key:"dmNotif",color:C.cyan},
    {icon:"🌟",label:"GLOWZ公式からのお知らせ",key:"officialNotif",color:C.orange},
  ];
  return (
    <div style={{fontFamily:'Hiragino Sans','Noto Sans JP',sans-serif,background
      <style>{@keyframes fadeUp{from{opacity:0;transform:translateY(10px);}to{op
      <SubHeader title="通知設定" onBack={onBack} color={C.orange}/>
      <div style={{animation:"fadeUp 0.3s ease both"}}>
        <div style={{padding:"14px 16px 6px",fontSize:9,fontWeight:700,letterSpac
        <div style={{
          display:"flex",alignItems:"center",gap:14,
          padding:"14px 16px",
          background:"rgba(255,255,255,0.02)",
          borderTop:"1px solid rgba(255,110,180,0.08)",
          borderBottom:"1px solid rgba(255,110,180,0.06)",
        }}>
          <div style={{
            width:38,height:38,borderRadius:12,
            background:"rgba(255,179,71,0.15)",border:"1px solid rgba(255,179,71,
            display:"flex",alignItems:"center",justifyContent:"center",fontSize:1
          }}>🔔</div>
          <div style={{flex:1}}>
            <div style={{fontSize:13,fontWeight:700,color:"#ddd"}}>プッシュ通知を許す</div>
            <div style={{fontSize:10,color:"#444"}}>全ての通知の基本設定</div>
          </div>
          <Toggle value={toggles.pushNotif} onChange={v=>setToggle2("pushNotif",v
        </div>

      <div style={{padding:"14px 16px 6px",fontSize:9,fontWeight:700,letterSpac
      <div style={{background:"rgba(255,255,255,0.02)",borderTop:"1px solid rgb
        {items.map((item,i)=>{
          <div key={i} style={{
            display:"flex",alignItems:"center",gap:14,
            padding:"14px 16px",
            borderBottom:"1px solid rgba(255,110,180,0.06)",
            opacity:toggles.pushNotif?1:0.4,
            transition:"opacity 0.3s",
          }}>
            <div style={{
              width:38,height:38,borderRadius:12,flexShrink:0,
```

```

        background:`$${item.color}18`,border:`1px solid ${item.color}33`,
        display:"flex",alignItems:"center",justifyContent:"center",fontSi
    }}>{item.icon}</div>
    <div style={{flex:1,fontSize:13,fontWeight:700,color:"#ddd"}}>{item
    <Toggle value={toggles[item.key]&&toggles.pushNotif} onChange={v=>s
    </div>
    )}}
  </div>
</div>
</div>
);
}

```

// — 表示設定画面 —

```

function DisplayScreen({ onBack, toggles, setToggle2 }) {
  const [fontSize, setFontSize] = useState(2);
  const sizes = ["小", "中", "大", "特大"];
  return (
    <div style={{fontFamily:'Hiragino Sans','Noto Sans JP',sans-serif,backgroun
    <style>{@keyframes fadeUp{from{opacity:0;transform:translateY(10px);}to{op
    <SubHeader title="表示設定" onBack={onBack} color={C.purple}/>
    <div style={{animation:"fadeUp 0.3s ease both"}}>
      <div style={{padding:"14px 16px 6px",fontSize:9,fontWeight:700,letterSpac
      <div style={{background:"rgba(255,255,255,0.02)",borderTop:"1px solid rgb
      <div style={{
        display:"flex",alignItems:"center",gap:14,
        padding:"14px 16px",borderBottom:"1px solid rgba(255,110,180,0.06)",
      }}>
        <div style={{
          width:38,height:38,borderRadius:12,
          background:"rgba(191,95,255,0.15)",border:"1px solid rgba(191,95,25
          display:"flex",alignItems:"center",justifyContent:"center",fontSize
        }}>🌙</div>
        <div style={{flex:1}}>
          <div style={{fontSize:13,fontWeight:700,color:"#ddd"}}>ダークモード</
          <div style={{fontSize:10,color:"#444"}}>目に優しいダークテーマ</div>
        </div>
        <Toggle value={toggles.darkMode} onChange={v=>setToggle2("darkMode",v
      </div>
    <div style={{
      display:"flex",alignItems:"center",gap:14,
      padding:"14px 16px",
    }}>
      <div style={{
        width:38,height:38,borderRadius:12,
        background:"rgba(126,232,250,0.15)",border:"1px solid rgba(126,232,
        display:"flex",alignItems:"center",justifyContent:"center",fontSize

```

```

    >>></div>
    <div style={{flex:1}}>
      <div style={{fontSize:13,fontWeight:700,color:"#ddd"}}>動画自動再生</div>
      <div style={{fontSize:10,color:"#444"}}>フィードで自動的に再生</div>
    </div>
    <Toggle value={toggles.autoPlay} onChange={v=>setToggle2("autoPlay",v)} />
  </div>
</div>

<div style={{padding:"14px 16px 6px",fontSize:9,fontWeight:700,letterSpacing:1}}>
  <div style={{
    background:"rgba(255,255,255,0.02)",
    borderTop:"1px solid rgba(255,110,180,0.08)",
    borderBottom:"1px solid rgba(255,110,180,0.08)",
    padding:"20px 16px",
  }}>
    <div style={{display:"flex",gap:8,marginBottom:12}}>
      {sizes.map((s,i)=>(
        <button key={i} onClick={()=>setFontSize(i)} style={{
          flex:1,
          background:fontSize===i?"linear-gradient(135deg,#bff5ff33,#7ee8fa)",
          border:`1px solid ${fontSize===i?C.purple:"rgba(255,110,180,0.1)"} `,
          borderRadius:12,padding:"10px 4px",
          color:fontSize===i?C.purple:"#444",
          fontWeight:700,fontSize:10+i*2,cursor:"pointer",
          transition:"all 0.2s",
        }}>{s}</button>
      ))}
    </div>
    <div style={{
      fontSize:10,color:"#444",textAlign:"center",letterSpacing:1,
    }}>プレビュー：GLOWZで輝こう</div>
  </div>
</div>
</div>
);
}

```

// — セキュリティ画面 —

```

function SecurityScreen({ onBack, toggles, setToggle2 }) {
  return (
    <div style={{fontFamily:"Hiragino Sans','Noto Sans JP',sans-serif",background:
      <style>{`@keyframes fadeUp{from{opacity:0;transform:translateY(10px);}to{opac
        <SubHeader title="セキュリティ" onBack={onBack} color={C.purple}/>
      <div style={{animation:"fadeUp 0.3s ease both"}}>
        <div style={{padding:"14px 16px 6px",fontSize:9,fontWeight:700,letterSpacing:1}}>
          <div style={{background:"rgba(255,255,255,0.02)",borderTop:"1px solid rgb

```

```

{[
  {icon:"🔑",label:"パスワードを変更",sub:"定期的な変更を推奨",key:null,color:"red"},
  {icon:"👉",label:"Face ID / Touch ID",sub:"生体認証でログイン",key:"faceID",color:"blue"},
  {icon:"🛡️",label:"2段階認証",sub:"SMSまたは認証アプリ",key:"twoFactor",color:"green"}
].map((item,i)=>(
  <div key={i} style={{
    display:"flex",alignItems:"center",gap:14,
    padding:"14px 16px",cursor:!item.key?"pointer":"default",
    borderBottom:"1px solid rgba(255,110,180,0.06)",
  }}>
    <div style={{
      width:38,height:38,borderRadius:12,flexShrink:0,
      background:`${item.color}18`,border:`1px solid ${item.color}33`,
      display:"flex",alignItems:"center",justifyContent:"center",fontSize:18
    }}>{item.icon}</div>
    <div style={{flex:1}}>
      <div style={{fontSize:13,fontWeight:700,color:"#ddd",marginBottom:4}}>{item.label}</div>
      <div style={{fontSize:10,color:"#444"}}>{item.sub}</div>
    </div>
    {item.key
      ? <Toggle value={toggles[item.key]} onChange={v=>setToggle2(item.key,v)}>
        : <div style={{fontSize:14,color:"#333"}}></div>
    }
  </div>
))}
</div>

<div style={{padding:"14px 16px 6px",fontSize:9,fontWeight:700,letterSpacing:0.5}}>
  <div style={{background:"rgba(255,255,255,0.02)",borderTop:"1px solid rgba(255,255,255,0.02)",padding:4}}>
    {[
      {device:"iPhone 15 Pro",location:"Tokyo, JP",time:"現在"},
      {device:"iPad Pro",location:"Tokyo, JP",time:"2日前"},
    ].map((log,i)=>(
      <div key={i} style={{
        padding:"14px 16px",
        borderBottom:"1px solid rgba(255,110,180,0.06)",
      }}>
        <div style={{display:"flex",justifyContent:"space-between",marginBottom:4}}>
          <div style={{fontSize:12,fontWeight:700,color:"#ddd"}}>{log.device}</div>
          <div style={{fontSize:9,fontWeight:700,color:i===0?"cyan":"#444"}}>{log.time}</div>
        </div>
        <div style={{fontSize:10,color:"#444"}}>{log.location}</div>
      </div>
    ))}
  </div>

```

```
        </div>
    </div>
</div>
);
}
```