

```
import { useState } from "react";
```

```
const P = {  
  bg:      "#fff5f8",  
  bgSub:   "#ffeef4",  
  pink:    "#f9a8c9",  
  pinkDeep: "#f472b6",  
  pinkSoft: "#fce7f3",  
  pinkMid: "#fbcfe8",  
  rose:    "#fb7185",  
  white:    "#ffffff",  
  text:    "#3d1a2e",  
  sub:     "#9d6b85",  
  border:  "rgba(249,168,201,0.35)",  
  green:   "#4ade80",  
  greenDeep: "#16a34a",  
  gold:    "#f59e0b",  
};
```

```
// — 残高カード —
```

```
function BalanceCard({ balance, onSend, onReceive, onCharge }) {  
  const [showBalance, setShowBalance] = useState(true);  
  
  return (  
    <div style={{  
      margin: "14px",  
      borderRadius: 24, overflow: "hidden",  
      boxShadow: "0 8px 40px rgba(244,114,182,0.3)",  
      position: "relative",  
    }}>  
      { /* グラデーション背景 */ }  
      <div style={{  
        background: "linear-gradient(135deg, #f9a8c9 0%, #f472b6 40%, #fb7185 80%, #f4",  
        padding: "24px 22px 20px",  
        position: "relative", overflow: "hidden",  
      }}>  
        { /* デコ */ }  
        {[  
          {w:150,h:150,t:"-30%",r:"-10%",op:0.12},  
          {w:100,h:100,b:"-30%",l:"-5%",op:0.08},  
          {w:80,h:80,t:"20%",r:"30%",op:0.07},  
        ].map((o,i)=>(  
          <div key={i} style={{  
            position: "absolute", width: o.w, height: o.h, borderRadius: "50%",
```

```

        background:"rgba(255,255,255,0.3)",
        top:o.t,right:o.r,bottom:o.b,left:o.l,opacity:o.op,
    }>
  })>
  )})

  { /* ヘッダー */ }
  <div style={{display:"flex",alignItems:"center",justifyContent:"space-between",padding:10}}>
    <div style={{display:"flex",alignItems:"center",gap:8}}>
      <div style={{
        width:36,height:36,borderRadius:12,
        background:"rgba(255,255,255,0.3)",
        display:"flex",alignItems:"center",justifyContent:"center",
        fontSize:20,
      }}>🌸</div>
      <div>
        <div style={{fontSize:14,fontWeight:900,color:"#fff",letterSpacing:0.1}}>
          <div style={{fontSize:9,color:"rgba(255,255,255,0.7)",letterSpacing:0.1}}>
            GLOWZ
          </div>
        </div>
      </div>
      <div style={{
        background:"rgba(255,255,255,0.2)",
        border:"1px solid rgba(255,255,255,0.3)",
        borderRadius:20,padding:"5px 12px",cursor:"pointer",
      }}>
        <span style={{fontSize:10,color:"#fff",fontWeight:700}}>🇯🇵 カード</span>
      </div>
    </div>

    { /* 残高 */ }
    <div style={{marginBottom:6}}>
      <div style={{fontSize:10,color:"rgba(255,255,255,0.7)",marginBottom:4,letterSpacing:0.1}}>
        GLOWZ Pay 残高
      </div>
      <div style={{display:"flex",alignItems:"center",gap:10}}>
        <div style={{fontSize:36,fontWeight:900,color:"#fff",letterSpacing:-1}}>
          {showBalance ? `¥${balance.toLocaleString()}` : "¥ ....."}
        </div>
        <button onClick={()=>setShowBalance(s=>!s)} style={{
          background:"rgba(255,255,255,0.2)",border:"none",
          borderRadius:"50%",width:28,height:28,
          cursor:"pointer",fontSize:13,color:"#fff",
          display:"flex",alignItems:"center",justifyContent:"center",
        }}>{showBalance?"👁️":"👮"}</button>
      </div>
    </div>

    { /* ポイント */ }

```

```

<div style={{
  background:"rgba(255,255,255,0.15)",
  borderRadius:12,padding:"8px 14px",
  display:"flex",alignItems:"center",gap:6,
  marginBottom:20,
}}>
  <span style={{fontSize:14}}>★</span>
  <span style={{fontSize:11,color:"rgba(255,255,255,0.9)",fontWeight:700}}
    <span style={{fontSize:13,fontWeight:900,color:"#fff",marginLeft:"auto"
  </div>

{/* アクションボタン */}
<div style={{display:"grid",gridTemplateColumns:"1fr 1fr 1fr",gap:10}}>
  {[
    {icon:"↑",label:"送金",action:onSend,bg:"rgba(255,255,255,0.25)"},
    {icon:"↓",label:"受取",action:onReceive,bg:"rgba(255,255,255,0.25)"},
    {icon:"+",label:"チャージ",action:onCharge,bg:"rgba(255,255,255,0.25)"}
  ].map((btn,i)=>(
    <button key={i} onClick={btn.action} style={{
      background:btn.bg,
      border:"1px solid rgba(255,255,255,0.3)",
      borderRadius:16,padding:"12px 8px",
      cursor:"pointer",textAlign:"center",
      backdropFilter:"blur(10px)",
      transition:"transform 0.15s",
    }}>
      <div style={{fontSize:20,color:"#fff",marginBottom:4,fontWeight:900}}
        <div style={{fontSize:10,color:"rgba(255,255,255,0.9)",fontWeight:700}}
          {label}</div>
      </div>
    </button>
  ))}
</div>

{/* QRコードエリア */}
<div style={{
  background:P.white,padding:"14px 22px",
  display:"flex",alignItems:"center",justifyContent:"space-between",
}}>
  <div style={{display:"flex",alignItems:"center",gap:10}}>
    <div style={{
      width:44,height:44,borderRadius:12,
      background:P.pinkSoft,border:`1px solid ${P.border}`,
      display:"flex",alignItems:"center",justifyContent:"center",
      fontSize:22,
    }}>QR</div>
    <div>
      <div style={{fontSize:12,fontWeight:700,color:P.text}}>QRコードで支払い
    </div>
  </div>

```

```

        <div style={{fontSize:10,color:P.sub}}>スキャン・提示どちらでも</div>
      </div>
    </div>
    <button style={{
      background:`linear-gradient(135deg,${P.pink},${P.pinkDeep})`,
      border:"none",borderRadius:20,padding:"8px 18px",
      color:"#fff",fontWeight:800,fontSize:12,cursor:"pointer",
      boxShadow:"0 4px 14px rgba(244,114,182,0.35)",
    }}>開</button>
  </div>
</div>
);
}

```

// — 送金画面 —

```

function SendScreen({ onBack, onSent }) {
  const [step, setStep] = useState(1); // 1:相手選択 2:金額入力 3:確認 4:完了
  const [selected, setSelected] = useState(null);
  const [amount, setAmount] = useState("");
  const [memo, setMemo] = useState("");

  const friends = [
    {id:1,name:"yui.glowz",avatar:"🌸",handle:"@yui_glowz"},
    {id:2,name:"mika.__",avatar:"💖",handle:"@mika__"},
    {id:3,name:"hana_glow",avatar:"💎",handle:"@hana_glow"},
    {id:4,name:"ren.pink",avatar:"🎀",handle:"@ren_pink"},
    {id:5,name:"saki.pop",avatar:"👉",handle:"@saki_pop"},
  ];

  const numPad = ["1","2","3","4","5","6","7","8","9","00","0","⌫"];

  const handleNum = (n) => {
    if (n==="⌫") { setAmount(a=>a.slice(0,-1)); return; }
    if (amount.length>=7) return;
    setAmount(a=>a+n);
  };

  if (step===4) return (
    <div style={{
      background:P.bg,minHeight:"100vh",maxWidth:390,margin:"0 auto",
      display:"flex",flexDirection:"column",alignItems:"center",justifyContent:"c
      gap:20,padding:40,
    }}>
      <style>{@keyframes popIn{0%{transform:scale(0);opacity:0;}60%{transform:sc
      <div style={{fontSize:80,animation:"popIn 0.5s ease both"}}>✅</div>
      <div style={{fontSize:22,fontWeight:900,color:P.text}}>送金完了!</div>
      <div style={{fontSize:14,color:P.sub,textAlign:"center"}}>

```

```

        {selected?.name} に<br/>
        <span style={{fontSize:20,fontWeight:900,color:P.pinkDeep}}>¥{parseInt(amount)}
        を送りました
    </div>
    <div style={{
        background:P.pinkSoft,border:`1px solid ${P.border}`,
        borderRadius:16,padding:"10px 20px",
        fontSize:11,color:P.sub,
    }}>★ GLOWZポイント +{Math.floor(parseInt(amount||0)*0.01)}pt 獲得</div>
    <button onClick={()=>{onSent&&onSent();onBack();}} style={{
        background:`linear-gradient(135deg,${P.pink},${P.pinkDeep})`,
        border:"none",borderRadius:20,padding:"14px 40px",
        color:"#fff",fontWeight:900,fontSize:15,cursor:"pointer",
        boxShadow:"0 6px 24px rgba(244,114,182,0.4)",
    }}>ホームに戻る 🌸</button>
</div>
);

return (
    <div style={{
        fontFamily:"'Hiragino Sans','Noto Sans JP',sans-serif",
        background:P.bg,minHeight:"100vh",maxWidth:390,margin:"0 auto",color:P.text
    }}>
        <style>{@keyframes fadeUp{from{opacity:0;transform:translateY(10px);}to{op

        /* ヘッダー */
        <div style={{
            background:P.white,backdropFilter:"blur(20px)",
            borderBottom:`1px solid ${P.border}`,
            padding:"13px 16px",
            display:"flex",alignItems:"center",gap:12,
        }}>
            <button onClick={step>1?()=>setStep(s=>s-1):onBack} style={{background:"n
            <div style={{fontWeight:800,fontSize:16,color:P.text}}>
                {step===1?"送金先を選ぶ":step===2?"金額を入力":step===3?"内容を確認":"完了"}
            </div>
            /* ステップ */
            <div style={{marginLeft:"auto",display:"flex",gap:5}}>
                {[1,2,3].map(s=>(
                    <div key={s} style={{
                        width:s<=step?24:8,height:8,borderRadius:10,
                        background:s<=step?`linear-gradient(90deg,${P.pink},${P.pinkDeep})`
                        transition:"all 0.3s",
                    }}/>
                ))}
            </div>
        </div>
    </div>

```

```

{ /* STEP 1: 相手選択 */ }
{ step === 1 && (
  <div style={{padding:"16px",animation:"fadeUp 0.3s ease both"}}>
    { /* 検索 */ }
    <div style={{
      background:P.pinkSoft,border:`1px solid ${P.border}`,
      borderRadius:30,padding:"10px 16px",
      display:"flex",alignItems:"center",gap:8,marginBottom:16,
    }}>
      <span style={{opacity:0.5}}><img alt="magnifying glass icon" data-bbox="500 235 525 255"/></span>
      <span style={{fontSize:12,color:P.sub}}>名前・IDで検索</span>
    </div>

    { /* 最近送金した人 */ }
    <div style={{fontSize:10,fontWeight:700,color:P.sub,letterSpacing:1,marginBottom:20}}>
      <div style={{display:"flex",gap:12,overflowX:"auto",marginBottom:20,padding:0 16px}}>
        { friends.slice(0,4).map(f=>(
          <div key={f.id} onClick={()=>{setSelected(f);setStep(2);}} style={{
            display:"flex",flexDirection:"column",alignItems:"center",gap:5,
            minWidth:58,cursor:"pointer",
          }}>
            <div style={{
              width:52,height:52,borderRadius:"50%",
              background:`linear-gradient(135deg,${P.pinkMid},${P.pink})`,
              border:`2px solid ${selected?.id===f.id?P.pinkDeep:P.pinkSoft}`,
              display:"flex",alignItems:"center",justifyContent:"center",
              fontSize:24,
              boxShadow:selected?.id===f.id?`0 0 16px rgba(244,114,182,0.5)`:``,
            }}>{f.avatar}</div>
            <span style={{fontSize:9,color:P.sub,fontWeight:600}}>{f.name.split}</span>
          </div>
        ))}
      </div>

      { /* 全友だち */ }
      <div style={{fontSize:10,fontWeight:700,color:P.sub,letterSpacing:1,marginBottom:20}}>
        { friends.map(f=>(
          <div key={f.id} onClick={()=>{setSelected(f);setStep(2);}} style={{
            display:"flex",alignItems:"center",gap:12,
            padding:"12px 14px",
            background:selected?.id===f.id?P.pinkSoft:P.white,
            border:`1px solid ${selected?.id===f.id?P.pinkDeep:P.pinkSoft}`,
            borderRadius:16,marginBottom:8,cursor:"pointer",
            transition:"all 0.2s",
            boxShadow:selected?.id===f.id?"0 4px 14px rgba(244,114,182,0.2)":``,
          }}>

```

```

    <div style={{
      width:44,height:44,borderRadius:"50%",
      background:`linear-gradient(135deg,${P.pinkMid},${P.pink})`,
      display:"flex",alignItems:"center",justifyContent:"center",
      fontSize:22,border:`2px solid ${P.border}`,
    }}>{f.avatar}</div>
    <div>
      <div style={{fontWeight:700,fontSize:13,color:P.text}}>{f.name}</div>
      <div style={{fontSize:10,color:P.sub}}>{f.handle}</div>
    </div>
    {selected?.id===f.id&&<div style={{marginLeft:"auto",fontSize:16,color:P.sub}}>
    </div>
  )})
</div>
)}

{/* STEP 2: 金額入力 */}
{step===2&&(
  <div style={{animation:"fadeUp 0.3s ease both"}}>
    <div style={{
      background:P.white,margin:"14px",borderRadius:20,padding:"16px",
      border:`1px solid ${P.border}`,
      display:"flex",alignItems:"center",gap:12,
      boxShadow:"0 2px 12px rgba(249,168,201,0.15)",
    }}>
      <div style={{
        width:48,height:48,borderRadius:"50%",
        background:`linear-gradient(135deg,${P.pinkMid},${P.pink})`,
        display:"flex",alignItems:"center",justifyContent:"center",fontSize:22,
        border:`2px solid ${P.border}`,
      }}>{selected?.avatar}</div>
      <div>
        <div style={{fontSize:11,color:P.sub,marginBottom:2}}>送金先</div>
        <div style={{fontWeight:800,fontSize:15,color:P.text}}>{selected?.name}</div>
      </div>
    </div>

    <div style={{textAlign:"center",padding:"20px 20px 10px 20px"}}>
      <div style={{
        width:100%,fontSize:52,fontWeight:900,
        color:amount?P.pinkDeep:P.pinkMid,
        letterSpacing:-2,lineHeight:1,
        minHeight:64,
      }}>
        ¥{amount?parseInt(amount).toLocaleString():"0"}
      </div>
    </div>
  )}
)

```

```

</div>
<div style={{fontSize:11,color:P.sub,marginTop:8}}>
  残高 ¥12,480 から送金
</div>
</div>

{/* クイック金額 */}
<div style={{display:"flex",gap:8,padding:"0 14px 14px",justifyContent:
  [{"500","1000","3000","5000"].map(v=>(
    <button key={v} onClick={()=>setAmount(v)} style={{
      background:amount===v?`linear-gradient(135deg,${P.pink},${P.pinkD
      border:`1px solid ${amount===v?P.pinkDeep:P.border}`,
      borderRadius:20,padding:"6px 12px",
      color:amount===v?"#fff":P.sub,fontWeight:700,fontSize:11,cursor:"
    }}>¥{parseInt(v).toLocaleString()}</button>
  )))}
</div>

{/* 数字パッド */}
<div style={{
  background:P.white,borderTop:`1px solid ${P.border}`,
  padding:"16px 20px",
}}>
  <div style={{display:"grid",gridTemplateColumns:"1fr 1fr 1fr",gap:10,
    {numPad.map((n,i)=>(
      <button key={i} onClick={()=>handleNum(n)} style={{
        background:n==="⌫"?P.pinkSoft:"rgba(253,242,248,0.5)",
        border:`1px solid ${P.border}`,
        borderRadius:16,padding:"16px",
        fontSize:n==="⌫"?18:20,fontWeight:700,
        color:P.text,cursor:"pointer",
        transition:"transform 0.1s",
        boxShadow:"0 2px 6px rgba(249,168,201,0.1)",
      }}>{n}</button>
    ))}
  </div>
  <button
    onClick={()=>amount&&parseInt(amount)>0&&setStep(3)}
    disabled={!amount||parseInt(amount)<=0}
    style={{
      width:"100%",
      background:amount&&parseInt(amount)>0
        ?`linear-gradient(135deg,${P.pink},${P.pinkDeep})`
        :`rgba(249,168,201,0.3)`,
      border:"none",borderRadius:20,padding:"16px",
      color:amount&&parseInt(amount)>0?"#fff":"rgba(249,168,201,0.6)",
      fontWeight:900,fontSize:15,cursor:amount?"pointer":"not-allowed",

```



```

        letterSpacing:1,
        boxShadow:amount&&parseInt(amount)>0?"0 6px 24px rgba(244,114,182
        transition:"all 0.3s",
      }}>
      次へ ➤
    </button>
  </div>
</div>
))

{/* STEP 3: 確認 */}
{step===3&&(
  <div style={{padding:"16px",animation:"fadeUp 0.3s ease both"}}>
    {/* 確認カード */}
    <div style={{
      background:P.white,borderRadius:24,padding:"24px",
      border:`1px solid ${P.border}`,
      boxShadow:"0 4px 24px rgba(249,168,201,0.15)",
      marginBottom:16,
    }}>
      <div style={{textAlign:"center",marginBottom:20}}>
        <div style={{fontSize:11,color:P.sub,marginBottom:8,letterSpacing:1
        <div style={{
          fontSize:44,fontWeight:900,
          background:`linear-gradient(135deg,${P.pinkDeep},${P.rose})`,
          WebkitBackgroundClip:"text",WebkitTextFillColor:"transparent",
          letterSpacing:-2,
        }}>¥{parseInt(amount).toLocaleString()}</div>
      </div>

      <div style={{height:1;background:P.border;margin:"16px 0"}}/>

      {[
        {label:"送金先",value:<div style={{display:"flex",alignItems:"center
        {label:"支払元",value:"GLOWZ Pay残高"},
        {label:"手数料",value:<span style={{color:P.green,fontWeight:700}}>無
        {label:"獲得ポイント",value:<span style={{color:P.gold,fontWeight:700
      ].map((row,i)=>(
        <div key={i} style={{
          display:"flex",alignItems:"center",justifyContent:"space-between"
          padding:"10px 0",
          borderBottom:i<3?`1px solid ${P.border}`:"none",
        }}>
        <span style={{fontSize:12,color:P.sub}}>{row.label}</span>
        <span style={{fontSize:13}}>{row.value}</span>
      </div>
    ))}

```

```

</div>

{/* ✕モ */}
<div style={{marginBottom:20}}>
  <div style={{fontSize:10,fontWeight:700,color:P.sub,letterSpacing:1,m
  <input
    type="text"
    value={memo}
    onChange={e=>setMemo(e.target.value)}
    placeholder="例) 女子会の割り勘🌸"
    style={{
      width:"100%",boxSizing:"border-box",
      background:P.white,border:`1px solid ${P.border}`,
      borderRadius:16,padding:"13px 16px",
      fontSize:13,color:P.text,outline:"none",fontFamily:"inherit",
    }}
  />
</div>

{/* 送金ボタン */}
<button onClick={()=>setStep(4)} style={{
  width:"100%",
  background:`linear-gradient(135deg,${P.pink},${P.pinkDeep})`,
  border:"none",borderRadius:20,padding:"16px",
  color:"#fff",fontWeight:900,fontSize:15,cursor:"pointer",
  letterSpacing:1,
  boxShadow:"0 8px 30px rgba(244,114,182,0.45)",
  marginBottom:12,
}}>🌸 送金する</button>

<div style={{textAlign:"center",fontSize:10,color:P.sub}}>
  送金後のキャンセルはできません
</div>
</div>
)}
</div>
);
}

// — 受取画面 —
function ReceiveScreen({ onBack }) {
  const [copied, setCopied] = useState(false);

  return (
    <div style={{
      fontFamily:"'Hiragino Sans','Noto Sans JP',sans-serif",
      background:P.bg,minHeight:"100vh",maxWidth:390,margin:"0 auto",color:P.text

```

```

}}>
<style>{@keyframes fadeUp{from{opacity:0;transform:translateY(10px);}to{op

<div style={{
  background:P.white,borderBottom:`1px solid ${P.border}`,
  padding:"13px 16px",
  display:"flex",alignItems:"center",gap:12,
}}>
  <button onClick={onBack} style={{background:"none",border:"none",color:P.
  <div style={{fontWeight:800,fontSize:16,color:P.text}}>受取</div>
</div>

<div style={{padding:"20px 16px",animation:"fadeUp 0.3s ease both"}}>
  {/* QRコード */}
  <div style={{
    background:P.white,borderRadius:24,padding:"30px",
    border:`1px solid ${P.border}`,textAlign:"center",
    boxShadow:"0 4px 24px rgba(249,168,201,0.15)",
    marginBottom:16,
  }}>
    <div style={{fontSize:11,color:P.sub,marginBottom:16,letterSpacing:1}}>

    {/* QRコード模擬 */}
    <div style={{
      width:180,height:180,margin:"0 auto 16px",
      background:P.white,borderRadius:16,
      border:`3px solid ${P.pinkDeep}`,
      padding:12,position:"relative",
      boxShadow:`0 0 30px rgba(244,114,182,0.2), inset 0 0 20px rgba(244,11
    }}>
      {/* QR模様 */}
      <div style={{display:"grid",gridTemplateColumns:"repeat(7,1fr)",gap:2
        {Array.from({length:49},( _,i )=>{
          const corners=[0,1,2,7,8,9,14,15,16,32,33,34,39,40,41,46,47,48];
          const isCorner=corners.includes(i);
          const isDark=isCorner|| (Math.random()>0.5&&!isCorner);
          return(
            <div key={i} style={{
              background:isDark?P.pinkDeep:"transparent",
              borderRadius:2,
            }}/>
          );
        })}
      </div>
      {/* 中央口ゴ */}
      <div style={{
        position:"absolute",top:"50%",left:"50%",

```

```

        transform:"translate(-50%,-50%)",
        width:36,height:36,borderRadius:10,
        background:`linear-gradient(135deg,${P.pink},${P.pinkDeep})`,
        display:"flex",alignItems:"center",justifyContent:"center",
        fontSize:18,
        boxShadow:"0 2px 10px rgba(244,114,182,0.4)",
    }}> </div>
</div>

```

```

<div style={{fontWeight:800,fontSize:14,color:P.text,marginBottom:4}}>m
<div style={{fontSize:11,color:P.sub}}>@marie_glowz · GLOWZ Pay</div>
</div>

```

```

{/* リンクコピー */}

```

```

<div style={{
    background:P.white,borderRadius:20,padding:"16px",
    border:`1px solid ${P.border}`,marginBottom:14,
    display:"flex",alignItems:"center",justifyContent:"space-between",
    boxShadow:"0 2px 12px rgba(249,168,201,0.1)",
}}>
    <div>
        <div style={{fontSize:12,fontWeight:700,color:P.text,marginBottom:2}}
        <div style={{fontSize:10,color:P.sub}}>glowz.app/pay/marie_glowz</div>
    </div>
    <button onClick={()=>{setCopied(true);setTimeout(()=>setCopied(false),2
        background:copied?P.green:`linear-gradient(135deg,${P.pink},${P.pinkD
        border:"none",borderRadius:20,padding:"8px 16px",
        color:"#fff",fontWeight:700,fontSize:11,cursor:"pointer",
        transition:"all 0.3s",
        boxShadow:`0 4px 14px ${copied?"rgba(74,222,128,0.4)": "rgba(244,114,1
    }}>{copied?"✓ コピー済":"コピー"}</button>
</div>

```

```

{/* 金額指定受取 */}

```

```

<div style={{
    background:P.pinkSoft,borderRadius:20,padding:"16px",
    border:`1px solid ${P.border}`,
}}>
    <div style={{fontSize:12,fontWeight:700,color:P.text,marginBottom:10}}>
    <div style={{display:"flex",gap:8}}>
        <input type="number" placeholder="金額を入力..." style={{
            flex:1,background:P.white,border:`1px solid ${P.border}`,
            borderRadius:14,padding:"10px 14px",fontSize:13,
            color:P.text,outline:"none",fontFamily:"inherit",
        }}/>
        <button style={{
            background:`linear-gradient(135deg,${P.pink},${P.pinkDeep})`,

```

```

        border:"none",borderRadius:14,padding:"10px 18px",
        color:"#fff",fontWeight:700,fontSize:12,cursor:"pointer",
        whiteSpace:"nowrap",
    }}>QR生成</button>
</div>
</div>
</div>
</div>
);
}

// — チャージ画面 —
function ChargeScreen({ onBack }) {
    const [selectedMethod, setSelectedMethod] = useState(null);
    const [amount, setAmount] = useState("");

    const methods = [
        {id:"bank",icon:"🏠",name:"銀行口座",sub:"三菱UFJ ...1234",free:true},
        {id:"credit",icon:"💳",name:"クレジットカード",sub:"VISA ...5678",free:false},
        {id:"cvs",icon:"🏪",name:"コンビニ",sub:"ローソン・ファミマ等",free:false},
    ];

    const amounts = ["1,000","3,000","5,000","10,000","30,000","50,000"];

    return (
        <div style={{
            fontFamily:"'Hiragino Sans','Noto Sans JP',sans-serif",
            background:P.bg,minHeight:"100vh",maxWidth:390,margin:"0 auto",color:P.text
        }}>
            <style>{@keyframes fadeUp{from{opacity:0;transform:translateY(10px);}to{op

            <div style={{
                background:P.white,borderBottom:`1px solid ${P.border}`,
                padding:"13px 16px",
                display:"flex",alignItems:"center",gap:12,
            }}>
                <button onClick={onBack} style={{background:"none",border:"none",color:P.
                <div style={{fontWeight:800,fontSize:16,color:P.text}}>チャージ</div>
            </div>

            <div style={{padding:"16px",animation:"fadeUp 0.3s ease both"}}>

                {/* 金額選択 */}
                <div style={{marginBottom:20}}>
                    <div style={{fontSize:10,fontWeight:700,color:P.sub,letterSpacing:1,mar
                    <div style={{display:"grid",gridTemplateColumns:"1fr 1fr 1fr",gap:8,mar
                        {amounts.map(a=>(

```

```

<button key={a} onClick={()=>setAmount(a)} style={{
  background:amount===a?`linear-gradient(135deg,${P.pink},${P.pinkD
  border:`1px solid ${amount===a?P.pinkDeep:P.border}`,
  borderRadius:14,padding:"12px 6px",
  color:amount===a?"#fff":P.text,
  fontWeight:700,fontSize:13,cursor:"pointer",
  boxShadow:amount===a?"0 4px 14px rgba(244,114,182,0.3)":`0 2px 6p
  transition:"all 0.2s",
}}>¥{a}</button>
)}}
</div>
<input type="number" placeholder="金額を直接入力" style={{
  width:"100%",boxSizing:"border-box",
  background:P.white,border:`1px solid ${P.border}`,
  borderRadius:16,padding:"12px 16px",
  fontSize:13,color:P.text,outline:"none",fontFamily:"inherit",
}}/>
</div>

{/* 支払い方法 */}
<div style={{marginBottom:20}}>
  <div style={{fontSize:10,fontWeight:700,color:P.sub,letterSpacing:1,mar
  {methods.map(m=>(
    <div key={m.id} onClick={()=>setSelectedMethod(m.id)} style={{
      background:selectedMethod===m.id?P.pinkSoft:P.white,
      border:`1.5px solid ${selectedMethod===m.id?P.pinkDeep:P.border}`,
      borderRadius:18,padding:"14px 16px",marginBottom:10,cursor:"pointer
      display:"flex",alignItems:"center",gap:12,
      boxShadow:selectedMethod===m.id?"0 4px 16px rgba(244,114,182,0.2)":
      transition:"all 0.2s",
    }}>
      <div style={{
        width:44,height:44,borderRadius:14,flexShrink:0,
        background:`linear-gradient(135deg,${P.pinkSoft},${P.pinkMid})`,
        border:`1px solid ${P.border}`,
        display:"flex",alignItems:"center",justifyContent:"center",fontSi
      }}>{m.icon}</div>
      <div style={{flex:1}}>
        <div style={{fontWeight:700,fontSize:13,color:P.text,marginBottom
        <div style={{fontSize:10,color:P.sub}}>{m.sub}</div>
      </div>
      <div style={{display:"flex",flexDirection:"column",alignItems:"flex
        {m.free}&&<span style={{fontSize:9;background:"rgba(74,222,128,0.1
        <div style={{
          width:20,height:20,borderRadius:"50%",
          background:selectedMethod===m.id?`linear-gradient(135deg,${P.pi
          border:`2px solid ${selectedMethod===m.id?P.pinkDeep:P.border}`

```

```

        display:"flex",alignItems:"center",justifyContent:"center",
        fontSize:10,color:"#fff",
      }}>{selectedMethod===m.id?"✓":""}</div>
    </div>
  </div>
)}}
```

</div>

```

  { /* チャージボタン */
  <button disabled={!amount||!selectedMethod} style={{
    width:"100%",
    background:amount&&selectedMethod
      ?`linear-gradient(135deg,${P.pink},${P.pinkDeep})`
      :`rgba(249,168,201,0.3)`,
    border:"none",borderRadius:20,padding:"16px",
    color:amount&&selectedMethod?"#fff":`rgba(249,168,201,0.6)`,
    fontWeight:900,fontSize:15,
    cursor:amount&&selectedMethod?"pointer":"not-allowed",
    letterSpacing:1,
    boxShadow:amount&&selectedMethod?"0 8px 30px rgba(244,114,182,0.45)":"n
    transition:"all 0.3s",
  }}>
    🌸 チャージする
  </button>

  <div style={{textAlign:"center",fontSize:10,color:P.sub,marginTop:12}}>
    チャージ上限:¥100,000 / 月
  </div>
</div>
</div>
);
}

// — メインPayアプリ —
export default function App() {
  const [screen, setScreen] = useState("main"); // main | send | receive | charge
  const [balance, setBalance] = useState(12480);

  const handleSent = () => setBalance(b=>b-3000);

  if (screen==="send") return <SendScreen onBack={()=>setScreen("main")} onSent={
  if (screen==="receive") return <ReceiveScreen onBack={()=>setScreen("main")} />;
  if (screen==="charge") return <ChargeScreen onBack={()=>setScreen("main")} />;

  const history = [
    {icon:"🌸",name:"yui.glowz",type:"受取",amount:"+¥3,000",time:"今日 14:30",plu
    {icon:"👧",name:"女子会ディナー",type:"送金",amount:"-¥4,500",time:"昨日 20:15",r

```

```

{icon:"💖",name:"mika.__",type:"受取",amount:"+¥1,500",time:"昨日 12:00",plus:
{icon:"💎",name:"シヨツピング",type:"支払い",amount:"-¥2,800",time:"3日前",plus:fa
{icon:"💖",name:"ren.pink",type:"送金",amount:"-¥3,000",time:"3日前",plus:fals
{icon:"👉",name:"saki.pop",type:"受取",amount:"+¥5,000",time:"5日前",plus:true
];

```

```

return (
  <div style={{
    fontFamily:"'Hiragino Sans','Noto Sans JP',sans-serif",
    background:P.bg,minHeight:"100vh",maxWidth:390,margin:"0 auto",
    color:P.text,overflowX:"hidden",
  }}>
    <style>{`
      @keyframes shimmer{0%{background-position:-400% center;}100%{background-p
      @keyframes fadeUp{from{opacity:0;transform:translateY(12px);}to{opacity:1
        ::-webkit-scrollbar{display:none;}
      `}</style>

    {/* ヘッダー */}
    <div style={{
      background:"rgba(255,245,248,0.95)",backdropFilter:"blur(24px)",
      borderBottom:`1px solid ${P.border}`,
      padding:"13px 16px",
      display:"flex",alignItems:"center",justifyContent:"space-between",
    }}>
      <div style={{display:"flex",alignItems:"center",gap:8}}>
        <div style={{
          width:32,height:32,borderRadius:10,
          background:`linear-gradient(135deg,${P.pink},${P.pinkDeep})`,
          display:"flex",alignItems:"center",justifyContent:"center",
          fontSize:17,boxShadow:"0 4px 14px rgba(244,114,182,0.35)",
        }}>🌸</div>
        <div style={{
          fontSize:18,fontWeight:900,letterSpacing:1,
          background:`linear-gradient(90deg,${P.pinkDeep},${P.rose},${P.pink},${
          backgroundSize:"300% auto",
          WebkitBackgroundClip:"text",WebkitTextFillColor:"transparent",
          animation:"shimmer 4s linear infinite",
        }}>GLOWZ Pay</div>
      </div>
      <div style={{display:"flex",gap:12}}>
        <span style={{fontSize:18,cursor:"pointer"}}>>🔔</span>
        <span style={{fontSize:18,cursor:"pointer"}}>>🔊</span>
      </div>
    </div>

    <div style={{paddingBottom:30}}>

```



```

{ /* 残高カード */ }

<BalanceCard
  balance={balance}
  onSend={()=>setScreen("send")}
  onReceive={()=>setScreen("receive")}
  onCharge={()=>setScreen("charge")}
/>

{ /* 追加サービス */ }

<div style={{padding:"0 14px",marginBottom:20}}>
  <div style={{fontSize:10,fontWeight:700,color:P.sub,letterSpacing:1,mar
  <div style={{display:"grid",gridTemplateColumns:"1fr 1fr 1fr 1fr",gap:1
    {[
      {icon:"💰",label:"集計くん",color:P.pink},
      {icon:"🛍️",label:"ショッピング",color:"#a78bfa"},
      {icon:"📁",label:"ギフト",color:P.gold},
      {icon:"📊",label:"家計簿",color:P.green},
    ]}.map((s,i)=>(
      <div key={i} style={{textAlign:"center",cursor:"pointer"}}>
        <div style={{
          width:52,height:52,borderRadius:16,margin:"0 auto 5px",
          background:P.white,
          border:`1px solid ${P.border}`,
          display:"flex",alignItems:"center",justifyContent:"center",
          fontSize:24,
          boxShadow:"0 2px 10px rgba(249,168,201,0.15)",
          position:"relative",overflow:"hidden",
        }}>
          {s.icon}
          <div style={{position:"absolute",inset:0;background:`linear-gra
        </div>
        <span style={{fontSize:9,color:P.sub,fontWeight:600}}>{s.label}</
      </div>
    )))
  </div>
</div>

{ /* 取引履歴 */ }

<div style={{padding:"0 14px"}}>
  <div style={{display:"flex",justifyContent:"space-between",alignItems:"
    <div style={{fontSize:10,fontWeight:700,color:P.sub,letterSpacing:1}}
    <span style={{fontSize:11,color:P.pinkDeep,fontWeight:700,cursor:"poi
  </div>

  {history.map((h,i)=>(
    <div key={i} style={{

```

```

        background:P.white,border:`1px solid ${P.border}` ,
        borderRadius:18,padding:"12px 16px",marginBottom:10,
        display:"flex",alignItems:"center",gap:12,
        boxShadow:"0 2px 10px rgba(249,168,201,0.08)",
        animation:`fadeUp 0.3s ease ${i*0.06}s both`,
    }}>
    <div style={{
        width:42,height:42,borderRadius:"50%",flexShrink:0,
        background:`linear-gradient(135deg,${P.pinkMid},${P.pink})` ,
        display:"flex",alignItems:"center",justifyContent:"center",
        fontSize:20,border:`2px solid ${P.border}` ,
    }}>{h.icon}</div>
    <div style={{flex:1,minWidth:0}}>
        <div style={{fontWeight:700,fontSize:13,color:P.text,marginBottom
            <div style={{fontSize:10,color:P.sub}}>{h.type} · {h.time}</div>
        </div>
        <div style={{
            fontWeight:900,fontSize:15,flexShrink:0,
            color:h.plus?P.greenDeep:P.rose,
        }}>{h.amount}</div>
    </div>
    )}
</div>
</div>
</div>
);
}

```