

```

import { useState } from "react";

const C = {
  bg: "#05050f",
  pink: "#ff6eb4",
  sky: "#7ee8fa",
  cyan: "#00ffcc",
  purple: "#bf5fff",
  orange: "#ffb347",
};

const notifications = [
  {
    id: 1, type: "like", read: false, time: "今",
    user: "yui.glowz", avatar: "🌸",
    text: "があなたの投稿にいいねしました",
    icon: "💖", color: C.pink,
    thumb: "👍",
  },
  {
    id: 2, type: "follow", read: false, time: "3分前",
    user: "mika.__", avatar: "⚡",
    text: "があなたをフォローしました",
    icon: "👍", color: C.sky,
    thumb: null,
  },
  {
    id: 3, type: "comment", read: false, time: "8分前",
    user: "hana_glow", avatar: "👍",
    text: "がコメントしました：「このコード最強すぎ！どこの？」",
    icon: "💬", color: C.purple,
    thumb: "👍",
  },
  {
    id: 4, type: "like", read: false, time: "15分前",
    user: "ren.z", avatar: "❤️",
    text: "があなたの投稿にいいねしました",
    icon: "💖", color: C.pink,
    thumb: "👍",
  },
  {
    id: 5, type: "collab", read: false, time: "32分前",
    user: "GLOWZ公式", avatar: "👤",
    text: "【新機能】AR着せ替えにブランドコラボアイテムが追加されました👍",
  },
];

```

```

    icon: "🌟", color: C.orange,
    thumb: null,
    isOfficial: true,
  },
  {
    id: 6, type: "mention", read: true, time: "1時間前",
    user: "saki.pop", avatar: "👧",
    text: "があなたをメンションしました: 「@marie.glowz このフィルター教えて!」",
    icon: "💎", color: C.sky,
    thumb: "➡",
  },
  {
    id: 7, type: "like", read: true, time: "2時間前",
    user: "yui.glowz", avatar: "🌸",
    text: "と他3人があなたの投稿にいいねしました",
    icon: "💖", color: C.pink,
    thumb: "➡",
  },
  {
    id: 8, type: "follow", read: true, time: "3時間前",
    user: "cyber.girl_99", avatar: "🌟",
    text: "があなたをフォローしました",
    icon: "➡", color: C.sky,
    thumb: null,
  },
  {
    id: 9, type: "collab", read: true, time: "昨日",
    user: "GLOWZ公式", avatar: "💜",
    text: "【お知らせ】新しい着せ替えコレクション「CYBER SPRING」が公開されました",
    icon: "🌟", color: C.orange,
    thumb: null,
    isOfficial: true,
  },
  {
    id: 10, type: "comment", read: true, time: "昨日",
    user: "luna.vibe", avatar: "🌙",
    text: "がコメントしました: 「かわいすぎる🔥➡」",
    icon: "💜", color: C.purple,
    thumb: "➡",
  },
];

```

```

const tabs = [
  { id: "all", label: "すべて" },
  { id: "like", label: "いいね" },
  { id: "follow", label: "フォロー" },
  { id: "comment", label: "コメント" },
];

```

```

    { id: "collab", label: "公式" },
  ];

export default function App() {
  const [activeTab, setActiveTab] = useState("all");
  const [notifs, setNotifs] = useState(notifications);
  const [showClear, setShowClear] = useState(false);

  const unreadCount = notifs.filter(n => !n.read).length;

  const filtered = activeTab === "all"
    ? notifs
    : notifs.filter(n => n.type === activeTab);

  const markRead = (id) => {
    setNotifs(prev => prev.map(n => n.id === id ? { ...n, read: true } : n));
  };

  const markAllRead = () => {
    setNotifs(prev => prev.map(n => ({ ...n, read: true })));
    setShowClear(false);
  };

  return (
    <div style={{
      fontFamily: "'Hiragino Sans', 'Noto Sans JP', sans-serif",
      background: C.bg,
      minHeight: "100vh", maxWidth: 390,
      margin: "0 auto", color: "#eee",
      position: "relative", overflowX: "hidden",
    }}>
      <style>{`
        @keyframes shimmer { 0%{background-position:-400% center;} 100%{background
        @keyframes fadeUp { from{opacity:0;transform:translateY(10px);} to{opacit
        @keyframes glow { 0%,100%{box-shadow:0 0 12px #ff6eb433;} 50%{box-shadow:
        @keyframes ping { 0%{transform:scale(1);opacity:0.8;} 100%{transform:scal
        @keyframes float { 0%,100%{transform:translateY(0);} 50%{transform:transl
        ::-webkit-scrollbar{display:none;}
      `}</style>

      {/* BG mesh */}
      <div style={{
        position:"fixed", inset:0, pointerEvents:"none", zIndex:0,
        background:`
          radial-gradient(ellipse at 20% 10%, rgba(255,110,180,0.06) 0%, transpar
          radial-gradient(ellipse at 80% 90%, rgba(126,232,250,0.05) 0%, transpar
          ,

```

```

    </div>
  </div>

  { /* — HEADER — */ }
  <div style={{
    position:"sticky", top:0, zIndex:100,
    background:"rgba(5,5,15,0.9)", backdropFilter:"blur(24px)",
    borderBottom:"1px solid rgba(255,110,180,0.1)",
    padding:"13px 16px",
  }}>
    <div style={{ display:"flex", alignItems:"center", justifyContent:"space-
      <div style={{ display:"flex", alignItems:"center", gap:10 }}>
        <div style={{ position:"relative" }}>
          <div style={{
            fontSize:22, cursor:"pointer",
            filter:"drop-shadow(0 0 6px #ff6eb4aa)",
          }}>🔔</div>
          {unreadCount > 0 && (
            <div style={{
              position:"absolute", top:-4, right:-6,
              width:16, height:16, borderRadius:"50%",
              background:"linear-gradient(135deg,#ff6eb4,#ff2d78)",
              display:"flex", alignItems:"center", justifyContent:"center",
              fontSize:8, fontWeight:900, color:"#fff",
              boxShadow:"0 0 8px #ff6eb488",
              animation:"float 2s ease-in-out infinite",
            }}>{unreadCount}</div>
          )}
        </div>
        <div>
          <div style={{
            fontSize:18, fontWeight:900, letterSpacing:2,
            background:"linear-gradient(90deg,#ff6eb4,#bf5fff,#7ee8fa,#00ffcc
            backgroundSize:"300% auto",
            WebkitBackgroundClip:"text", WebkitTextFillColor:"transparent",
            animation:"shimmer 4s linear infinite",
          }}>通知 🔔</div>
        </div>
      </div>
    </div>
    <button onClick={()=>setShowClear(s=>!s)} style={{
      background:"rgba(255,110,180,0.08)",
      border:"1px solid rgba(255,110,180,0.2)",
      borderRadius:20, padding:"6px 14px",
      color:C.pink, fontWeight:700, fontSize:10,
      cursor:"pointer", letterSpacing:1,
    }}>
      {showClear ? "キャンセル" : "..."}
    </button>
  </div>

```

```
</div>
```

```
    { /* Clear all button */ }
    { showClear && (
      <div style={{
        display: "flex", gap: 8, marginBottom: 12,
        animation: "fadeUp 0.2s ease both",
      }}>
      <button onClick={markAllRead} style={{
        flex: 1,
        background: "linear-gradient(135deg, #ff6eb4, #7ee8fa)",
        border: "none", borderRadius: 14, padding: "10px",
        color: "#fff", fontWeight: 800, fontSize: 11, cursor: "pointer",
        letterSpacing: 1,
      }}>+ 全て既読にする</button>
    </div>
  ) }

  { /* Tabs */ }
  <div style={{ display: "flex", gap: 6, overflowX: "auto" }}>
    { tabs.map(t => {
      const count = t.id === "all"
        ? notifis.filter(n => !n.read).length
        : notifis.filter(n => n.type === t.id && !n.read).length;
      return (
        <button key={t.id} onClick={() => setActiveTab(t.id)} style={{
          flexShrink: 0,
          background: activeTab === t.id
            ? "linear-gradient(135deg, rgba(255,110,180,0.2), rgba(126,232,250,0.2))"
            : "rgba(255,255,255,0.04)",
          border: `1px solid ${activeTab === t.id ? "rgba(255,110,180,0.4)": "rgb(126,232,250,0.2)"}",
          borderRadius: 20, padding: "6px 14px",
          color: activeTab === t.id ? "C.pink" : "#444",
          fontWeight: 700, fontSize: 10, cursor: "pointer",
          letterSpacing: 1, transition: "all 0.2s",
          display: "flex", alignItems: "center", gap: 5,
        }}>
          { t.label }
          { count > 0 && (
            <span style={{
              background: activeTab === t.id ? "#ff6eb4" : "rgba(255,110,180,0.3)",
              color: "#fff", borderRadius: "50%",
              width: 14, height: 14,
              display: "flex", alignItems: "center", justifyContent: "center",
              fontSize: 8, fontWeight: 900,
            }}>{ count}</span>
          ) }
        ) }
      ) }
    ) }
  </div>
```

```

        </button>

    );
  })}
</div>
</div>

{/* — NOTIFICATION LIST — */}
<div style={{ position:"relative", zIndex:1 }}>

  {/* Unread section */}
  {filtered.some(n=>!n.read) && (
    <div>
      <div style={{
        padding:"14px 16px 8px",
        fontSize:9, fontWeight:700, letterSpacing:3,
        color:"#444",
      }}>◆ 新着</div>
      {filtered.filter(n=>!n.read).map((notif,i)=>(
        <NotifCard key={notif.id} notif={notif} i={i} onRead={markRead}/>
      )))}
    </div>
  )}

  {/* Read section */}
  {filtered.some(n=>n.read) && (
    <div>
      <div style={{
        padding:"14px 16px 8px",
        fontSize:9, fontWeight:700, letterSpacing:3,
        color:"#333",
      }}>過去の通知</div>
      {filtered.filter(n=>n.read).map((notif,i)=>(
        <NotifCard key={notif.id} notif={notif} i={i} onRead={markRead}/>
      )))}
    </div>
  )}

  {/* Empty state */}
  {filtered.length === 0 && (
    <div style={{
      display:"flex", flexDirection:"column",
      alignItems:"center", justifyContent:"center",
      padding:"80px 40px", gap:12,
      animation:"fadeUp 0.4s ease both",
    }}>
      <div style={{ fontSize:48, opacity:0.3 }}>🔔</div>
      <div style={{ fontSize:13, color:"#333", fontWeight:600 }}>通知はありません
    </div>
  )}

```

```

        </div>
    })
</div>
</div>
);
}

function NotifCard({ notif, i, onRead }) {
    const C = {
        pink:"#ff6eb4", sky:"#7ee8fa",
        cyan:"#00ffcc", purple:"#bf5fff", orange:"#ffb347",
    };

    return (
        <div onClick={()=>onRead(notif.id)} style={{
            display:"flex", alignItems:"flex-start", gap:12,
            padding:"14px 16px",
            background:!notif.read?"rgba(255,110,180,0.04)": "transparent",
            borderBottom:"1px solid rgba(255,110,180,0.06)",
            cursor:"pointer", transition:"all 0.2s",
            animation:`fadeUp 0.3s ease ${i*0.06}s both`,
            position:"relative",
        }}>
            {/* Unread dot */}
            {!notif.read && (
                <div style={{
                    position:"absolute", left:4, top:"50%", marginTop:-4,
                    width:4, height:4, borderRadius:"50%",
                    background:"linear-gradient(135deg,#ff6eb4,#7ee8fa)",
                    boxShadow:"0 0 6px #ff6eb488",
                }}/>
            )}

            {/* Avatar */}
            <div style={{ position:"relative", flexShrink:0 }}>
                <div style={{
                    width:46, height:46, borderRadius:"50%",
                    background:notif.isOfficial
                        ?"linear-gradient(135deg,#ffb347,#ff6eb4)"
                        :`linear-gradient(135deg,${notif.color}44,${notif.color}22)`,
                    border:`1.5px solid ${notif.color}55`,
                    display:"flex", alignItems:"center", justifyContent:"center",
                    fontSize:22,
                    boxShadow:!notif.read?`0 0 10px ${notif.color}33`:"none",
                    opacity:notif.read?0.7:1,
                }}>{notif.avatar}</div>
                {/* Notif type icon */}

```

```

<div style={{
  position:"absolute", bottom:-2, right:-2,
  width:18, height:18, borderRadius:"50%",
  background:`${notif.color}33`,
  border:`1px solid ${notif.color}88`,
  display:"flex", alignItems:"center", justifyContent:"center",
  fontSize:10,
  boxShadow:"0 2px 6px rgba(0,0,0,0.4)",
}}>{notif.icon}</div>
</div>

{/* Content */}
<div style={{ flex:1, minWidth:0 }}>
  <div style={{
    fontSize:12, lineHeight:1.7,
    color:notif.read?"#555":"#ccc",
    marginBottom:4,
  }}>
    <span style={{
      fontWeight:800,
      color:notif.read?"#666":notif.isOfficial?C.orange:C.pink,
    }}>{notif.user}</span>
    {notif.text}
  </div>
  <div style={{
    fontSize:9, fontWeight:600, letterSpacing:1,
    color:notif.read?"#333":notif.color,
  }}>{notif.time}</div>
</div>

{/* Thumbnail */}
{notif.thumb && (
  <div style={{
    width:42, height:42, borderRadius:10, flexShrink:0,
    background:`linear-gradient(135deg,${notif.color}22,${notif.color}11)`,
    border:`1px solid ${notif.color}33`,
    display:"flex", alignItems:"center", justifyContent:"center",
    fontSize:18, opacity:notif.read?0.5:1,
  }}>{notif.thumb}</div>
)}
</div>
);
}

```