01/302 MRG0_0001

ssa01:103,429−385,236; shaded interval = local−PCA locus; up to 3 contigs per assembly

GLOP (Norway)

no selected alignment

ARUN (Norway)

no selected alignment

ALTA (Norway)

no selected alignment

TANA (Norway)

no selected alignment

FROM (UK)

no selected alignment

OULO (Finland)

no selected alignment

PERU (Canada)

no selected alignment

SEBA (USA)

no selected alignment

GARN−1 (Canada)

no selected alignment

GARN−2 (Canada)

no selected alignment

Brown trout

no selected alignment

Arctic char

no selected alignment


Query position within selected contig(s), stacked (Mb)

0.00 0.25 0.50 0.75 0.00 0.25 0.50 0.75

ssa01 position in Ssal_v3.1 (Mb)


02/302 MRG0_0002

ssa01:3,478,509−6,348,077; shaded interval = local−PCA locus; up to 3 contigs per assembly




03/302 MRG0_0003

ssa01:7,394,947−10,651,742; shaded interval = local−PCA locus; up to 3 contigs per assembly




04/302 MRG0_0004

ssa01:14,130,976−15,931,261; shaded interval = local−PCA locus; up to 3 contigs per assembly




05/302 MRG0_0005

ssa01:31,245,555−32,913,722; shaded interval = local−PCA locus; up to 3 contigs per assembly



06/302 MRG0_0006


ssa01:34,864,345−35,287,915; shaded interval = local−PCA locus; up to 3 contigs per assembly



Alignment type — primary — NA Strand — − — +


07/302 MRG0_0007

ssa01:35,342,934−39,592,116; shaded interval = local−PCA locus; up to 3 contigs per assembly




08/302 MRG0_0008

ssa01:42,341,248−44,827,789; shaded interval = local−PCA locus; up to 3 contigs per assembly




09/302 MRG0_0009

ssa01:45,262,842−59,494,359; shaded interval = local−PCA locus; up to 3 contigs per assembly




10/302 MRG0_0010

ssa01:60,406,067−62,383,970; shaded interval = local−PCA locus; up to 3 contigs per assembly




11/302 MRG0_0011

ssa01:63,846,542−66,684,434; shaded interval = local−PCA locus; up to 3 contigs per assembly




12/302 MRG0_0012

ssa01:69,552,267−71,688,998; shaded interval = local−PCA locus; up to 3 contigs per assembly




13/302 MRG0_0013

ssa01:72,604,578−76,231,215; shaded interval = local−PCA locus; up to 3 contigs per assembly




14/302 MRG0_0014

ssa01:91,605,160−95,586,127; shaded interval = local−PCA locus; up to 3 contigs per assembly




15/302 MRG0_0015

ssa01:100,702,752−101,725,170; shaded interval = local−PCA locus; up to 3 contigs per assembly




16/302 MRG0_0016

ssa01:107,554,584−111,444,847; shaded interval = local−PCA locus; up to 3 contigs per assembly




17/302 MRG0_0017

ssa01:111,872,781−112,794,952; shaded interval = local−PCA locus; up to 3 contigs per assembly




18/302 MRG0_0018

ssa01:114,228,326−122,094,333; shaded interval = local−PCA locus; up to 3 contigs per assembly




19/302 MRG0_0019

ssa01:122,285,909−124,292,606; shaded interval = local−PCA locus; up to 3 contigs per assembly




20/302 MRG0_0020

ssa01:126,497,444−128,516,079; shaded interval = local−PCA locus; up to 3 contigs per assembly




21/302 MRG0_0021

ssa01:130,244,622−132,131,577; shaded interval = local−PCA locus; up to 3 contigs per assembly



22/302 MRG0_0022


ssa01:133,063,014−133,713,873; shaded interval = local−PCA locus; up to 3 contigs per assembly



Alignment type — primary — NA Strand − +


23/302 MRG0_0023

ssa01:135,619,698−137,189,145; shaded interval = local−PCA locus; up to 3 contigs per assembly




24/302 MRG0_0024

ssa01:138,024,597−141,318,582; shaded interval = local−PCA locus; up to 3 contigs per assembly



25/302 MRG0_0025


ssa01:147,089,933−147,829,100; shaded interval = local−PCA locus; up to 3 contigs per assembly



Alignment type — primary — NA Strand — − — +


26/302 MRG0_0026

ssa01:148,115,517−149,601,951; shaded interval = local−PCA locus; up to 3 contigs per assembly




27/302 MRG0_0027

ssa01:150,878,144−152,543,281; shaded interval = local−PCA locus; up to 3 contigs per assembly




28/302 MRG0_0028

ssa01:153,977,080−155,222,854; shaded interval = local−PCA locus; up to 3 contigs per assembly




29/302 MRG0_0029

ssa01:162,518,059−163,039,201; shaded interval = local−PCA locus; up to 3 contigs per assembly




30/302 MRG0_0030

ssa01:165,207,612−165,532,558; shaded interval = local−PCA locus; up to 3 contigs per assembly




31/302 MRG0_0031

ssa02:253,409−1,024,775; shaded interval = local−PCA locus; up to 3 contigs per assembly




32/302 MRG0_0032

ssa02:2,489,349−6,169,078; shaded interval = local−PCA locus; up to 3 contigs per assembly




33/302 MRG0_0033

ssa02:15,091,441−20,463,602; shaded interval = local−PCA locus; up to 3 contigs per assembly




34/302 MRG0_0034

ssa02:42,220,061−43,207,534; shaded interval = local−PCA locus; up to 3 contigs per assembly




35/302 MRG0_0035

ssa02:68,443,181−70,318,572; shaded interval = local−PCA locus; up to 3 contigs per assembly




36/302 MRG0_0036

ssa02:87,705,757−94,799,247; shaded interval = local−PCA locus; up to 3 contigs per assembly




37/302 MRG0_0037

ssa03:8,698,564−8,801,635; shaded interval = local−PCA locus; up to 3 contigs per assembly




38/302 MRG0_0038

ssa03:14,030,966−14,226,976; shaded interval = local−PCA locus; up to 3 contigs per assembly




39/302 MRG0_0039

ssa03:15,843,169−19,398,367; shaded interval = local−PCA locus; up to 3 contigs per assembly




40/302 MRG0_0040

ssa03:20,299,846−26,623,317; shaded interval = local−PCA locus; up to 3 contigs per assembly




41/302 MRG0_0041

ssa03:32,710,315−32,896,955; shaded interval = local−PCA locus; up to 3 contigs per assembly




42/302 MRG0_0042

ssa03:38,171,203−46,127,964; shaded interval = local−PCA locus; up to 3 contigs per assembly




43/302 MRG0_0043

ssa03:46,613,313−47,162,685; shaded interval = local−PCA locus; up to 3 contigs per assembly




44/302 MRG0_0044

ssa03:50,734,825−52,045,337; shaded interval = local−PCA locus; up to 3 contigs per assembly




45/302 MRG0_0045

ssa03:58,460,496−59,280,556; shaded interval = local−PCA locus; up to 3 contigs per assembly




46/302 MRG0_0046

ssa03:79,735,629−80,688,573; shaded interval = local−PCA locus; up to 3 contigs per assembly




47/302 MRG0_0047

ssa03:88,922,710−93,570,984; shaded interval = local−PCA locus; up to 3 contigs per assembly




48/302 MRG0_0048

ssa03:97,853,853−105,707,728; shaded interval = local−PCA locus; up to 3 contigs per assembly




49/302 MRG0_0049

ssa04:1,244,149−6,552,701; shaded interval = local−PCA locus; up to 3 contigs per assembly




50/302 MRG0_0050

ssa04:7,672,852−8,264,610; shaded interval = local−PCA locus; up to 3 contigs per assembly




51/302 MRG0_0051

ssa04:18,565,556−19,631,338; shaded interval = local−PCA locus; up to 3 contigs per assembly




52/302 MRG0_0052

ssa04:28,406,814−33,554,234; shaded interval = local−PCA locus; up to 3 contigs per assembly



53/302 MRG0_0053


ssa04:34,667,584−35,220,557; shaded interval = local−PCA locus; up to 3 contigs per assembly



Alignment type — primary — NA Strand − +


54/302 MRG0_0054

ssa04:41,998,190−43,679,527; shaded interval = local−PCA locus; up to 3 contigs per assembly




55/302 MRG0_0055

ssa04:46,825,462−50,406,901; shaded interval = local−PCA locus; up to 3 contigs per assembly




56/302 MRG0_0056

ssa04:52,115,834−53,478,703; shaded interval = local−PCA locus; up to 3 contigs per assembly




57/302 MRG0_0057

ssa04:57,933,186−58,672,633; shaded interval = local−PCA locus; up to 3 contigs per assembly




58/302 MRG0_0058

ssa04:59,559,692−65,794,275; shaded interval = local−PCA locus; up to 3 contigs per assembly




59/302 MRG0_0059

ssa04:68,799,065−69,062,746; shaded interval = local−PCA locus; up to 3 contigs per assembly




60/302 MRG0_0060

ssa04:69,062,747−72,705,580; shaded interval = local−PCA locus; up to 3 contigs per assembly




61/302 MRG0_0061

ssa04:74,164,134−80,227,753; shaded interval = local−PCA locus; up to 3 contigs per assembly




62/302 MRG0_0062

ssa04:81,909,268−83,298,696; shaded interval = local−PCA locus; up to 3 contigs per assembly




63/302 MRG0_0063

ssa04:84,429,911−85,038,050; shaded interval = local−PCA locus; up to 3 contigs per assembly




64/302 MRG0_0064

ssa05:10,427,739−11,151,390; shaded interval = local−PCA locus; up to 3 contigs per assembly




65/302 MRG0_0065

ssa05:16,271,061−17,446,333; shaded interval = local−PCA locus; up to 3 contigs per assembly




66/302 MRG0_0066

ssa05:36,681,888−36,875,521; shaded interval = local−PCA locus; up to 3 contigs per assembly




67/302 MRG0_0067

ssa05:43,367,810−43,852,123; shaded interval = local−PCA locus; up to 3 contigs per assembly




68/302 MRG0_0068

ssa05:43,852,274−48,833,209; shaded interval = local−PCA locus; up to 3 contigs per assembly



69/302 MRG0_0069


ssa05:58,761,866−59,015,482; shaded interval = local−PCA locus; up to 3 contigs per assembly



Alignment type — primary — NA Strand — − — +


70/302 MRG0_0070

ssa05:65,712,569−66,423,592; shaded interval = local−PCA locus; up to 3 contigs per assembly




71/302 MRG0_0071

ssa05:71,342,833−73,898,004; shaded interval = local−PCA locus; up to 3 contigs per assembly




72/302 MRG0_0072

ssa05:86,383,262−92,611,080; shaded interval = local−PCA locus; up to 3 contigs per assembly




73/302 MRG0_0073

ssa06:661−3,194,679; shaded interval = local−PCA locus; up to 3 contigs per assembly




74/302 MRG0_0074

ssa06:5,639,832−6,150,462; shaded interval = local−PCA locus; up to 3 contigs per assembly




75/302 MRG0_0075

ssa06:6,360,663−7,917,368; shaded interval = local−PCA locus; up to 3 contigs per assembly




76/302 MRG0_0076

ssa06:10,516,853−11,087,493; shaded interval = local−PCA locus; up to 3 contigs per assembly




77/302 MRG0_0077

ssa06:30,260,796−32,290,906; shaded interval = local−PCA locus; up to 3 contigs per assembly




78/302 MRG0_0078

ssa06:39,340,662−39,645,733; shaded interval = local−PCA locus; up to 3 contigs per assembly




79/302 MRG0_0079

ssa06:47,496,993−50,729,630; shaded interval = local−PCA locus; up to 3 contigs per assembly




80/302 MRG0_0080

ssa06:53,162,726−54,771,696; shaded interval = local−PCA locus; up to 3 contigs per assembly




81/302 MRG0_0081

ssa06:54,790,762−55,464,316; shaded interval = local−PCA locus; up to 3 contigs per assembly




82/302 MRG0_0082

ssa07:29,388,586−35,315,633; shaded interval = local−PCA locus; up to 3 contigs per assembly




83/302 MRG0_0083

ssa07:65,023,996−68,824,583; shaded interval = local−PCA locus; up to 3 contigs per assembly




84/302 MRG0_0084

ssa08:194,792−8,586,825; shaded interval = local−PCA locus; up to 3 contigs per assembly




85/302 MRG0_0085

ssa08:22,400,207−26,539,661; shaded interval = local−PCA locus; up to 3 contigs per assembly




86/302 MRG0_0086

ssa09:1,591,154−2,141,677; shaded interval = local−PCA locus; up to 3 contigs per assembly




87/302 MRG0_0087

ssa09:3,645,132−5,281,997; shaded interval = local−PCA locus; up to 3 contigs per assembly




88/302 MRG0_0088

ssa09:16,874,310−22,566,050; shaded interval = local−PCA locus; up to 3 contigs per assembly




89/302 MRG0_0089

ssa09:23,791,627−25,431,837; shaded interval = local−PCA locus; up to 3 contigs per assembly




90/302 MRG0_0090

ssa09:26,324,087−28,271,618; shaded interval = local−PCA locus; up to 3 contigs per assembly




91/302 MRG0_0091

ssa09:28,477,514−55,078,084; shaded interval = local−PCA locus; up to 3 contigs per assembly




92/302 MRG0_0092

ssa09:55,522,981−79,611,486; shaded interval = local−PCA locus; up to 3 contigs per assembly




93/302 MRG0_0093

ssa09:81,435,175−84,997,646; shaded interval = local−PCA locus; up to 3 contigs per assembly




94/302 MRG0_0094

ssa09:86,934,510−91,095,563; shaded interval = local−PCA locus; up to 3 contigs per assembly




95/302 MRG0_0095

ssa09:91,113,710−91,411,171; shaded interval = local−PCA locus; up to 3 contigs per assembly




96/302 MRG0_0096

ssa09:96,636,415−97,179,100; shaded interval = local−PCA locus; up to 3 contigs per assembly




97/302 MRG0_0097

ssa09:99,300,796−110,770,759; shaded interval = local−PCA locus; up to 3 contigs per assembly




98/302 MRG0_0098

ssa09:113,382,955−115,348,001; shaded interval = local−PCA locus; up to 3 contigs per assembly




99/302 MRG0_0099

ssa09:125,655,747−126,075,082; shaded interval = local−PCA locus; up to 3 contigs per assembly




100/302 MRG0_0100

ssa09:148,694,508−149,786,453; shaded interval = local−PCA locus; up to 3 contigs per assembly




101/302 MRG0_0101

ssa09:156,424,687−157,870,881; shaded interval = local−PCA locus; up to 3 contigs per assembly




102/302 MRG0_0102

ssa10:9,559,596−12,489,534; shaded interval = local−PCA locus; up to 3 contigs per assembly




103/302 MRG0_0103

ssa10:20,143,128−22,659,639; shaded interval = local−PCA locus; up to 3 contigs per assembly




104/302 MRG0_0104

ssa10:24,608,446−26,286,533; shaded interval = local−PCA locus; up to 3 contigs per assembly




105/302 MRG0_0105

ssa10:26,850,901−32,395,259; shaded interval = local−PCA locus; up to 3 contigs per assembly




106/302 MRG0_0106

ssa10:35,172,926−38,114,313; shaded interval = local−PCA locus; up to 3 contigs per assembly




107/302 MRG0_0107

ssa10:39,536,458−42,638,930; shaded interval = local−PCA locus; up to 3 contigs per assembly




108/302 MRG0_0108

ssa10:48,100,489−53,608,884; shaded interval = local−PCA locus; up to 3 contigs per assembly




109/302 MRG0_0109

ssa10:54,579,141−64,289,550; shaded interval = local−PCA locus; up to 3 contigs per assembly




110/302 MRG0_0110

ssa10:64,609,063−78,280,092; shaded interval = local−PCA locus; up to 3 contigs per assembly



111/302 MRG0_0111


ssa10:79,184,417−81,104,747; shaded interval = local−PCA locus; up to 3 contigs per assembly



Alignment type — primary — NA Strand − +


112/302 MRG0_0112

ssa10:83,170,958−83,678,212; shaded interval = local−PCA locus; up to 3 contigs per assembly




113/302 MRG0_0113

ssa10:84,994,392−85,471,088; shaded interval = local−PCA locus; up to 3 contigs per assembly




114/302 MRG0_0114

ssa10:92,497,112−94,333,078; shaded interval = local−PCA locus; up to 3 contigs per assembly




115/302 MRG0_0115

ssa10:102,493,700−104,784,848; shaded interval = local−PCA locus; up to 3 contigs per assembly




116/302 MRG0_0116

ssa10:112,087,998−113,621,918; shaded interval = local−PCA locus; up to 3 contigs per assembly




117/302 MRG0_0117

ssa10:119,964,469−120,631,671; shaded interval = local−PCA locus; up to 3 contigs per assembly




118/302 MRG0_0118

ssa11:2,505,809−2,719,498; shaded interval = local−PCA locus; up to 3 contigs per assembly




119/302 MRG0_0119

ssa11:12,918,871−13,756,837; shaded interval = local−PCA locus; up to 3 contigs per assembly



120/302 MRG0_0120


ssa11:14,686,172−20,451,908; shaded interval = local−PCA locus; up to 3 contigs per assembly



Alignment type — primary — NA Strand − +


121/302 MRG0_0121

ssa11:23,281,488−24,882,601; shaded interval = local−PCA locus; up to 3 contigs per assembly




122/302 MRG0_0122

ssa11:24,990,002−39,886,816; shaded interval = local−PCA locus; up to 3 contigs per assembly




123/302 MRG0_0123

ssa11:41,682,383−43,668,183; shaded interval = local−PCA locus; up to 3 contigs per assembly




124/302 MRG0_0124

ssa11:45,583,660−60,730,215; shaded interval = local−PCA locus; up to 3 contigs per assembly




125/302 MRG0_0125

ssa11:61,522,769−64,450,364; shaded interval = local−PCA locus; up to 3 contigs per assembly




126/302 MRG0_0126

ssa11:65,121,036−73,246,445; shaded interval = local−PCA locus; up to 3 contigs per assembly




127/302 MRG0_0127

ssa11:75,513,442−76,341,788; shaded interval = local−PCA locus; up to 3 contigs per assembly




128/302 MRG0_0128

ssa11:76,390,222−77,060,564; shaded interval = local−PCA locus; up to 3 contigs per assembly




129/302 MRG0_0129

ssa11:79,703,215−81,544,041; shaded interval = local−PCA locus; up to 3 contigs per assembly



130/302 MRG0_0130

ssa11:83,395,369−84,814,598; shaded interval = local−PCA locus; up to 3 contigs per assembly




131/302 MRG0_0131

ssa11:85,523,584−85,801,153; shaded interval = local−PCA locus; up to 3 contigs per assembly




132/302 MRG0_0132

ssa11:87,801,830−89,338,767; shaded interval = local−PCA locus; up to 3 contigs per assembly




133/302 MRG0_0133

ssa11:98,714,473−100,094,437; shaded interval = local−PCA locus; up to 3 contigs per assembly




134/302 MRG0_0134

ssa11:100,249,844−100,573,344; shaded interval = local−PCA locus; up to 3 contigs per assembly




135/302 MRG0_0135

ssa11:107,722,463−108,098,441; shaded interval = local−PCA locus; up to 3 contigs per assembly




136/302 MRG0_0136

ssa12:17,467,793−18,336,646; shaded interval = local−PCA locus; up to 3 contigs per assembly




137/302 MRG0_0137

ssa12:42,564,619−44,906,486; shaded interval = local−PCA locus; up to 3 contigs per assembly



138/302 MRG0_0138


ssa12:46,899,038−47,345,602; shaded interval = local−PCA locus; up to 3 contigs per assembly



Alignment type — primary — NA Strand − +


139/302 MRG0_0139

ssa12:52,445,306−52,775,788; shaded interval = local−PCA locus; up to 3 contigs per assembly




140/302 MRG0_0140

ssa12:53,827,731−54,004,986; shaded interval = local−PCA locus; up to 3 contigs per assembly




141/302 MRG0_0141

ssa12:55,178,593−56,984,106; shaded interval = local−PCA locus; up to 3 contigs per assembly




142/302 MRG0_0142

ssa12:63,958,250−64,835,187; shaded interval = local−PCA locus; up to 3 contigs per assembly



143/302 MRG0_0143


ssa12:72,853,320−73,298,485; shaded interval = local−PCA locus; up to 3 contigs per assembly



Alignment type — primary — NA Strand − +


144/302 MRG0_0144

ssa12:79,921,983−80,448,628; shaded interval = local−PCA locus; up to 3 contigs per assembly




145/302 MRG0_0145

ssa13:38,723−5,962,940; shaded interval = local−PCA locus; up to 3 contigs per assembly




146/302 MRG0_0146

ssa13:18,358,949−18,841,168; shaded interval = local−PCA locus; up to 3 contigs per assembly




147/302 MRG0_0147

ssa13:25,480,652−26,438,978; shaded interval = local−PCA locus; up to 3 contigs per assembly




148/302 MRG0_0148

ssa13:27,783,354−31,231,432; shaded interval = local−PCA locus; up to 3 contigs per assembly




149/302 MRG0_0149

ssa13:32,145,723−32,632,600; shaded interval = local−PCA locus; up to 3 contigs per assembly




150/302 MRG0_0150

ssa13:32,737,149−35,193,504; shaded interval = local−PCA locus; up to 3 contigs per assembly




151/302 MRG0_0151

ssa13:36,742,496−37,777,652; shaded interval = local−PCA locus; up to 3 contigs per assembly




152/302 MRG0_0152

ssa13:38,849,229−39,830,848; shaded interval = local−PCA locus; up to 3 contigs per assembly




153/302 MRG0_0153

ssa13:41,485,165−41,923,487; shaded interval = local−PCA locus; up to 3 contigs per assembly




154/302 MRG0_0154

ssa13:43,528,591−48,287,970; shaded interval = local−PCA locus; up to 3 contigs per assembly




155/302 MRG0_0155

ssa13:49,509,905−51,111,056; shaded interval = local−PCA locus; up to 3 contigs per assembly




156/302 MRG0_0156

ssa13:51,714,173−53,088,295; shaded interval = local−PCA locus; up to 3 contigs per assembly




157/302 MRG0_0157

ssa13:53,398,059−60,286,053; shaded interval = local−PCA locus; up to 3 contigs per assembly




158/302 MRG0_0158

ssa13:62,212,821−64,119,364; shaded interval = local−PCA locus; up to 3 contigs per assembly




159/302 MRG0_0159

ssa13:66,956,844−67,587,863; shaded interval = local−PCA locus; up to 3 contigs per assembly




160/302 MRG0_0160

ssa13:72,685,997−73,203,020; shaded interval = local−PCA locus; up to 3 contigs per assembly




161/302 MRG0_0161

ssa13:73,203,918−73,953,620; shaded interval = local−PCA locus; up to 3 contigs per assembly




162/302 MRG0_0162

ssa13:75,177,020−78,776,749; shaded interval = local−PCA locus; up to 3 contigs per assembly




163/302 MRG0_0163

ssa13:80,582,034−81,691,165; shaded interval = local−PCA locus; up to 3 contigs per assembly




164/302 MRG0_0164

ssa13:85,698,292−85,977,264; shaded interval = local−PCA locus; up to 3 contigs per assembly




165/302 MRG0_0165

ssa13:87,755,312−89,778,119; shaded interval = local−PCA locus; up to 3 contigs per assembly




166/302 MRG0_0166

ssa13:90,576,071−91,169,802; shaded interval = local−PCA locus; up to 3 contigs per assembly




167/302 MRG0_0167

ssa13:101,666,088−102,151,072; shaded interval = local−PCA locus; up to 3 contigs per assembly




168/302 MRG0_0168

ssa13:113,428,857−114,390,735; shaded interval = local−PCA locus; up to 3 contigs per assembly




169/302 MRG0_0169

ssa14:20,626,150−21,449,072; shaded interval = local−PCA locus; up to 3 contigs per assembly




170/302 MRG0_0170

ssa14:34,050,439−38,398,143; shaded interval = local−PCA locus; up to 3 contigs per assembly




171/302 MRG0_0171

ssa14:40,136,694−40,493,440; shaded interval = local−PCA locus; up to 3 contigs per assembly




172/302 MRG0_0172

ssa14:43,338,760−56,761,205; shaded interval = local−PCA locus; up to 3 contigs per assembly




173/302 MRG0_0173

ssa14:58,961,055−60,166,860; shaded interval = local−PCA locus; up to 3 contigs per assembly




174/302 MRG0_0174

ssa14:67,329,463−71,906,969; shaded interval = local−PCA locus; up to 3 contigs per assembly




175/302 MRG0_0175

ssa14:74,538,221−76,542,216; shaded interval = local−PCA locus; up to 3 contigs per assembly




176/302 MRG0_0176

ssa14:87,853,097−88,676,918; shaded interval = local−PCA locus; up to 3 contigs per assembly




177/302 MRG0_0177

ssa14:89,579,152−90,497,703; shaded interval = local−PCA locus; up to 3 contigs per assembly




178/302 MRG0_0178

ssa15:9,149,391−10,220,938; shaded interval = local−PCA locus; up to 3 contigs per assembly




179/302 MRG0_0179

ssa15:11,695,815−12,339,695; shaded interval = local−PCA locus; up to 3 contigs per assembly




180/302 MRG0_0180

ssa15:13,116,115−16,939,429; shaded interval = local−PCA locus; up to 3 contigs per assembly




181/302 MRG0_0181

ssa15:19,720,351−22,915,694; shaded interval = local−PCA locus; up to 3 contigs per assembly




182/302 MRG0_0182

ssa15:24,817,205−25,055,581; shaded interval = local−PCA locus; up to 3 contigs per assembly




183/302 MRG0_0183

ssa15:25,235,186−25,566,190; shaded interval = local−PCA locus; up to 3 contigs per assembly




184/302 MRG0_0184

ssa15:30,290,226−31,513,993; shaded interval = local−PCA locus; up to 3 contigs per assembly




185/302 MRG0_0185

ssa15:31,739,457−32,820,226; shaded interval = local−PCA locus; up to 3 contigs per assembly




186/302 MRG0_0186

ssa15:33,493,999−34,389,299; shaded interval = local−PCA locus; up to 3 contigs per assembly




187/302 MRG0_0187

ssa15:34,952,259−35,777,255; shaded interval = local−PCA locus; up to 3 contigs per assembly




188/302 MRG0_0188

ssa15:40,345,653−41,028,951; shaded interval = local−PCA locus; up to 3 contigs per assembly




189/302 MRG0_0189

ssa15:45,666,427−46,756,872; shaded interval = local−PCA locus; up to 3 contigs per assembly




190/302 MRG0_0190

ssa15:50,536,419−51,835,833; shaded interval = local−PCA locus; up to 3 contigs per assembly




191/302 MRG0_0191

ssa15:51,836,058−53,016,755; shaded interval = local−PCA locus; up to 3 contigs per assembly




192/302 MRG0_0192

ssa15:54,886,745−62,562,426; shaded interval = local−PCA locus; up to 3 contigs per assembly




193/302 MRG0_0193

ssa15:66,704,811−67,366,560; shaded interval = local−PCA locus; up to 3 contigs per assembly




194/302 MRG0_0194

ssa15:71,938,142−74,592,966; shaded interval = local−PCA locus; up to 3 contigs per assembly




195/302 MRG0_0195

ssa15:80,212,453−83,911,655; shaded interval = local−PCA locus; up to 3 contigs per assembly




196/302 MRG0_0196

ssa15:98,624,863−98,889,393; shaded interval = local−PCA locus; up to 3 contigs per assembly




197/302 MRG0_0197

ssa15:107,518,364−109,094,614; shaded interval = local−PCA locus; up to 3 contigs per assembly




198/302 MRG0_0198

ssa16:27,927−751,414; shaded interval = local−PCA locus; up to 3 contigs per assembly




199/302 MRG0_0199

ssa16:907,472−1,899,383; shaded interval = local−PCA locus; up to 3 contigs per assembly




200/302 MRG0_0200

ssa16:3,042,430−3,541,894; shaded interval = local−PCA locus; up to 3 contigs per assembly




201/302 MRG0_0201

ssa16:25,526,105−25,860,810; shaded interval = local−PCA locus; up to 3 contigs per assembly




202/302 MRG0_0202

ssa16:26,968,811−30,937,944; shaded interval = local−PCA locus; up to 3 contigs per assembly




203/302 MRG0_0203

ssa16:33,928,303−73,490,590; shaded interval = local−PCA locus; up to 3 contigs per assembly



204/302 MRG0_0204

ssa16:75,441,289−76,334,626; shaded interval = local−PCA locus; up to 3 contigs per assembly



205/302 MRG0_0205

ssa16:78,329,222−78,793,199; shaded interval = local−PCA locus; up to 3 contigs per assembly

GLOP (Norway)

contig_9078_pilon
scaffold_3683_pilon
scaffold_2889_pilon

ARUN (Norway)

contig_4733_pilon
scaffold_4722_pilon

ALTA (Norway)

Alto_Flye2.8_10k_contig_10832
Alto_Flye2.8_10k_contig_10411
Alto_QM_Flye2.8_15k_contig_1071

TANA (Norway)

Ssal_tanner_8K_flye27_contig_03873_pilon
Ssal_tanner_8K_flye27_contig_00415_pilon
Ssal_tanner_8K_flye27_scaffold_00010_pilon

FROM (UK)

Tess_Flye2.8_15k_contig_3834
Merge_23608130

OULO (Finland)

Barry_Flye27_10K_contig_01003_pilon
Barry_QM2_Flye15k_contig_00088_pilon
Barry_QM1_Flye10k_scaffold_5164_pilon

PERU (Canada)

contig_9178_pilon
contig_2930_pilon
contig_4813_pilon

SEBA (USA)

contig_1589_pilon
contig_10844_pilon
scaffold_5075_pilon

GARN−1 (Canada)

Merge_885764_ssa08_pilon
Merge_27005754_ssa16_pilon

GARN−2 (Canada)

scaffold_8672_pilon

Brown trout

NC_042961.1
NW_027613559.1
NC_042962.1

Arctic char

NW_027256695.1
NC_092095.1

Query position within selected contig(s), stacked (Mb)


78.0
78.5
79.0

ssa16 position in Ssal_v3.1 (Mb)

Alignment type — primary — NA Strand — − — +


206/302 MRG0_0206

ssa16:79,151,401−80,967,220; shaded interval = local−PCA locus; up to 3 contigs per assembly




207/302 MRG0_0207

ssa16:89,338,070−90,447,680; shaded interval = local−PCA locus; up to 3 contigs per assembly




208/302 MRG0_0208

ssa16:92,810,985−96,141,026; shaded interval = local−PCA locus; up to 3 contigs per assembly




209/302 MRG0_0209

ssa17:24,342,062−26,471,652; shaded interval = local−PCA locus; up to 3 contigs per assembly




210/302 MRG0_0210

ssa17:27,876,795−28,351,002; shaded interval = local−PCA locus; up to 3 contigs per assembly




211/302 MRG0_0211

ssa17:32,115,424−47,220,454; shaded interval = local−PCA locus; up to 3 contigs per assembly




212/302 MRG0_0212

ssa17:56,993,784−58,525,282; shaded interval = local−PCA locus; up to 3 contigs per assembly




213/302 MRG0_0213

ssa17:62,805,831−63,288,177; shaded interval = local−PCA locus; up to 3 contigs per assembly




214/302 MRG0_0214

ssa17:73,387,896−75,185,151; shaded interval = local−PCA locus; up to 3 contigs per assembly




215/302 MRG0_0215

ssa17:84,202,858−86,621,952; shaded interval = local−PCA locus; up to 3 contigs per assembly




216/302 MRG0_0216

ssa18:854,007−1,296,325; shaded interval = local−PCA locus; up to 3 contigs per assembly




217/302 MRG0_0217

ssa18:16,822,263−22,810,156; shaded interval = local−PCA locus; up to 3 contigs per assembly




218/302 MRG0_0218

ssa18:23,928,142−26,145,574; shaded interval = local−PCA locus; up to 3 contigs per assembly




219/302 MRG0_0219

ssa18:26,179,432−30,922,306; shaded interval = local−PCA locus; up to 3 contigs per assembly




220/302 MRG0_0220

ssa18:31,236,832−31,869,190; shaded interval = local−PCA locus; up to 3 contigs per assembly




221/302 MRG0_0221

ssa18:32,138,352−35,167,404; shaded interval = local−PCA locus; up to 3 contigs per assembly




222/302 MRG0_0222

ssa18:36,368,987−37,824,140; shaded interval = local−PCA locus; up to 3 contigs per assembly




223/302 MRG0_0223

ssa18:38,199,022−59,120,644; shaded interval = local−PCA locus; up to 3 contigs per assembly




224/302 MRG0_0224

ssa18:60,407,027−64,932,931; shaded interval = local−PCA locus; up to 3 contigs per assembly




225/302 MRG0_0225

ssa18:66,385,070−67,220,150; shaded interval = local−PCA locus; up to 3 contigs per assembly



226/302 MRG0_0226


ssa18:67,639,627−69,198,095; shaded interval = local−PCA locus; up to 3 contigs per assembly



Alignment type — primary — NA Strand − +


227/302 MRG0_0227

ssa18:70,999,672−71,787,380; shaded interval = local−PCA locus; up to 3 contigs per assembly




228/302 MRG0_0228

ssa18:72,034,985−72,721,993; shaded interval = local−PCA locus; up to 3 contigs per assembly




229/302 MRG0_0229

ssa18:72,838,707−77,204,413; shaded interval = local−PCA locus; up to 3 contigs per assembly




230/302 MRG0_0230

ssa18:81,480,219−81,707,022; shaded interval = local−PCA locus; up to 3 contigs per assembly




231/302 MRG0_0231

ssa19:836,625−1,841,562; shaded interval = local−PCA locus; up to 3 contigs per assembly



232/302 MRG0_0232


ssa19:6,049,606−7,755,538; shaded interval = local−PCA locus; up to 3 contigs per assembly



Alignment type — primary — NA Strand — − — +


233/302 MRG0_0233

ssa19:11,452,801−16,213,283; shaded interval = local−PCA locus; up to 3 contigs per assembly




234/302 MRG0_0234

ssa19:16,850,183−72,322,825; shaded interval = local−PCA locus; up to 3 contigs per assembly




235/302 MRG0_0235

ssa19:72,856,158−77,577,738; shaded interval = local−PCA locus; up to 3 contigs per assembly




236/302 MRG0_0236

ssa20:1,583,189−2,455,976; shaded interval = local−PCA locus; up to 3 contigs per assembly




237/302 MRG0_0237

ssa20:6,587,337−8,017,234; shaded interval = local−PCA locus; up to 3 contigs per assembly




238/302 MRG0_0238

ssa20:8,087,161−8,960,725; shaded interval = local−PCA locus; up to 3 contigs per assembly




239/302 MRG0_0239

ssa20:21,108,798−21,732,837; shaded interval = local−PCA locus; up to 3 contigs per assembly




240/302 MRG0_0240

ssa20:29,671,219−30,359,638; shaded interval = local−PCA locus; up to 3 contigs per assembly




241/302 MRG0_0241

ssa20:31,527,953−32,975,981; shaded interval = local−PCA locus; up to 3 contigs per assembly




242/302 MRG0_0242

ssa20:37,392,501−53,457,721; shaded interval = local−PCA locus; up to 3 contigs per assembly




243/302 MRG0_0243

ssa20:54,880,309−58,804,810; shaded interval = local−PCA locus; up to 3 contigs per assembly




244/302 MRG0_0244

ssa20:59,280,253−61,189,327; shaded interval = local−PCA locus; up to 3 contigs per assembly




245/302 MRG0_0245

ssa20:61,967,438−69,972,435; shaded interval = local−PCA locus; up to 3 contigs per assembly




246/302 MRG0_0246

ssa20:70,290,179−73,351,270; shaded interval = local−PCA locus; up to 3 contigs per assembly




247/302 MRG0_0247

ssa20:76,251,066−83,150,298; shaded interval = local−PCA locus; up to 3 contigs per assembly




248/302 MRG0_0248

ssa20:87,114,579−90,833,814; shaded interval = local−PCA locus; up to 3 contigs per assembly




249/302 MRG0_0249

ssa21:11,442,383−11,694,289; shaded interval = local−PCA locus; up to 3 contigs per assembly



250/302 MRG0_0250


ssa21:17,377,414−17,603,855; shaded interval = local−PCA locus; up to 3 contigs per assembly



Alignment type — primary — NA Strand − +


251/302 MRG0_0251

ssa21:26,561,904−28,677,292; shaded interval = local−PCA locus; up to 3 contigs per assembly




252/302 MRG0_0252

ssa21:38,295,533−39,166,545; shaded interval = local−PCA locus; up to 3 contigs per assembly




253/302 MRG0_0253

ssa21:48,349,841−50,735,344; shaded interval = local−PCA locus; up to 3 contigs per assembly




254/302 MRG0_0254

ssa22:1,450−355,492; shaded interval = local−PCA locus; up to 3 contigs per assembly




255/302 MRG0_0255

ssa22:1,379,129−2,640,572; shaded interval = local−PCA locus; up to 3 contigs per assembly




256/302 MRG0_0256

ssa22:20,655,447−20,882,708; shaded interval = local−PCA locus; up to 3 contigs per assembly



257/302 MRG0_0257


ssa22:26,792,903−27,575,217; shaded interval = local−PCA locus; up to 3 contigs per assembly



Alignment type — primary — NA Strand − +


258/302 MRG0_0258

ssa22:37,887,939−40,181,884; shaded interval = local−PCA locus; up to 3 contigs per assembly




259/302 MRG0_0259

ssa22:46,202,162−47,716,174; shaded interval = local−PCA locus; up to 3 contigs per assembly




260/302 MRG0_0260

ssa22:58,063,488−58,427,912; shaded interval = local−PCA locus; up to 3 contigs per assembly




261/302 MRG0_0261

ssa23:720,689−8,893,047; shaded interval = local−PCA locus; up to 3 contigs per assembly




262/302 MRG0_0262

ssa23:16,123,404−16,873,572; shaded interval = local−PCA locus; up to 3 contigs per assembly



263/302 MRG0_0263

ssa23:27,630,020−28,312,888; shaded interval = local−PCA locus; up to 3 contigs per assembly



264/302 MRG0_0264

ssa23:30,198,980−30,821,306; shaded interval = local−PCA locus; up to 3 contigs per assembly

GLOP (Norway)

scaffold_11145_pilon

ARUN (Norway)

scaffold_7862_pilon

ALTA (Norway)

Merge_31788440

TANA (Norway)

Ssal_tanner_8K_flye27_contig_03001_pilon

Ssal_tanner_8K_flye27_contig_02816_pilon

FROM (UK)

Merge_34795403

OULO (Finland)

Barry_OM1_Flye10k_contig_1007_pilon

PERU (Canada)

scaffold_445_pilon

SEBA (USA)

contig_1764_pilon

GARN−1 (Canada)

Brian_30k_contig_6486_ssa23_pilon

GARN−2 (Canada)

contig_4718_pilon

Brown trout

NC_042974.1

NC_042960.1

Arctic char

NC_092091.1

Query position within selected contig(s), stacked (Mb)

30.0

30.5


31.0

ssa23 position in Ssal_v3.1 (Mb)

Alignment type — primary — NA Strand − +


265/302 MRG0_0265

ssa23:47,571,820−50,500,290; shaded interval = local−PCA locus; up to 3 contigs per assembly




266/302 MRG0_0266

ssa24:24,330,886−25,304,766; shaded interval = local−PCA locus; up to 3 contigs per assembly




267/302 MRG0_0267

ssa24:28,574,269−28,834,947; shaded interval = local−PCA locus; up to 3 contigs per assembly




268/302 MRG0_0268

ssa24:30,782,868−32,244,803; shaded interval = local−PCA locus; up to 3 contigs per assembly




269/302 MRG0_0269

ssa24:34,049,323−34,700,794; shaded interval = local−PCA locus; up to 3 contigs per assembly




270/302 MRG0_0270

ssa25:869,492−1,185,141; shaded interval = local−PCA locus; up to 3 contigs per assembly




271/302 MRG0_0271

ssa25:18,094,231−20,803,607; shaded interval = local−PCA locus; up to 3 contigs per assembly




272/302 MRG0_0272

ssa25:21,868,233−34,662,491; shaded interval = local−PCA locus; up to 3 contigs per assembly




273/302 MRG0_0273

ssa25:35,830,997−40,046,097; shaded interval = local−PCA locus; up to 3 contigs per assembly




274/302 MRG0_0274

ssa26:2,541,663−8,779,808; shaded interval = local−PCA locus; up to 3 contigs per assembly




275/302 MRG0_0275

ssa26:9,777,603−10,169,910; shaded interval = local−PCA locus; up to 3 contigs per assembly




276/302 MRG0_0276

ssa26:14,630,742−27,656,297; shaded interval = local−PCA locus; up to 3 contigs per assembly




277/302 MRG0_0277

ssa26:33,069,533−33,440,680; shaded interval = local−PCA locus; up to 3 contigs per assembly




278/302 MRG0_0278

ssa26:34,050,192−36,338,047; shaded interval = local−PCA locus; up to 3 contigs per assembly




279/302 MRG0_0279

ssa26:48,985,225−50,831,659; shaded interval = local−PCA locus; up to 3 contigs per assembly




280/302 MRG0_0280

ssa26:52,351,812−54,630,136; shaded interval = local−PCA locus; up to 3 contigs per assembly




281/302 MRG0_0281

ssa27:1,398,692−1,829,010; shaded interval = local−PCA locus; up to 3 contigs per assembly




282/302 MRG0_0282

ssa27:6,249,243−8,096,498; shaded interval = local−PCA locus; up to 3 contigs per assembly




283/302 MRG0_0283

ssa27:10,112,401−16,192,809; shaded interval = local−PCA locus; up to 3 contigs per assembly




284/302 MRG0_0284

ssa27:16,285,684−16,882,280; shaded interval = local−PCA locus; up to 3 contigs per assembly




285/302 MRG0_0285

ssa27:17,571,742−18,234,765; shaded interval = local−PCA locus; up to 3 contigs per assembly




286/302 MRG0_0286

ssa27:19,506,074−20,277,371; shaded interval = local−PCA locus; up to 3 contigs per assembly




287/302 MRG0_0287

ssa27:21,341,336−22,376,553; shaded interval = local−PCA locus; up to 3 contigs per assembly




288/302 MRG0_0288

ssa27:23,592,478−27,211,979; shaded interval = local−PCA locus; up to 3 contigs per assembly




289/302 MRG0_0289

ssa27:28,821,961−36,532,410; shaded interval = local−PCA locus; up to 3 contigs per assembly




290/302 MRG0_0290

ssa28:27,129,784−28,062,537; shaded interval = local−PCA locus; up to 3 contigs per assembly




291/302 MRG0_0291

ssa28:38,879,369−40,147,448; shaded interval = local−PCA locus; up to 3 contigs per assembly




292/302 MRG0_0292

ssa29:1,812−3,516,476; shaded interval = local−PCA locus; up to 3 contigs per assembly



293/302 MRG0_0293


ssa29:4,288,649−4,893,406; shaded interval = local−PCA locus; up to 3 contigs per assembly



Alignment type — primary — NA Strand − +


294/302 MRG0_0294

ssa29:5,487,290−7,363,942; shaded interval = local−PCA locus; up to 3 contigs per assembly




295/302 MRG0_0295

ssa29:10,731,913−10,916,333; shaded interval = local−PCA locus; up to 3 contigs per assembly




296/302 MRG0_0296

ssa29:14,549,447−15,365,994; shaded interval = local−PCA locus; up to 3 contigs per assembly




297/302 MRG0_0297

ssa29:17,596,375−18,283,678; shaded interval = local−PCA locus; up to 3 contigs per assembly




298/302 MRG0_0298

ssa29:19,536,988−23,598,877; shaded interval = local−PCA locus; up to 3 contigs per assembly




299/302 MRG0_0299

ssa29:34,522,876−34,763,722; shaded interval = local−PCA locus; up to 3 contigs per assembly




300/302 MRG0_0300

ssa29:35,671,335−35,858,508; shaded interval = local−PCA locus; up to 3 contigs per assembly



301/302 MRG0_0301

ssa29:40,111,690−41,104,286; shaded interval = local−PCA locus; up to 3 contigs per assembly



302/302 MRG0_0302

ssa29:41,944,392−42,621,628; shaded interval = local−PCA locus; up to 3 contigs per assembly

