






PCA_SV_ID_0001 window 1/1
ssa01:130960−385236
PC2 (7.18%)
PC1 (16.50%)
10
5
0
−5
−10
−15
−10
−5
0
5
10
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0002 window 1/5
ssa01:3478509−4286932
PC2 (5.80%)
PC1 (25.30%)
PCA_SV_ID_0002 window 2/5
ssa01:4286961−4879243
PC2 (5.48%)
PC1 (28.19%)
PCA_SV_ID_0002 window 3/5
ssa01:4879914−5500745
PC2 (5.56%)
PC1 (32.00%)
PCA_SV_ID_0002 window 4/5
ssa01:5500750−6101259
PC2 (4.32%)
PC1 (37.44%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0002 window 5/5
ssa01:6101298−6346698
20
10
0
−10
PC2 (8.15%)
−10
0
10
PC1 (33.83%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0003 window 1/4
ssa01:7395686−8043518
PC2 (7.10%)
PC1 (30.90%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0003 window 2/4
ssa01:8043570−8837908
PC2 (7.45%)
PC1 (30.71%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0003 window 3/4
ssa01:8837962−9971181
PC2 (9.25%)
PC1 (29.54%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0003 window 4/4
ssa01:9973678−10651742
PC2 (6.28%)
PC1 (41.11%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0004 window 1/2
ssa01:14130976−15261469
PC2 (9.52%)
PC1 (37.57%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0004 window 2/2
ssa01:15261819−15931261
PC2 (13.51%)
PC1 (39.47%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0005 window 1/2
ssa01:31245555−32345678
PC2 (7.79%)
PC1 (45.48%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0005 window 2/2
ssa01:32353666−32913722
PC2 (6.92%)
PC1 (45.67%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0006 window 1/1
ssa01:34871856−35287915
PC2 (14.44%)
PC1 (32.62%)
20
0
−20
−20
−10
0
10
20
30
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0007 window 1/5
ssa01:35342934−36721994
PC2 (10.65%)
PC1 (37.91%)
PCA_SV_ID_0007 window 2/5
ssa01:36723298−37579452
PC2 (5.48%)
PC1 (47.55%)
PCA_SV_ID_0007 window 3/5
ssa01:37579826−38362877
PC2 (4.88%)
PC1 (39.74%)
PCA_SV_ID_0007 window 4/5
ssa01:38367084−39088753
PC2 (5.52%)
PC1 (33.99%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0007 window 5/5
ssa01:39088866−39588883
PC2 (4.61%)
PC1 (31.32%)
30
20
10
0
−10
−20
−10
0
10
20
30
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0008 window 1/5
ssa01:42341248−42797956
PC2 (6.60%)
PC1 (35.89%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0008 window 2/5
ssa01:42798039−43363451
PC2 (7.72%)
PC1 (28.67%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0008 window 3/5
ssa01:43363533−43767424
PC2 (6.19%)
PC1 (39.36%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0008 window 4/5
ssa01:43767445−44272190
PC2 (10.26%)
PC1 (31.44%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0008 window 5/5
ssa01:44272216−44827789
PC2 (9.80%)
PC1 (27.45%)
30
20
10
0
−10
−20
−20
−10
0
10
20
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0009 window 1/18
ssa01:45263894−46330073
PC2 (8.56%)
PC1 (33.28%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0009 window 2/18
ssa01:46330117−47411294
PC2 (16.27%)
PC1 (38.22%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0009 window 3/18
ssa01:47413736−49880736
PC2 (17.33%)
PC1 (35.90%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0009 window 4/18
ssa01:49881881−50793094
PC2 (17.43%)
PC1 (43.82%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0009 window 5/18
ssa01:50796802−51628322
PC2 (13.44%)
PC1 (38.41%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0009 window 6/18
ssa01:51629334−52282475
PC2 (9.22%)
PC1 (38.40%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0009 window 7/18
ssa01:52282535−52797937
PC2 (12.91%)
PC1 (31.68%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0009 window 8/18
ssa01:52797988−53483663
PC2 (8.95%)
PC1 (38.94%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0009 window 9/18
ssa01:53484928−54077950
PC2 (8.98%)
PC1 (43.96%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0009 window 10/18
ssa01:54078272−54637815
PC2 (9.71%)
PC1 (36.37%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0009 window 11/18
ssa01:54638386−55343009
PC2 (6.49%)
PC1 (39.29%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0009 window 12/18
ssa01:55343034−55951307
PC2 (8.50%)
PC1 (36.30%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0009 window 13/18
ssa01:55953313−56707186
PC2 (7.19%)
PC1 (42.87%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0009 window 14/18
ssa01:56707269−57173671
PC2 (8.48%)
PC1 (32.52%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0009 window 15/18
ssa01:57173870−57712467
PC2 (7.96%)
PC1 (36.48%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0009 window 16/18
ssa01:57712813−58256405
PC2 (10.05%)
PC1 (33.86%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0009 window 17/18
ssa01:58257320−58818534
PC2 (7.72%)
PC1 (31.35%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0009 window 18/18
ssa01:58818673−59494359
PC2 (7.06%)
PC1 (42.39%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0010 window 1/3
ssa01:60406069−61092228
PC2 (6.55%)
PC1 (30.84%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0010 window 2/3
ssa01:61093194−62089267
PC2 (6.48%)
PC1 (46.93%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0010 window 3/3
ssa01:62090146−62383720
PC2 (18.53%)
PC1 (33.79%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0011 window 1/4
ssa01:63846542−64825280
PC1 (36.08%)
PC2 (17.96%)
PCA_SV_ID_0011 window 2/4
ssa01:64827424−65726781
PC1 (32.96%)
PC2 (8.79%)
PCA_SV_ID_0011 window 3/4
ssa01:65727598−66443662
PC1 (29.23%)
PC2 (6.95%)
PCA_SV_ID_0011 window 4/4
ssa01:66444204−66684434
PC1 (42.44%)
PC2 (8.28%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0012 window 1/2
ssa01:69552267−70705797
PC2 (11.81%)
PC1 (35.15%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild


PCA_SV_ID_0012 window 2/2
ssa01:70709758−71688998
PC2 (6.76%)
PC1 (39.75%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild


PCA_SV_ID_0013 window 1/5
ssa01:72604578−73291083
PC2 (7.58%)
PC1 (32.88%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0013 window 2/5
ssa01:73291091−73987636
PC2 (6.96%)
PC1 (31.72%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0013 window 3/5
ssa01:73989549−74816192
PC2 (7.41%)
PC1 (32.18%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0013 window 4/5
ssa01:74817680−75730462
PC2 (8.00%)
PC1 (39.27%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild


PCA_SV_ID_0013 window 5/5


ssa01:75732078−76231215






PCA_SV_ID_0014 window 1/6
ssa01:91605160−92265287
PC2 (19.09%)
PC1 (23.19%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0014 window 2/6
ssa01:92265345−92864641
PC2 (15.65%)
PC1 (33.01%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0014 window 3/6
ssa01:92865429−93779324
PC2 (20.63%)
PC1 (31.69%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0014 window 4/6
ssa01:93783791−94436433
PC2 (12.36%)
PC1 (29.42%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0014 window 5/6
ssa01:94436707−95483356
PC2 (13.45%)
PC1 (25.28%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0014 window 6/6
ssa01:95484351−95585427
PC2 (22.96%)
PC1 (28.08%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0015 window 1/1
ssa01:100702871−101724513
PC2 (12.89%)
PC1 (36.44%)
20
10
0
−10
−20
−30
−20
0
20
40
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0016 window 1/2
ssa01:107572027−110836504
PC2 (8.71%)
PC1 (20.43%)
20
10
0
−10
−20
−10
0
10
20
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0016 window 2/2
ssa01:110837903−111444847
PC2 (10.19%)
PC1 (14.60%)
10
5
0
−5
−10
−10
−5
0
5
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0017 window 1/1
ssa01:111875707−112793071
PC2 (10.36%)
PC1 (22.70%)
10
5
0
−5
−10
−15
−20
−10
0
10
20
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0018 window 1/4
ssa01:114229013−116833933
PC2 (10.04%)
PC1 (19.12%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0018 window 2/4
ssa01:116835294−119806259
PC2 (8.05%)
PC1 (17.61%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0018 window 3/4
ssa01:119807703−121404008
PC2 (19.59%)
PC1 (23.70%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0018 window 4/4
ssa01:121405115−122094333
PC2 (13.55%)
PC1 (36.97%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0019 window 1/3
ssa01:122285909−123156710
PC2 (10.88%)
PC1 (35.55%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0019 window 2/3
ssa01:123156741−124166162
PC2 (8.69%)
PC1 (31.10%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0019 window 3/3
ssa01:124166970−124292606
PC2 (20.90%)
PC1 (37.40%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0020 window 1/2
ssa01:126497444−127723870
PC2 (12.57%)
PC1 (34.36%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0020 window 2/2
ssa01:127725376−128513692
PC2 (15.70%)
PC1 (28.76%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0021 window 1/4
ssa01:130244622−130947176
PC1 (35.17%)
PC2 (6.85%)
PCA_SV_ID_0021 window 2/4
ssa01:130947577−131412620
PC1 (44.44%)
PC2 (9.13%)
PCA_SV_ID_0021 window 3/4
ssa01:131412663−131953286
PC1 (30.08%)
PC2 (8.00%)
PCA_SV_ID_0021 window 4/4
ssa01:131953305−132131577
PC1 (25.32%)
PC2 (17.16%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0022 window 1/1
ssa01:133063014−133713873
PC2 (17.67%)
PC1 (30.98%)
30
20
10
0
−10
−20
−20
−10
0
10
20
30
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0023 window 1/3
ssa01:135619698−136270345
PC2 (5.77%)
PC1 (50.05%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0023 window 2/3
ssa01:136270545−136691427
PC2 (13.78%)
PC1 (51.15%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0023 window 3/3
ssa01:136692849−137188204
PC2 (10.81%)
PC1 (48.95%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0024 window 1/4
ssa01:138027277−139259221
PC2 (6.20%)
PC1 (33.77%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0024 window 2/4
ssa01:139260691−140084483
PC2 (24.91%)
PC1 (25.68%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0024 window 3/4
ssa01:140085870−140686470
PC2 (16.22%)
PC1 (35.14%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0024 window 4/4
ssa01:140686491−141318582
PC2 (11.06%)
PC1 (28.99%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0025 window 1/1
ssa01:147090598−147829100
PC2 (16.86%)
PC1 (20.26%)
20
10
0
−10
−20
−30
−20
−10
0
10
20
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0026 window 1/2
ssa01:148115517−148878929
PC2 (8.91%)
PC1 (18.94%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0026 window 2/2
ssa01:148879169−149584808
PC2 (8.26%)
PC1 (23.07%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0027 window 1/3
ssa01:150878600−151492058
PC2 (10.23%)
PC1 (22.32%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0027 window 2/3
ssa01:151492693−152269726
PC2 (12.15%)
PC1 (14.62%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0027 window 3/3
ssa01:152270109−152543281
PC2 (14.09%)
PC1 (18.35%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0028 window 1/2
ssa01:153978303−154571841
PC2 (10.07%)
PC1 (27.74%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0028 window 2/2
ssa01:154571887−155222854
PC2 (9.97%)
PC1 (21.21%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0029 window 1/1
ssa01:162519295−163037749
PC2 (6.76%)
PC1 (51.88%)
10
0
−10
−20
−30
−20
−10
0
10
20
30
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0030 window 1/1
ssa01:165207891−165532558
PC2 (10.62%)
PC1 (20.03%)
10
0
−10
−20
−20
−10
0
10
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0031 window 1/1
ssa02:253421−1024775
PC2 (4.85%)
PC1 (18.84%)
10
5
0
−5
−10
−10
0
10
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0032 window 1/2
ssa02:2489349−4370718
PC2 (4.98%)
PC1 (13.56%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0032 window 2/2
ssa02:4371016−6168989
PC2 (4.49%)
PC1 (14.15%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0033 window 1/5
ssa02:15091709−15894578
PC2 (3.54%)
PC1 (10.62%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0033 window 2/5
ssa02:15895063−17207123
PC2 (8.59%)
PC1 (32.18%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0033 window 3/5
ssa02:17208326−19047825
PC2 (16.50%)
PC1 (21.32%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0033 window 4/5
ssa02:19049298−20313529
PC2 (13.28%)
PC1 (25.96%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0033 window 5/5
ssa02:20315890−20463479
PC2 (11.22%)
PC1 (31.38%)
0
−10
−20
−20
−10
0
10
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0034 window 1/2
ssa02:42220429−42863755
PC2 (4.60%)
PC1 (31.44%)
20
10
0
−10
−20
−20
−10
0
10
20
30
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0034 window 2/2
ssa02:42863766−43207042
PC2 (9.50%)
PC1 (27.83%)
10
0
−10
−20
−10
0
10
20
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0035 window 1/2
ssa02:68443911−69462370
PC2 (6.98%)
PC1 (30.89%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild
PCA_SV_ID_0035 window 2/2
ssa02:69462417−70318572
PC2 (10.87%)
PC1 (17.22%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0036 window 1/10
ssa02:87705757−88511398
PC2 (10.42%)
PC1 (24.79%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0036 window 2/10
ssa02:88511825−88968854
PC2 (10.83%)
PC1 (28.72%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0036 window 3/10
ssa02:88968964−89463722
PC2 (7.36%)
PC1 (30.11%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0036 window 4/10
ssa02:89464951−89835255
PC2 (15.55%)
PC1 (20.89%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0036 window 5/10
ssa02:89836016−90157490
PC2 (16.27%)
PC1 (22.43%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0036 window 6/10
ssa02:90158456−90541839
PC2 (8.95%)
PC1 (16.06%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0036 window 7/10
ssa02:90541840−91547809
PC2 (7.64%)
PC1 (20.75%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0036 window 8/10
ssa02:91547827−92088343
PC2 (10.08%)
PC1 (17.18%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild


PCA_SV_ID_0036 window 9/10
ssa02:92088406−93608335
PC2 (12.65%)
PC1 (20.66%)
20
10
0
−10
−20
−25
0
25


population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0036 window 10/10
ssa02:93608527−94798734
PC2 (13.12%)
PC1 (21.62%)
40
20
0
−20
0
20
40



population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0037 window 1/1
ssa03:8698751−8801635
PC2 (18.72%)
PC1 (48.46%)
10
0
−10
−20
−20
−10
0
10
population
european_farmed
european_wild
north_american_farmed
north_american_wild


PCA_SV_ID_0038 window 1/1


ssa03:14030966−14226596






PCA_SV_ID_0039 window 1/5
ssa03:15843169−16528446
PC2 (6.72%)
PC1 (53.33%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0039 window 2/5
ssa03:16528764−17628595
PC2 (8.66%)
PC1 (35.17%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0039 window 3/5
ssa03:17630333−18169769
PC2 (9.33%)
PC1 (30.91%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0039 window 4/5
ssa03:18169808−18937211
PC2 (8.27%)
PC1 (41.79%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0039 window 5/5
ssa03:18940059−19398367
PC2 (15.11%)
PC1 (37.35%)
20
10
0
−10
−20
−10
0
10
20
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0040 window 1/11
ssa03:20299846−21012007
PC1 (57.59%)
PC2 (8.38%)
PCA_SV_ID_0040 window 2/11
ssa03:21012562−21487211
PC1 (42.89%)
PC2 (5.36%)
PCA_SV_ID_0040 window 3/11
ssa03:21487213−21930304
PC1 (36.51%)
PC2 (5.96%)
PCA_SV_ID_0040 window 4/11
ssa03:21930306−22337340
PC1 (44.05%)
PC2 (6.17%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0040 window 5/11
ssa03:22337571−22810595
PC2 (4.62%)
PC1 (49.16%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0040 window 6/11
ssa03:22811050−23298661
PC2 (9.32%)
PC1 (44.98%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0040 window 7/11
ssa03:23298949−24040409
PC2 (10.79%)
PC1 (31.41%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0040 window 8/11
ssa03:24040478−24701409
PC2 (6.55%)
PC1 (30.37%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0040 window 9/11
ssa03:24701605−25371037
PC2 (6.44%)
PC1 (29.16%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0040 window 10/11
ssa03:25371105−26482423
PC2 (4.99%)
PC1 (41.83%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0040 window 11/11
ssa03:26483430−26623317
PC2 (11.86%)
PC1 (43.57%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0041 window 1/1
ssa03:32712245−32896936
PC2 (13.95%)
PC1 (50.54%)
10
0
−10
−20
−10
0
10
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0042 window 1/10
ssa03:38171872−38917090
PC2 (5.30%)
PC1 (39.06%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0042 window 2/10
ssa03:38917121−39624092
PC2 (7.90%)
PC1 (28.82%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0042 window 3/10
ssa03:39624173−41259720
PC2 (8.50%)
PC1 (54.65%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0042 window 4/10
ssa03:41260523−42579441
PC2 (8.97%)
PC1 (57.65%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0042 window 5/10
ssa03:42580463−43385179
PC1 (50.73%)
PC2 (12.56%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0042 window 6/10
ssa03:43385542−44021560
PC1 (47.47%)
PC2 (9.48%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0042 window 7/10
ssa03:44021708−44726849
PC1 (38.74%)
PC2 (8.03%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0042 window 8/10
ssa03:44727310−45372224
PC1 (32.99%)
PC2 (8.53%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0042 window 9/10
ssa03:45372847−46035818
PC2 (12.38%)
PC1 (33.21%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild
PCA_SV_ID_0042 window 10/10
ssa03:46035925−46127964
PC2 (29.56%)
PC1 (32.86%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0043 window 1/1
ssa03:46613315−47162685
PC2 (21.40%)
PC1 (32.06%)
10
0
−10
−20
−20
−10
0
10
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0044 window 1/2
ssa03:50734825−51491319
PC2 (7.15%)
PC1 (27.24%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0044 window 2/2
ssa03:51491511−52045337
PC2 (4.87%)
PC1 (39.91%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild


PCA_SV_ID_0045 window 1/2
ssa03:58460496−59111034
PC2 (12.20%)
PC1 (32.11%)
0
−20
−40
−20
−10
0
10
20
30
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0045 window 2/2
ssa03:59111234−59280556
PC2 (8.29%)
PC1 (36.26%)
10
0
−10
−20
−10
0
10
20
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0046 window 1/2
ssa03:79735629−80613442
PC2 (14.20%)
PC1 (16.63%)
10
0
−10
−20
−25
0
25
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0046 window 2/2
ssa03:80613605−80688464
PC2 (19.81%)
PC1 (36.46%)
10
5
0
−5
0
10
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0047 window 1/5
ssa03:88922710−89900609
PC2 (12.44%)
PC1 (22.67%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0047 window 2/5
ssa03:89901791−91467309
PC2 (11.88%)
PC1 (22.16%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0047 window 3/5
ssa03:91467810−92092029
PC2 (15.11%)
PC1 (25.92%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0047 window 4/5
ssa03:92092256−92676717
PC2 (14.57%)
PC1 (25.70%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0047 window 5/5
ssa03:92676718−93570984
PC2 (6.65%)
PC1 (31.89%)
30
20
10
0
−10
0
20
40
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0048 window 1/6
ssa03:97853853−98635992
PC2 (8.75%)
PC1 (12.64%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0048 window 2/6
ssa03:98636062−100131527
PC2 (5.07%)
PC1 (10.53%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0048 window 3/6
ssa03:100131867−101290294
PC2 (5.41%)
PC1 (12.47%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0048 window 4/6
ssa03:101290531−102577456
PC2 (5.40%)
PC1 (22.01%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0048 window 5/6
ssa03:102581131−104045893
PC2 (4.03%)
PC1 (27.34%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0048 window 6/6
ssa03:104046025−105648221
PC2 (4.86%)
PC1 (26.17%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0049 window 1/5
ssa04:1244149−1600601
PC2 (7.68%)
PC1 (18.89%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0049 window 2/5
ssa04:1601631−3202333
PC2 (5.16%)
PC1 (14.62%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0049 window 3/5
ssa04:3202749−4747275
PC2 (6.72%)
PC1 (14.13%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0049 window 4/5
ssa04:4748512−6180921
PC2 (7.15%)
PC1 (15.54%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0049 window 5/5
ssa04:6182071−6552701
PC2 (8.94%)
PC1 (26.82%)
10
0
−10
0
20
40
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0050 window 1/2
ssa04:7672852−7980361
PC2 (7.86%)
PC1 (43.61%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0050 window 2/2
ssa04:7980505−8264610
PC2 (12.02%)
PC1 (55.78%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0051 window 1/2
ssa04:18565556−19218159
PC2 (20.13%)
PC1 (31.15%)
20
0
−20
−40
−20
−10
0
10
20
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0051 window 2/2
ssa04:19218223−19631338
PC2 (19.58%)
PC1 (27.55%)
10
0
−10
−20
−30
−20
−10
0
10
20
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0052 window 1/7
ssa04:28406814−29027525
PC2 (9.75%)
PC1 (47.88%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0052 window 2/7
ssa04:29027711−29653298
PC2 (6.71%)
PC1 (61.07%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0052 window 3/7
ssa04:29653760−30535258
PC2 (6.91%)
PC1 (60.76%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0052 window 4/7
ssa04:30535266−31320693
PC2 (8.64%)
PC1 (60.35%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0052 window 5/7
ssa04:31320727−32146811
PC2 (9.43%)
PC1 (51.86%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0052 window 6/7
ssa04:32146818−32964686
PC2 (11.46%)
PC1 (20.61%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0052 window 7/7
ssa04:32965405−33548237
PC2 (19.92%)
PC1 (37.07%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0053 window 1/1
ssa04:34669223−35220557
PC2 (16.91%)
PC1 (33.63%)
20
0
−20
−40
−20
0
20
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0054 window 1/3
ssa04:41998430−42585719
PC2 (7.81%)
PC1 (42.12%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0054 window 2/3
ssa04:42586326−43256318
PC2 (6.62%)
PC1 (33.52%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0054 window 3/3
ssa04:43256560−43678729
PC2 (10.42%)
PC1 (29.46%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0055 window 1/5
ssa04:46825462−47656258
PC2 (7.71%)
PC1 (21.28%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0055 window 2/5
ssa04:47656880−48295543
PC2 (7.82%)
PC1 (41.63%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0055 window 3/5
ssa04:48295919−49319488
PC2 (9.33%)
PC1 (34.81%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0055 window 4/5
ssa04:49319612−49972340
PC2 (7.27%)
PC1 (44.73%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0055 window 5/5
ssa04:49972501−50406901
PC2 (7.69%)
PC1 (48.95%)
10
0
−10
−20
−30
−20
−10
0
10
20
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0056 window 1/3
ssa04:52115834−52545239
PC2 (5.19%)
PC1 (38.70%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild


PCA_SV_ID_0056 window 2/3
ssa04:52545594−53063366
PC2 (10.81%)
PC1 (35.90%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0056 window 3/3
ssa04:53063376−53478693
PC2 (12.63%)
PC1 (31.07%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0057 window 1/2
ssa04:57933711−58385321
PC2 (11.23%)
PC1 (57.59%)
20
10
0
−10
−20
−30
−40
−20
0
20
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0057 window 2/2
ssa04:58385327−58672633
PC2 (22.90%)
PC1 (33.92%)
10
0
−10
−20
−10
0
10
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0058 window 1/7
ssa04:59560509−60284966
PC2 (8.49%)
PC1 (32.91%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0058 window 2/7
ssa04:60285102−61071940
PC2 (11.08%)
PC1 (24.44%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0058 window 3/7
ssa04:61073132−62331786
PC2 (7.32%)
PC1 (30.26%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0058 window 4/7
ssa04:62332082−63540301
PC2 (12.36%)
PC1 (33.95%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0058 window 5/7
ssa04:63540460−64757980
PC2 (11.39%)
PC1 (32.96%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0058 window 6/7
ssa04:64757981−65721888
PC2 (9.47%)
PC1 (32.34%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0058 window 7/7
ssa04:65722150−65794275
PC2 (11.24%)
PC1 (59.91%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0059 window 1/1
ssa04:68800008−69062292
PC2 (24.24%)
PC1 (31.30%)
10
0
−10
−20
−20
−10
0
10
20
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0060 window 1/5
ssa04:69062981−70233205
PC2 (7.07%)
PC1 (48.90%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0060 window 2/5
ssa04:70233767−70964777
PC2 (4.17%)
PC1 (76.16%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0060 window 3/5
ssa04:70964842−71791619
PC2 (7.42%)
PC1 (63.31%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0060 window 4/5
ssa04:71791687−72304032
PC2 (9.56%)
PC1 (50.13%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0060 window 5/5
ssa04:72304508−72705580
PC2 (8.83%)
PC1 (57.79%)
20
10
0
−10
−20
−10
0
10
20
30
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0061 window 1/7
ssa04:74164134−75091041
PC2 (7.00%)
PC1 (49.28%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0061 window 2/7
ssa04:75091193−75584773
PC2 (7.15%)
PC1 (46.85%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild


PCA_SV_ID_0061 window 3/7
ssa04:75584778−76678220
PC2 (4.74%)
PC1 (57.24%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0061 window 4/7
ssa04:76678940−78069831
PC2 (8.04%)
PC1 (40.26%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild


PCA_SV_ID_0061 window 5/7
ssa04:78070722−79104138
PC2 (7.80%)
PC1 (27.99%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild


PCA_SV_ID_0061 window 6/7
ssa04:79104505−79797714
PC2 (9.14%)
PC1 (26.20%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0061 window 7/7
ssa04:79798879−80227753
PC2 (8.12%)
PC1 (34.68%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0062 window 1/2
ssa04:81909268−82915239
PC2 (5.20%)
PC1 (27.12%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild


PCA_SV_ID_0062 window 2/2
ssa04:82915339−83298696
PC2 (7.27%)
PC1 (30.13%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild

PCA_SV_ID_0063 window 1/1


ssa04:84429911−85037985





PCA_SV_ID_0064 window 1/2
ssa05:10429577−11056045
PC2 (7.12%)
PC1 (33.77%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild
PCA_SV_ID_0064 window 2/2
ssa05:11056128−11151390
PC2 (7.72%)
PC1 (60.04%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild

PCA_SV_ID_0065 window 1/2


ssa05:16280638−17355525








PCA_SV_ID_0065 window 2/2


ssa05:17356488−17446333









PCA_SV_ID_0066 window 1/1
ssa05:36681888−36875393
PC2 (11.40%)
PC1 (46.62%)
10
0
−10
−20
−20
−10
0
10
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0067 window 1/1
ssa05:43369389−43850739
PC2 (13.79%)
PC1 (29.23%)
20
10
0
−10
−30
−20
−10
0
10
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0068 window 1/5
ssa05:43852274−45052795
PC2 (19.47%)
PC1 (21.54%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0068 window 2/5
ssa05:45052965−46157107
PC2 (15.36%)
PC1 (26.92%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0068 window 3/5
ssa05:46158582−47417355
PC2 (15.61%)
PC1 (17.60%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0068 window 4/5
ssa05:47417382−48257455
PC2 (18.39%)
PC1 (25.87%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0068 window 5/5
ssa05:48257505−48833209
PC2 (12.51%)
PC1 (22.88%)
20
0
−20
−20
−10
0
10
population
european_farmed
european_wild
north_american_farmed
north_american_wild


PCA_SV_ID_0069 window 1/1
ssa05:58761866−59015410
PC2 (21.84%)
PC1 (31.23%)
10
0
−10
−20
−10
0
10
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0070 window 1/1
ssa05:65719067−66394783
PC2 (11.38%)
PC1 (23.86%)
20
10
0
−10
−20
−30
−20
−10
0
10
20
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0071 window 1/2
ssa05:71344541−72399367
PC2 (5.80%)
PC1 (24.94%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0071 window 2/2
ssa05:72400984−73887629
PC2 (5.55%)
PC1 (36.43%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0072 window 1/4
ssa05:86383262−88551508
PC2 (3.82%)
PC1 (15.15%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0072 window 2/4
ssa05:88551792−90273165
PC2 (6.97%)
PC1 (12.33%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0072 window 3/4
ssa05:90273178−91429378
PC2 (3.23%)
PC1 (17.44%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0072 window 4/4
ssa05:91429400−92606306
PC2 (5.33%)
PC1 (17.79%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0073 window 1/2
ssa06:661−2063068
PC2 (5.94%)
PC1 (10.55%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0073 window 2/2
ssa06:2063073−3194679
PC2 (9.13%)
PC1 (11.76%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild


PCA_SV_ID_0074 window 1/1
ssa06:5639832−6150022
PC2 (9.33%)
PC1 (31.29%)
20
10
0
−10
−20
−10
0
10
population
european_farmed
european_wild
north_american_farmed
north_american_wild


PCA_SV_ID_0075 window 1/1
ssa06:6360663−7917368
PC2 (19.34%)
PC1 (22.60%)
20
0
−20
−20
−10
0
10
20
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0076 window 1/1
ssa06:10517361−11084500
PC2 (15.81%)
PC1 (23.29%)
20
10
0
−10
−20
−10
0
10
20
30
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0077 window 1/3
ssa06:30260796−30962612
PC2 (6.01%)
PC1 (37.97%)
20
10
0
−10
−20
−20
−10
0
10
20



population
european_farmed
european_wild
north_american_farmed
north_american_wild


PCA_SV_ID_0077 window 2/3
ssa06:30962704−31708556
PC2 (3.37%)
PC1 (37.50%)
20
10
0
−10
−20
−10
0
10
20



population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0077 window 3/3
ssa06:31708782−32290906
PC2 (7.37%)
PC1 (32.40%)
20
10
0
−10
−20
−20
−10
0
10
20



population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0078 window 1/1
ssa06:39340936−39645733
PC2 (11.60%)
PC1 (29.58%)
10
0
−10
−10
0
10
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0079 window 1/2
ssa06:47496993−49918517
PC2 (13.82%)
PC1 (32.37%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild
PCA_SV_ID_0079 window 2/2
ssa06:49920683−50707064
PC2 (11.46%)
PC1 (28.01%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0080 window 1/3
ssa06:53162837−53809163
PC2 (4.66%)
PC1 (72.10%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild


PCA_SV_ID_0080 window 2/3
ssa06:53809228−54353074
PC2 (15.88%)
PC1 (36.96%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0080 window 3/3
ssa06:54353086−54771696
PC2 (10.86%)
PC1 (60.09%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0081 window 1/2
ssa06:54790762−55286820
PC2 (20.31%)
PC1 (48.00%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0081 window 2/2
ssa06:55286821−55464316
PC2 (12.22%)
PC1 (48.84%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0082 window 1/6
ssa07:29388586−29959504
PC2 (9.67%)
PC1 (28.18%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0082 window 2/6
ssa07:29960167−30716728
PC2 (14.87%)
PC1 (34.96%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0082 window 3/6
ssa07:30716932−31596713
PC2 (18.17%)
PC1 (34.38%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0082 window 4/6
ssa07:31601709−32783101
PC2 (21.42%)
PC1 (34.00%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0082 window 5/6
ssa07:32783944−34147302
PC2 (20.48%)
PC1 (36.93%)
20
10
0
−10
−20
−25
0
25
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0082 window 6/6
ssa07:34147467−35315130
PC2 (13.37%)
PC1 (34.62%)
0
−20
−40
−20
−10
0
10
20
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0083 window 1/3
ssa07:65027113−66846975
PC2 (4.20%)
PC1 (13.59%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0083 window 2/3
ssa07:66849113−68501515
PC2 (5.59%)
PC1 (19.57%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0083 window 3/3
ssa07:68501525−68816815
PC2 (7.57%)
PC1 (17.59%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0084 window 1/9
ssa08:194828−1336266
PC1 (20.87%)
PC2 (13.25%)
PCA_SV_ID_0084 window 2/9
ssa08:1336927−2192847
PC1 (18.97%)
PC2 (11.54%)
PCA_SV_ID_0084 window 3/9
ssa08:2193315−3050949
PC1 (21.38%)
PC2 (11.91%)
PCA_SV_ID_0084 window 4/9
ssa08:3051142−3679156
PC1 (16.93%)
PC2 (15.43%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0084 window 5/9
ssa08:3680683−4493964
PC2 (14.33%)
PC1 (18.24%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0084 window 6/9
ssa08:4494008−5452226
PC2 (16.16%)
PC1 (17.54%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0084 window 7/9
ssa08:5452834−6831495
PC2 (12.77%)
PC1 (15.86%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0084 window 8/9
ssa08:6832758−8301022
PC2 (17.33%)
PC1 (18.39%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0084 window 9/9
ssa08:8301818−8586825
PC2 (13.28%)
PC1 (22.10%)
10
0
−10
−20
−20
−10
0
10
20
population
european_farmed
european_wild
north_american_farmed
north_american_wild


PCA_SV_ID_0085 window 1/3
ssa08:22400207−24028525
PC2 (10.06%)
PC1 (14.90%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0085 window 2/3
ssa08:24028648−25204269
PC2 (10.32%)
PC1 (11.51%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0085 window 3/3
ssa08:25205052−26539661
PC2 (6.02%)
PC1 (16.45%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0086 window 1/1
ssa09:1591154−2141630
PC2 (12.53%)
PC1 (36.94%)
20
0
−20
−20
−10
0
10
20
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0087 window 1/3
ssa09:3645132−4212919
PC2 (15.60%)
PC1 (33.26%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0087 window 2/3
ssa09:4212953−5169246
PC2 (7.90%)
PC1 (35.19%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0087 window 3/3
ssa09:5169550−5281976
PC2 (10.40%)
PC1 (40.51%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0088 window 1/7
ssa09:16874310−17814247
PC2 (7.84%)
PC1 (44.61%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0088 window 2/7
ssa09:17814607−18329550
PC2 (3.55%)
PC1 (65.94%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0088 window 3/7
ssa09:18329957−19136920
PC2 (6.05%)
PC1 (38.91%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0088 window 4/7
ssa09:19137595−20040895
PC2 (4.78%)
PC1 (43.48%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0088 window 5/7
ssa09:20042247−20862570
PC2 (4.19%)
PC1 (47.82%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0088 window 6/7
ssa09:20863801−21665254
PC2 (7.32%)
PC1 (27.20%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0088 window 7/7
ssa09:21666784−22566050
PC2 (6.84%)
PC1 (22.84%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0089 window 1/4
ssa09:23791627−24313360
PC2 (17.41%)
PC1 (20.71%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0089 window 2/4
ssa09:24318877−24798990
PC2 (16.35%)
PC1 (25.82%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0089 window 3/4
ssa09:24799078−25381632
PC2 (12.55%)
PC1 (36.18%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0089 window 4/4
ssa09:25382715−25431837
PC2 (15.59%)
PC1 (50.30%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0090 window 1/2
ssa09:26324087−27238962
PC2 (9.98%)
PC1 (28.57%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0090 window 2/2
ssa09:27238982−28271609
PC2 (8.42%)
PC1 (31.89%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0091 window 1/19
ssa09:28478170−29081872
PC2 (14.38%)
PC1 (26.64%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0091 window 2/19
ssa09:29082039−29666287
PC2 (14.79%)
PC1 (22.39%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0091 window 3/19
ssa09:29666656−30437198
PC2 (13.77%)
PC1 (28.39%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0091 window 4/19
ssa09:30437282−31399095
PC2 (15.19%)
PC1 (32.17%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0091 window 5/19
ssa09:31399119−32221830
PC2 (9.75%)
PC1 (32.49%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0091 window 6/19
ssa09:32222075−33746909
PC2 (9.30%)
PC1 (32.63%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0091 window 7/19
ssa09:33747639−34712005
PC2 (8.71%)
PC1 (28.67%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0091 window 8/19
ssa09:34713324−35574876
PC2 (10.17%)
PC1 (33.54%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0091 window 9/19
ssa09:35575032−37011492
PC2 (6.72%)
PC1 (32.84%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0091 window 10/19
ssa09:37011493−38183911
PC2 (11.00%)
PC1 (29.26%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0091 window 11/19
ssa09:38183947−39338890
PC2 (11.73%)
PC1 (25.13%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0091 window 12/19
ssa09:39339572−40685070
PC2 (8.76%)
PC1 (23.04%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0091 window 13/19
ssa09:40694067−42876516
PC2 (17.48%)
PC1 (21.97%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0091 window 14/19
ssa09:42876517−44614843
PC2 (15.31%)
PC1 (24.78%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0091 window 15/19
ssa09:44614953−46498062
PC2 (8.10%)
PC1 (35.79%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0091 window 16/19
ssa09:46501082−48534617
PC2 (18.16%)
PC1 (28.08%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0091 window 17/19
ssa09:48554947−52020201
PC2 (8.08%)
PC1 (23.96%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0091 window 18/19
ssa09:52020210−54696049
PC2 (6.65%)
PC1 (12.33%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0091 window 19/19
ssa09:54696064−55078084
PC2 (9.92%)
PC1 (29.45%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0092 window 1/26
ssa09:55524084−56818095
PC1 (23.21%)
PC2 (14.24%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0092 window 2/26
ssa09:56818376−57640773
PC1 (21.01%)
PC2 (16.43%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0092 window 3/26
ssa09:57641068−58594278
PC1 (25.04%)
PC2 (13.35%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0092 window 4/26
ssa09:58594745−59571711
PC1 (18.12%)
PC2 (8.46%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0092 window 5/26
ssa09:59572093−60399812
PC2 (10.68%)
PC1 (25.09%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0092 window 6/26
ssa09:60400441−61786032
PC2 (9.65%)
PC1 (37.21%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild


PCA_SV_ID_0092 window 7/26
ssa09:61786039−62582587
PC2 (21.72%)
PC1 (37.88%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0092 window 8/26
ssa09:62582612−63772465
PC2 (15.34%)
PC1 (29.64%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0092 window 9/26
ssa09:63773905−64734682
PC2 (20.78%)
PC1 (25.43%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0092 window 10/26
ssa09:64737151−65860380
PC2 (13.90%)
PC1 (28.90%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0092 window 11/26
ssa09:65860826−66720376
PC2 (14.74%)
PC1 (27.55%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0092 window 12/26
ssa09:66722603−68105902
PC2 (7.38%)
PC1 (32.52%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0092 window 13/26
ssa09:68106464−69393205
PC1 (27.77%)
PC2 (11.60%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0092 window 14/26
ssa09:69393206−70507933
PC1 (22.14%)
PC2 (14.42%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0092 window 15/26
ssa09:70508532−71516033
PC1 (19.31%)
PC2 (9.65%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0092 window 16/26
ssa09:71516122−72306600
PC1 (24.49%)
PC2 (11.04%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0092 window 17/26
ssa09:72306942−73101687
PC2 (11.43%)
PC1 (14.77%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0092 window 18/26
ssa09:73102004−73737724
PC2 (7.04%)
PC1 (16.48%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0092 window 19/26
ssa09:73737744−74765603
PC2 (11.97%)
PC1 (27.07%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0092 window 20/26
ssa09:74767215−75200800
PC2 (19.02%)
PC1 (27.99%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0092 window 21/26
ssa09:75201722−76064485
PC2 (12.62%)
PC1 (16.84%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0092 window 22/26
ssa09:76071605−76856668
PC2 (10.48%)
PC1 (24.73%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0092 window 23/26
ssa09:76856911−77504558
PC2 (12.96%)
PC1 (18.99%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0092 window 24/26
ssa09:77504570−78394569
PC2 (9.56%)
PC1 (17.52%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0092 window 25/26
ssa09:78394746−79000820
PC2 (11.19%)
PC1 (19.15%)
20
10
0
−10
−20
−20
0
20
40
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0092 window 26/26
ssa09:79001576−79611477
PC2 (10.80%)
PC1 (19.49%)
20
10
0
−10
−20
−20
−10
0
10
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0093 window 1/4
ssa09:81435175−82504159
PC2 (9.80%)
PC1 (31.99%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0093 window 2/4
ssa09:82505016−83919635
PC2 (7.79%)
PC1 (28.08%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0093 window 3/4
ssa09:83920105−84818841
PC2 (9.12%)
PC1 (46.65%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0093 window 4/4
ssa09:84819313−84997646
PC2 (7.63%)
PC1 (72.24%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0094 window 1/6
ssa09:86934510−87635980
PC2 (12.26%)
PC1 (29.79%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0094 window 2/6
ssa09:87635985−88525546
PC2 (8.31%)
PC1 (32.96%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0094 window 3/6
ssa09:88525859−89481452
PC2 (12.60%)
PC1 (28.73%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0094 window 4/6
ssa09:89481949−90223057
PC2 (5.31%)
PC1 (49.03%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0094 window 5/6
ssa09:90223205−90897254
PC2 (6.99%)
PC1 (42.26%)
20
10
0
−10
−20
−20
0
20



population
european_farmed
european_wild
north_american_farmed
north_american_wild


PCA_SV_ID_0094 window 6/6
ssa09:90897603−91095563
PC2 (12.68%)
PC1 (48.81%)
10
5
0
−5
−10
−10
0
10


population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0095 window 1/1
ssa09:91114022−91410098
PC2 (17.84%)
PC1 (33.18%)
10
0
−10
−20
−10
0
10
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0096 window 1/1
ssa09:96639412−97153475
PC2 (11.26%)
PC1 (16.55%)
5
0
−5
−10
−5
0
5
10
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0097 window 1/5
ssa09:99302401−100562054
PC1 (29.01%)
PC2 (9.66%)
PCA_SV_ID_0097 window 2/5
ssa09:100565140−103910777
PC1 (19.87%)
PC2 (6.51%)
PCA_SV_ID_0097 window 3/5
ssa09:103910787−106990837
PC1 (37.66%)
PC2 (11.49%)
PCA_SV_ID_0097 window 4/5
ssa09:106991200−110426992
PC1 (24.75%)
PC2 (16.65%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild


PCA_SV_ID_0097 window 5/5


ssa09:110427014−110770759






PCA_SV_ID_0098 window 1/3
ssa09:113382955−114285952
PC2 (13.93%)
PC1 (30.76%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0098 window 2/3
ssa09:114285957−114847352
PC2 (9.08%)
PC1 (20.44%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0098 window 3/3
ssa09:114847638−115348001
PC2 (8.40%)
PC1 (24.05%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0099 window 1/3
ssa09:125655747−125787757
PC2 (14.65%)
PC1 (49.28%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0099 window 2/3
ssa09:125787871−125878447
PC2 (15.29%)
PC1 (36.85%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0099 window 3/3
ssa09:125878450−126075082
PC2 (15.82%)
PC1 (45.07%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0100 window 1/1
ssa09:148695824−149785222
PC2 (8.77%)
PC1 (11.74%)
10
5
0
−5
−10
−15
−10
0
10
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0101 window 1/2
ssa09:156424687−157354203
PC2 (3.87%)
PC1 (36.88%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0101 window 2/2
ssa09:157356670−157870409
PC2 (4.91%)
PC1 (35.35%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0102 window 1/5
ssa10:9559596−10220921
PC2 (6.71%)
PC1 (35.14%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0102 window 2/5
ssa10:10221083−10777716
PC2 (5.81%)
PC1 (38.33%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0102 window 3/5
ssa10:10778496−11505032
PC2 (7.48%)
PC1 (35.06%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild


PCA_SV_ID_0102 window 4/5
ssa10:11505675−12030750
PC2 (6.69%)
PC1 (39.66%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0102 window 5/5
ssa10:12032269−12488578
PC2 (6.55%)
PC1 (35.36%)
20
10
0
−10
−20
−20
−10
0
10
20
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0103 window 1/3
ssa10:20143128−21039311
PC2 (13.07%)
PC1 (26.06%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0103 window 2/3
ssa10:21039387−21841673
PC2 (7.86%)
PC1 (30.82%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0103 window 3/3
ssa10:21841779−22656194
PC2 (7.67%)
PC1 (45.76%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0104 window 1/2
ssa10:24608557−25237381
PC2 (12.51%)
PC1 (21.84%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0104 window 2/2
ssa10:25237576−26282947
PC2 (14.77%)
PC1 (16.42%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0105 window 1/8
ssa10:26850901−27652210
PC2 (6.88%)
PC1 (36.67%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0105 window 2/8
ssa10:27652211−28298220
PC2 (6.73%)
PC1 (44.97%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0105 window 3/8
ssa10:28299413−29086351
PC2 (8.38%)
PC1 (27.69%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0105 window 4/8
ssa10:29087850−29738490
PC2 (6.49%)
PC1 (46.67%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild


PCA_SV_ID_0105 window 5/8
ssa10:29740167−30362867
PC2 (9.57%)
PC1 (46.62%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0105 window 6/8
ssa10:30363953−30984500
PC2 (7.86%)
PC1 (50.72%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0105 window 7/8
ssa10:30984624−31518966
PC2 (13.13%)
PC1 (41.88%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0105 window 8/8
ssa10:31518979−32303227
PC2 (8.48%)
PC1 (38.13%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0106 window 1/4
ssa10:35172926−36181150
PC2 (21.42%)
PC1 (22.61%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0106 window 2/4
ssa10:36181152−37009083
PC2 (12.77%)
PC1 (21.80%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0106 window 3/4
ssa10:37010188−37962574
PC2 (8.07%)
PC1 (19.55%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0106 window 4/4
ssa10:37963471−38114313
PC2 (16.51%)
PC1 (24.73%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0107 window 1/3
ssa10:39536496−40837620
PC2 (8.94%)
PC1 (24.79%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0107 window 2/3
ssa10:40838833−42440199
PC2 (4.61%)
PC1 (48.69%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0107 window 3/3
ssa10:42440278−42637988
PC2 (18.22%)
PC1 (37.52%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0108 window 1/4
ssa10:48100869−50058821
PC2 (15.45%)
PC1 (19.28%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0108 window 2/4
ssa10:50058951−51841153
PC2 (12.90%)
PC1 (20.24%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0108 window 3/4
ssa10:51841442−53331910
PC2 (9.89%)
PC1 (20.55%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0108 window 4/4
ssa10:53331912−53608884
PC2 (10.84%)
PC1 (21.86%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0109 window 1/8
ssa10:54580171−56281494
PC2 (7.95%)
PC1 (18.19%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0109 window 2/8
ssa10:56296110−58596579
PC2 (8.41%)
PC1 (17.21%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0109 window 3/8
ssa10:58596942−60627975
PC2 (9.77%)
PC1 (16.87%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0109 window 4/8
ssa10:60629203−61408670
PC2 (12.89%)
PC1 (17.58%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0109 window 5/8
ssa10:61408746−61943890
PC2 (13.44%)
PC1 (24.48%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0109 window 6/8
ssa10:61944262−62548863
PC2 (14.57%)
PC1 (21.60%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0109 window 7/8
ssa10:62550486−63517785
PC2 (13.90%)
PC1 (22.33%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0109 window 8/8
ssa10:63517788−64266823
PC2 (17.70%)
PC1 (30.62%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0110 window 1/15
ssa10:64609063−66231286
PC2 (10.42%)
PC1 (19.28%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0110 window 2/15
ssa10:66232475−67503811
PC2 (15.39%)
PC1 (17.66%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0110 window 3/15
ssa10:67504968−69090160
PC2 (19.77%)
PC1 (26.47%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0110 window 4/15
ssa10:69090222−69947384
PC2 (22.26%)
PC1 (26.91%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0110 window 5/15
ssa10:69947784−70835541
PC2 (8.45%)
PC1 (22.39%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0110 window 6/15
ssa10:70835857−71670196
PC2 (12.21%)
PC1 (21.73%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0110 window 7/15
ssa10:71670315−72319799
PC2 (9.38%)
PC1 (33.19%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0110 window 8/15
ssa10:72319955−73148015
PC2 (10.79%)
PC1 (21.71%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0110 window 9/15
ssa10:73148374−74015292
PC2 (13.45%)
PC1 (29.74%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0110 window 10/15
ssa10:74018576−74762427
PC2 (10.82%)
PC1 (34.28%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0110 window 11/15
ssa10:74762430−75723747
PC2 (10.51%)
PC1 (28.88%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0110 window 12/15
ssa10:75726361−76444345
PC2 (23.97%)
PC1 (26.86%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0110 window 13/15
ssa10:76444394−77516021
PC2 (17.09%)
PC1 (26.37%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0110 window 14/15
ssa10:77518255−77972653
PC2 (14.44%)
PC1 (28.74%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0110 window 15/15
ssa10:77972657−78280092
PC2 (8.30%)
PC1 (23.21%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0111 window 1/3
ssa10:79184417−79836730
PC2 (12.57%)
PC1 (27.20%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0111 window 2/3
ssa10:79836749−80615703
PC2 (9.15%)
PC1 (32.47%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0111 window 3/3
ssa10:80616173−81104747
PC2 (12.44%)
PC1 (24.46%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0112 window 1/2
ssa10:83170958−83551816
PC2 (9.69%)
PC1 (34.73%)
20
10
0
−10
−20
0
25
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0112 window 2/2
ssa10:83552541−83677904
PC2 (22.77%)
PC1 (33.64%)
10
0
−10
−10
0
10
20
30
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0113 window 1/1
ssa10:84994392−85471088
PC2 (18.32%)
PC1 (25.72%)
10
0
−10
−20
−30
−20
−10
0
10
20
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0114 window 1/1
ssa10:92497251−93968000
PC2 (6.99%)
PC1 (28.25%)
30
20
10
0
−10
−20
−10
0
10
20
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0115 window 1/3
ssa10:102493700−103293619
PC2 (9.80%)
PC1 (24.67%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0115 window 2/3
ssa10:103293713−103995169
PC2 (7.52%)
PC1 (35.00%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0115 window 3/3
ssa10:103995593−104784848
PC2 (8.40%)
PC1 (31.80%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0116 window 1/2
ssa10:112090049−113173520
PC2 (9.37%)
PC1 (24.04%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0116 window 2/2
ssa10:113179457−113621481
PC2 (12.10%)
PC1 (22.37%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0117 window 1/1
ssa10:119964469−120631671
PC2 (4.44%)
PC1 (40.39%)
20
10
0
−10
−20
−20
−10
0
10
20
30
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0118 window 1/1
ssa11:2505809−2719498
PC2 (21.17%)
PC1 (36.40%)
10
0
−10
−20
−10
0
10
20
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0119 window 1/1
ssa11:12919033−13735122
PC2 (5.45%)
PC1 (28.55%)
30
20
10
0
−10
−20
−10
0
10
20
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0120 window 1/7
ssa11:14687402−15297973
PC2 (5.51%)
PC1 (33.84%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0120 window 2/7
ssa11:15298251−15981459
PC2 (5.46%)
PC1 (40.03%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0120 window 3/7
ssa11:15981582−17085527
PC2 (7.93%)
PC1 (38.97%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0120 window 4/7
ssa11:17086364−17789712
PC2 (10.88%)
PC1 (24.49%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0120 window 5/7
ssa11:17790021−18629274
PC2 (4.71%)
PC1 (33.11%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0120 window 6/7
ssa11:18631302−19330406
PC2 (9.41%)
PC1 (27.24%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0120 window 7/7
ssa11:19330717−20451868
PC2 (6.31%)
PC1 (39.05%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0121 window 1/2
ssa11:23282081−24197480
PC2 (13.51%)
PC1 (20.03%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0121 window 2/2
ssa11:24202510−24882570
PC2 (14.44%)
PC1 (28.04%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0122 window 1/14
ssa11:24990002−26529382
PC1 (36.63%)
PC2 (6.40%)
PCA_SV_ID_0122 window 2/14
ssa11:26529389−27374756
PC1 (56.76%)
PC2 (8.53%)
PCA_SV_ID_0122 window 3/14
ssa11:27375964−28686667
PC1 (45.30%)
PC2 (8.30%)
PCA_SV_ID_0122 window 4/14
ssa11:28687140−29956874
PC1 (27.22%)
PC2 (7.56%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0122 window 5/14
ssa11:29956885−30465192
PC2 (8.35%)
PC1 (41.28%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0122 window 6/14
ssa11:30465368−31353159
PC2 (6.70%)
PC1 (32.56%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0122 window 7/14
ssa11:31353667−32684571
PC2 (8.94%)
PC1 (37.90%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0122 window 8/14
ssa11:32684630−33790071
PC2 (7.49%)
PC1 (26.92%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0122 window 9/14
ssa11:33790297−34749856
PC2 (9.18%)
PC1 (26.56%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0122 window 10/14
ssa11:34750802−36329530
PC2 (7.37%)
PC1 (32.96%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0122 window 11/14
ssa11:36331967−37356062
PC2 (13.71%)
PC1 (29.88%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0122 window 12/14
ssa11:37356602−38642975
PC2 (6.99%)
PC1 (28.45%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0122 window 13/14
ssa11:38643561−39647892
PC2 (5.45%)
PC1 (24.53%)
20
10
0
−10
−20
−20
−10
0
10
20
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0122 window 14/14
ssa11:39648149−39885810
PC2 (20.42%)
PC1 (24.82%)
20
10
0
−10
−5
0
5
10
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0123 window 1/2
ssa11:41682383−43161255
PC2 (15.81%)
PC1 (20.29%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild
PCA_SV_ID_0123 window 2/2
ssa11:43161850−43668183
PC2 (5.76%)
PC1 (33.48%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0124 window 1/6
ssa11:45592544−49978720
PC1 (17.76%)
PC2 (5.64%)
PCA_SV_ID_0124 window 2/6
ssa11:49984124−52518350
PC1 (14.45%)
PC2 (7.78%)
PCA_SV_ID_0124 window 3/6
ssa11:52523680−54561966
PC1 (16.34%)
PC2 (10.78%)
PCA_SV_ID_0124 window 4/6
ssa11:54561967−57843492
PC1 (19.86%)
PC2 (7.87%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0124 window 5/6
ssa11:57844229−60310160
PC2 (7.89%)
PC1 (20.75%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild


PCA_SV_ID_0124 window 6/6
ssa11:60310386−60730215
PC2 (14.49%)
PC1 (26.87%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0125 window 1/3
ssa11:61522769−63069718
PC2 (13.64%)
PC1 (23.75%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0125 window 2/3
ssa11:63069763−63815326
PC2 (22.57%)
PC1 (36.19%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0125 window 3/3
ssa11:63817553−64450364
PC2 (24.82%)
PC1 (38.49%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0126 window 1/11
ssa11:65121036−65571861
PC2 (9.50%)
PC1 (45.01%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0126 window 2/11
ssa11:65571894−66114574
PC2 (7.19%)
PC1 (32.69%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0126 window 3/11
ssa11:66114940−66838028
PC2 (12.33%)
PC1 (28.82%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0126 window 4/11
ssa11:66838227−67461183
PC2 (14.31%)
PC1 (21.45%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0126 window 5/11
ssa11:67463489−68095524
PC2 (13.28%)
PC1 (30.34%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0126 window 6/11
ssa11:68095643−68937375
PC2 (15.31%)
PC1 (37.52%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0126 window 7/11
ssa11:68938842−69692800
PC2 (9.82%)
PC1 (45.35%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0126 window 8/11
ssa11:69693729−70784571
PC2 (9.74%)
PC1 (28.16%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0126 window 9/11
ssa11:70784593−72199812
PC2 (10.45%)
PC1 (31.52%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0126 window 10/11
ssa11:72200116−73045441
PC2 (9.23%)
PC1 (31.64%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0126 window 11/11
ssa11:73045476−73246445
PC2 (13.30%)
PC1 (28.54%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0127 window 1/1
ssa11:75514924−76341507
PC2 (6.65%)
PC1 (35.72%)
10
0
−10
−20
−20
−10
0
10
20
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0128 window 1/1
ssa11:76397884−77055520
PC2 (10.55%)
PC1 (26.08%)
20
0
−20
−20
−10
0
10
20
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0129 window 1/2
ssa11:79703215−80693942
PC2 (6.55%)
PC1 (32.36%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild
PCA_SV_ID_0129 window 2/2
ssa11:80695688−81544041
PC2 (12.55%)
PC1 (35.82%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild


PCA_SV_ID_0130 window 1/2
ssa11:83395369−84139289
PC2 (14.01%)
PC1 (33.42%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild
PCA_SV_ID_0130 window 2/2
ssa11:84141302−84814598
PC2 (8.30%)
PC1 (38.25%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0131 window 1/1
ssa11:85523584−85801153
PC2 (23.05%)
PC1 (30.19%)
20
10
0
−10
−10
0
10
20
population
european_farmed
european_wild
north_american_farmed
north_american_wild


PCA_SV_ID_0132 window 1/2
ssa11:87803519−88932257
PC2 (20.32%)
PC1 (23.67%)
20
0
−20
−40
−20
−10
0
10
20
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0132 window 2/2
ssa11:88934048−89338757
PC2 (14.43%)
PC1 (26.30%)
10
0
−10
−20
−10
0
10
population
european_farmed
european_wild
north_american_farmed
north_american_wild


PCA_SV_ID_0133 window 1/2
ssa11:98716237−99585736
PC2 (8.00%)
PC1 (24.85%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0133 window 2/2
ssa11:99585738−100094374
PC2 (15.84%)
PC1 (25.96%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0134 window 1/1
ssa11:100249844−100572733
PC2 (18.49%)
PC1 (23.82%)
10
0
−10
−20
−10
0
10
20
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0135 window 1/1
ssa11:107722463−108089713
PC2 (6.43%)
PC1 (36.63%)
20
10
0
−10
−20
−10
0
10
20
population
european_farmed
european_wild
north_american_farmed
north_american_wild


PCA_SV_ID_0136 window 1/5
ssa12:17467793−17831276
PC2 (8.27%)
PC1 (14.94%)
10
0
−10
−10
0
10



population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0136 window 2/5
ssa12:17834926−17982138
PC2 (3.01%)
PC1 (9.81%)
0
−10
−20
−15
−10
−5
0
5
10
15



population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0136 window 3/5
ssa12:17982147−18089233
PC2 (4.73%)
PC1 (11.00%)
10
0
−10
−10
0
10



population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0136 window 4/5
ssa12:18089277−18279714
PC2 (7.40%)
PC1 (11.54%)
10
0
−10
−20
−20
−10
0
10
20



population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0136 window 5/5
ssa12:18279743−18336646
PC2 (4.10%)
PC1 (7.75%)
5
0
−5
−10
−15
−10
−5
0
5
10
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0137 window 1/3
ssa12:42565384−43580339
PC2 (12.78%)
PC1 (26.47%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0137 window 2/3
ssa12:43580917−44596002
PC2 (10.26%)
PC1 (42.56%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0137 window 3/3
ssa12:44596004−44906486
PC2 (19.55%)
PC1 (29.99%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0138 window 1/1
ssa12:46902177−47344525
PC2 (17.74%)
PC1 (25.62%)
20
10
0
−10
−20
−30
−20
−10
0
10
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0139 window 1/1
ssa12:52445306−52775788
PC2 (7.41%)
PC1 (53.71%)
10
0
−10
−20
−20
−10
0
10
20
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0140 window 1/1
ssa12:53828091−54002064
PC2 (21.09%)
PC1 (40.97%)
20
10
0
−10
−20
−10
0
10
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0141 window 1/3
ssa12:55178593−56057891
PC2 (12.18%)
PC1 (34.10%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0141 window 2/3
ssa12:56057991−56702085
PC2 (12.68%)
PC1 (36.75%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0141 window 3/3
ssa12:56703318−56983554
PC2 (15.14%)
PC1 (25.14%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0142 window 1/2
ssa12:63958563−64424448
PC2 (8.17%)
PC1 (42.51%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0142 window 2/2
ssa12:64424627−64835179
PC2 (14.49%)
PC1 (37.77%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0143 window 1/1
ssa12:72854755−73298485
PC2 (17.22%)
PC1 (21.54%)
40
20
0
−20
−10
0
10
20
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0144 window 1/1
ssa12:79923773−80448628
PC2 (8.72%)
PC1 (34.34%)
30
20
10
0
−10
−10
0
10
20
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0145 window 1/3
ssa13:44520−2435293
PC2 (6.86%)
PC1 (26.88%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0145 window 2/3
ssa13:2435388−5276712
PC2 (7.62%)
PC1 (18.13%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0145 window 3/3
ssa13:5276776−5959452
PC2 (6.84%)
PC1 (25.70%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0146 window 1/2
ssa13:18358949−18785564
PC2 (11.44%)
PC1 (32.24%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild


PCA_SV_ID_0146 window 2/2
ssa13:18785889−18841164
PC2 (15.37%)
PC1 (32.89%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild


PCA_SV_ID_0147 window 1/2
ssa13:25480652−26115215
PC2 (10.59%)
PC1 (30.51%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0147 window 2/2
ssa13:26116270−26438978
PC2 (9.73%)
PC1 (34.62%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0148 window 1/5
ssa13:27783354−28479580
PC2 (11.35%)
PC1 (23.10%)
PCA_SV_ID_0148 window 2/5
ssa13:28479667−29206565
PC2 (10.54%)
PC1 (28.53%)
PCA_SV_ID_0148 window 3/5
ssa13:29206718−30070061
PC2 (14.18%)
PC1 (25.48%)
PCA_SV_ID_0148 window 4/5
ssa13:30070762−31034116
PC2 (13.08%)
PC1 (23.32%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0148 window 5/5
ssa13:31034927−31231432
PC2 (17.39%)
PC1 (31.48%)
10
0
−10
−20
−10
0
10
population
european_farmed
european_wild
north_american_farmed
north_american_wild


PCA_SV_ID_0149 window 1/1


ssa13:32146915−32632600






PCA_SV_ID_0150 window 1/3
ssa13:32737149−33616722
PC2 (12.99%)
PC1 (16.87%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0150 window 2/3
ssa13:33616736−34554818
PC2 (7.52%)
PC1 (34.12%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0150 window 3/3
ssa13:34556842−35193431
PC2 (11.19%)
PC1 (24.30%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0151 window 1/2
ssa13:36742496−37618219
PC2 (12.48%)
PC1 (27.67%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0151 window 2/2
ssa13:37618615−37776646
PC2 (21.93%)
PC1 (29.52%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0152 window 1/1
ssa13:38849229−39830848
PC2 (25.37%)
PC1 (28.32%)
20
10
0
−10
−20
−30
−20
−10
0
10
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0153 window 1/1
ssa13:41485165−41923487
PC2 (15.62%)
PC1 (36.29%)
0
−10
−20
−30
−15
−10
−5
0
5
10
15
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0154 window 1/5
ssa13:43528591−44803955
PC1 (19.33%)
PC2 (11.14%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0154 window 2/5
ssa13:44805527−45785688
PC1 (28.51%)
PC2 (13.07%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0154 window 3/5
ssa13:45787177−47005853
PC1 (31.14%)
PC2 (18.87%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0154 window 4/5
ssa13:47006099−47951663
PC1 (25.18%)
PC2 (21.00%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0154 window 5/5
ssa13:47953823−48283853
PC2 (16.31%)
PC1 (31.50%)
40
20
0
−20
−10
0
10
20
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0155 window 1/2
ssa13:49509999−50262973
PC2 (11.15%)
PC1 (16.94%)
20
10
0
−10
−20
−20
−10
0
10
20
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0155 window 2/2
ssa13:50263226−51111056
PC2 (14.81%)
PC1 (21.95%)
0
−20
−40
−40
−20
0
20
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0156 window 1/2
ssa13:51714205−52329542
PC2 (15.09%)
PC1 (44.32%)
20
0
−20
−20
0
20
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0156 window 2/2
ssa13:52330875−53088295
PC2 (14.93%)
PC1 (31.34%)
10
0
−10
−20
−30
−20
−10
0
10
20
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0157 window 1/8
ssa13:53398059−54247718
PC1 (23.75%)
PC2 (16.67%)
PCA_SV_ID_0157 window 2/8
ssa13:54248093−55155305
PC1 (29.98%)
PC2 (12.18%)
PCA_SV_ID_0157 window 3/8
ssa13:55156244−56313319
PC1 (35.05%)
PC2 (7.69%)
PCA_SV_ID_0157 window 4/8
ssa13:56313674−57149337
PC1 (38.91%)
PC2 (18.30%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0157 window 5/8
ssa13:57151347−57974491
PC2 (28.37%)
PC1 (36.71%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild


PCA_SV_ID_0157 window 6/8
ssa13:57975027−58990970
PC2 (12.02%)
PC1 (36.62%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0157 window 7/8
ssa13:58990974−59989605
PC2 (7.97%)
PC1 (34.03%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0157 window 8/8
ssa13:59989628−60277135
PC2 (20.20%)
PC1 (32.75%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0158 window 1/2
ssa13:62212821−63980092
PC2 (19.42%)
PC1 (31.63%)
0
−20
−40
−60
−20
0
20
40



PCA_SV_ID_0158 window 2/2
ssa13:63981797−64119346
PC2 (17.17%)
PC1 (34.00%)
10
5
0
−5
−10
0
10
20


population
european_farmed
european_wild
north_american_farmed
north_american_wild



population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0159 window 1/1
ssa13:66956844−67587863
PC2 (21.59%)
PC1 (32.95%)
10
0
−10
−10
0
10
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0160 window 1/1
ssa13:72685997−73165054
PC2 (8.80%)
PC1 (52.22%)
20
10
0
−10
−20
−30
−20
0
20
40
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0161 window 1/1
ssa13:73203918−73937200
PC2 (11.42%)
PC1 (37.01%)
20
0
−20
−40
−20
0
20
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0162 window 1/6
ssa13:75177320−76056546
PC1 (35.93%)
PC2 (15.22%)
PCA_SV_ID_0162 window 2/6
ssa13:76057451−76800962
PC1 (55.89%)
PC2 (6.71%)
PCA_SV_ID_0162 window 3/6
ssa13:76801891−77426661
PC1 (44.34%)
PC2 (10.03%)
PCA_SV_ID_0162 window 4/6
ssa13:77426962−77892334
PC1 (40.67%)
PC2 (9.07%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0162 window 5/6
ssa13:77892454−78489344
PC2 (8.60%)
PC1 (33.69%)
20
0
−20
−20
−10
0
10
20
30
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0162 window 6/6
ssa13:78490503−78776408
PC2 (12.69%)
PC1 (45.22%)
10
0
−10
−20
−10
0
10
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0163 window 1/2
ssa13:80582100−81270802
PC2 (9.74%)
PC1 (57.92%)
10
0
−10
−20
−40
−20
0
20
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0163 window 2/2
ssa13:81270804−81691165
PC2 (27.45%)
PC1 (29.42%)
20
10
0
−10
−20
−10
0
10
20
30
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0164 window 1/1
ssa13:85698292−85977264
PC2 (6.57%)
PC1 (50.98%)
10
0
−10
−20
−10
0
10
20
30
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0165 window 1/3
ssa13:87755312−88720511
PC2 (7.65%)
PC1 (40.92%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0165 window 2/3
ssa13:88725846−89405554
PC2 (9.73%)
PC1 (35.39%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0165 window 3/3
ssa13:89407059−89776600
PC2 (15.29%)
PC1 (33.80%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0166 window 1/1
ssa13:90576960−91169802
PC2 (12.33%)
PC1 (33.11%)
20
10
0
−10
−20
−20
−10
0
10
20
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0167 window 1/1
ssa13:101666088−102150408
PC2 (12.20%)
PC1 (28.86%)
20
10
0
−10
−20
−10
0
10
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0168 window 1/2
ssa13:113428857−113967055
PC2 (7.45%)
PC1 (26.71%)
30
20
10
0
−10
−20
−10
0
10
20
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0168 window 2/2
ssa13:113967070−114390070
PC2 (17.66%)
PC1 (30.29%)
10
0
−10
−20
−20
−10
0
10
20
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0169 window 1/2
ssa14:20626240−21050024
PC2 (19.57%)
PC1 (27.16%)
40
20
0
−20
−60
−40
−20
0
20
population
european_farmed
european_wild
north_american_farmed
north_american_wild


PCA_SV_ID_0169 window 2/2
ssa14:21050290−21449072
PC2 (12.19%)
PC1 (47.63%)
20
10
0
−10
−20
−30
−20
−10
0
10
20
30
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0170 window 1/6
ssa14:34050439−34856940
PC2 (8.43%)
PC1 (36.38%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0170 window 2/6
ssa14:34860574−35507506
PC2 (7.10%)
PC1 (53.46%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0170 window 3/6
ssa14:35507636−36249507
PC2 (7.73%)
PC1 (43.44%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0170 window 4/6
ssa14:36249910−36724530
PC2 (22.43%)
PC1 (36.21%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild


PCA_SV_ID_0170 window 5/6
ssa14:36726057−37373678
PC2 (9.32%)
PC1 (41.21%)
20
10
0
−10
−20
−20
0
20
40
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0170 window 6/6
ssa14:37374651−38361598
PC2 (5.66%)
PC1 (44.36%)
10
0
−10
−20
−30
−40
−20
0
20
40
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0171 window 1/1
ssa14:40136694−40493440
PC2 (9.16%)
PC1 (43.51%)
10
0
−10
−20
−30
−20
−10
0
10
20
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0172 window 1/7
ssa14:43338760−44381598
PC2 (12.38%)
PC1 (23.85%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild


PCA_SV_ID_0172 window 2/7
ssa14:44387295−46055694
PC2 (8.82%)
PC1 (22.81%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0172 window 3/7
ssa14:46055698−47988369
PC2 (9.62%)
PC1 (22.44%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0172 window 4/7
ssa14:47991430−50521750
PC2 (9.26%)
PC1 (10.28%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0172 window 5/7
ssa14:50523414−53249672
PC2 (7.45%)
PC1 (18.01%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0172 window 6/7
ssa14:53250838−55419264
PC2 (11.11%)
PC1 (20.29%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0172 window 7/7
ssa14:55420456−56759813
PC2 (13.11%)
PC1 (29.43%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0173 window 1/2
ssa14:58961055−59695199
PC2 (7.98%)
PC1 (40.71%)
20
10
0
−10
−20
−20
0
20
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0173 window 2/2
ssa14:59695851−60166860
PC2 (13.78%)
PC1 (35.48%)
30
20
10
0
−10
−20
−10
0
10
20
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0174 window 1/4
ssa14:67329758−68405790
PC1 (30.07%)
PC2 (9.11%)
PCA_SV_ID_0174 window 2/4
ssa14:68405791−69803307
PC1 (38.13%)
PC2 (12.87%)
PCA_SV_ID_0174 window 3/4
ssa14:69804444−71132422
PC1 (38.99%)
PC2 (14.82%)
PCA_SV_ID_0174 window 4/4
ssa14:71135116−71906969
PC1 (30.41%)
PC2 (10.92%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0175 window 1/2
ssa14:74538221−76428064
PC2 (8.08%)
PC1 (19.38%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0175 window 2/2
ssa14:76428435−76542216
PC2 (8.21%)
PC1 (59.55%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild


PCA_SV_ID_0176 window 1/1
ssa14:87853097−88676685
PC2 (13.10%)
PC1 (18.14%)
0
−20
−40
−10
0
10
20
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0177 window 1/1
ssa14:89579152−90497703
PC2 (7.49%)
PC1 (25.37%)
10
0
−10
−20
−30
−20
−10
0
10
20
30
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0178 window 1/1
ssa15:9149391−10220938
PC2 (8.21%)
PC1 (31.83%)
20
10
0
−10
−20
−20
−10
0
10
20
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0179 window 1/1
ssa15:11695923−12339695
PC2 (12.43%)
PC1 (27.98%)
20
10
0
−10
−20
−30
−20
−10
0
10
20
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0180 window 1/3
ssa15:13118244−14861784
PC2 (10.46%)
PC1 (28.27%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0180 window 2/3
ssa15:14862284−16496128
PC2 (11.94%)
PC1 (28.41%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0180 window 3/3
ssa15:16498467−16939127
PC2 (12.53%)
PC1 (33.17%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0181 window 1/5
ssa15:19720483−20481341
PC2 (6.92%)
PC1 (43.35%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0181 window 2/5
ssa15:20481425−21020926
PC2 (7.81%)
PC1 (39.41%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0181 window 3/5
ssa15:21020940−21708153
PC2 (3.80%)
PC1 (53.83%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0181 window 4/5
ssa15:21708749−22864018
PC2 (7.74%)
PC1 (37.33%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0181 window 5/5
ssa15:22864389−22915694
PC2 (23.36%)
PC1 (29.18%)
5
0
−5
−10
−15
−5
0
5
10
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0182 window 1/1
ssa15:24817205−25055035
PC2 (8.35%)
PC1 (47.11%)
10
0
−10
−20
−10
0
10
20
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0183 window 1/1
ssa15:25235754−25566190
PC2 (11.17%)
PC1 (31.93%)
10
0
−10
−20
−30
−20
−10
0
10
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0184 window 1/2
ssa15:30290226−30909007
PC2 (7.19%)
PC1 (26.41%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0184 window 2/2
ssa15:30909172−31484552
PC2 (9.23%)
PC1 (21.96%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0185 window 1/2
ssa15:31739457−32420196
PC2 (6.92%)
PC1 (54.63%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild
PCA_SV_ID_0185 window 2/2
ssa15:32420850−32820226
PC2 (5.80%)
PC1 (64.95%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0186 window 1/2
ssa15:33499448−34175651
PC2 (8.38%)
PC1 (51.15%)
20
10
0
−10
−20
−20
0
20
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0186 window 2/2
ssa15:34176296−34389299
PC2 (12.36%)
PC1 (40.25%)
10
0
−10
−20
−20
−10
0
10
20
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0187 window 1/2
ssa15:34952259−35385723
PC2 (13.33%)
PC1 (47.20%)
40
20
0
−20
−20
0
20
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0187 window 2/2
ssa15:35386940−35776963
PC2 (7.35%)
PC1 (40.48%)
20
10
0
−10
−20
−20
−10
0
10
20
30
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0188 window 1/1
ssa15:40352477−41028951
PC2 (7.56%)
PC1 (33.15%)
20
10
0
−10
−10
0
10
20
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0189 window 1/1
ssa15:45666427−46756872
PC2 (11.08%)
PC1 (37.88%)
30
20
10
0
−10
−20
−10
0
10
20
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0190 window 1/1
ssa15:50544087−51835054
PC2 (8.78%)
PC1 (38.14%)
20
10
0
−10
−20
−20
−10
0
10
20
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0191 window 1/2
ssa15:51839357−52746729
PC2 (8.72%)
PC1 (54.44%)
20
10
0
−10
−20
−25
0
25
50



population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0191 window 2/2
ssa15:52746846−53016755
PC2 (21.22%)
PC1 (37.34%)
10
0
−10
−20
−30
−20
−10
0
10
20



population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0192 window 1/7
ssa15:54895512−55643773
PC2 (15.77%)
PC1 (31.23%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0192 window 2/7
ssa15:55644883−56649476
PC2 (18.11%)
PC1 (35.24%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0192 window 3/7
ssa15:56649482−57767115
PC2 (16.93%)
PC1 (33.45%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0192 window 4/7
ssa15:57768691−58891440
PC2 (13.79%)
PC1 (32.58%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0192 window 5/7
ssa15:58891553−60192892
PC2 (12.39%)
PC1 (30.24%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0192 window 6/7
ssa15:60198969−61431302
PC2 (15.89%)
PC1 (21.77%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0192 window 7/7
ssa15:61431685−62562426
PC2 (17.48%)
PC1 (23.29%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0193 window 1/1
ssa15:66704811−67366181
PC2 (7.40%)
PC1 (37.59%)
20
10
0
−10
−20
−10
0
10
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0194 window 1/2
ssa15:71939802−73562020
PC2 (8.53%)
PC1 (44.78%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0194 window 2/2
ssa15:73562408−74587934
PC2 (11.86%)
PC1 (43.73%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0195 window 1/3
ssa15:80213073−81513516
PC2 (11.88%)
PC1 (28.98%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0195 window 2/3
ssa15:81515806−82423236
PC2 (20.59%)
PC1 (34.45%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0195 window 3/3
ssa15:82423385−83911655
PC2 (5.46%)
PC1 (33.75%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0196 window 1/1
ssa15:98624863−98889376
PC2 (12.85%)
PC1 (28.39%)
30
20
10
0
−10
−20
−20
0
20
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0197 window 1/2
ssa15:107520856−108493992
PC2 (3.34%)
PC1 (31.94%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0197 window 2/2
ssa15:108494664−109093922
PC2 (4.51%)
PC1 (27.13%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0198 window 1/1
ssa16:27927−751409
PC2 (9.57%)
PC1 (15.19%)
20
10
0
−10
−20
−10
0
10
20
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0199 window 1/1
ssa16:907502−1899383
PC2 (10.88%)
PC1 (43.25%)
10
0
−10
−20
−30
−20
−10
0
10
20
30
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0200 window 1/1
ssa16:3042430−3541894
PC2 (11.22%)
PC1 (33.20%)
20
10
0
−10
−20
−20
−10
0
10
20
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0201 window 1/1
ssa16:25526105−25860810
PC2 (18.63%)
PC1 (37.34%)
10
0
−10
−20
−20
−10
0
10
20
30
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0202 window 1/5
ssa16:26968811−27728512
PC1 (29.26%)
PC2 (15.97%)
PCA_SV_ID_0202 window 2/5
ssa16:27729328−28571384
PC1 (20.69%)
PC2 (10.03%)
PCA_SV_ID_0202 window 3/5
ssa16:28571560−29421171
PC1 (29.94%)
PC2 (10.83%)
PCA_SV_ID_0202 window 4/5
ssa16:29422951−30397459
PC1 (21.11%)
PC2 (7.16%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0202 window 5/5
ssa16:30397759−30937944
PC2 (17.19%)
PC1 (28.22%)
30
20
10
0
−10
−20
−10
0
10
20
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0203 window 1/37
ssa16:33928303−34760192
PC2 (17.13%)
PC1 (22.50%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0203 window 2/37
ssa16:34762508−35837537
PC2 (7.84%)
PC1 (39.14%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0203 window 3/37
ssa16:35837539−37092940
PC2 (9.31%)
PC1 (47.45%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0203 window 4/37
ssa16:37099298−38308946
PC2 (8.22%)
PC1 (53.22%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0203 window 5/37
ssa16:38309247−39208129
PC1 (35.01%)
PC2 (10.63%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0203 window 6/37
ssa16:39211488−40053811
PC1 (30.74%)
PC2 (9.19%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0203 window 7/37
ssa16:40053965−41157707
PC1 (25.67%)
PC2 (8.19%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0203 window 8/37
ssa16:41157709−41927516
PC1 (25.01%)
PC2 (14.99%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0203 window 9/37
ssa16:41927570−43376796
PC2 (10.96%)
PC1 (29.70%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0203 window 10/37
ssa16:43378445−44430832
PC2 (13.24%)
PC1 (23.89%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0203 window 11/37
ssa16:44431557−45268704
PC2 (10.11%)
PC1 (23.55%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0203 window 12/37
ssa16:45269469−46227342
PC2 (12.21%)
PC1 (23.48%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0203 window 13/37
ssa16:46228240−47402642
PC2 (11.58%)
PC1 (23.46%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0203 window 14/37
ssa16:47402661−48795020
PC2 (11.37%)
PC1 (31.58%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0203 window 15/37
ssa16:48795710−49862222
PC2 (11.68%)
PC1 (20.88%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0203 window 16/37
ssa16:49862489−51011865
PC2 (16.95%)
PC1 (18.24%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0203 window 17/37
ssa16:51015698−51867501
PC2 (9.91%)
PC1 (33.54%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0203 window 18/37
ssa16:51868023−52635503
PC2 (12.95%)
PC1 (23.23%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0203 window 19/37
ssa16:52638765−54041714
PC2 (14.25%)
PC1 (16.92%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0203 window 20/37
ssa16:54042492−55232746
PC2 (14.23%)
PC1 (17.98%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0203 window 21/37
ssa16:55236085−56945422
PC1 (14.52%)
PC2 (13.24%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0203 window 22/37
ssa16:56945441−59518312
PC1 (19.19%)
PC2 (12.36%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0203 window 23/37
ssa16:59529041−60732833
PC1 (22.21%)
PC2 (18.84%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0203 window 24/37
ssa16:60733123−61429386
PC1 (31.30%)
PC2 (13.80%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0203 window 25/37
ssa16:61431259−62669779
PC1 (17.44%)
PC2 (13.94%)
PCA_SV_ID_0203 window 26/37
ssa16:62670085−63624065
PC1 (25.49%)
PC2 (10.38%)
PCA_SV_ID_0203 window 27/37
ssa16:63624092−64486831
PC1 (25.74%)
PC2 (11.38%)
PCA_SV_ID_0203 window 28/37
ssa16:64486845−65392368
PC1 (27.16%)
PC2 (12.73%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0203 window 29/37
ssa16:65392692−66321449
PC2 (6.23%)
PC1 (40.26%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0203 window 30/37
ssa16:66321817−67039800
PC2 (13.08%)
PC1 (35.53%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0203 window 31/37
ssa16:67039842−67811870
PC2 (5.82%)
PC1 (44.48%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0203 window 32/37
ssa16:67811967−69307046
PC2 (12.84%)
PC1 (26.36%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0203 window 33/37
ssa16:69309546−70371496
PC2 (11.01%)
PC1 (22.39%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0203 window 34/37
ssa16:70371852−71349834
PC2 (8.66%)
PC1 (20.24%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0203 window 35/37
ssa16:71349870−72251414
PC2 (11.16%)
PC1 (31.05%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0203 window 36/37
ssa16:72251651−73003307
PC2 (15.66%)
PC1 (19.28%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0203 window 37/37
ssa16:73005956−73490590
20
10
0
−10
PC2 (14.83%)
−10
0
10
PC1 (21.08%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0204 window 1/1
ssa16:75441436−76334626
PC2 (7.15%)
PC1 (29.80%)
20
10
0
−10
−10
0
10
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0205 window 1/1
ssa16:78333792−78791125
PC2 (19.06%)
PC1 (28.22%)
30
20
10
0
−10
−20
−10
0
10
20
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0206 window 1/2
ssa16:79151401−80594014
PC2 (8.30%)
PC1 (13.77%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0206 window 2/2
ssa16:80594072−80967220
PC2 (10.77%)
PC1 (23.41%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0207 window 1/2
ssa16:89338070−90337934
PC2 (6.99%)
PC1 (17.96%)
20
10
0
−10
−20
−20
−10
0
10
20
30
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0207 window 2/2
ssa16:90338359−90447680
PC2 (13.15%)
PC1 (23.67%)
5
0
−5
−10
−5
0
5
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0208 window 1/1
ssa16:92811836−96140548
PC2 (5.41%)
PC1 (21.14%)
10
5
0
−5
−10
−10
0
10
20
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0209 window 1/2
ssa17:24342082−25349217
PC2 (8.50%)
PC1 (28.24%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0209 window 2/2
ssa17:25350622−26471652
PC2 (9.15%)
PC1 (29.10%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0210 window 1/1
ssa17:27879841−28351002
PC2 (8.80%)
PC1 (39.02%)
10
0
−10
−20
−10
0
10
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0211 window 1/8
ssa17:32116371−34332802
PC2 (4.78%)
PC1 (18.19%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0211 window 2/8
ssa17:34342490−35489858
PC2 (15.36%)
PC1 (26.05%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0211 window 3/8
ssa17:35489926−36661808
PC2 (11.61%)
PC1 (17.49%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0211 window 4/8
ssa17:36661822−38476134
PC2 (8.48%)
PC1 (11.89%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0211 window 5/8
ssa17:38476149−40772182
PC2 (4.23%)
PC1 (10.06%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0211 window 6/8
ssa17:40772235−43594552
PC2 (6.84%)
PC1 (12.32%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0211 window 7/8
ssa17:43611684−46078962
PC2 (4.48%)
PC1 (20.31%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0211 window 8/8
ssa17:46078963−47216235
PC2 (10.02%)
PC1 (17.48%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0212 window 1/2
ssa17:56994947−57664236
PC2 (10.11%)
PC1 (35.08%)
40
20
0
−20
−20
0
20
40
population
european_farmed
european_wild
north_american_farmed
north_american_wild


PCA_SV_ID_0212 window 2/2
ssa17:57664750−58525282
PC2 (10.08%)
PC1 (29.42%)
20
10
0
−10
−10
0
10
20
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0213 window 1/1
ssa17:62805831−63287202
PC2 (8.26%)
PC1 (43.33%)
10
0
−10
−20
−20
−10
0
10
20
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0214 window 1/2
ssa17:73389392−74497864
PC2 (7.96%)
PC1 (41.45%)
30
20
10
0
−10
−20
0
20
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0214 window 2/2
ssa17:74498618−75184970
PC2 (8.71%)
PC1 (39.58%)
10
0
−10
−20
−10
0
10
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0215 window 1/2
ssa17:84203013−85673082
PC2 (4.76%)
PC1 (15.18%)
10
0
−10
−10
0
10
20
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0215 window 2/2
ssa17:85675413−86621951
PC2 (9.33%)
PC1 (21.84%)
10
5
0
−5
−10
−10
0
10
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0216 window 1/1
ssa18:854130−1290521
PC2 (9.18%)
PC1 (14.97%)
5
0
−5
−10
−10
0
10
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0217 window 1/10
ssa18:16822263−17310209
PC2 (5.29%)
PC1 (52.76%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0217 window 2/10
ssa18:17310694−18134968
PC2 (6.82%)
PC1 (33.46%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0217 window 3/10
ssa18:18134973−18560488
PC2 (8.12%)
PC1 (27.74%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0217 window 4/10
ssa18:18560508−19197777
PC2 (11.01%)
PC1 (16.27%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0217 window 5/10
ssa18:19197852−19780552
PC2 (11.25%)
PC1 (22.69%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0217 window 6/10
ssa18:19780598−20374255
PC2 (8.78%)
PC1 (24.90%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0217 window 7/10
ssa18:20375575−21153147
PC2 (8.75%)
PC1 (22.66%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0217 window 8/10
ssa18:21153393−21869518
PC2 (7.24%)
PC1 (23.74%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0217 window 9/10
ssa18:21873195−22478208
PC2 (9.67%)
PC1 (25.89%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0217 window 10/10
ssa18:22478302−22809604
PC2 (23.23%)
PC1 (28.88%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0218 window 1/3
ssa18:23928142−25055306
PC2 (6.64%)
PC1 (33.01%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0218 window 2/3
ssa18:25055466−25804035
PC2 (9.65%)
PC1 (36.70%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0218 window 3/3
ssa18:25804647−26145574
PC2 (9.51%)
PC1 (40.81%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0219 window 1/6
ssa18:26179432−26815841
PC2 (3.59%)
PC1 (54.33%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0219 window 2/6
ssa18:26816194−27607327
PC2 (6.08%)
PC1 (42.44%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0219 window 3/6
ssa18:27607337−28648459
PC2 (7.77%)
PC1 (33.22%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0219 window 4/6
ssa18:28652471−29556438
PC2 (8.97%)
PC1 (49.09%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0219 window 5/6
ssa18:29557340−30373478
PC2 (5.88%)
PC1 (50.98%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0219 window 6/6
ssa18:30373887−30922306
PC2 (17.00%)
PC1 (26.60%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0220 window 1/2
ssa18:31236832−31797168
PC2 (16.02%)
PC1 (37.29%)
20
10
0
−10
−20
−20
0
20
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0220 window 2/2
ssa18:31800018−31869190
PC2 (17.34%)
PC1 (50.66%)
10
5
0
−5
−5
0
5
10
15
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0221 window 1/4
ssa18:32139031−32987182
PC1 (21.12%)
PC2 (12.93%)
PCA_SV_ID_0221 window 2/4
ssa18:32988149−33810149
PC1 (20.44%)
PC2 (11.80%)
PCA_SV_ID_0221 window 3/4
ssa18:33810458−34560485
PC1 (25.28%)
PC2 (9.66%)
PCA_SV_ID_0221 window 4/4
ssa18:34561584−35166665
PC1 (27.25%)
PC2 (5.51%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0222 window 1/5
ssa18:36368987−36515403
PC2 (2.29%)
PC1 (3.88%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild
PCA_SV_ID_0222 window 2/5
ssa18:36515443−36780271
PC2 (3.13%)
PC1 (4.93%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild
PCA_SV_ID_0222 window 3/5
ssa18:36780275−36867608
PC2 (2.34%)
PC1 (3.58%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild
PCA_SV_ID_0222 window 4/5
ssa18:36867650−37455541
PC2 (5.24%)
PC1 (11.26%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0222 window 5/5
ssa18:37455548−37750532
PC2 (2.50%)
PC1 (4.68%)
0
−10
−20
−30
−10
−5
0
5
10
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0223 window 1/18
ssa18:38199320−38637212
PC2 (8.92%)
PC1 (32.57%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0223 window 2/18
ssa18:38638548−39533616
PC2 (12.05%)
PC1 (17.34%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0223 window 3/18
ssa18:39533907−40355490
PC2 (15.48%)
PC1 (24.47%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0223 window 4/18
ssa18:40355927−41370159
PC2 (8.69%)
PC1 (25.74%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0223 window 5/18
ssa18:41370244−43155222
PC1 (11.94%)
PC2 (10.82%)
PCA_SV_ID_0223 window 6/18
ssa18:43155236−45046623
PC1 (12.21%)
PC2 (7.68%)
PCA_SV_ID_0223 window 7/18
ssa18:45046640−47189862
PC1 (5.64%)
PC2 (4.01%)
PCA_SV_ID_0223 window 8/18
ssa18:47191653−50146039
PC1 (9.61%)
PC2 (5.78%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0223 window 9/18
ssa18:50148324−51401756
PC2 (10.51%)
PC1 (42.78%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0223 window 10/18
ssa18:51401910−52181249
PC2 (11.36%)
PC1 (53.56%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0223 window 11/18
ssa18:52184205−53228780
PC2 (12.93%)
PC1 (40.10%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0223 window 12/18
ssa18:53228911−54251037
PC2 (16.73%)
PC1 (32.49%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0223 window 13/18
ssa18:54252345−54818722
PC2 (11.33%)
PC1 (30.83%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0223 window 14/18
ssa18:54821453−55488304
PC2 (8.08%)
PC1 (22.98%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0223 window 15/18
ssa18:55488612−56069521
PC2 (13.11%)
PC1 (18.10%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0223 window 16/18
ssa18:56071389−57314349
PC2 (8.06%)
PC1 (28.58%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0223 window 17/18
ssa18:57315868−58395480
PC2 (9.02%)
PC1 (33.48%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0223 window 18/18
ssa18:58395481−59120644
PC2 (12.04%)
PC1 (38.14%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0224 window 1/5
ssa18:60407027−61240086
PC2 (14.84%)
PC1 (20.97%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0224 window 2/5
ssa18:61240350−62220920
PC2 (16.60%)
PC1 (22.10%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0224 window 3/5
ssa18:62224191−63230432
PC2 (10.94%)
PC1 (25.77%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0224 window 4/5
ssa18:63230462−64072139
PC2 (12.09%)
PC1 (22.33%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0224 window 5/5
ssa18:64079229−64930259
PC2 (9.77%)
PC1 (28.84%)
20
10
0
−10
−10
0
10
20
30
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0225 window 1/1
ssa18:66385649−67220150
PC2 (12.46%)
PC1 (17.33%)
10
0
−10
−20
−30
−20
−10
0
10
20
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0226 window 1/3
ssa18:67639627−68185883
PC2 (8.72%)
PC1 (30.15%)
40
20
0
−20
−20
0
20



population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0226 window 2/3
ssa18:68185911−68518632
PC2 (16.51%)
PC1 (33.23%)
30
20
10
0
−10
−20
0
20
40



population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0226 window 3/3
ssa18:68519844−69198095
PC2 (16.22%)
PC1 (23.98%)
20
10
0
−10
−20
−20
0
20



population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0227 window 1/2
ssa18:70999672−71688637
PC2 (8.20%)
PC1 (21.71%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild
PCA_SV_ID_0227 window 2/2
ssa18:71688805−71787123
PC2 (11.86%)
PC1 (37.95%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0228 window 1/2
ssa18:72035096−72425196
PC2 (17.39%)
PC1 (18.73%)
20
0
−20
−40
−50
−25
0
25
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0228 window 2/2
ssa18:72426335−72721993
PC2 (17.59%)
PC1 (23.15%)
0
−20
−40
−10
0
10
20
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0229 window 1/5
ssa18:72838707−74260221
PC2 (12.21%)
PC1 (13.54%)
PCA_SV_ID_0229 window 2/5
ssa18:74261814−75263926
PC2 (10.45%)
PC1 (15.32%)
PCA_SV_ID_0229 window 3/5
ssa18:75263955−76110345
PC2 (11.10%)
PC1 (18.59%)
PCA_SV_ID_0229 window 4/5
ssa18:76114700−76859154
PC2 (6.06%)
PC1 (17.52%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0229 window 5/5
ssa18:76859158−77204413
PC2 (9.95%)
PC1 (24.31%)
20
10
0
−10
−20
−20
−10
0
10
20
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0230 window 1/1
ssa18:81480219−81707022
PC2 (13.71%)
PC1 (25.37%)
20
10
0
−10
−10
0
10
20
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0231 window 1/2
ssa19:837830−1482270
PC2 (7.59%)
PC1 (34.54%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0231 window 2/2
ssa19:1482982−1841562
PC2 (10.17%)
PC1 (37.00%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0232 window 1/3
ssa19:6049606−6686972
PC2 (20.20%)
PC1 (33.04%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0232 window 2/3
ssa19:6688021−7679026
PC2 (16.12%)
PC1 (43.56%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0232 window 3/3
ssa19:7679991−7754519
PC2 (22.19%)
PC1 (50.33%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0233 window 1/8
ssa19:11452854−11969737
PC2 (7.67%)
PC1 (31.40%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0233 window 2/8
ssa19:11969897−12478414
PC2 (6.61%)
PC1 (27.96%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0233 window 3/8
ssa19:12478559−13106130
PC2 (7.02%)
PC1 (29.94%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0233 window 4/8
ssa19:13108989−13653924
PC2 (6.33%)
PC1 (35.62%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild


PCA_SV_ID_0233 window 5/8
ssa19:13654075−14372974
PC2 (8.62%)
PC1 (26.15%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0233 window 6/8
ssa19:14373807−15084283
PC2 (7.28%)
PC1 (32.58%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0233 window 7/8
ssa19:15085189−15828476
PC2 (9.28%)
PC1 (29.27%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0233 window 8/8
ssa19:15828479−16212104
PC2 (19.92%)
PC1 (36.05%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0234 window 1/55
ssa19:16850183−17440728
PC2 (9.46%)
PC1 (19.77%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0234 window 2/55
ssa19:17440735−18149054
PC2 (6.12%)
PC1 (32.86%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0234 window 3/55
ssa19:18149380−18880228
PC2 (7.87%)
PC1 (24.69%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0234 window 4/55
ssa19:18880749−19614006
PC2 (9.37%)
PC1 (22.80%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0234 window 5/55
ssa19:19614015−20493499
PC2 (17.10%)
PC1 (20.59%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0234 window 6/55
ssa19:20494394−21025541
PC2 (21.27%)
PC1 (25.93%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0234 window 7/55
ssa19:21025615−21969223
PC2 (23.16%)
PC1 (25.90%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0234 window 8/55
ssa19:21969537−22648736
PC2 (16.25%)
PC1 (29.59%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0234 window 9/55
ssa19:22649036−23030083
PC2 (23.62%)
PC1 (33.65%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0234 window 10/55
ssa19:23030557−23596194
PC2 (15.54%)
PC1 (30.81%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0234 window 11/55
ssa19:23596555−24304764
PC2 (10.26%)
PC1 (45.62%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0234 window 12/55
ssa19:24306068−25175785
PC2 (18.00%)
PC1 (23.78%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0234 window 13/55
ssa19:25175791−26000408
PC2 (9.81%)
PC1 (28.75%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0234 window 14/55
ssa19:26000666−26538147
PC2 (11.41%)
PC1 (18.73%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0234 window 15/55
ssa19:26538761−27322152
PC2 (10.30%)
PC1 (37.08%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0234 window 16/55
ssa19:27322247−27833608
PC2 (13.29%)
PC1 (26.33%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0234 window 17/55
ssa19:27833737−28541258
PC1 (34.91%)
PC2 (12.19%)
PCA_SV_ID_0234 window 18/55
ssa19:28541954−29316503
PC1 (49.94%)
PC2 (8.20%)
PCA_SV_ID_0234 window 19/55
ssa19:29316549−30140705
PC1 (34.22%)
PC2 (12.46%)
PCA_SV_ID_0234 window 20/55
ssa19:30140715−30613235
PC1 (44.62%)
PC2 (7.89%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0234 window 21/55
ssa19:30613249−31186361
PC2 (14.76%)
PC1 (27.08%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0234 window 22/55
ssa19:31186496−32386020
PC2 (14.39%)
PC1 (24.22%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0234 window 23/55
ssa19:32386021−34521767
PC2 (12.95%)
PC1 (17.62%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0234 window 24/55
ssa19:34522415−38589277
PC2 (10.29%)
PC1 (17.60%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0234 window 25/55
ssa19:38589286−39666467
PC2 (19.90%)
PC1 (29.89%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0234 window 26/55
ssa19:39666571−40759685
PC2 (15.24%)
PC1 (22.02%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0234 window 27/55
ssa19:40761348−42029787
PC2 (8.91%)
PC1 (17.40%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild


PCA_SV_ID_0234 window 28/55
ssa19:42030098−43080520
PC2 (16.63%)
PC1 (25.89%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild


PCA_SV_ID_0234 window 29/55
ssa19:43080546−44135825
PC2 (15.75%)
PC1 (30.98%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0234 window 30/55
ssa19:44135840−45514134
PC2 (11.00%)
PC1 (37.39%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild


PCA_SV_ID_0234 window 31/55
ssa19:45514135−46646926
PC2 (8.62%)
PC1 (50.63%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild


PCA_SV_ID_0234 window 32/55
ssa19:46647096−47806912
PC2 (12.96%)
PC1 (43.82%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild


PCA_SV_ID_0234 window 33/55

ssa19:47821167−48962444




PCA_SV_ID_0234 window 34/55

ssa19:48962493−50273260




PCA_SV_ID_0234 window 35/55


ssa19:50274492−51501123





PCA_SV_ID_0234 window 36/55


ssa19:51501672−52592005






PCA_SV_ID_0234 window 37/55
ssa19:52592345−53797135
PC2 (12.66%)
PC1 (28.87%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0234 window 38/55
ssa19:53799316−54964933
PC2 (13.53%)
PC1 (31.50%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0234 window 39/55
ssa19:54965937−55749324
PC2 (10.44%)
PC1 (45.49%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0234 window 40/55
ssa19:55749685−56574667
PC2 (9.31%)
PC1 (48.45%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0234 window 41/55
ssa19:56574971−57226238
PC2 (11.53%)
PC1 (49.74%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0234 window 42/55
ssa19:57227877−57963923
PC2 (6.67%)
PC1 (63.06%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0234 window 43/55
ssa19:57963950−58782278
PC2 (3.87%)
PC1 (62.27%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0234 window 44/55
ssa19:58782420−59538769
PC2 (8.22%)
PC1 (53.21%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0234 window 45/55
ssa19:59539477−60286558
PC2 (11.62%)
PC1 (38.99%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0234 window 46/55
ssa19:60287193−61078605
PC2 (8.14%)
PC1 (50.79%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0234 window 47/55
ssa19:61078660−62014867
PC2 (8.22%)
PC1 (50.27%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0234 window 48/55
ssa19:62015773−63064189
PC2 (10.30%)
PC1 (39.89%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0234 window 49/55
ssa19:63064196−64604307
PC1 (38.85%)
PC2 (11.15%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0234 window 50/55
ssa19:64604888−65731252
PC1 (29.04%)
PC2 (12.36%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0234 window 51/55
ssa19:65738204−68018094
PC1 (24.68%)
PC2 (15.82%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild


PCA_SV_ID_0234 window 52/55
ssa19:68018099−69257936
PC1 (40.72%)
PC2 (9.50%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0234 window 53/55
ssa19:69262173−70380104
PC2 (9.53%)
PC1 (51.30%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0234 window 54/55
ssa19:70380123−71675944
PC2 (6.88%)
PC1 (38.77%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0234 window 55/55
ssa19:71676124−72322825
PC2 (10.97%)
PC1 (34.59%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0235 window 1/7
ssa19:72856158−73954423
PC2 (8.51%)
PC1 (26.56%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0235 window 2/7
ssa19:73954538−74651249
PC2 (9.96%)
PC1 (48.10%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0235 window 3/7
ssa19:74651421−75457434
PC2 (5.40%)
PC1 (58.73%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0235 window 4/7
ssa19:75457463−76073000
PC2 (5.13%)
PC1 (53.40%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0235 window 5/7
ssa19:76073070−76625996
PC2 (8.36%)
PC1 (37.00%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0235 window 6/7
ssa19:76626255−77145750
PC2 (7.44%)
PC1 (39.58%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0235 window 7/7
ssa19:77146130−77577738
PC2 (9.43%)
PC1 (35.04%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0236 window 1/2
ssa20:1583189−2396734
PC2 (7.86%)
PC1 (32.03%)
20
0
−20
−20
−10
0
10
20
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0236 window 2/2
ssa20:2396771−2455976
PC2 (12.55%)
PC1 (30.03%)
10
5
0
−5
−10
−5
0
5
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0237 window 1/3
ssa20:6587337−7123605
PC2 (8.56%)
PC1 (29.49%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild


PCA_SV_ID_0237 window 2/3
ssa20:7123630−7602386
PC2 (7.81%)
PC1 (29.44%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild


PCA_SV_ID_0237 window 3/3
ssa20:7605011−8017234
PC2 (8.37%)
PC1 (27.52%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0238 window 1/2
ssa20:8087176−8687268
PC2 (5.51%)
PC1 (40.54%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0238 window 2/2
ssa20:8687923−8960420
PC2 (11.31%)
PC1 (47.21%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0239 window 1/1
ssa20:21108802−21732403
20
0
−20
PC2 (12.06%)
−20
−10
0
10
20
PC1 (26.72%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild


PCA_SV_ID_0240 window 1/1


ssa20:29671219−30359638






PCA_SV_ID_0241 window 1/3
ssa20:31527953−32086066
PC2 (16.06%)
PC1 (38.11%)
PCA_SV_ID_0241 window 2/3
ssa20:32086662−32547469
PC2 (9.18%)
PC1 (57.13%)
PCA_SV_ID_0241 window 3/3
ssa20:32548206−32975981
PC2 (10.69%)
PC1 (31.84%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0242 window 1/17
ssa20:37395223−38052370
PC1 (32.73%)
PC2 (11.06%)
PCA_SV_ID_0242 window 2/17
ssa20:38052371−39169321
PC1 (23.25%)
PC2 (9.93%)
PCA_SV_ID_0242 window 3/17
ssa20:39169425−40242532
PC1 (21.23%)
PC2 (10.31%)
PCA_SV_ID_0242 window 4/17
ssa20:40242722−41169026
PC1 (47.99%)
PC2 (14.15%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0242 window 5/17
ssa20:41170436−42313140
PC2 (26.61%)
PC1 (34.15%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0242 window 6/17
ssa20:42313147−43616419
PC2 (18.60%)
PC1 (37.70%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0242 window 7/17
ssa20:43616955−44868371
PC2 (15.42%)
PC1 (30.16%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0242 window 8/17
ssa20:44868708−45581146
PC2 (19.49%)
PC1 (34.13%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0242 window 9/17
ssa20:45581592−46481187
PC2 (13.66%)
PC1 (31.67%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0242 window 10/17
ssa20:46481273−47157223
PC2 (11.87%)
PC1 (33.91%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0242 window 11/17
ssa20:47157734−47843343
PC2 (9.13%)
PC1 (51.41%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0242 window 12/17
ssa20:47845080−49500916
PC2 (11.87%)
PC1 (42.21%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0242 window 13/17
ssa20:49505353−51212289
PC1 (40.72%)
PC2 (11.56%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0242 window 14/17
ssa20:51212626−51866027
PC1 (25.12%)
PC2 (16.40%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild


PCA_SV_ID_0242 window 15/17
ssa20:51866057−52183485
PC1 (18.44%)
PC2 (11.69%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0242 window 16/17
ssa20:52184298−53253089
PC1 (25.89%)
PC2 (10.02%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0242 window 17/17
ssa20:53253094−53457721
PC2 (14.65%)
PC1 (31.07%)
0
−10
−10
−5
0
5
10
15
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0243 window 1/4
ssa20:54880309−56114591
PC2 (10.34%)
PC1 (18.57%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0243 window 2/4
ssa20:56115838−57399803
PC2 (12.76%)
PC1 (17.13%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0243 window 3/4
ssa20:57399810−58423174
PC2 (8.27%)
PC1 (40.52%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0243 window 4/4
ssa20:58424941−58803799
PC2 (13.60%)
PC1 (40.52%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0244 window 1/3
ssa20:59283100−59626909
PC2 (8.37%)
PC1 (43.05%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0244 window 2/3
ssa20:59627149−59836839
PC2 (13.58%)
PC1 (41.36%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0244 window 3/3
ssa20:59839248−61189327
PC2 (8.88%)
PC1 (34.01%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0245 window 1/8
ssa20:61967438−62902280
PC1 (23.88%)
PC2 (11.71%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0245 window 2/8
ssa20:62902343−64192565
PC1 (23.96%)
PC2 (9.86%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0245 window 3/8
ssa20:64192721−65741188
PC1 (27.91%)
PC2 (8.11%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0245 window 4/8
ssa20:65744397−66711020
PC1 (28.03%)
PC2 (11.59%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0245 window 5/8
ssa20:66711051−67664326
PC2 (11.04%)
PC1 (26.00%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0245 window 6/8
ssa20:67664415−68638373
PC2 (6.59%)
PC1 (42.96%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0245 window 7/8
ssa20:68638807−69220856
PC2 (13.45%)
PC1 (36.54%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0245 window 8/8
ssa20:69221438−69972435
PC2 (21.39%)
PC1 (28.71%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0246 window 1/3
ssa20:70293097−71369943
PC2 (12.83%)
PC1 (17.84%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0246 window 2/3
ssa20:71370146−72548238
PC2 (10.30%)
PC1 (17.43%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0246 window 3/3
ssa20:72549787−73351270
PC2 (9.68%)
PC1 (38.28%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0247 window 1/6
ssa20:76251066−77289550
PC1 (21.00%)
PC2 (10.69%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0247 window 2/6
ssa20:77291673−78135863
PC1 (22.99%)
PC2 (13.14%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0247 window 3/6
ssa20:78135919−79157240
PC1 (26.76%)
PC2 (10.36%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0247 window 4/6
ssa20:79159150−80243449
PC1 (28.07%)
PC2 (12.10%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0247 window 5/6
ssa20:80244486−81891055
PC2 (11.14%)
PC1 (16.01%)
20
0
−20
−10
0
10
20
30
population
european_farmed
european_wild
north_american_farmed
north_american_wild


PCA_SV_ID_0247 window 6/6
ssa20:81899270−83068572
PC2 (9.86%)
PC1 (19.88%)
20
0
−20
−20
−10
0
10
20
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0248 window 1/5
ssa20:87114587−88030656
PC2 (7.57%)
PC1 (21.86%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0248 window 2/5
ssa20:88031907−88608443
PC2 (8.05%)
PC1 (23.40%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0248 window 3/5
ssa20:88610566−89360224
PC2 (7.01%)
PC1 (25.67%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0248 window 4/5
ssa20:89360230−89958431
PC2 (5.21%)
PC1 (40.46%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0248 window 5/5
ssa20:89958864−90832949
PC2 (5.94%)
PC1 (27.86%)
20
10
0
−10
−20
−20
−10
0
10
20
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0249 window 1/1
ssa21:11442675−11694289
PC2 (8.70%)
PC1 (46.03%)
20
10
0
−10
−20
−10
0
10
20
30
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0250 window 1/1
ssa21:17377414−17603665
PC2 (16.49%)
PC1 (33.38%)
20
10
0
−10
−20
−10
0
10
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0251 window 1/3
ssa21:26562257−27624958
PC2 (10.88%)
PC1 (38.47%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0251 window 2/3
ssa21:27625151−28240228
PC2 (14.94%)
PC1 (44.40%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0251 window 3/3
ssa21:28240236−28677090
PC2 (11.60%)
PC1 (59.38%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0252 window 1/2
ssa21:38295541−38974313
PC2 (17.61%)
PC1 (30.35%)
10
0
−10
−20
−30
−20
0
20
40
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0252 window 2/2
ssa21:38974884−39166545
PC2 (13.22%)
PC1 (46.41%)
5
0
−5
−10
0
10
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0253 window 1/5
ssa21:48351280−48996191
PC2 (26.41%)
PC1 (28.18%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0253 window 2/5
ssa21:48996222−49517103
PC2 (20.19%)
PC1 (29.78%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild


PCA_SV_ID_0253 window 3/5
ssa21:49517121−50032458
PC2 (13.64%)
PC1 (36.15%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0253 window 4/5
ssa21:50036760−50614745
PC2 (6.23%)
PC1 (30.38%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0253 window 5/5
ssa21:50615140−50735344
PC2 (11.08%)
PC1 (28.89%)
10
5
0
−5
−10
−10
−5
0
5
10
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0254 window 1/1
ssa22:2173−353735
PC2 (7.31%)
PC1 (18.65%)
5
0
−5
−5
0
5
10
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0255 window 1/2
ssa22:1379129−2342207
PC2 (6.62%)
PC1 (44.83%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0255 window 2/2
ssa22:2342270−2640572
PC2 (11.89%)
PC1 (46.88%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0256 window 1/1
ssa22:20655447−20882482
PC2 (12.01%)
PC1 (49.47%)
10
0
−10
−20
−30
−30
−20
−10
0
10
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0257 window 1/1
ssa22:26792903−27574827
PC2 (16.37%)
PC1 (26.08%)
20
0
−20
−20
−10
0
10
20
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0258 window 1/3
ssa22:37888191−38753176
PC2 (17.75%)
PC1 (28.41%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0258 window 2/3
ssa22:38753313−39685594
PC2 (13.91%)
PC1 (28.54%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0258 window 3/3
ssa22:39685641−40181884
PC2 (20.20%)
PC1 (31.15%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0259 window 1/2
ssa22:46202162−47218688
PC2 (14.60%)
PC1 (29.37%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0259 window 2/2
ssa22:47219106−47716047
PC2 (16.28%)
PC1 (25.42%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0260 window 1/1
ssa22:58063488−58427257
PC2 (5.67%)
PC1 (40.58%)
10
0
−10
−20
−20
−10
0
10
20
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0261 window 1/11
ssa23:723440−2012953
PC2 (5.54%)
PC1 (33.55%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0261 window 2/11
ssa23:2017591−2982965
PC2 (4.93%)
PC1 (26.78%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0261 window 3/11
ssa23:2983956−3762760
PC2 (5.12%)
PC1 (43.08%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0261 window 4/11
ssa23:3763508−4462885
PC2 (7.20%)
PC1 (32.00%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0261 window 5/11
ssa23:4462969−5012007
PC2 (8.04%)
PC1 (27.95%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0261 window 6/11
ssa23:5012274−5778970
PC2 (6.81%)
PC1 (37.68%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0261 window 7/11
ssa23:5779318−6597421
PC2 (11.02%)
PC1 (31.55%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild


PCA_SV_ID_0261 window 8/11
ssa23:6597509−7234630
PC2 (6.95%)
PC1 (33.31%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0261 window 9/11
ssa23:7234631−8023978
PC2 (8.57%)
PC1 (41.37%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0261 window 10/11
ssa23:8024506−8589127
PC2 (5.18%)
PC1 (34.59%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0261 window 11/11
ssa23:8589686−8893047
PC2 (6.83%)
PC1 (39.03%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0262 window 1/2
ssa23:16124546−16625482
PC2 (5.27%)
PC1 (29.17%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0262 window 2/2
ssa23:16625886−16873572
PC2 (7.81%)
PC1 (45.56%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0263 window 1/2
ssa23:27630020−28186695
PC2 (4.99%)
PC1 (59.09%)
10
0
−10
−20
−20
0
20
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0263 window 2/2
ssa23:28187079−28312538
PC2 (5.49%)
PC1 (72.35%)
4
0
−4
−10
0
10
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0264 window 1/2
ssa23:30198980−30644871
PC2 (7.51%)
PC1 (45.07%)
20
10
0
−10
−20
−20
0
20
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0264 window 2/2
ssa23:30644879−30821306
PC2 (6.15%)
PC1 (60.62%)
10
0
−10
−10
0
10
20
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0265 window 1/5
ssa23:47571820−47968870
PC2 (6.76%)
PC1 (17.85%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0265 window 2/5
ssa23:47968942−48573685
PC2 (8.08%)
PC1 (20.71%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0265 window 3/5
ssa23:48573693−49217284
PC2 (5.11%)
PC1 (34.51%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0265 window 4/5
ssa23:49217479−49881110
PC2 (3.80%)
PC1 (31.95%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0265 window 5/5
ssa23:49881315−50485652
PC2 (6.07%)
PC1 (25.31%)
15
10
5
0
−5
−10
−20
−10
0
10
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0266 window 1/2
ssa24:24330886−25077239
PC2 (9.33%)
PC1 (30.85%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0266 window 2/2
ssa24:25077262−25304766
PC2 (14.78%)
PC1 (27.69%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0267 window 1/1
ssa24:28574269−28834182
PC2 (17.72%)
PC1 (32.76%)
20
10
0
−10
−20
−10
0
10
20
30
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0268 window 1/1
ssa24:30783142−32244803
PC2 (7.42%)
PC1 (39.46%)
20
0
−20
−20
−10
0
10
20
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0269 window 1/1
ssa24:34049323−34700794
PC2 (12.11%)
PC1 (46.25%)
20
10
0
−10
−20
−10
0
10
20
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0270 window 1/1
ssa25:869492−1185141
PC2 (12.84%)
PC1 (38.54%)
10
0
−10
−20
−20
−10
0
10
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0271 window 1/4
ssa25:18094231−18932360
PC2 (13.10%)
PC1 (28.28%)
PCA_SV_ID_0271 window 2/4
ssa25:18932404−19570058
PC2 (9.74%)
PC1 (26.68%)
PCA_SV_ID_0271 window 3/4
ssa25:19570090−20041592
PC2 (8.84%)
PC1 (23.99%)
PCA_SV_ID_0271 window 4/4
ssa25:20041865−20759169
PC2 (10.08%)
PC1 (22.65%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0272 window 1/18
ssa25:21868977−22547746
PC2 (9.97%)
PC1 (18.69%)
PCA_SV_ID_0272 window 2/18
ssa25:22547907−23199098
PC2 (13.80%)
PC1 (14.30%)
PCA_SV_ID_0272 window 3/18
ssa25:23199575−24067796
PC2 (14.40%)
PC1 (23.45%)
PCA_SV_ID_0272 window 4/18
ssa25:24068050−24582438
PC2 (9.04%)
PC1 (41.06%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0272 window 5/18
ssa25:24582591−25482724
PC2 (6.97%)
PC1 (24.28%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0272 window 6/18
ssa25:25483655−26419816
PC2 (10.54%)
PC1 (24.83%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0272 window 7/18
ssa25:26420085−27143880
PC2 (10.28%)
PC1 (33.08%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0272 window 8/18
ssa25:27143992−27934288
PC2 (7.44%)
PC1 (34.89%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0272 window 9/18
ssa25:27934559−28790777
PC1 (28.27%)
PC2 (12.23%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0272 window 10/18
ssa25:28791370−29592328
PC1 (31.78%)
PC2 (9.59%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0272 window 11/18
ssa25:29596379−30325008
PC1 (24.72%)
PC2 (9.76%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0272 window 12/18
ssa25:30325522−31256039
PC1 (27.48%)
PC2 (9.08%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0272 window 13/18
ssa25:31256173−32089933
PC1 (28.65%)
PC2 (10.39%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0272 window 14/18
ssa25:32090071−32930110
PC1 (26.48%)
PC2 (15.87%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0272 window 15/18
ssa25:32930143−33763429
PC1 (19.34%)
PC2 (12.97%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0272 window 16/18
ssa25:33764745−33924444
PC1 (28.47%)
PC2 (14.92%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0272 window 17/18
ssa25:33924460−34099390
PC2 (17.43%)
PC1 (21.57%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0272 window 18/18
ssa25:34099391−34662060
PC2 (13.56%)
PC1 (20.01%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0273 window 1/5
ssa25:35831480−36722792
PC1 (22.57%)
PC2 (11.18%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0273 window 2/5
ssa25:36723606−37800816
PC1 (27.91%)
PC2 (9.03%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0273 window 3/5
ssa25:37801370−38734868
PC1 (24.55%)
PC2 (10.79%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0273 window 4/5
ssa25:38735982−39788725
PC1 (21.54%)
PC2 (11.67%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0273 window 5/5
ssa25:39788865−40046097
PC2 (16.61%)
PC1 (24.41%)
10
0
−10
−10
−5
0
5
10
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0274 window 1/11
ssa26:2541663−3192791
PC2 (8.99%)
PC1 (35.45%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0274 window 2/11
ssa26:3193124−3798187
PC2 (10.16%)
PC1 (33.59%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0274 window 3/11
ssa26:3798197−4598470
PC2 (8.46%)
PC1 (33.78%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0274 window 4/11
ssa26:4600015−5175335
PC2 (17.32%)
PC1 (22.43%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0274 window 5/11
ssa26:5175359−5856053
PC2 (12.24%)
PC1 (31.69%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0274 window 6/11
ssa26:5856694−6350052
PC2 (20.58%)
PC1 (27.42%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild


PCA_SV_ID_0274 window 7/11
ssa26:6350647−6863735
PC2 (9.13%)
PC1 (36.60%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild


PCA_SV_ID_0274 window 8/11
ssa26:6863968−7401545
PC2 (6.57%)
PC1 (35.14%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0274 window 9/11
ssa26:7402512−8164261
PC2 (6.54%)
PC1 (44.10%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0274 window 10/11
ssa26:8164732−8713699
PC2 (4.62%)
PC1 (32.87%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0274 window 11/11
ssa26:8714001−8779808
PC2 (30.53%)
PC1 (33.65%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild


PCA_SV_ID_0275 window 1/1

ssa26:9777603−10166825






PCA_SV_ID_0276 window 1/19
ssa26:14630742−15215035
PC1 (32.45%)
PC2 (10.67%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0276 window 2/19
ssa26:15219943−15844898
PC1 (30.52%)
PC2 (6.63%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0276 window 3/19
ssa26:15845043−16520631
PC1 (30.66%)
PC2 (6.43%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0276 window 4/19
ssa26:16520928−17300605
PC1 (34.86%)
PC2 (6.10%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild


PCA_SV_ID_0276 window 5/19
ssa26:17300672−17915195
PC2 (7.11%)
PC1 (28.90%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0276 window 6/19
ssa26:17915493−18777074
PC2 (5.76%)
PC1 (37.10%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0276 window 7/19
ssa26:18778737−19454662
PC2 (9.33%)
PC1 (29.76%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0276 window 8/19
ssa26:19454663−20167826
PC2 (5.16%)
PC1 (35.77%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0276 window 9/19
ssa26:20168615−20698326
PC2 (6.05%)
PC1 (39.25%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0276 window 10/19
ssa26:20698992−21398225
PC2 (9.81%)
PC1 (47.51%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0276 window 11/19
ssa26:21398642−22013369
PC2 (10.09%)
PC1 (35.63%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0276 window 12/19
ssa26:22015284−22461243
PC2 (8.06%)
PC1 (38.00%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0276 window 13/19
ssa26:22462103−23287322
PC2 (15.38%)
PC1 (20.55%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0276 window 14/19
ssa26:23288040−24123784
PC2 (8.46%)
PC1 (32.55%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0276 window 15/19
ssa26:24123893−24483889
PC2 (8.86%)
PC1 (29.98%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild


PCA_SV_ID_0276 window 16/19
ssa26:24483905−25374553
PC2 (7.16%)
PC1 (26.30%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0276 window 17/19
ssa26:25374578−26247249
PC2 (7.89%)
PC1 (34.72%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0276 window 18/19
ssa26:26247283−27137356
PC2 (5.50%)
PC1 (42.24%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0276 window 19/19
ssa26:27137360−27654930
PC2 (9.63%)
PC1 (31.79%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0277 window 1/1
ssa26:33069533−33440627
PC2 (11.73%)
PC1 (39.98%)
10
0
−10
−20
−20
−10
0
10
20
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0278 window 1/3
ssa26:34050240−34764636
PC2 (9.17%)
PC1 (31.83%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0278 window 2/3
ssa26:34764824−35688046
PC2 (14.22%)
PC1 (25.69%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0278 window 3/3
ssa26:35688162−36338047
PC2 (9.56%)
PC1 (19.65%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0279 window 1/3
ssa26:48985225−50009315
PC2 (4.37%)
PC1 (26.22%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0279 window 2/3
ssa26:50009450−50770554
PC2 (3.09%)
PC1 (34.25%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0279 window 3/3
ssa26:50770948−50831659
PC2 (7.92%)
PC1 (44.44%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0280 window 1/3
ssa26:52351834−53402937
PC2 (3.88%)
PC1 (27.17%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0280 window 2/3
ssa26:53403461−54132058
PC2 (6.84%)
PC1 (23.00%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0280 window 3/3
ssa26:54132172−54628063
PC2 (3.54%)
PC1 (30.18%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0281 window 1/1
ssa27:1398692−1829010
PC2 (8.07%)
PC1 (26.48%)
20
0
−20
−20
−10
0
10
20
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0282 window 1/4
ssa27:6249243−6750772
PC2 (6.91%)
PC1 (29.71%)
PCA_SV_ID_0282 window 2/4
ssa27:6751485−7312023
PC2 (5.88%)
PC1 (32.43%)
PCA_SV_ID_0282 window 3/4
ssa27:7312027−7918092
PC2 (8.15%)
PC1 (26.73%)
PCA_SV_ID_0282 window 4/4
ssa27:7918704−8096498
PC2 (11.15%)
PC1 (34.67%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0283 window 1/13
ssa27:10112824−10451649
PC2 (9.72%)
PC1 (17.46%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0283 window 2/13
ssa27:10451672−10599087
PC2 (8.85%)
PC1 (11.93%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0283 window 3/13
ssa27:10600351−11068853
PC2 (10.18%)
PC1 (18.18%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0283 window 4/13
ssa27:11069668−11540262
PC2 (7.18%)
PC1 (31.11%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0283 window 5/13
ssa27:11540297−11951021
PC2 (12.39%)
PC1 (26.69%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0283 window 6/13
ssa27:11951247−12265255
PC2 (7.62%)
PC1 (37.53%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0283 window 7/13
ssa27:12265259−12763477
PC2 (12.51%)
PC1 (28.19%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0283 window 8/13
ssa27:12763493−13095236
PC2 (9.09%)
PC1 (28.71%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0283 window 9/13
ssa27:13095327−13679944
PC2 (11.33%)
PC1 (20.73%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0283 window 10/13
ssa27:13681861−14552259
PC2 (15.64%)
PC1 (25.63%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0283 window 11/13
ssa27:14552272−15249970
PC2 (9.94%)
PC1 (22.89%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0283 window 12/13
ssa27:15252288−16125686
PC2 (9.74%)
PC1 (34.72%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0283 window 13/13
ssa27:16125736−16192809
PC2 (5.77%)
PC1 (14.35%)
5
0
−5
−10
−5
0
5
10
15
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0284 window 1/1
ssa27:16285684−16873161
PC2 (7.71%)
PC1 (54.60%)
30
20
10
0
−10
−20
0
20
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0285 window 1/2
ssa27:17571742−18121060
PC2 (4.71%)
PC1 (35.76%)
20
10
0
−10
−20
−20
−10
0
10
20
population
european_farmed
european_wild
north_american_farmed
north_american_wild
PCA_SV_ID_0285 window 2/2
ssa27:18121332−18234745
PC2 (16.71%)
PC1 (48.14%)
15
10
5
0
−5
−20
−10
0
10
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0286 window 1/1
ssa27:19506074−20277371
PC2 (9.01%)
PC1 (37.32%)
20
10
0
−10
−20
−20
−10
0
10
20
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0287 window 1/1
ssa27:21341336−22375560
PC2 (6.36%)
PC1 (42.92%)
20
10
0
−10
−20
−20
−10
0
10
20
30
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0288 window 1/5
ssa27:23596089−24555277
PC2 (7.68%)
PC1 (49.27%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0288 window 2/5
ssa27:24555461−25581503
PC2 (7.85%)
PC1 (28.72%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0288 window 3/5
ssa27:25581640−26232640
PC2 (8.00%)
PC1 (27.97%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0288 window 4/5
ssa27:26233836−26833654
PC2 (14.43%)
PC1 (36.08%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0288 window 5/5
ssa27:26834055−27211979
PC2 (11.59%)
PC1 (37.66%)
10
0
−10
−20
−30
−20
−10
0
10
20
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0289 window 1/9
ssa27:28822981−29794993
PC2 (10.21%)
PC1 (28.85%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0289 window 2/9
ssa27:29795812−30763092
PC2 (10.70%)
PC1 (31.70%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0289 window 3/9
ssa27:30764695−31376335
PC2 (5.70%)
PC1 (58.74%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0289 window 4/9
ssa27:31378071−32221130
PC2 (12.58%)
PC1 (28.77%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0289 window 5/9
ssa27:32226696−33415805
PC2 (9.35%)
PC1 (24.32%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0289 window 6/9
ssa27:33418032−34479144
PC2 (11.65%)
PC1 (31.15%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0289 window 7/9
ssa27:34479155−35278774
PC2 (11.43%)
PC1 (31.35%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0289 window 8/9
ssa27:35278784−35916510
PC2 (6.27%)
PC1 (33.99%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0289 window 9/9
ssa27:35916690−36485490
PC2 (7.89%)
PC1 (30.60%)
20
0
−20
−20
−10
0
10
20
30
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0290 window 1/1
ssa28:27129784−27986335
PC2 (10.74%)
PC1 (26.07%)
20
0
−20
−40
−20
−10
0
10
20
30
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0291 window 1/2
ssa28:38879646−39551857
PC2 (5.91%)
PC1 (34.95%)
20
10
0
−10
−20
−20
−10
0
10
20
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0291 window 2/2
ssa28:39551886−40147266
PC2 (6.98%)
PC1 (29.75%)
20
0
−20
−20
−10
0
10
20
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0292 window 1/5
ssa29:13398−1199850
PC2 (10.55%)
PC1 (14.18%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0292 window 2/5
ssa29:1201074−1890521
PC2 (10.89%)
PC1 (20.88%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0292 window 3/5
ssa29:1890616−2428279
PC2 (11.57%)
PC1 (26.54%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0292 window 4/5
ssa29:2428833−3070517
PC2 (14.62%)
PC1 (16.33%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0292 window 5/5
ssa29:3071709−3516320
PC2 (10.64%)
PC1 (20.33%)
10
0
−10
−20
−20
−10
0
10
20
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0293 window 1/1
ssa29:4288649−4893406
PC2 (15.23%)
PC1 (22.63%)
30
20
10
0
−10
−20
−10
0
10
20
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0294 window 1/3
ssa29:5487290−6094089
PC2 (14.82%)
PC1 (22.93%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0294 window 2/3
ssa29:6094103−6867066
PC2 (15.69%)
PC1 (18.24%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0294 window 3/3
ssa29:6867698−7363172
PC2 (11.42%)
PC1 (41.32%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0295 window 1/1
ssa29:10731913−10916333
PC2 (10.01%)
PC1 (33.37%)
10
0
−10
−20
−10
−5
0
5
10
15
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0296 window 1/1
ssa29:14549447−15336562
PC2 (6.50%)
PC1 (45.98%)
20
10
0
−10
−20
−20
−10
0
10
20
30
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0297 window 1/1
ssa29:17596375−18283676
PC2 (6.80%)
PC1 (38.01%)
20
10
0
−10
−20
−10
0
10
20
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0298 window 1/5
ssa29:19536988−20434017
PC2 (9.53%)
PC1 (39.39%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0298 window 2/5
ssa29:20434312−21367007
PC2 (6.41%)
PC1 (35.06%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0298 window 3/5
ssa29:21367163−22235659
PC2 (6.09%)
PC1 (39.39%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0298 window 4/5
ssa29:22235777−22916017
PC2 (10.49%)
PC1 (37.82%)
population
european_farmed
european_wild
north_american_farmed
north_american_wild



PCA_SV_ID_0298 window 5/5
ssa29:22916687−23578741
PC2 (3.93%)
PC1 (56.97%)
0
−10
−20
−20
−10
0
10
20
30
population
european_farmed
european_wild
north_american_farmed
north_american_wild


PCA_SV_ID_0299 window 1/1
ssa29:34522876−34763722
PC2 (10.85%)
PC1 (33.80%)
10
0
−10
−20
−20
−10
0
10
population
european_farmed
european_wild
north_american_farmed
north_american_wild


PCA_SV_ID_0300 window 1/1
ssa29:35671849−35858345
PC2 (14.31%)
PC1 (26.31%)
20
10
0
−10
−10
0
10
population
european_farmed
european_wild
north_american_farmed
north_american_wild


PCA_SV_ID_0301 window 1/2
ssa29:40111690−40935851
PC2 (6.82%)
PC1 (34.05%)
20
10
0
−10
−20
−20
−10
0
10
20
population
european_farmed
european_wild
north_american_farmed
north_american_wild


PCA_SV_ID_0301 window 2/2
ssa29:40937265−41104121
PC2 (12.14%)
PC1 (28.95%)
10
5
0
−5
−10
−10
−5
0
5
10
population
european_farmed
european_wild
north_american_farmed
north_american_wild


PCA_SV_ID_0302 window 1/1
ssa29:41944803−42617533
PC2 (9.27%)
PC1 (30.51%)
10
0
−10
−20
−30
−10
0
10
20
population
european_farmed
european_wild
north_american_farmed
north_american_wild