

Supplementary Table S1. Original Dutch, English, and German versions of the PPBS items

Item	Original Dutch version	English translation	German translation
PPBS1	Liefdevol	Loving	Liebevoll
PPBS2	Blij	Happy	Fröhlich
PPBS3	Het mooiste wat mij is overkomen	The most beautiful thing that ever happened to me	Das Schönste, was mir je passiert ist
PPBS4	Bijzonder	Extraordinary	Außergewöhnlich
PPBS5	Gelukkig	Blissful	Glücklich

Supplementary Table S2. Sample characteristics

Characteristic (family-level)	Families in total (N _{baseline} = 95)	Families in the control group (n _{baseline} = 46)
Mother's age at birth in years	34.40 ± 4.48; 23.00–43.00	35.07 ± 4.39; 27.00–43.00
Mother's citizenship		
German	58 (61.05%)	28 (60.87%)
European Union	13 (13.68%)	7 (15.22%)
Other	24 (25.26%)	11 (23.91%)
Mother's language		
German	50 (52.63%)	27 (58.70%)
English	13 (13.68%)	7 (15.22%)
Both	28 (29.47%)	11 (23.91%)
Other (with translator)	4 (4.21%)	1 (2.17%)
Mother's highest general school leaving certificate		
No graduation	0 (0.00%)	0 (0.00%)
Graduation up to grade 9	0 (0.00%)	0 (0.00%)
Graduation up to grade 10	4 (4.21%)	2 (4.35%)
Graduation up to grade 12	90 (94.74%)	44 (95.65%)
Other	1 (1.05%)	0 (0.00%)
Net monthly household income		
< 2300 €	4 (4.21%)	1 (2.17%)
2300–5000 €	27 (28.42%)	17 (36.96%)
Over 5000 €	52 (54.74%)	23 (50.00%)
N/A	12 (12.63%)	5 (10.87%)
Place of residence		
Urban	87 (91.58%)	44 (95.65%)
Town / semi-urban	5 (5.26%)	1 (2.17%)
Rural	3 (3.16%)	1 (2.17%)
Previous children		
Yes → multiparous	35 (36.84%)	15 (32.61%)
No → first-time mother	60 (63.16%)	31 (67.39%)
Twins, yes	14 (14.74%)	6 (13.04%)
Characteristic (child-level)	Children in total (N _{baseline} = 109)	Children in the control group (n _{baseline} = 52)
Sex		
Female	56 (51.38%)	28 (53.85%)
Male	53 (48.62%)	24 (46.15%)
Diverse	0 (0.00%)	0 (0.00%)
Gestational age category		
Born with 20–29 weeks	19 (20.00%)	10 (21.74%)
Born with 30–39 weeks	66 (69.47%)	31 (67.39%)
Born with > 40 weeks	10 (10.53%)	5 (10.87%)


Characteristic (child-level)	Children in total (N_baseline = 109)	Children in the control group (n_baseline = 52)
Birth weight category		
≥ 2500 g	39 (35.78%)	18 (34.62%)
1000–2499 g	54 (49.54%)	26 (50.00%)
500–999 g	16 (14.68%)	8 (15.38%)
Top 5 side diagnoses and complications by frequency		
[P59] Hyperbilirubinaemia / neonatal jaundice	43 (39.45%)	24 (46.15%)
[P22; P27.1] Respiratory distress / BPD / breathing problems	39 (35.78%)	22 (42.31%)
[P28.3; P28.4] Apnoea-bradycardia symptoms / desaturation episodes	24 (22.02%)	10 (19.23%)
[P81] Hypothermia / temperature instability	21 (19.27%)	10 (19.23%)
[P70] Hypo- or hyperglycaemia	20 (18.35%)	13 (25.00%)
<i>Note. Percentages refer to the respective column denominator. Family-level percentages are based on families with completed baseline assessment; child-level percentages are based on children from these families. Continuous variables are presented as mean ± SD and range; categorical variables as n (%). n differs between family-level and child-level variables because some families had twins. The top 5 side diagnoses and complications were selected based on their frequency in the total child-level sample and were coded as multiple-response variables; therefore, percentages do not sum to 100%.</i>		

Supplementary Table S3. PPBS item- and total-score descriptive statistics across assessment time points

Panel A. PPBS total scores									
Time point	Valid n / N	Missing n (%)	Mean (SD)	Median [IQR]	Range	Skewness	Shapiro-Wilk p	Floor (%)	Ceiling (%)
T0	93 / 95	2 (2.11)	12.73 (2.42)	13.00 [4.00]	7–15	−0.89	< .001	0.00	35.48
T1	42 / 42	0 (0.00)	12.82 (2.34)	13.88 [3.00]	7–15	−0.87	< .001	0.00	33.33
T2	35 / 35	0 (0.00)	12.36 (2.53)	12.50 [5.00]	7–15	−0.46	.001	0.00	34.29
T3	29 / 30	1 (3.33)	13.24 (1.99)	14.00 [3.00]	8–15	−0.84	< .001	0.00	41.38
Panel B. PPBS item scores									
Time point	Item	Valid n / N	Missing n (%)	Median [IQR]	Range	Floor (%)	Ceiling (%)		
T0	PPBS1	93 / 95	2 (2.11)	3.00 [0.00]	1–3	0.00	84.95		
T0	PPBS2	93 / 95	2 (2.11)	2.00 [1.00]	1–3	0.00	47.31		
T0	PPBS3	93 / 95	2 (2.11)	3.00 [1.00]	0–3	1.08	56.99		
T0	PPBS4	93 / 95	2 (2.11)	3.00 [1.00]	0–3	1.08	67.74		
T0	PPBS5	93 / 95	2 (2.11)	3.00 [1.00]	1–3	0.00	55.91		
T1	PPBS1	42 / 42	0 (0.00)	3.00 [0.00]	2–3	0.00	85.71		
T1	PPBS2	42 / 42	0 (0.00)	3.00 [1.00]	1–3	0.00	57.14		
T1	PPBS3	41 / 42	1 (2.38)	3.00 [1.00]	1–3	0.00	58.54		
T1	PPBS4	41 / 42	1 (2.38)	3.00 [1.00]	0–3	2.44	63.41		
T1	PPBS5	42 / 42	0 (0.00)	3.00 [1.00]	1–3	0.00	54.76		
T2	PPBS1	35 / 35	0 (0.00)	3.00 [0.50]	2–3	0.00	74.29		
T2	PPBS2	35 / 35	0 (0.00)	2.00 [1.00]	1–3	0.00	45.71		

Time point	Item	Valid n / N	Missing n (%)	Median [IQR]	Range	Floor (%)	Ceiling (%)
T2	PPBS3	33 / 35	2 (5.71)	3.00 [1.00]	1–3	0.00	54.55
T2	PPBS4	34 / 35	1 (2.86)	3.00 [1.00]	1–3	0.00	52.94
T2	PPBS5	34 / 35	1 (2.86)	3.00 [1.00]	1–3	0.00	52.94
T3	PPBS1	30 / 30	0 (0.00)	3.00 [0.00]	2–3	0.00	93.33
T3	PPBS2	30 / 30	0 (0.00)	3.00 [1.00]	2–3	0.00	63.33
T3	PPBS3	28 / 30	2 (6.67)	3.00 [1.00]	1–3	0.00	53.57
T3	PPBS4	29 / 30	1 (3.33)	3.00 [1.00]	1–3	0.00	62.07
T3	PPBS5	30 / 30	0 (0.00)	3.00 [1.00]	2–3	0.00	63.33

Note. T0 includes the full available sample; T1–T3 are restricted to the control group. Total-score descriptives are based on the prespecified REDCap scoring rule. Because PPBS item responses are ordinal, item-level means, standard deviations, skewness, and Shapiro-Wilk normality tests are not reported. Missing n (%) refers to missing total scores in Panel A and missing item responses in Panel B. Floor (%) and ceiling (%) refer to the percentage of valid observations at the lowest and highest possible score, respectively. Shapiro-Wilk p-values refer to tests of normality for PPBS total scores.



Supplementary Figure S1. Item response patterns of the Dutch and German PPBS versions