```
function DS = createTrainingDatastore(rootDataDir)
train010Path = [rootDataDir, filesep, '07-Data', filesep, '010TrainingImages'];
train025Path = [rootDataDir, filesep, '07-Data', filesep, '025TrainingImages'];
train050Path = [rootDataDir, filesep, '07-Data', filesep, '050TrainingImages'];
train100Path = [rootDataDir, filesep, '07-Data', filesep, '100TrainingImages'];
train200Path = [rootDataDir, filesep, '07-Data', filesep, '200TrainingImages'];
train400Path = [rootDataDir, filesep, '07-Data', filesep, '400TrainingImages'];
train600Path = [rootDataDir, filesep, '07-Data', filesep, '600TrainingImages'];
train800Path = [rootDataDir, filesep, '07-Data', filesep, '800TrainingImages'];
DS.train010 = imageDatastore(train010Path,...
    'IncludeSubfolders', true, ...
    'LabelSource', 'foldernames');
DS.train025 = imageDatastore(train025Path,...
    'IncludeSubfolders',true,...
    'LabelSource','foldernames');
DS.train050 = imageDatastore(train050Path,...
    'IncludeSubfolders', true, ...
    'LabelSource', 'foldernames');
DS.train100 = imageDatastore(train100Path,...
    'IncludeSubfolders', true, ...
    'LabelSource', 'foldernames');
DS.train200 = imageDatastore(train200Path,...
    'IncludeSubfolders', true, ...
    'LabelSource', 'foldernames');
DS.train400 = imageDatastore(train400Path,...
    'IncludeSubfolders', true, ...
    'LabelSource','foldernames');
DS.train600 = imageDatastore(train600Path,...
    'IncludeSubfolders', true, ...
    'LabelSource', 'foldernames');
DS.train800 = imageDatastore(train800Path,...
    'IncludeSubfolders', true, ...
    'LabelSource', 'foldernames');
end
```