

# Cucumber Report

Sep 10, 2023, 10:24:25 PM

Start : Sep 10, 10:23:24.197 PM

End : Sep 10, 10:24:22.893 PM

Duration : 58.696 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 0  
FAILED - 17  
SKIPPED - 0


PASSED - 0  
FAILED - 17  
SKIPPED - 51




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Student</u>	58.696 s	17	0	17	0	68	0	17	51

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@TestStudent1	1	0	1	0	1	0	1	0
@Student	17	0	17	0	1	0	1	0
@TestStudent2	1	0	1	0	1	0	1	0
@TestStudent3	1	0	1	0	1	0	1	0
@TestStudent4	1	0	1	0	1	0	1	0
@TestStudent5	1	0	1	0	1	0	1	0
@TestStudent6	1	0	1	0	1	0	1	0
@TestStudent7	1	0	1	0	1	0	1	0
@TestStudent8	1	0	1	0	1	0	1	0
@TestStudent9	1	0	1	0	1	0	1	0
@TestStudent10	1	0	1	0	1	0	1	0
@TestStudent11	1	0	1	0	1	0	1	0
@TestStudent12	1	0	1	0	1	0	1	0
@TestStudent13	1	0	1	0	1	0	1	0
@TestStudent14	1	0	1	0	1	0	1	0
@TestStudent15	1	0	1	0	1	0	1	0
@TestStudent16	1	0	1	0	1	0	1	0


Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@TestStudent17	1	0	1	0	1	0	1	0



#	Feature Name	T	P	F	S	Duration
1	<u>Student</u>	17	0	17	0	58.696 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Student</u>	<u>Validate the title of the page</u>	4	0	1	3	5.184 s
2	<u>Student</u>	<u>Validate response time from dashboard page to student page</u>	4	0	1	3	2.997 s
3	<u>Student</u>	<u>Validate the broken link</u>	4	0	1	3	3.094 s
4	<u>Student</u>	<u>Verify LMS title</u>	4	0	1	3	3.016 s
5	<u>Student</u>	<u>Verify the alignment of the Student detail title</u>	4	0	1	3	3.039 s
6	<u>Student</u>	<u>Validate drop down is present in the page</u>	4	0	1	3	3.440 s
7	<u>Student</u>	<u>Validate search bar in select student name drop down</u>	4	0	1	3	3.670 s
8	<u>Student</u>	<u>Validate search bar in select batch id drop down</u>	4	0	1	3	3.075 s
9	<u>Student</u>	<u>Validate text spelling student name</u>	4	0	1	3	3.045 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
10	<u>Student</u>	<u>Validate text spelling select batch id</u>	4	0	1	3	3.373 s
11	<u>Student</u>	<u>Validate only numbers inside select batch id</u>	4	0	1	3	3.105 s
12	<u>Student</u>	<u>Validate gray color in student name drop down</u>	4	0	1	3	3.196 s
13	<u>Student</u>	<u>Validate gray color in student name drop down</u>	4	0	1	3	3.254 s
14	<u>Student</u>	<u>Validate first drop down label is select student name</u>	4	0	1	3	3.619 s
15	<u>Student</u>	<u>Validate second drop down label is select batch id</u>	4	0	1	3	3.739 s
16	<u>Student</u>	<u>Validate scroll down inside student name dropdown</u>	4	0	1	3	3.211 s
17	<u>Student</u>	<u>Validate scroll down inside batch id dropdown</u>	4	0	1	3	3.542 s

## Student

FAILED	DURATION - 58.696 s	Scenarios Total - 17 Pass - 0 Fail - 17 Skip - 0		Steps Total - 68 Pass - 0 Fail - 17 Skip - 51	
/ 10:23:24.197 PM // 10:24:22.893 PM /					

## Validate the title of the page



FAILED		DURATION - 5.184 s			Steps Total - 4 Pass - 0 Fail - 1 Skip - 3	
/ 10:23:24.200 PM // 10:23:29.384 PM /						
Student						
@TestStudent1 @Student						

#	Step / Hook Details	Status	Duration
1	<p>Given Logged on the LMS portal as Admin</p> <p>io.cucumber.core.exception.CucumberException: Failed to instantiate class step_definitions.Student  at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67)  at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45)  at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)  at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)  at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)  at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)  at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)  at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85)  at io.cucumber.core.runner.TestStep.run(TestStep.java:57)  at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)  at io.cucumber.core.runner.TestCase.run(TestCase.java:84)  at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)  at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)  at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129)  at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)  at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129)</p>	FAILED	0.013 s



#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:134) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:597) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:816) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:766) at org.testng.TestRunner.run(TestRunner.java:587) at org.testng.SuiteRunner.runTest(SuiteRunner.java:384) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:378) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:337) at org.testng.SuiteRunner.run(SuiteRunner.java:286) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1187) at org.testng.TestNG.runSuitesLocally(TestNG.java:1109) at org.testng.TestNG.runSuites(TestNG.java:1039) at org.testng.TestNG.run(TestNG.java:1007) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) Caused by: java.lang.reflect.InvocationTargetException at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:77) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53) ... 43 more Caused by: java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.manage()" because "this.driver" is null at step_definitions.Student.&lt;init&gt;(Student.java:39) at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) </pre>		
2	Given Admin is on dashboard page after Login	SKIPPED	0.001 s
3	When Admin clicks Student on the navigation bar	SKIPPED	0.001 s
4	Then Admin should see the Student details Page Title	SKIPPED	0.001 s



## Validate response time from dashboard page to student page

<b>FAILED</b>	<b>DURATION - 2.997 s</b>		<b>Steps</b> Total - 4 Pass - 0 Fail - 1 Skip - 3	
/ 10:23:29.540 PM // 10:23:32.537 PM /				
<i>Student</i>				
@Student @TestStudent2				

#	Step / Hook Details	Status	Duration
1	<b>Given Logged on the LMS portal as Admin</b>  io.cucumber.core.exception.CucumberException: Failed to instantiate class step_definitions.Student at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67) at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:134) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:597) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:816) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146)	<b>FAILED</b>	0.004 s

#	Step / Hook Details	Status	Duration
	<pre> at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:766) at org.testng.TestRunner.run(TestRunner.java:587) at org.testng.SuiteRunner.runTest(SuiteRunner.java:384) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:378) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:337) at org.testng.SuiteRunner.run(SuiteRunner.java:286) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1187) at org.testng.TestNG.runSuitesLocally(TestNG.java:1109) at org.testng.TestNG.runSuites(TestNG.java:1039) at org.testng.TestNG.run(TestNG.java:1007) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre> <p>Caused by: java.lang.reflect.InvocationTargetException</p> <pre> at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:77) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53) ... 43 more Caused by: java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.manage()" because "this.driver" is null at step_definitions.Student.&lt;init&gt;(Student.java:39) at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) </pre>		
2	Given Admin is on dashboard page after Login	SKIPPED	0.001 s
3	When Admin clicks Student on the navigation bar	SKIPPED	0.002 s
4	Then Maximum navigation time in milliseconds, defaults to 30 seconds	SKIPPED	0.001 s

## Validate the broken link

<div>FAILED</div> <div>DURATION - 3.094 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 3</div>	<div></div>
<div>/ 10:23:32.583 PM // 10:23:35.677 PM /</div>				
<div>Student</div>				
<div>@Student @TestStudent3</div>				

#	Step / Hook Details	Status	Duration
1	<p>Given Logged on the LMS portal as Admin</p> <p>io.cucumber.core.exception.CucumberException: Failed to instantiate class step_definitions.Student  at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67)  at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45)  at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)  at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)  at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)  at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)  at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)  at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85)  at io.cucumber.core.runner.TestStep.run(TestStep.java:57)  at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)  at io.cucumber.core.runner.TestCase.run(TestCase.java:84)  at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)  at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)  at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129)  at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)  at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129)  at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)  at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)  at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)  at java.base/java.lang.reflect.Method.invoke(Method.java:578)  at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:134)  at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:597)  at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173)  at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46)  at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:816)  at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146)  at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146)  at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128)</p>	FAILED	0.008 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:766) at org.testng.TestRunner.run(TestRunner.java:587) at org.testng.SuiteRunner.runTest(SuiteRunner.java:384) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:378) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:337) at org.testng.SuiteRunner.run(SuiteRunner.java:286) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1187) at org.testng.TestNG.runSuitesLocally(TestNG.java:1109) at org.testng.TestNG.runSuites(TestNG.java:1039) at org.testng.TestNG.run(TestNG.java:1007) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre> <p>Caused by: java.lang.reflect.InvocationTargetException</p> <pre> at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:77) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53) ... 43 more Caused by: java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.manage()" because "this.driver" is null at step_definitions.Student.&lt;init&gt;(Student.java:39) at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) </pre>		
2	Given Admin is on dashboard page after Login	SKIPPED	0.001 s
3	When Admin clicks Student on the navigation bar	SKIPPED	0.001 s
4	Then HTTP response >= 400. Then the link is broken	SKIPPED	0.001 s

### Verify LMS title

<b>FAILED</b>	<b>DURATION - 3.016 s</b>		<b>Steps</b> Total - 4 Pass - 0 Fail - 1 Skip - 3	
/ 10:23:35.721 PM // 10:23:38.737 PM /				
Student				
@Student @TestStudent4				

#	Step / Hook Details	Status	Duration
1	<p>Given Logged on the LMS portal as Admin</p> <pre> io.cucumber.core.exception.CucumberException: Failed to instantiate class step_definitions.Student   at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67)   at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45)   at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)   at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)   at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)   at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)   at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)   at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85)   at io.cucumber.core.runner.TestStep.run(TestStep.java:57)   at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)   at io.cucumber.core.runner.TestCase.run(TestCase.java:84)   at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)   at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)   at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129)   at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)   at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129)   at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)   at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)   at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)   at java.base/java.lang.reflect.Method.invoke(Method.java:578)   at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:134)   at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:597)   at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173)   at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46)   at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:816)   at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146)   at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146)   at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128)   at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)   at org.testng.TestRunner.privateRun(TestRunner.java:766)   at org.testng.TestRunner.run(TestRunner.java:587)   at org.testng.SuiteRunner.runTest(SuiteRunner.java:384)   at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:378)   at org.testng.SuiteRunner.privateRun(SuiteRunner.java:337)   at org.testng.SuiteRunner.run(SuiteRunner.java:286)   at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53)   at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96)   at org.testng.TestNG.runSuitesSequentially(TestNG.java:1187) </pre>	FAILED	0.004 s

#	Step / Hook Details	Status	Duration
	<pre> at org.testng.TestNG.runSuitesLocally(TestNG.java:1109) at org.testng.TestNG.runSuites(TestNG.java:1039) at org.testng.TestNG.run(TestNG.java:1007) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) Caused by: java.lang.reflect.InvocationTargetException at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:77) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53) ... 43 more Caused by: java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.manage()" because "this.driver" is null at step_definitions.Student.&lt;init&gt;(Student.java:39) at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) </pre>		
2	Given Admin is on dashboard page after Login	SKIPPED	0.003 s
3	When Admin clicks Student on the navigation bar	SKIPPED	0.001 s
4	Then Admin should see LMS -Learning management system as title	SKIPPED	0.001 s

### Verify the alignment of the Student detail title

<b>FAILED</b>	<b>DURATION - 3.039 s</b>		<b>Steps</b> Total - 4 <b>Pass - 0</b> <b>Fail - 1</b> <b>Skip - 3</b>	
/ 10:23:38.829 PM // 10:23:41.868 PM /				
<i>Student</i>				
@Student @TestStudent5				

#	Step / Hook Details	Status	Duration
1	Given Logged on the LMS portal as Admin	FAILED	0.003 s
	<pre> io.cucumber.core.exception.CucumberException: Failed to instantiate class step_definitions.Student at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67) at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) </pre>		

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:134) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:597) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:816) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:766) at org.testng.TestRunner.run(TestRunner.java:587) at org.testng.SuiteRunner.runTest(SuiteRunner.java:384) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:378) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:337) at org.testng.SuiteRunner.run(SuiteRunner.java:286) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1187) at org.testng.TestNG.runSuitesLocally(TestNG.java:1109) at org.testng.TestNG.runSuites(TestNG.java:1039) at org.testng.TestNG.run(TestNG.java:1007) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) Caused by: java.lang.reflect.InvocationTargetException at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:77) </pre>		



#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53) ... 43 more Caused by: java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.manage()" because "this.driver" is null at step_definitions.Student.<init>(Student.java:39) at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)		
2	Given Admin is on dashboard page after Login	SKIPPED	0.001 s
3	When Admin clicks Student on the navigation bar	SKIPPED	0.000 s
4	Then Student Detail title should be in centre of the page	SKIPPED	0.000 s

### Validate drop down is present in the page



<b>FAILED</b> DURATION - 3.440 s / 10:23:41.934 PM // 10:23:45.374 PM / Student @Student @TestStudent6		Steps Total - 4 Pass - 0 Fail - 1 Skip - 3	
--	--	--	--

#	Step / Hook Details	Status	Duration
1	Given Logged on the LMS portal as Admin io.cucumber.core.exception.CucumberException: Failed to instantiate class step_definitions.Student at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67) at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)	FAILED	0.004 s

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:134) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:597) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:816) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:766) at org.testng.TestRunner.run(TestRunner.java:587) at org.testng.SuiteRunner.runTest(SuiteRunner.java:384) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:378) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:337) at org.testng.SuiteRunner.run(SuiteRunner.java:286) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1187) at org.testng.TestNG.runSuitesLocally(TestNG.java:1109) at org.testng.TestNG.runSuites(TestNG.java:1039) at org.testng.TestNG.run(TestNG.java:1007) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) Caused by: java.lang.reflect.InvocationTargetException at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:77) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53) ... 43 more Caused by: java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.manage()" because "this.driver" is null at step_definitions.Student.&lt;init&gt;(Student.java:39) at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) </pre>		
2	Given Admin is on dashboard page after Login	SKIPPED	0.002 s

#	Step / Hook Details	Status	Duration
3	When Admin clicks Student on the navigation bar	SKIPPED	0.001 s
4	Then 2 dropdowns should be present in the page	SKIPPED	0.001 s



### Validate search bar in select student name drop down

<div>FAILED</div> <div>DURATION - 3.670 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 3</div>	<div></div>
/ 10:23:45.424 PM // 10:23:49.094 PM /				
Student				
@Student @TestStudent7				

#	Step / Hook Details	Status	Duration
1	Given Logged on the LMS portal as Admin  io.cucumber.core.exception.CucumberException: Failed to instantiate class step_definitions.Student at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67) at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:134) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:597)	FAILED	0.002 s

#	Step / Hook Details	Status	Duration
	<pre> at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:816) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:766) at org.testng.TestRunner.run(TestRunner.java:587) at org.testng.SuiteRunner.runTest(SuiteRunner.java:384) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:378) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:337) at org.testng.SuiteRunner.run(SuiteRunner.java:286) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1187) at org.testng.TestNG.runSuitesLocally(TestNG.java:1109) at org.testng.TestNG.runSuites(TestNG.java:1039) at org.testng.TestNG.run(TestNG.java:1007) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) Caused by: java.lang.reflect.InvocationTargetException at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:77) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53) ... 43 more Caused by: java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.manage()" because "this.driver" is null at step_definitions.Student.&lt;init&gt;(Student.java:39) at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) </pre>		
2	Given Admin is on dashboard page after Login	SKIPPED	0.002 s
3	When Admin clicks Student on the navigation bar	SKIPPED	0.001 s
4	Then Admin should see search box inside the drop down	SKIPPED	0.002 s



**Validate search bar in select batch id drop down**

<div>FAILED</div> <div>DURATION - 3.075 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 3</div>	<div></div>
<div>/ 10:23:49.134 PM // 10:23:52.209 PM /</div>				
<div>Student</div>				
<div>@Student @TestStudent8</div>				

#	Step / Hook Details	Status	Duration
1	<p>Given Logged on the LMS portal as Admin</p> <p>io.cucumber.core.exception.CucumberException: Failed to instantiate class step_definitions.Student  at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67)  at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45)  at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)  at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)  at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)  at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)  at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)  at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85)  at io.cucumber.core.runner.TestStep.run(TestStep.java:57)  at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)  at io.cucumber.core.runner.TestCase.run(TestCase.java:84)  at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)  at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)  at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129)  at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)  at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129)  at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)  at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)  at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)  at java.base/java.lang.reflect.Method.invoke(Method.java:578)  at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:134)  at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:597)  at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173)  at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46)  at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:816)  at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146)  at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146)  at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128)</p>	FAILED	0.005 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:766) at org.testng.TestRunner.run(TestRunner.java:587) at org.testng.SuiteRunner.runTest(SuiteRunner.java:384) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:378) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:337) at org.testng.SuiteRunner.run(SuiteRunner.java:286) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1187) at org.testng.TestNG.runSuitesLocally(TestNG.java:1109) at org.testng.TestNG.runSuites(TestNG.java:1039) at org.testng.TestNG.run(TestNG.java:1007) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre> <p>Caused by: java.lang.reflect.InvocationTargetException</p> <pre> at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:77) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53) ... 43 more Caused by: java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.manage()" because "this.driver" is null at step_definitions.Student.&lt;init&gt;(Student.java:39) at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) </pre>		
2	Given Admin is on dashboard page after Login	SKIPPED	0.000 s
3	When Admin clicks Student on the navigation bar	SKIPPED	0.000 s
4	Then Admin should see search box inside batch id drop down	SKIPPED	0.001 s



### Validate text spelling student name

FAILED	DURATION - 3.045 s		<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 3</div>	
/ 10:23:52.284 PM // 10:23:55.329 PM /				
Student				
@Student @TestStudent9				

#	Step / Hook Details	Status	Duration
1	<p>Given Logged on the LMS portal as Admin</p> <pre> io.cucumber.core.exception.CucumberException: Failed to instantiate class step_definitions.Student   at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67)   at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45)   at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)   at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)   at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)   at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)   at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)   at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85)   at io.cucumber.core.runner.TestStep.run(TestStep.java:57)   at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)   at io.cucumber.core.runner.TestCase.run(TestCase.java:84)   at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)   at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)   at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129)   at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)   at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129)   at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)   at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)   at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)   at java.base/java.lang.reflect.Method.invoke(Method.java:578)   at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:134)   at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:597)   at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173)   at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46)   at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:816)   at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146)   at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146)   at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128)   at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)   at org.testng.TestRunner.privateRun(TestRunner.java:766)   at org.testng.TestRunner.run(TestRunner.java:587)   at org.testng.SuiteRunner.runTest(SuiteRunner.java:384)   at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:378)   at org.testng.SuiteRunner.privateRun(SuiteRunner.java:337)   at org.testng.SuiteRunner.run(SuiteRunner.java:286)   at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53)   at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96)   at org.testng.TestNG.runSuitesSequentially(TestNG.java:1187) </pre>	FAILED	0.004 s

#	Step / Hook Details	Status	Duration
	<pre> at org.testng.TestNG.runSuitesLocally(TestNG.java:1109) at org.testng.TestNG.runSuites(TestNG.java:1039) at org.testng.TestNG.run(TestNG.java:1007) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) Caused by: java.lang.reflect.InvocationTargetException at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:77) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53) ... 43 more Caused by: java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.manage()" because "this.driver" is null at step_definitions.Student.&lt;init&gt;(Student.java:39) at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) </pre>		
2	Given Admin is on dashboard page after Login	SKIPPED	0.001 s
3	When Admin clicks Student on the navigation bar	SKIPPED	0.001 s
4	Then Admin should see correct spelling select student name	SKIPPED	0.001 s

### Validate text spelling select batch id

<div>FAILED</div> <div>DURATION - 3.373 s</div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 3</div>	
/ 10:23:55.449 PM // 10:23:58.822 PM /				
Student				
@TestStudent10 @Student				

#	Step / Hook Details	Status	Duration
1	Given Logged on the LMS portal as Admin	FAILED	0.009 s
	<pre> io.cucumber.core.exception.CucumberException: Failed to instantiate class step_definitions.Student at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67) at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) </pre>		



#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:134) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:597) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:816) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:766) at org.testng.TestRunner.run(TestRunner.java:587) at org.testng.SuiteRunner.runTest(SuiteRunner.java:384) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:378) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:337) at org.testng.SuiteRunner.run(SuiteRunner.java:286) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1187) at org.testng.TestNG.runSuitesLocally(TestNG.java:1109) at org.testng.TestNG.runSuites(TestNG.java:1039) at org.testng.TestNG.run(TestNG.java:1007) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) Caused by: java.lang.reflect.InvocationTargetException at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:77) </pre>		

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53) ... 43 more Caused by: java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.manage()" because "this.driver" is null at step_definitions.Student.<init>(Student.java:39) at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)		
2	Given Admin is on dashboard page after Login	SKIPPED	0.003 s
3	When Admin clicks Student on the navigation bar	SKIPPED	0.002 s
4	Then Admin should see correct spelling select batch id text	SKIPPED	0.001 s

### Validate only numbers inside select batch id



<b>FAILED</b> DURATION - 3.105 s / 10:23:58.908 PM // 10:24:02.013 PM / Student @Student @TestStudent11		Steps Total - 4 Pass - 0 Fail - 1 Skip - 3	
---	--	--	--

#	Step / Hook Details	Status	Duration
1	Given Logged on the LMS portal as Admin io.cucumber.core.exception.CucumberException: Failed to instantiate class step_definitions.Student at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67) at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)	FAILED	0.005 s

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:134) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:597) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:816) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:766) at org.testng.TestRunner.run(TestRunner.java:587) at org.testng.SuiteRunner.runTest(SuiteRunner.java:384) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:378) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:337) at org.testng.SuiteRunner.run(SuiteRunner.java:286) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1187) at org.testng.TestNG.runSuitesLocally(TestNG.java:1109) at org.testng.TestNG.runSuites(TestNG.java:1039) at org.testng.TestNG.run(TestNG.java:1007) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) Caused by: java.lang.reflect.InvocationTargetException at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:77) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53) ... 43 more Caused by: java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.manage()" because "this.driver" is null at step_definitions.Student.&lt;init&gt;(Student.java:39) at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) </pre>		
2	Given Admin is on dashboard page after Login	SKIPPED	0.002 s

#	Step / Hook Details	Status	Duration
3	When Admin clicks Student on the navigation bar	SKIPPED	0.001 s
4	Then Admin should see only numbers inside batch id drop down	SKIPPED	0.007 s



### Validate gray color in student name drop down

<div>FAILED</div> <div>DURATION - 3.196 s</div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 3</div>	
/ 10:24:02.070 PM // 10:24:05.266 PM /				
Student				
@Student @TestStudent12				

#	Step / Hook Details	Status	Duration
1	Given Logged on the LMS portal as Admin  io.cucumber.core.exception.CucumberException: Failed to instantiate class step_definitions.Student at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67) at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:134) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:597)	FAILED	0.004 s

#	Step / Hook Details	Status	Duration
	<pre> at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:816) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:766) at org.testng.TestRunner.run(TestRunner.java:587) at org.testng.SuiteRunner.runTest(SuiteRunner.java:384) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:378) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:337) at org.testng.SuiteRunner.run(SuiteRunner.java:286) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1187) at org.testng.TestNG.runSuitesLocally(TestNG.java:1109) at org.testng.TestNG.runSuites(TestNG.java:1039) at org.testng.TestNG.run(TestNG.java:1007) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre> <p>Caused by: java.lang.reflect.InvocationTargetException</p> <pre> at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:77) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53) ... 43 more Caused by: java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.manage()" because "this.driver" is null at step_definitions.Student.&lt;init&gt;(Student.java:39) at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) </pre>		
2	Given Admin is on dashboard page after Login	SKIPPED	0.006 s
3	When Admin clicks Student on the navigation bar	SKIPPED	0.001 s
4	Then Admin should see select student name in gray color	SKIPPED	0.003 s



**Validate gray color in student name drop down**

<div>FAILED</div> <div>DURATION - 3.254 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 3</div>	<div></div>
<div>/ 10:24:05.335 PM // 10:24:08.589 PM /</div>				
<div>Student</div>				
<div>@Student @TestStudent13</div>				

#	Step / Hook Details	Status	Duration
1	<p>Given Logged on the LMS portal as Admin</p> <p>io.cucumber.core.exception.CucumberException: Failed to instantiate class step_definitions.Student  at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67)  at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45)  at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)  at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)  at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)  at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)  at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)  at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85)  at io.cucumber.core.runner.TestStep.run(TestStep.java:57)  at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)  at io.cucumber.core.runner.TestCase.run(TestCase.java:84)  at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)  at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)  at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129)  at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)  at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129)  at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)  at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)  at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)  at java.base/java.lang.reflect.Method.invoke(Method.java:578)  at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:134)  at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:597)  at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173)  at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46)  at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:816)  at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146)  at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146)  at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128)</p>	FAILED	0.013 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:766) at org.testng.TestRunner.run(TestRunner.java:587) at org.testng.SuiteRunner.runTest(SuiteRunner.java:384) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:378) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:337) at org.testng.SuiteRunner.run(SuiteRunner.java:286) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1187) at org.testng.TestNG.runSuitesLocally(TestNG.java:1109) at org.testng.TestNG.runSuites(TestNG.java:1039) at org.testng.TestNG.run(TestNG.java:1007) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre> <p>Caused by: java.lang.reflect.InvocationTargetException</p> <pre> at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:77) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53) ... 43 more Caused by: java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.manage()" because "this.driver" is null at step_definitions.Student.&lt;init&gt;(Student.java:39) at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) </pre>		
2	Given Admin is on dashboard page after Login	SKIPPED	0.001 s
3	When Admin clicks Student on the navigation bar	SKIPPED	0.001 s
4	Then Admin should see select batch ID in gray color	SKIPPED	0.000 s

### Validate first drop down label is select student name



<div>FAILED</div> <div>DURATION - 3.619 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 3</div>	<div></div>
<div>/ 10:24:08.608 PM // 10:24:12.227 PM /</div>				
<div>Student</div>				
<div>@Student @TestStudent14</div>				

#	Step / Hook Details	Status	Duration
1	<p>Given Logged on the LMS portal as Admin</p> <pre> io.cucumber.core.exception.CucumberException: Failed to instantiate class step_definitions.Student   at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67)   at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45)   at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)   at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)   at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)   at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)   at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)   at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85)   at io.cucumber.core.runner.TestStep.run(TestStep.java:57)   at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)   at io.cucumber.core.runner.TestCase.run(TestCase.java:84)   at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)   at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)   at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129)   at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)   at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129)   at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)   at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)   at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)   at java.base/java.lang.reflect.Method.invoke(Method.java:578)   at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:134)   at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:597)   at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173)   at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46)   at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:816)   at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146)   at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146)   at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128)   at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)   at org.testng.TestRunner.privateRun(TestRunner.java:766)   at org.testng.TestRunner.run(TestRunner.java:587)   at org.testng.SuiteRunner.runTest(SuiteRunner.java:384)   at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:378)   at org.testng.SuiteRunner.privateRun(SuiteRunner.java:337)   at org.testng.SuiteRunner.run(SuiteRunner.java:286)   at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53)   at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96)   at org.testng.TestNG.runSuitesSequentially(TestNG.java:1187) </pre>	FAILED	0.015 s



#	Step / Hook Details	Status	Duration
	<pre> at org.testng.TestNG.runSuitesLocally(TestNG.java:1109) at org.testng.TestNG.runSuites(TestNG.java:1039) at org.testng.TestNG.run(TestNG.java:1007) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) Caused by: java.lang.reflect.InvocationTargetException at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:77) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53) ... 43 more Caused by: java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.manage()" because "this.driver" is null at step_definitions.Student.&lt;init&gt;(Student.java:39) at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) </pre>		
2	Given Admin is on dashboard page after Login	SKIPPED	0.003 s
3	When Admin clicks Student on the navigation bar	SKIPPED	0.000 s
4	Then Admin should see select student name in first	SKIPPED	0.003 s

### Validate second drop down label is select batch id



<b>FAILED</b>	<b>DURATION - 3.739 s</b>		<b>Steps</b> Total - 4 <b>Pass - 0</b> <b>Fail - 1</b> <b>Skip - 3</b>	
/ 10:24:12.309 PM // 10:24:16.048 PM /				
<i>Student</i>				
@Student @TestStudent15				

#	Step / Hook Details	Status	Duration
1	Given Logged on the LMS portal as Admin	FAILED	0.006 s
	<pre> io.cucumber.core.exception.CucumberException: Failed to instantiate class step_definitions.Student at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67) at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) </pre>		

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:134) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:597) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:816) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:766) at org.testng.TestRunner.run(TestRunner.java:587) at org.testng.SuiteRunner.runTest(SuiteRunner.java:384) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:378) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:337) at org.testng.SuiteRunner.run(SuiteRunner.java:286) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1187) at org.testng.TestNG.runSuitesLocally(TestNG.java:1109) at org.testng.TestNG.runSuites(TestNG.java:1039) at org.testng.TestNG.run(TestNG.java:1007) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) Caused by: java.lang.reflect.InvocationTargetException at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:77) </pre>		

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53) ... 43 more Caused by: java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.manage()" because "this.driver" is null at step_definitions.Student.<init>(Student.java:39) at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)		
2	Given Admin is on dashboard page after Login	SKIPPED	0.002 s
3	When Admin clicks Student on the navigation bar	SKIPPED	0.001 s
4	Then Admin should see select batch id in second	SKIPPED	0.001 s

### Validate scroll down inside student name dropdown



<div>FAILED</div> <div>DURATION - 3.211 s</div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 3</div>	
<div>/ 10:24:16.098 PM // 10:24:19.309 PM /</div>				
<div>Student</div>				
<div>@Student @TestStudent16</div>				

#	Step / Hook Details	Status	Duration
1	Given Logged on the LMS portal as Admin	FAILED	0.004 s
	io.cucumber.core.exception.CucumberException: Failed to instantiate class step_definitions.Student at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67) at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)		

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:134) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:597) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:816) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:766) at org.testng.TestRunner.run(TestRunner.java:587) at org.testng.SuiteRunner.runTest(SuiteRunner.java:384) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:378) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:337) at org.testng.SuiteRunner.run(SuiteRunner.java:286) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1187) at org.testng.TestNG.runSuitesLocally(TestNG.java:1109) at org.testng.TestNG.runSuites(TestNG.java:1039) at org.testng.TestNG.run(TestNG.java:1007) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) Caused by: java.lang.reflect.InvocationTargetException at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:77) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53) ... 43 more Caused by: java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.manage()" because "this.driver" is null at step_definitions.Student.&lt;init&gt;(Student.java:39) at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) </pre>		
2	Given Admin is on dashboard page after Login	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
3	When Admin clicks Student on the navigation bar	SKIPPED	0.000 s
4	Then Admin should able to scroll down to select the name	SKIPPED	0.000 s

### Validate scroll down inside batch id dropdown

<div>FAILED</div> <div>DURATION - 3.542 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 3</div>	<div></div>
/ 10:24:19.351 PM // 10:24:22.893 PM /				
Student				
@Student @TestStudent17				

#	Step / Hook Details	Status	Duration
1	Given Logged on the LMS portal as Admin  io.cucumber.core.exception.CucumberException: Failed to instantiate class step_definitions.Student at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67) at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:134) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:597)	FAILED	0.020 s

#	Step / Hook Details	Status	Duration
	<pre> at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:816) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:766) at org.testng.TestRunner.run(TestRunner.java:587) at org.testng.SuiteRunner.runTest(SuiteRunner.java:384) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:378) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:337) at org.testng.SuiteRunner.run(SuiteRunner.java:286) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1187) at org.testng.TestNG.runSuitesLocally(TestNG.java:1109) at org.testng.TestNG.runSuites(TestNG.java:1039) at org.testng.TestNG.run(TestNG.java:1007) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre> <p>Caused by: java.lang.reflect.InvocationTargetException</p> <pre> at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:77) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53) ... 43 more Caused by: java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.manage()" because "this.driver" is null at step_definitions.Student.&lt;init&gt;(Student.java:39) at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) </pre>		
2	Given Admin is on dashboard page after Login	SKIPPED	0.001 s
3	When Admin clicks Student on the navigation bar	SKIPPED	0.000 s
4	Then Admin should able to scroll down to select the batch id	SKIPPED	0.004 s