```
from fastai.vision.all import *

path = untar_data(URLs.IMAGENETTE_320)

img = array(Image.open((path/'train').ls()[0].ls()[0]))

show_image(img),img.shape
```





```
\label{local_down_sized} \begin{array}{ll} \mbox{down\_sized= img[:-1:2,:-1:2]//2+img[1::2,1::2]//2} \\ \mbox{show\_image(down\_sized),down\_sized.shape} \end{array}
```

(<AxesSubplot:>, (160, 231, 3))



img.transpose(2,0,1).shape,array([1/3,1/3,1/3]).shape


((3, 320, 463), (3,))

<AxesSubplot:>




```
\verb|show_image(img[:img.shape[0]//2,:img.shape[1]//2]|)|
```

<AxesSubplot:>



 $\verb|show_image(img[img.shape[0]//4:-img.shape[0]//4,img.shape[1]//4:-img.shape[1]//4])|$

<AxesSubplot:>



```
show_image(img[:img.shape[0]//2:-1,:img.shape[1]//2])
```

<AxesSubplot:>



imagenet_stats

```
([0.485, 0.456, 0.406], [0.229, 0.224, 0.225])
```

```
norm_tfm=Normalize.from_stats(*imagenet_stats,cuda=False)
def show_norm(img): show_images((norm_tfm.decode(img).clamp(0,1)),nrows=3)

norm_img = norm_tfm(TensorImage(img.transpose(2,0,1)).float()[None]/255)

noise= torch.randn_like(norm_img)

As = torch.linspace(0,1,12)[...,None,None,None]; As.squeeze()

tensor([0.0000, 0.0909, 0.1818, 0.2727, 0.3636, 0.4545, 0.5455, 0.6364, 0.7273, 0.8182, 0.9091, 1.0000])

show_norm((As)**.5*norm_img+(1-As)**.5*noise)
```


























show_norm((As)**.5*norm_img)

























show_norm((1-As)**.5*noise)

