Visoka skola strukovnih studija za informacione i komunikacione tehnologije

Dokumentacija

- https://frosty-almeida-6f6774.netlify.app/index.html -

Predmet:Web programiranje 1 Student:Marija Vučićević 18/19 Decembar 2020

<u>Sadržaj</u>

1. Uvod	4
1.1 Korišćeni programski jezici i okruženja	4
1.2 Opis funkcionalnosti	4
1.3 Template	4
2. Organizaciona šema	5
2.1 Mapa sajta-sitemap	5
2.2 RSS	5
3. Organizacija sajta	6
3.1.1 Header index.html-a	7
3.1.2 New Arrivals index.html-a	7
3.1.3 Our Location index.html-a	7
3.1.4 About index.html-a	8
3.1.5 Contact Us index.html-a	9
3.1.6 Footer index.html-a	10
4. Kodovi	12
4.1 HTML Kodovi	12
4.1.2 gallery.html	22
4.2 CSS Kodovi	26
kraj 42 style.css	40
4.2.2 jquery.lightbox-0.5.css (css za lightbox biblioteku)	40
4.3 JS Kodovi	44
kraj 4.3.1 main.js	46
4.3.2 contact.js	48
kraj 4.3.2 contact.js	50
4.3.3 toggle.js	51
kraj 4.3.3 toggle.js	51
4.3.4 main2 is	53

1. Uvod

1.1 Korišćeni programski jezici i okruženja

- -HTML/HTML5
- CSS/CSS3
- JavaScript
- JQuery
- Visual Studio Code za kreiranje projekta-okruženje

1.2 Opis funkcionalnosti

- -Dinamičko ispisivanje li tagova u headeru i footeru obe stranice(index.html i gallery.html)
- -Dinamičko ispisivanje tri bloka ispod naslova Our Location u vise nizova
- -Klikom na p tagove ispod slika u divu sa naslovom Our Location se primenjuje jQuery metod slideToggle koji prikazuje dodatni tekst
- Prelaskom miša preko slike u About sekciji se primenjuje jQuery i metod animate gde se slici doda opacity i smanji minimalno širina zbog dodatnog efekta
- -Provera podataka u Contact Us delu uz pomoc regexa i validacije sa js-om preko buttona
- -Na drugoj stranici(gallery.html) se uz pomoć buttona pokrece funkcija koja za napisano vreme ispisuje rec po rec napisanu u p tagu
- -Na drugoj stranici(gallery.html) je korišćenja jQuery biblioteka lightbox koji na svaki klik slike prikazuje uvećan pop-up prozor te iste slike
- -Dinamičko ispisivanje tih istih slika iz više nizova

1.3 Template

Za izradu ovog sajta je korišćen gotov css template https://www.free-css.com/free-css-templates/page235/treviso uz modifikaciju koja je odgovarala mojim potrebama i potrebi teme koja je izabrana.

2. Organizaciona šema

2.1 Mapa sajta-sitemap

2.2 RSS

3. Organizacija sajta

3.1 Slike stranica i kratki opisi funkcionalnosti


index.html

FURNITURE. minimalistic

NEW ARRIVALS ABOUT LOCATIONS CONTACT DOCUMENTATION

3.1.1 Header index.html-a

-Prvi blok je blok koji sadrži logo tekstualnog tipa h1 -Drugi tip je navigacija koja sadrži linkove do ostalih delova sajta ispisani dinamički u js-u




3.1.2 New Arrivals index.html-a


-Prvi deo prikazuje h2 tag, dok je tekst iza njega običan p tag

-Skup slika posle teksta prikazuju šta se sve može naći na sajtu, pritom da svaka slika ima modal plugin koji je bio u samom template-u, koji je iz frameworka Bootstrap

- Klikom na njih izlaze modali, jedan od njih izgleda ovako:



-Klik na uokviren button vodi do nove stranice (gallery.html) u kojoj se nalazi galerija sa tim istim proizvodima



3.1.3 Our Location index.html-a

-Ovaj sadržaj je ispisan dinamički preko js-a


-U ovom delu označeni divovi predstavljaju okidač za slideToogle metod iz jQuery-ja -Klikom na njih prikazuje se dodatni sadržaj:





3.1.4 About index-html-a

Prelaskom miša preko slike u About sekciji se primenjuje jQuery metod animate gde se slici doda opacity i smanji minimalno širina zbog dodatnog efekta
 Link vodi do portfolia autora za još dodatnih informacija
 Ispod ovog sadržaja se nalazi dodatni deo ispisan dinamički u js-u sa još nekim specifikacijama koje upotpunjuju About sekciju





3.1.5 Contact Us index.html-a

-U ovom delu se nalazi Contact deo sa formom koja mora biti pravilno popunjena-validacija je izvršena preko js-a i regexa za proveru korisničkog unosa. Ukoliko provera nije u redu, u spanovima ispod input type-ova se pojavljuje tekst koji odgovara tome da li je input type prazan ili ispravno unesen.

Ukoliko se sve poklopi sa validacijom i regexom pojavljuje se tekst da je poruka uspešno poslata.



3.1.6 Footer index.html-a

-Standardni tekst autora

- -Na levoj strani se nalaze ikonice koje su dinamicki ispisane preko js-a
- -Pored ikonica se nalazi strelica koja na klik vodi na početak stranice

gallery.html


FURNITURE. minimalistic

NEW ARRIVALS ABOUT LOCATIONS CONTACT DOCUMENTATION

3.1.7 Heeder gallery.html-a


-Isti kod kao na index.html

COUCHES & STOOLS



3.1.8 Slike iz gallery.html-a

- -Prikazani artikli koji klikom otvaraju dodatni sadržaj koji je omogućila lightbox biblioteka iz Jquery-ja
 - -Klikom na dugme u sredini se uz pomoć buttona pokrece funkcija koja za napisano vreme ispisuje reč po reč napisanu u p tagu ipod samog buttona



3.1.9 Ostatak slika iz gallery.html-a

-Dinamički ispisan sadržaj kome je takođe priključena biblioteka lightbox iz jQuery-ja



3.1.2 Footer gallery.html-a

-Isti kod kao na index.html

4. Kodovi

4.1 HTML Kodovi 4.1.1 index.html <!DOCTYPE html> <html lang="en"> <head> <meta charset="utf-8"> <meta http-equiv="X-UA-Compatible" content="IE=edge"> <meta name="viewport" content="width=device-width, initial-scale=1"> <meta name="description" content="Visit our online gallery with best minimalistic fu</pre> rniture you can find while browsing-click on us and let's shop!"> <meta name="keywords" content="FURNITURE.minimalistic gallery, come and look."> <meta name="author" content="Marija Vučićević"> <link rel="icon" href="images/favicon.png"> <title>FURNITURE.minimalistic gallery</title> <link href="css/bootstrap.min.css" rel="stylesheet"> <link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/font-</pre> awesome/4.4.0/css/font-awesome.min.css"> <link href="css/style.css" rel="stylesheet" type="text/css"> <script src="https://ajax.googleapis.com/ajax/libs/jquery/3.5.1/jquery.min.js"></scr</pre> ipt> </head> <body id="page-top"> <nav class="navbar navbar-default"> <div class="container"> <div class="navbar-header page-scroll" id="pScroll"> <button type="button" class="navbar-toggle" data-toggle="collapse" data-</pre> target="#bs-example-navbar-collapse-1"> Toggle navigation </button> <h1><mark>FURNITURE.</mark>minimalistic</h1> <div class="collapse navbar-collapse" id="bs-example-navbar-collapse-1">

```
</div>
            </div>
        </nav>
<section id="portfolio">
            <div class="container">
            <div class="row">
                <div class="col-lg-12 text-center">
                    <div class="section-title">
                        <h2>-Welcome to our online gallery-</h2>
                        This is a safe place for minimalistic(and other) people to come a
nd walk around via internet through our gallery.
                             We have everything and nothing in the same time-
minimalistic right?
                    </div>
                </div>
            </div>
            <div class="row row-0-gutter" id='items'>
                <!-- start portfolio item-->
                <div class="col-md-6 col-0-gutter" >
                    <div class="ot-portfolio-item">
                        <figure class="effect-bubba">
                            <img src="images/pic1.jpg" alt="pic1" class="img-responsive" />
                            <figcaption>
                                <h2>Couches</h2>
                                Want one? Come check it now
                                <a href="#" data-toggle="modal" data-target="#Modal-</pre>
1">View more</a>
                            </figcaption>
   </figure>
                    </div>
                </div>
                <!-- end portfolio item -->
                <!-- start portfolio item -->
                <div class="col-md-6 col-0-gutter">
                    <div class="ot-portfolio-item">
                        <figure class="effect-bubba">
                            <img src="images/pic2.jpg" alt="pic2" class="img-responsive" />
                            <figcaption>
                                <h2>Stools</h2>
                                I know you need it, look now
                                <a href="#" data-toggle="modal" data-target="#Modal-</pre>
2">View more</a>
                            </figcaption>
                        </figure>
                    </div>
                </div>
                 <!-- end portfolio item -->
                </div>
```

```
<div class="row row-0-gutter">
                 <!-- start portfolio item -->
                <div class="col-md-6 col-0-gutter">
                    <div class="ot-portfolio-item">
                        <figure class="effect-bubba">
                            <img src="images/pic3.jpg" alt="pic3" class="img-responsive" />
                            <figcaption>
                                <h2>Wardrobe</h2>
Your clothes is in need for a new home? Check it now
                                <a href="#" data-toggle="modal" data-target="#Modal-</pre>
3">View more</a>
                            </figcaption>
                        </figure>
                    </div>
                </div>
                 <!-- end portfolio item -->
                <!-- start portfolio item-->
                <div class="col-md-6 col-0-gutter">
                    <div class="ot-portfolio-item">
                        <figure class="effect-bubba">
                            <img src="images/pic4.jpg" alt="pic4" class="img-responsive" />
                            <figcaption>
                                <h2>Chairs and tables</h2>
                                Check it now-we know you need this
                                <a href="#" data-toggle="modal" data-target="#Modal-</pre>
4">View more</a>
                            </figcaption>
</figure>
                    </div>
                </div>
                 <!-- end portfolio item -->
            </div>
            <div class="row row-0-gutter">
                 <!-- start portfolio item -->
                <div class="col-md-6 col-0-gutter">
                    <div class="ot-portfolio-item">
                        <figure class="effect-bubba">
                            <img src="images/pic5.jpg" alt="pic5" class="img-responsive" />
                            <figcaption>
                                <h2>Mirrors</h2>
                                Take a look at our miiror options
                                <a href="#" data-toggle="modal" data-target="#Modal-</pre>
5">View more</a>
                            </figcaption>
                        </figure>
                    </div>
                </div>
                <!-- end portfolio item _-->
```

```
<!-- start portfolio item -->
                <div class="col-md-6 col-0-gutter">
                    <div class="ot-portfolio-item">
                        <figure class="effect-bubba">
                             <img src="images/pic6.jpg" alt="pic6" class="img-responsive" />
                            <figcaption>
                                 <h2>Shelves</h2>
                                 You need a storage space? Check our new collection now
                                <a href="#" data-toggle="modal" data-target="#Modal-</pre>
6">View more</a>
                            </figcaption>
                        </figure>
                    </div>
                </div>
                <!-- end portfolio item -->
            </div>
            </div><!-- container -->
        </section>
   <section id="team">
            <div class="container">
                <div class="row">
                    <div class="col-lg-12 text-center">
                        <div class="section-title">
                            <h2>Our Locations</h2>
                        </div>
                    </div>
                </div>
                <div class="row" id="loc">
                </div>
            </div>
        </section>
        <section id="about" class="mz-module">
            <div class="container light-bg">
                <div class="row">
                    <div class="col-lg-12 text-center">
                        <div class="section-title">
                            <h2>ABOUT</h2>
                        </div>
                    </div>
                </div>
                <div class="row">
                    <div class="col-md-6 text-center">
                        <div class="mz-about-container">
                            <h3> <br> Hi, I'am Marija Vučićević, and I'm a student at ICT Co
llege, now on
                                my second year. Because of my college and where it is, I liv
e in Belgrade,
```

```
but my home town is Velika Plana. Besides my IT stuff(here's
 a <a href="https://mvportfolio.netlify.app/" target="_blank">link </a>to my portfolio), I e
njoy photography
                                and everything that comes with it. So if you see me taking p
ictures
                                 every five seconds, don't mind me...
                                So yeah, under this text you can see a couple of things I re
ally enjoy!
</h3>
                        </div>
                    </div>
                    <div class="col-md-6">
                        <!-- skill bar item -->
                        <div class="skillPic mt-5">
                            <img src="images/author.png" alt="pic1" class="img-</pre>
responsive center-block" />
                        </div>
                    </div>
                </div>
                <div class="row row-0-gutter" id="blackIcons">
            </div>
        </section>
        <section id="contact">
            <div class="container">
                <div class="row">
                    <div class="col-lg-12 text-center">
                        <div class="section-title">
                            <h2>Contact Us</h2>
                            If you have some Questions or you need Help! Please Contact U
s through your e-mail!<br>We are here to listen!
                        </div>
                    </div>
                </div>
                <div class="row">
                    <div class="col-lg-12 text-center">
                        <form>
                            <div class="row">
                                 <div class="col-md-6">
                                     <div class="form-group">
                                        <input type="text" class="form-</pre>
control" placeholder="Your Name: " id="name"/>
                                         <span class="help-block" id="errorName"></span>
                                     </div>
                                </div>
                                 <div class="col-md-6">
                                    <div class="form-group">
```

```
<input type="text" class="form-</pre>
control" placeholder="Your Lastname: " id="lastname" />
                                        <span class="help-block" id="errorLastName"></span>
                                    </div>
                                </div>
                                <div class="col-md-12">
                                    <div class="form-group">
                                        <input type="email" class="form-</pre>
control" placeholder="Your Email: " id="email"/>
                                        <span class="help-block" id="errorEmail"></span>
                                </div>
                            </div>
                            <div class="row">
                                <div class="col-md-12">
                                    <div class="form-group">
                                        <textarea class="form-
control" placeholder="Your Message: " id="message" ></textarea>
                                        <span class="help-block" id="errorMessage"></span>
                                    </div>
                                </div>
                                <div class="clearfix"></div>
                            </div>
                            <div class="row">
                                <div class="col-lg-12 text-center">
                                    <div id="success"></div>
                                    <input type="button" class="btn" id="btn" value="Send Me</pre>
ssage"/>
                                </div>
                            </div>
                        </form>
                   </div>
                </div>
            </div>
        </section>
        <a href="#top"><i class="fa fa-angle-up"></i></a>
        <footer>
            <div class="container">
                <div class="row d-flex justify-content-center">
                    <div class="col-sm-12 col-md-6 text-center">
                        Marija Vučićević 18/19 © <a href="https://www.ict.edu.rs/">V
isoka ICT Skola
                    <div class="col-sm-12 col-md-6 text-center" id="liLI2">
                   </div>
                </div>
```

```
</div>
        </footer>
        <!-- Modal for portfolio item 1 -->
        <div class="modal fade" id="Modal-1" tabindex="-1" role="dialog" aria-</pre>
labelledby="Modal-label-1">
            <div class="modal-dialog" role="document">
                <div class="modal-content">
                    <div class="modal-header">
                        <button type="button" class="close" data-dismiss="modal" aria-</pre>
label="Close"><span aria-hidden="true">&times;</span></button>
                        <h4 class="modal-title text-center" id="Modal-label-1">COUCHES</h4>
                    </div>
                    <div class="modal-body">
                        <img src="images/pic1.jpg" alt="mod1" class="img-responsive" />
                        <div class="modal-works text-</pre>
center" ><a href="gallery.html #first" target=" blank"><span>Click here if you're interested
</span></a></div>
                        center">We have a variety of different couches, click above and find the right one just for
your liking! 
                    </div>
                    <div class="modal-footer">
                        <button type="button" class="btn btn-default" data-</pre>
dismiss="modal">Close</button>
                    </div>
                </div>
            </div>
        </div>
        <!-- Modal for portfolio item 2 -->
        <div class="modal fade" id="Modal-2" tabindex="-1" role="dialog" aria-</pre>
labelledby="Modal-label-2">
            <div class="modal-dialog" role="document">
                <div class="modal-content">
                    <div class="modal-header">
                        <button type="button" class="close" data-dismiss="modal" aria-</pre>
label="Close"><span aria-hidden="true">&times;</span></button>
                        <h4 class="modal-title text text-center" id="Modal-label-
2">ST00LS</h4>
                    </div>
                    <div class="modal-body">
                        <img src="images/pic2.jpg" alt="mod2" class="img-responsive" />
                        <div class="modal-works text-</pre>
center" ><a href="gallery.html #first" target=" blank"><span>Click here if you're interested
</span></a></div>
                        center">If you're interested in seeing different stools, click above for more selection!
                    </div>
```

```
<div class="modal-footer">
                        <button type="button" class="btn btn-default" data-</pre>
dismiss="modal">Close</button>
                    </div>
                </div>
            </div>
        </div>
        <!-- Modal for portfolio item 3 -->
        <div class="modal fade" id="Modal-3" tabindex="-1" role="dialog" aria-</pre>
labelledby="Modal-label-3">
            <div class="modal-dialog" role="document">
                <div class="modal-content">
                    <div class="modal-header">
                        <button type="button" class="close" data-dismiss="modal" aria-</pre>
label="Close"><span aria-hidden="true">&times;</span></button>
                        <h4 class="modal-title text-center" id="Modal-label-3">WARDROBE</h4>
                    </div>
                    <div class="modal-body">
                        <img src="images/pic3.jpg" alt="mod3" class="img-responsive" />
                        <div class="modal-works text-</pre>
center" ><a href="gallery.html #second" target="_blank"><span>Click here if you're intereste
d</span></a></div>
                        center">Need more storage for your clothes? See the selection we have in our minimalistic li
ttle family!
                    </div>
                    <div class="modal-footer">
                        <button type="button" class="btn btn-default" data-</pre>
dismiss="modal">Close</button>
                    </div>
                </div>
            </div>
        </div>
        <!-- Modal for portfolio item 4 -->
        <div class="modal fade" id="Modal-4" tabindex="-1" role="dialog" aria-</pre>
labelledby="Modal-label-4">
            <div class="modal-dialog" role="document">
                <div class="modal-content">
                    <div class="modal-header">
                        <button type="button" class="close" data-dismiss="modal" aria-</pre>
label="Close"><span aria-hidden="true">&times;</span></button>
                        <h4 class="modal-title" id="Modal-label-4">CHAIRS AND TABLES</h4>
                    </div>
                    <div class="modal-body">
                        <img src="images/pic4.jpg" alt="mod4" class="img-responsive" />
                        <div class="modal-works text-</pre>
center" ><a href="gallery.html #second" target=" blank"><span>Click here if you're intereste
d</span></a></div>
```

```
center">Come on, click above, we know your interested...
                    </div>
                    <div class="modal-footer">
                        <button type="button" class="btn btn-default" data-</pre>
dismiss="modal">Close</button>
                    </div>
                </div>
            </div>
        </div>
        <!-- Modal for portfolio item 5 -->
        <div class="modal fade" id="Modal-5" tabindex="-1" role="dialog" aria-</pre>
labelledby="Modal-label-5">
            <div class="modal-dialog" role="document">
                <div class="modal-content">
                    <div class="modal-header">
                        <button type="button" class="close" data-dismiss="modal" aria-</pre>
label="Close"><span aria-hidden="true">&times;</span></button>
                        <h4 class="modal-title" id="Modal-label-5">MIRRORS</h4>
                    </div>
                    <div class="modal-body">
                        <img src="images/pic5.jpg" alt="mod5" class="img-responsive" />
                        <div class="modal-works text-</pre>
center" ><a href="gallery.html #third" target=" blank"><span>Click here if you're interested
</span></a></div>
                        center">See the beautiful selection of our mirrors. Now. Click above!
                    </div>
                    <div class="modal-footer">
                        <button type="button" class="btn btn-default" data-</pre>
dismiss="modal">Close</button>
                    </div>
                </div>
            </div>
        </div>
        <!-- Modal for portfolio item 6 -->
        <div class="modal fade" id="Modal-6" tabindex="-1" role="dialog" aria-</pre>
labelledby="Modal-label-6">
            <div class="modal-dialog" role="document">
                <div class="modal-content">
                    <div class="modal-header">
                        <button type="button" class="close" data-dismiss="modal" aria-</pre>
label="Close"><span aria-hidden="true">&times;</span></button>
                        <h4 class="modal-title" id="Modal-label-6">SHELVES</h4>
                    </div>
                    <div class="modal-body">
                        <img src="images/pic6.jpg" alt="mod6" class="img-responsive" />
```

```
<div class="modal-works text-</pre>
center" ><a href="gallery.html #three" target="_blank"><span>Click here if you're interested
</span></a></div>
                        Shelves-the right way to express yourself-go look now!
                    </div>
                    <div class="modal-footer">
                        <button type="button" class="btn btn-default" data-</pre>
dismiss="modal">Close</button>
                    </div>
                </div>
            </div>
        </div>
        <script src="js/main.js" type="text/javascript"></script>
        <script src="https://ajax.googleapis.com/ajax/libs/jquery/1.11.3/jquery.min.js"></sc</pre>
ript>
        <script src="js/bootstrap.min.js"></script>
        <script src="js/SmoothScroll.js"></script>
        <script src="js/theme-scripts.js"></script>
        <script src="js/contact.js" type="text/javascript"></script>
        <script src="js/toggle.js" type="text/javascript"></script>
    </body>
</html>
```

kraj 4.1.2 index.html

4.1.2 gallery.html

```
<!DOCTYPE html>
<html lang="en">
    <head>
        <meta charset="utf-8">
        <meta http-equiv="X-UA-Compatible" content="IE=edge">
        <meta name="viewport" content="width=device-width, initial-scale=1">
        <meta name="description" content="Check our onlne gallery for some fresh ideas!">
        <meta name="keywords" content="FURNITURE.minimalistic gallery, come and look.">
        <meta name="author" content="Marija Vučićević">
        <link rel="icon" href="images/favicon.png">
        <title>FURNITURE.minimalistic | Gallery </title>
        <link href="css/bootstrap.min.css" rel="stylesheet">
        <link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/font-</pre>
awesome/4.4.0/css/font-awesome.min.css">
        <link href="css/style.css" rel="stylesheet" type="text/css">
        <script src="https://ajax.googleapis.com/ajax/libs/jquery/3.5.1/jquery.min.js"></scr</pre>
ipt>
        <link rel="stylesheet" type="text/css" media="all" href="css/jquery.lightbox-</pre>
0.5.css">
        <script type="text/javascript" src="js/jquery-1.10.1.min.js"></script>
        <script type="text/javascript" src="js/jquery.lightbox-0.5.min.js"></script>
    </head>
    <body id="page-top">
        <nav class="navbar navbar-default">
            <div class="container">
                <div class="navbar-header page-scroll" id="pScroll">
                    <button type="button" class="navbar-toggle" data-toggle="collapse" data-</pre>
target="#bs-example-navbar-collapse-1">
                    <span class="sr-only">Toggle navigation</span>
                    <span class="icon-bar"></span>
                    <span class="icon-bar"></span>
                    <span class="icon-bar"></span>
                    </button>
                    <a class="navbar-brand page-
scroll" href="index.html"><h1><mark>FURNITURE.</mark>minimalistic</h1></a>
                </div>
                <div class="collapse navbar-collapse" id="bs-example-navbar-collapse-1">
                </div>
            </div>
        </nav>
        <!-- COUCHES -->
        <section id="team1">
            <div class="container">
                <div class="row">
                    <div class="col-lg-12 text-center">
```

```
<div class="section-title" id="first">
                            <h2>Couches & Stools</h2>
                        </div>
                    </div>
                </div>
                <div class="row" id=gall>
                    <div class="col-md-4" >
                        <div class="team-item">
                            <div class="team-image" id="myGallery">
                                <a href="images/gall1.jpg"><img src="images/gall1.jpg" class</pre>
="img-responsive center-block" alt="gall1"></a>
                            </div>
                            <div class="team-text">
                                <h3>White Beige Sofa</h3>
                                <div class="team-position">250 euros</div>
                                If you need something to spice up your room with a minima
listic effect-check this
                            </div>
                        </div>
                    </div>
                    <!-- end team member item -->
                    <!-- team member item -->
                    <div class="col-md-4">
                        <div class="team-item">
                            <div class="team-image" id="myGallery">
                                <a href="images/gall2.jpg"><img src="images/gall2.jpg" class</pre>
="img-responsive center-block" alt="gall2"></a>
                            </div>
                            <div class="team-text">
                                <br>
                                <button class="btn" onclick="textF()">See the name of this n
ew arrival</button>
                                </div>
                        </div>
                    </div>
                    <!-- end team member item -->
                    <!-- team member item -->
                    <div class="col-md-4">
                        <div class="team-item">
                            <div class="team-image" id="myGallery">
                                <a href="images/gall3.jpg"><img src="images/gall3.jpg" class</pre>
="img-responsive center-block" alt="gall3"></a>
                            </div>
                            <div class="team-text">
                                <h3>SOFT DREAM COUCHE</h3>
                                <div class="team-position">350 euros</div>
```

```
Come to our gallery and check our soft white couches for
perfect pricing!
                           </div>
                       </div>
                   </div>
                </div>
           </div>
           <div class="container">
                <div class="row">
                   <div class="col-lg-12 text-center">
                       <div class="section-title" id="second">
                           <h2>Wardrobe & Chairs/Tables</h2>
                       </div>
                   </div>
               </div>
                <div class="row" id="picPic">
                </div>
           </div>
            <div class="container">
                <div class="row">
                   <div class="col-lg-12 text-center">
                       <div class="section-title" id="third">
                           <h2>Mirrors & Shelves</h2>
                       </div>
                   </div>
                </div>
                <div class="row" id="picPic1">
                </div>
            </div>
       </section>
        <a href="#top"><i class="fa fa-angle-up"></i></a>
       <footer>
           <div class="container">
                <div class="row d-flex justify-content-center">
                   <div class="col-sm-12 col-md-6 text-center">
                       Marija Vučićević 18/19 © <a href="https://www.ict.edu.rs/">V
isoka ICT Skola</a>
                   </div>
                   <div class="col-sm-12 col-md-6 text-center" id="liLI2">
                   </div>
                </div>
           </div>
        </footer>
        <script src="js/main2.js" type="text/javascript"></script>
        <script src="js/effectText.js" type="text/javascript"></script>
    </body>
```

</html>

kraj 4.1.2 gallery.html

```
4.2 CSS Kodovi
4.2.1 style.css
body {
    margin: 0px;
    font-family: "Raleway", Sans-serif;
    scroll-behavior: smooth;
html, body{
    overflow-x: hidden;
h1,
h2,
h3,
h4,
h5,
h6 {
    font-weight: 200;
    letter-spacing: 0.4px;
    font-family: "Raleway", Sans-serif;
    color: #232323;
}
p {
    font-family: 'Raleway', sans-serif;
    font-size: 17px;
    font-weight: 300;
    line-height: 28px;
    letter-spacing: 0.2px;
    color: #252525;
a:hover, a:focus, a:active, a.active {
    color: #fec503;
a, a:hover, a:focus, a:active, a.active {
    outline: 0;
::selection {
    text-shadow: none;
    background: #fed136;
@media (min-width: 768px) {
    section {
```

```
padding: 150px 0;
section {
    padding: 35px 0 60px;
1.1 Reset bootstrap
.row-0-gutter {
    margin-left: -13px;
    margin-right: -13px;
.col-0-gutter {
    padding-left: 0;
    padding-right: 0;
2. Navigation
.navbar-default {
    background-color: white;
    border-color: transparent
.navbar-default .navbar-brand {
    color: #fff;
    padding: 5px;
.navbar-default .navbar-brand h1 mark {
    font-weight: bold;
    color: #2D2D2D;
    font-family: "Roboto", sans-serif;
    background-color: white;
.navbar-default .navbar-brand:hover,.navbar-default .navbar-brand:focus,.navbar-
default .navbar-brand:active,.navbar-default .navbar-brand.active {
    color: #4b4b4a
.navbar-default .navbar-collapse {
    border-color: rgba(255,255,255,.02)
```

```
.navbar-default .navbar-toggle {
    background-color: #6d6d6d;
    border-color: #6d6d6d;
.navbar-default .navbar-toggle .icon-bar {
    background-color: #fff
.navbar-default .navbar-toggle:hover,.navbar-default .navbar-toggle:focus {
    background-color: #6d6d6d;
.navbar-default .nav li a {
    font-family: "Roboto",sans-serif;
   text-transform: uppercase;
   font-size: 13px;
    font-weight: 400;
   letter-spacing: 2px;
    color: #000;
   border-bottom: 2px solid;
   border-color: rgb(20, 20, 20);
   margin: 10px 15px;
   padding: 0 0 2px 0;
.navbar-default .nav li a:hover,.navbar-default .nav li a:focus {
    border-color: #c79242;
    outline: 0
.navbar-default .navbar-nav>.active>a {
   border-radius: 0;
   color: #fff;
    background-color: #6d6d6d;
.navbar-default .navbar-nav>.active>a:hover,.navbar-default .navbar-nav>.active>a:focus {
    color: #fff;
    background-color: #6d6d6d;
@media (min-width:768px) {
    .navbar-default
        background-color: transparent;
        padding: 40px 0 0px;
        -webkit-transition:padding .3s;
        -moz-transition:padding .3s;
        transition:padding .3s;
        border:0
```

```
.navbar-default .navbar-brand {
        font-size: 2em;
        -webkit-transition:all .3s;
        -moz-transition:all .3s;
        transition:all .3s;
    .navbar-default .navbar-nav>.active>a {
        border-radius: 3px
    .navbar-default.navbar-shrink {
        background-color: #222;
        padding: 10px 0
    .navbar-nav>li>a {
        padding-top: 15px;
        padding-bottom: 4px;
4. Sections
.section-title {
    padding-bottom: 30px;
.section-title h2 {
    font-size: 45px;
    text-transform: uppercase;
.section-title p {
    font-size: 18px;
    font-weight: 300;
    line-height: 33px;
    margin: 25px 100px 30px 100px;
.mz-module .section-title {
    padding: 40px 0;
4.1. About
```

```
.mz-about-container {
    padding: 0 50px;
.mz-about-container h3 a{
    font-weight: bold;
    color: rgb(48, 46, 46);
    text-decoration: none;
.mz-about-container h3 a:hover{
    color: #FED136;
.mz-module-about {
    padding: 20px;
.mz-about-default {
    background-color: #252525;
.mz-about-dark {
    background-color: #2B2B2B;
.mz-module-about h3 {
font-weight: 700;
   font-size: 13px;
    text-transform: uppercase;
    color: #FFFFFF;
   letter-spacing: 2px;
   margin-bottom: 30px;
.mz-module-about p {
    font-size: 14px;
    font-weight: 400;
    line-height: 27px;
    color: #9C9C9C;
.mz-module-about i:hover{
    color: #eccf65;
.mz-module-about h3:hover{
```

```
color: #eccf65;
.ot-circle {
    text-align: center;
    color: #E8E8E8;
    margin: 40px 0;
    font-size: 37px;
4.2. Skills
.skills-text h2 {
    margin: 0 0 30px;
.skillPic {
    margin-bottom: 30px;
    margin-top: 20px;
.skillPic:last-child {
    margin-bottom: 60px;
.skillbar {
    position: relative;
    display: block;
    width: 100%;
figure {
    position: relative;
    overflow: hidden;
   margin: 0 1px 1px 0;
    background: #726FB9;
    text-align: center;
    cursor: pointer;
figcaption {
    position: absolute;
```

```
top: 0;
    left: 0;
    width: 100%;
    height: 100%;
.ot-portfolio-item figure figcaption > a {
    z-index: 1000;
    text-indent: 200%;
    white-space: nowrap;
    font-size: 0;
    opacity: 0;
.ot-portfolio-item figure figcaption, .ot-portfolio-item figure figcaption > a {
    position: absolute;
    top: 0;
    left: 0;
   width: 100%;
    height: 100%;
figure.effect-bubba {
    background: #000;
    margin-bottom: 1px;
figure.effect-bubba img {
    opacity: 0.8;
    -webkit-transition: opacity 0.35s;
    transition: opacity 0.35s;
}
figure.effect-bubba:hover img {
    opacity: 0.4;
figure.effect-bubba figcaption::before,
figure.effect-bubba figcaption::after {
    position: absolute;
    top: 30px;
    right: 30px;
    bottom: 30px;
    left: 30px;
    content: '';
    opacity: 0;
    -webkit-transition: opacity 0.35s, -webkit-transform 0.35s;
    transition: opacity 0.35s, transform 0.35s;
```

```
figure.effect-bubba figcaption::before {
    border-top: 1px solid #fff;
   border-bottom: 1px solid #fff;
    -webkit-transform: scale(0,1);
   transform: scale(0,1);
figure.effect-bubba figcaption::after {
    border-right: 1px solid #fff;
   border-left: 1px solid #fff;
    -webkit-transform: scale(1,0);
    transform: scale(1,0);
figure.effect-bubba h2 {
    color: #fff;
   font-size: 15px;
   font-weight: 700;
   text-transform: uppercase;
   padding-top: 30%;
    -webkit-transition: -webkit-transform 0.35s;
    transition: transform 0.35s;
    -webkit-transform: translate3d(0,-20px,0);
    transform: translate3d(0,-20px,0);
figure.effect-bubba p {
    color: #fff;
   font-size: 13px;
   font-weight: 500;
   padding: 20px 2.5em;
   opacity: 0;
    -webkit-transition: opacity 0.35s, -webkit-transform 0.35s;
   transition: opacity 0.35s, transform 0.35s;
    -webkit-transform: translate3d(0,20px,0);
   transform: translate3d(0,20px,0);
figure.effect-bubba:hover figcaption::before,
figure.effect-bubba:hover figcaption::after {
   opacity: 1;
    -webkit-transform: scale(1);
   transform: scale(1);
figure.effect-bubba:hover h2,
figure.effect-bubba:hover p {
```

```
opacity: 1;
    -webkit-transform: translate3d(0,0,0);
    transform: translate3d(0,0,0);
4.4. Dark Short section (counters, quote, etc)
.light-bg {
    background: #f1f1f1;
4.5. Intro Text
.intro-section {
    padding: 60px 0 0 0;
    margin: 0;
.intro-section .section-title {
/* padding: 0px 85px; */
    text-align: justify;
.intro-section p {
    font-size: 14px;
    color: #6B6B6B;
    font-weight: 500;
    line-height: 32px;
    padding: 47px;
    font-family: "Raleway";
    margin: 0;
    background-color: #F9F9F9;
.team-item {
    text-align: center;
    background-color: #F5F5F5;
.team-item h3 {
```

```
font-size: 25px;
    font-weight: 300;
    margin: 30px 0 20px;
    text-transform: uppercase;
}
.team-item .team-position {
color: #565656;
    font-size: 12px;
    text-transform: uppercase;
    font-weight: 500;
.team-item p {
    font-size: 13px;
    font-weight: 500;
    color: #848484;
    padding: 18px 30px 35px 30px;
    line-height: 24px;
4.7. Contacts
section#contact form {
    width: 60%;
    margin: 15px auto;
section#contact.form-group {
margin-bottom: 25px;
section#contact .form-group input, section#contact .form-group textarea {
    padding: 15px;
    border: 1px solid #3f3e3c;
    border-radius: 0;
    -webkit-box-shadow: inset 0 1px 1px rgba(0,0,0,.075);
    box-shadow: inset 0 0px 0px rgba(0,0,0,.075);
    font-size: 13px;
.contact h3 {
    margin-bottom: 30px;
.contact p {
```

```
font-size: 13px;
}
.contact .day {
    display: inline-block;
    width: 80px;
.contact i {
    margin-right: 5px;
footer {
    padding: 30px;
    background-color: #000;
footer p {
    color: #B7B7B7;
   margin: 0;
   font-size: 14px;
    text-transform: uppercase;
   font-weight: 500;
    letter-spacing: 1.6px;
footer p a {
    color: #fff;
footer p a span {
    color: #FF9F46;
   font-size: 10px;
    letter-spacing: 1px;
    font-weight: 700;
footer
```

```
.modal-content {
    border-radius: 0;
.modal-header .close {
    font-size: 30px;
.modal-title {
   text-transform: uppercase;
    font-size: 23px;
.modal-body {
    padding: 0;
.modal-body p {
   margin: 30px 20px;
    color: #2D2D2D;
.modal-body a{
    color: rgb(48, 45, 45);
.modal-works {
    font-size: 11px;
    letter-spacing: 1px;
   text-transform: uppercase;
   font-weight: 500;
    color: #fff;
    margin: 25px 20px;
.modal-works span {
    background-color: #FED136;
   margin-right: 15px;
    padding: 5px 10px;
7. Components
.btn-xl:hover, .btn-xl:focus, .btn-xl:active, .btn-xl.active, .open .dropdown-toggle.btn-
x1 {
    color: #fff;
    background-color: #fad65f;
    border-color: #fad65f;
```

```
.btn:hover, .btn:focus, .btn:active, .btn.active, .open .dropdown-toggle.btn {
   color: #fff;
   background-color: #fec503;
   border-color: #f6bf01;
.btn {
   display: inline-block;
   padding: 8px 20px;
   margin-bottom: 0;
   font-size: 14px;
   font-weight: 400;
   line-height: 1.42857143;
   text-align: center;
   white-space: nowrap;
   vertical-align: middle;
   -ms-touch-action: manipulation;
   touch-action: manipulation;
   cursor: pointer;
   -webkit-user-select: none;
   -moz-user-select: none;
   -ms-user-select: none;
   user-select: none;
   background-image: none;
   border: 1px solid transparent;
   border-radius: 4px;
.btn-xl {
   color: #fff;
    background-color: #726FB9;
   border-color: #726FB9;
   font-family: "Robot", sans-serif;
   text-transform: uppercase;
   font-weight: 700;
   border-radius: 3px;
   font-size: 18px;
   padding: 20px 40px;
```

```
#back-top {
    position: fixed;
    z-index: 1000;
    bottom: 40px;
    right: 50px;
#back-top a {
   width: 60px;
    height: 60px;
    display: block;
    text-align: center;
    font: 11px/100% Arial, Helvetica, sans-serif;
    text-transform: uppercase;
    text-decoration: none;
    color: #FFFFFF;
    background: #A9A9B1;
    /* background color transition */
    -webkit-transition: 1s;
    -moz-transition: 1s;
    transition: 1s;
#back-top a:hover {
    background: #fec503;
/* arrow icon (span tag) */
#back-top i {
    margin-top: 15px;
    font-size: 28px;
@media only screen
and (min-width : 320px)
and (max-width : 480px) {
#back-top {
    position: fixed;
    bottom: 10px;
    right: 30px;
#back-top a {
    width: 40px;
    height: 40px;
#back-top i {
    margin-top: 7px;
    font-size: 20px;
```

```
.help-block{
    color: #921c28;
    font-size: medium;
    font-family: "Raleway", Sans-serif;
.help-block:focus
.help-block:hover{
    color:#921c28;
input:focus{
    background-color: #d3d2ce;
textarea:focus{
    background-color: #d3d2ce;
#liLI li{
    display: inline;
    text-decoration: none;
    margin-right: 12px;
#liLI li a{
    color: #fff;
    font-size: large;
#liLI li a:hover{
   color:#fec503;
kraj 4..2 style.css
4.2.2 jquery.lightbox-0.5.css
(css za lightbox biblioteku)
```

```
#jquery-overlay {
    position: absolute;
    top: 0;
    left: 0;
    z-index: 90;
    width: 100%;
    height: 500px;
#jquery-lightbox {
    position: absolute;
    top: 0;
    left: 0;
    width: 100%;
    z-index: 100;
    text-align: center;
    line-height: 0;
#jquery-lightbox a img { border: none; }
#lightbox-container-image-box {
    position: relative;
    background-color: #fff;
    width: 250px;
    height: 250px;
    margin: 0 auto;
#lightbox-container-image { padding: 10px; }
#lightbox-loading {
    position: absolute;
    top: 40%;
    left: 0%;
    height: 25%;
    width: 100%;
    text-align: center;
    line-height: 0;
#lightbox-nav {
    position: absolute;
    top: 0;
    left: 0;
    height: 100%;
    width: 100%;
    z-index: 10;
#lightbox-container-image-box > #lightbox-nav { left: 0; }
#lightbox-nav a { outline: none;}
#lightbox-nav-btnPrev, #lightbox-nav-btnNext {
```

```
width: 49%;
    height: 100%;
    zoom: 1;
    display: block;
#lightbox-nav-btnPrev {
    left: 0;
    float: left;
#lightbox-nav-btnNext {
    right: 0;
    float: right;
#lightbox-container-image-data-box {
    font: 10px Verdana, Helvetica, sans-serif;
    background-color: #fff;
    margin: 0 auto;
    line-height: 1.4em;
    overflow: auto;
    width: 100%;
    padding: 0 10px 0;
#lightbox-container-image-data {
    padding: 0 10px;
    color: #666;
#lightbox-container-image-data #lightbox-image-details {
    width: 70%;
    float: left;
    text-align: left;
#lightbox-image-details-caption { font-weight: bold; }
#lightbox-image-details-currentNumber {
    display: block;
    clear: left;
    padding-bottom: 1.0em;
#lightbox-secNav-btnClose {
    width: 66px;
    float: right;
    padding-bottom: 0.7em;
kraj 4.2.2 jquery.lightbox-0.5.css
```

4.3 JS Kodovi 4.3.1 main.js

```
//DINAMICKI ISPIS UL LISTE
var liValue=["", "New arrivals", "About", "Locations", "Contact", "Documentation"];
var liHref=["", "#portfolio", "#about", "#team", "#contact", "documentation.pdf.docx"];
var ulList=document.getElementById("bs-example-navbar-collapse-1");
var tagUl=document.createElement("ul");
tagUl.classList.add("nav");
tagUl.classList.add("navbar-nav");
tagUl.classList.add("navbar-right");
for(var i=0; i<liValue.length; i++){</pre>
    var tagLi=document.createElement("li");
    var tagA=document.createElement("a");
    if(i==0){
        tagLi.classList.add("hidden");
        tagA.classList.add("#page-top");
    else{
        tagA.classList.add("page-scroll");
        tagA.setAttribute("href", liHref[i]);
        var textTagA=document.createTextNode(liValue[i]);
         tagA.appendChild(textTagA);
         tagLi.appendChild(tagA);
         tagUl.appendChild(tagLi);
ulList.appendChild(tagUl);
//LOCATIONS
var arrayLocImg=["images/city1.jpg", "images/city2.png", "images/city3.png"];
var arrayLocAlt=["loc1", "loc2", "loc3"];
var arrayH3=["BELGARDE", "MADRID", "PARIS"];
var arrayId=["buttonFade", "buttonFade1", "buttonFade2"];
var arrayDivT=["-Interested in address? Click and see-", "-Click here-","-
Interested in address? Click to view-"]
var arrayP=["textFade", "textFade1", "textFade2"];
var arrayPt=["Bulevar Vojvode Mišića (street in Belgrade) - Savski venac", "Gran Vía bouleva
rd - street perfect just for shopping", "Rue Vieille Du Temple - store located in the famous
shopping street"];
```

```
var locID=document.getElementById("loc");
for(k=0; k<arrayLocImg.length; k++){</pre>
var locDivD=document.createElement("div");
locDivD.classList.add("col-md-4");
var locDivD1=document.createElement("div");
locDivD1.classList.add("team-item");
var locDivD2=document.createElement("div");
locDivD2.classList.add("team-image");
var locDivImg=document.createElement("img");
locDivImg.setAttribute("src", arrayLocImg[k]);
locDivImg.classList.add("img-responsive");
locDivImg.classList.add("center-block");
locDivImg.setAttribute("alt", arrayLocAlt[k]);
var locDivD3=document.createElement("div");
locDivD3.classList.add("team-text");
var locH3=document.createElement("h3");
var loch3P=document.createTextNode(arrayH3[k]);
locH3.appendChild(loch3P);
var locDivD4=document.createElement("div");
locDivD4.classList.add("team-position");
locDivD4.setAttribute("id", arrayId[k])
var locDivText=document.createTextNode(arrayDivT[k]);
locDivD4.appendChild(locDivText);
var locDivP=document.createElement("p");
locDivP.setAttribute("id", arrayP[k]);
var locPText=document.createTextNode(arrayPt[k]);
locDivP.appendChild(locPText);
locDivD2.appendChild(locDivImg);
locDivD1.appendChild(locDivD2);
locDivD3.appendChild(locH3);
locDivD3.appendChild(locDivD4);
locDivD3.appendChild(locDivP);
locDivD1.appendChild(locDivD3);
locDivD.appendChild(locDivD1);
locID.appendChild(locDivD);
//PORTFOLIO
var arrayPh3=["Web Development", "Visualisation", "Photography", "UI/UX Design"];
var arrayFaFa=["fa-briefcase", "fa-photo", "fa-camera-retro", "fa-cube"];
var iconsID=document.getElementById("blackIcons");
     for(var p=0; p<arrayPh3.length; p++){</pre>
var iconsDiv1=document.createElement("div");
```

```
iconsDiv1.classList.add("col-md-3");
iconsDiv1.classList.add("col-0-gutter");
iconsDiv1.classList.add("mz-about-default");
iconsDiv1.classList.add("text-center");
iconsID.appendChild(iconsDiv1);
var iconsDiv2=document.createElement("div");
iconsDiv2.classList.add("mz-module-about");
iconsDiv1.appendChild(iconsDiv2);
var iconsI=document.createElement("i");
iconsI.classList.add("fa");
iconsI.classList.add(arrayFaFa[p]);
iconsI.classList.add("ot-circle");
iconsDiv2.appendChild(iconsI);
var iconsH3=document.createElement("h3");
var iconsText=document.createTextNode(arrayPh3[p]);
iconsH3.appendChild(iconsText);
iconsDiv2.appendChild(iconsH3);
//FOOTER-LI
var arrayFHref=["https://www.facebook.com/FurnitureGallery.gr","https://www.instagram.com/fu
rnituregallery59/", "https://www.linkedin.com/in/marija-vucicevic-
6692671b2/", "sitemap.xml", "rss.xml"];
var arrayClass=["fa-facebook", "fa-instagram", "fa-linkedin", "fa-sitemap", "fa-rss"];
var footerID=document.getElementById("liLI2");
var footerUl=document.createElement("ul");
footerUl.setAttribute("id", "liLI");
footerID.appendChild(footerUl);
      for(var a=0; a<arrayFHref.length; a++){</pre>
var footerLi=document.createElement("li");
footerUl.appendChild(footerLi);
var footerA=document.createElement("a");
footerA.setAttribute("href", arrayFHref[a]);
footerA.setAttribute("target", "_blank");
footerLi.appendChild(footerA);
var footerI=document.createElement("i");
footerI.classList.add("fa");
footerI.classList.add(arrayClass[a]);
footerA.appendChild(footerI);
```

kraj 4.3.1 main.js

4.3.2 contact.js

```
window.onload = function()
    document.getElementById("btn").addEventListener("click", contact);
function contact(){
    var valid=true;
    var name;
   var lastName;
    var eMail;
    var message;
    name=document.getElementById("name").value;
    lastName=document.getElementById("lastname").value;
    eMail=document.getElementById("email").value;
    message=document.getElementById("message").value;
    var nameLastNameRegex;
    var eMailRegex;
    var messageRegex;
    nameLastNameRegex=/^[A-ZČĆŽŠĐ][A-Za-zčćžšđ\s]{3,15}$/;
    eMailRegex = /^{[a-z0-9]+(\.[a-z0-9]+)*@[a-z0-9]+(\.[a-z0-9]+)*(\.[a-z]{2,3})$/;}
    messageRegex=/^[A-ZČĆŽŠĐ][a-zčćžšđ\s\.,!?]{10,300}$/;
    var errorName;
    var errorLastName;
    var errorEmail;
    var errorMessage;
    errorName=document.getElementById("errorName");
    errorLastName=document.getElementById("errorLastName");
    errorEmail=document.getElementById("errorEmail");
    errorMessage=document.getElementById("errorMessage");
    if(name == "")
        valid= false;
        errorName.innerHTML="This field is required";
    else
        if(!nameLastNameRegex.test(name))
```

```
errorName.innerHTML="Name is not in a good format - it must have first letter upp
er and at least 3 characters";
       else{
            errorName.innerHTML="";
    //lastname
   if(lastName == "")
        vallid = false;
       errorLastName.innerHTML="This field is required";
        if(!nameLastNameRegex.test(lastName))
           errorLastName.innerHTML="Lastname is not in a good format - it must have first le
tter upper and at least 3 characters";
       else{
            errorLastName.innerHTML="";
    if(eMail == "")
        valid = false;
        errorEmail.innerHTML="This field is required";
        if(!eMailRegex.test(eMail))
          errorEmail.innerHTML="Please enter a valid email address";
       else{
            errorEmail.innerHTML="";
    if(message == "")
        valid = false;
        errorMessage.innerHTML="This field is required";
```

```
if(!messageRegex.test(message))
    {
        errorMessage.innerHTML="Message is not in a good format-
it must have at least 12 characters!";
    }
    else{
        errorMessage.innerHTML="";
    }
}

if(valid)
    {
        errorMessage.innerHTML="Your message has been sent - Thank you for your time";
    }
}
kraj 4.3.2 contact.js
```

```
4.3.3 toggle.js
$(document).ready(function(){
    $("#textFade").hide();
  $("#buttonFade").click(function(){
    $("#textFade").slideToggle("slow");
  });
});
$(document).ready(function(){
  $("#textFade1").hide();
$("#buttonFade1").click(function(){
  $("#textFade1").slideToggle("slow");
});
});
$(document).ready(function(){
  $("#textFade2").hide();
$("#buttonFade2").click(function(){
  $("#textFade2").slideToggle("slow");
});
});
$(document).hover(function(){
  $(".skillPic img").animate({
         width: '330px',
         opacity: '0.9'
  });
})
kraj 4.3.3 toggle.js
```

```
4.3.4 main2.js
//DINAMICKI ISPIS UL LISTE
var liValue=["", "New arrivals", "About", "Locations", "Contact", "Documentation"];
var liHref=["", "index.html #portfolio", "index.html #about", "index.html #team", "index.htm
1 #contact", " documentation.pdf.docx"];
var ulList=document.getElementById("bs-example-navbar-collapse-1");
var tagUl=document.createElement("ul");
tagUl.classList.add("nav");
tagUl.classList.add("navbar-nav");
tagUl.classList.add("navbar-right");
for(var i=0; i<liValue.length; i++){</pre>
    var tagLi=document.createElement("li");
    var tagA=document.createElement("a");
    if(i==0){
        tagLi.classList.add("hidden");
        tagA.classList.add("#page-top");
    else{
        tagA.classList.add("page-scroll");
        tagA.setAttribute("href", liHref[i]);
        var textTagA=document.createTextNode(liValue[i]);
         tagA.appendChild(textTagA);
         tagLi.appendChild(tagA);
         tagUl.appendChild(tagLi);
ulList.appendChild(tagUl);
//GALERIJA1
var arrayPicHref=["images/gall4.jpg", "images/gall6.jpg", "images/gall5.jpg"];
var arrayPicAlt=["gall4", "gall5", "gall6"];
var arrayPicH3=["WOODEN WARDROBE", "METALIC CHAIR&TABLE SET", "LIGHT WOODEN WARDROBE"];
var arrayDivText=["200 euros", "400 euros", "100 euros SALE"];
var arrayPtext=["Need storage? But in style? Come an check it out NOW!", "The most beautiful
way to decorate your home while in style...", "You saw it right here.SALE time, but only in
the store-come visit us."];
var picID=document.getElementById("picPic");
   for(var c=0; c<arrayPicHref.length; c++){</pre>
var picDiv=document.createElement("div");
picDiv.classList.add("col-md-4");
picID.appendChild(picDiv);
var picDiv1=document.createElement("div");
```

```
picDiv1.classList.add("team-item");
picDiv.appendChild(picDiv1);
var picDiv2=document.createElement("div");
picDiv2.classList.add("team-image");
picDiv2.setAttribute("id", "myGallery");
picDiv1.appendChild(picDiv2);
var picA=document.createElement("a");
picA.setAttribute("href",arrayPicHref[c]);
picDiv2.appendChild(picA);
var picImg=document.createElement("img");
picImg.setAttribute("src", arrayPicHref[c]);
picImg.classList.add("img-responsive");
picImg.classList.add("center-block");
picImg.setAttribute("alt", arrayPicAlt[c]);
picA.appendChild(picImg);
var picDiv3=document.createElement("div");
picDiv3.classList.add("team-text");
picDiv1.appendChild(picDiv3);
var picH3=document.createElement("h3");
var picH3Text=document.createTextNode(arrayPicH3[c]);
picH3.appendChild(picH3Text);
picDiv3.appendChild(picH3);
var picDiv4=document.createElement("div");
picDiv4.classList.add("team-position");
var picDivText=document.createTextNode(arrayDivText[c]);
picDiv4.appendChild(picDivText);
picDiv3.appendChild(picDiv4);
var picP=document.createElement("p");
var picPText=document.createTextNode(arrayPtext[c]);
picP.appendChild(picPText);
picDiv3.appendChild(picP);
//GALERIJA2
var arrayPicHref=["images/gall7.jpg", "images/gall8.jpg", "images/gall9.jpg"];
var arrayPicAlt=["gall7", "gall8", "gall9"];
var arrayPicH3=["BROWN MIRROR", "WOODEN SHELVES", "METALIC MIRROR"];
var arrayDivText=["100 euros", "190 euros", "140 euros SALE"];
var arrayPtext=["So many choices, come to our gallery for the whole selection.", "Beautiful
wood made into a storage unit.", "Round mirror - simple and neat-minimalistic"];
var picID=document.getElementById("picPic1");
   for(var c=0; c<arrayPicHref.length; c++){</pre>
var picDiv=document.createElement("div");
picDiv.classList.add("col-md-4");
picID.appendChild(picDiv);
var picDiv1=document.createElement("div");
picDiv1.classList.add("team-item");
picDiv.appendChild(picDiv1);
```

```
var picDiv2=document.createElement("div");
picDiv2.classList.add("team-image");
picDiv2.setAttribute("id", "myGallery");
picDiv1.appendChild(picDiv2);
var picA=document.createElement("a");
picA.setAttribute("href",arrayPicHref[c]);
picDiv2.appendChild(picA);
var picImg=document.createElement("img");
picImg.setAttribute("src", arrayPicHref[c]);
picImg.classList.add("img-responsive");
picImg.setAttribute("alt", arrayPicAlt[c]);
picA.appendChild(picImg);
var picDiv3=document.createElement("div");
picDiv3.classList.add("team-text");
picDiv1.appendChild(picDiv3);
var picH3=document.createElement("h3");
var picH3Text=document.createTextNode(arrayPicH3[c]);
picH3.appendChild(picH3Text);
picDiv3.appendChild(picH3);
var picDiv4=document.createElement("div");
picDiv4.classList.add("team-position");
var picDivText=document.createTextNode(arrayDivText[c]);
picDiv4.appendChild(picDivText);
picDiv3.appendChild(picDiv4);
var picP=document.createElement("p");
var picPText=document.createTextNode(arrayPtext[c]);
picP.appendChild(picPText);
picDiv3.appendChild(picP);
//FOOTER-LI
var arrayFHref=["https://www.facebook.com/FurnitureGallery.gr","https://www.instagram.com/fu
rnituregallery59/", "https://www.linkedin.com/in/marija-vucicevic-
6692671b2/", "sitemap.xml", "rss.xml"];
var arrayClass=["fa-facebook", "fa-instagram", "fa-linkedin", "fa-sitemap", "fa-rss"];
var footerID=document.getElementById("liLI2");
var footerUl=document.createElement("ul");
footerUl.setAttribute("id", "liLI");
footerID.appendChild(footerUl);
      for(var a=0; a<arrayFHref.length; a++){</pre>
var footerLi=document.createElement("li");
footerUl.appendChild(footerLi);
var footerA=document.createElement("a");
footerA.setAttribute("href", arrayFHref[a]);
footerA.setAttribute("target", " blank");
```

```
footerLi.appendChild(footerA);
var footerI=document.createElement("i");
footerI.classList.add("fa");
footerI.classList.add(arrayClass[a]);
footerA.appendChild(footerI);
}
kraj 4.3.4 main2.js
```