Visoka škola strukovnih studija za informacione i komunikacione tehnologije

Dokumentacija

https://vinylrecordsvinyl.ooowebhostapp.com/index.php?page= mainPage

> Predmet: Praktikum iz Web Programiranja PHP Student: Marija Vučićević 18/19 Jun 2021

<u>Sadržaj</u>

1. Uvod	3
1.1 Korišćeni jezici i okruženje	3
1.2 Opis funkcionalnosti	
1.3 Template	4
2. Organizaciona šema	5
2.1 Mapa sajta-sitemap	4
2.2 RSS	4
3. Struktura projekata	6
4. Sema baze	10
5. Organizacija sajta	11
5.1.1 Meni	11
5.1.2 Anketa	
5.1.3 Filtriranje, sortiranje i pretraga	12
5.1.4 Red proizvoda na shop-u	17
5.1.5 Primer izabranih proizvoda na cart-u	
5.1.6 Contact	
5.1.7 Register	
5.1.18 Login	
5.1.19 Footer 5.1.20 Admin Panel	
6. Kodovi	16
6.1 PHP Kodovi	16
6.2 JS Kodovi	

1. Uvod

1.1 Korišćeni jezici i okruženje

- -HTML/HTML5
- CSS/CSS3
- JavaScript
- jQuery
- -PHP, MySql
- -AJAX
- Visual Studio Code za kreiranje projekta-okruženje

1.2 Opis funkcionalnosti

- -U zavisnosti od parametra koji je prosledjen index.php-u, otvara se odredjena stranica(kao za glavni sajt, tako i za Admin Panel)
- -Na svakoj strani je dinamicki ispisan meni, koji u zavisnosti da li je ulogovan admin ili korisnik, prikazuje razlicite stranice i delove na sajtu(npr. anketu samo moze videti ulogovan korisnik koji moze glasati samo jednom, admin panelu samo admin..)
- -Stranici cart.php se ne moze pristupiti ako korisnik nije ulogovan(baca ga na stranicu 404 na kojoj stoje linkovi sa login.php ili pak, register.php ako korisnik nema nalog), "add to cart" dugme je disabled ako korisnik nije ulogovan, sa tacno prikazanom porukom ispod "log in for cart". Nakon logovanja pristup mu je odobren
- -Klikom na "add to cart"(svaki klik trigeruje broj proizvoda pored cart ikonice) proizvod odlazi u cart.php gde korisnik moze da brise proizvod po proizvod, sve odjednom, ili da zavrsi kupovinu gde se podaci cuvaju u bazi (da se ne bi bespotrebno opterecivala baza, kod je radjen sa Local Storageom dok ne dodje do klika na dugme "Finish" kada podaci odlaze u bazu)
- Registracija ,logovanje i kontakt(slanje poruke administratoru koji se izlistavaju u Admin panelu)-provera na serverskoj i klijentskoj strani, dodatna provera sa try i catch blokovima
- Admin panel, pored ispisa pristupa stranica(url adresa, ip adresa, datum), sadrzi statistiku pristupa stranicama iz menija u %, broj poseta stranica u protekla 24h, broj logovanih korisnika tekuceg dana, ispis poruka, glavni administratorski profil, statiskiku ankete, i skoro svaku tabelu za razne operacije(za svaku tabelu za koju je bilo potrebno postavljen je delete, update i insert). Za update i insert proizvoda je postavljen "Choose File", anketa se moze deaktivirati i aktivirati
- -Kada se izabere slika za "Choose File"(insert, update proizvoda) automatski se izabrana slika resizuje, koja se prikazuje tamo gde nije potrebno prikazati njenu originalnu velicinu(npr. u redu proizvodu u shop-u ili u korpi). Klik na bilo koji proizvod prikazuje njenu originalnu velicinu sa dodatnim opisom
- -Pristup stranicama se upisuje u log.txt, a koliko puta se neko ulogovao tekuceg dana je smesteno u logedUsers.txt nakon koga se podaci izvlace i prikazuju u Admin Panelu

- -Klikom na fa-fa ikonicu za download u footeru se podaci o autoru skidaju u vidu Word dokumenta
- -Na Admin Panelu u ArtistTable postoji link preko koga se artisti download-ju u vidu Excel formata
- -Serversko filtriranje, sortiranje i paginacija
- -Odredjenim stranicama i odredjenim korisnicima je zabranjen pristup preko url adrese. Tim pokusajem korisnik se redirektuje na stranicu 404 Page Not Found

1.3 Template

-Za izradu ovog sajta je korišćen gotov css template https://www.free-css.com/free-css-templates/page263/simple-house uz mnogo modifikacija kako bi sajt sto vise odgovarao mojim potrebama i potrebi teme koja je izabrana

- -Deo za admin panel je takodje template
- -Sajt je nadogradnja sajta iz Web Programiranja PHP-a1

2. Organizaciona šema

2.1 Mapa sajta-sitemap

```
<?xml version="1.0" encoding="UTF-8"?>
<urlset xmlns="http://www.sitemaps.org/schemas/sitemap/0.9">
   <loc>index.php?page=mainPage</loc>
   <lastmod>2021-05-15</lastmod>
    <changefreq>monthly</changefreq>
    <priority>0.8</priority>
 </url>
  <url>
   <loc>index.php?page=shop</loc>
   <lastmod>2021-06-05</lastmod>
    <changefreq>weekly</changefreq>
    <priority>0.9</priority>
 </url>
 <url>
   <loc>index.php?page=cart</loc>
   <lastmod>2020-06-04</lastmod>
    <changefreq>weekly</changefreq>
    <priority>0.8</priority>
 </url>
</urlset>
```

2.2RSS

2.3 Struktura projekata

root

Name	Date modified	Туре
assets	6/7/2021 3:07 PM	File folder
config	6/6/2021 9:07 PM	File folder
data data	6/6/2021 9:25 PM	File folder
modals	6/4/2021 1:06 AM	File folder
views	5/30/2021 10:04 PM	File folder
documentation.pdf	5/31/2021 2:42 PM	Microsoft Edge P
🐸 index.php	6/6/2021 9:03 PM	php
rss.xml	6/7/2021 3:07 PM	XML Document
isitemap.xml	6/7/2021 3:07 PM	XML Document

assets folder

Name	Date modified	Туре
css	5/28/2021 1:10 PM	File folder
demo	5/28/2021 1:10 PM	File folder
n fonts	5/28/2021 1:10 PM	File folder
img	6/3/2021 2:37 PM	File folder
📊 js	5/28/2021 1:10 PM	File folder
scss	5/28/2021 1:10 PM	File folder
webfonts	5/28/2021 1:10 PM	File folder

config folder

Name	Date modified	Туре
ienv .env	5/29/2021 2:08 PM	ENV File
🐸 config.php	6/6/2021 8:53 PM	php
🦰 connection.php	6/7/2021 12:26 AM	php

data folder

Name	Date modified	Туре
log.txt	6/8/2021 10:33 PM	Text Document
logedUsers.txt	6/8/2021 9:54 PM	Text Document

models folder

Name	Date modified	Туре
adminPanel	6/6/2021 11:13 PM	File folder
vinylSite	6/6/2021 5:12 PM	File folder
🐸 404Page.php	5/31/2021 8:56 PM	php
s functions.php	6/8/2021 9:53 PM	php

models/adminPanel

models/ admini anei		
Name	Date modified	Туре
🖴 deleteArtist.php	6/1/2021 11:20 PM	php
🐸 deleteCategory.php	6/1/2021 11:20 PM	php
🐸 deleteMenu.php	6/1/2021 11:21 PM	php
🐸 deleteMessage.php	6/1/2021 11:21 PM	php
🧠 deleteProduct.php	6/1/2021 11:21 PM	php
🐸 deleteRole.php	6/1/2021 11:21 PM	php
🐸 deleteUser.php	6/1/2021 11:21 PM	php
🐸 downloadExcel.php	6/6/2021 11:13 PM	php
🐸 getMessages.php	6/1/2021 11:21 PM	php
🐸 insertArtist.php	6/1/2021 11:21 PM	php
🐸 insertCategory.php	6/1/2021 11:21 PM	php
🐸 insertMenu.php	6/1/2021 11:21 PM	php
🐸 insertProduct.php	6/7/2021 12:07 AM	php
🐸 insertRole.php	6/1/2021 11:21 PM	php
🐸 updateAdmin.php	6/1/2021 11:21 PM	php
🧠 updateArtist.php	6/1/2021 11:21 PM	php
🐸 updateCategory.php	6/1/2021 11:21 PM	php
🥯 updateMenu.php	6/1/2021 11:21 PM	php
🗠 updatePrice.php	6/1/2021 11:21 PM	php
🗠 updateProduct.php	6/7/2021 12:09 AM	php
🕮 updateRole.php	6/1/2021 11:22 PM	php
🐸 updateRoleUser.php	6/1/2021 11:22 PM	php

models/vinylSite

Name	Date modified	Туре
🕾 activeSurvey.php	6/6/2021 11:11 PM	php
🐸 downloadWord.php	6/6/2021 3:18 PM	php
👫 filterCat.php	6/6/2021 11:11 PM	php
🐸 getActivNoActiv.php	6/6/2021 11:11 PM	php
🥯 getProducts.php	6/6/2021 11:11 PM	php
🐸 insertCart.php	6/6/2021 11:11 PM	php
🕾 loginForm.php	6/6/2021 11:10 PM	php
🐸 logOut.php	6/1/2021 10:51 PM	php
🕾 menu.php	6/6/2021 9:06 PM	php
🕾 messagesForm.php	6/6/2021 11:10 PM	php
🕾 pagination.php	6/6/2021 11:11 PM	php
🕾 registerForm.php	6/6/2021 11:10 PM	php
🛸 search.php	6/6/2021 11:11 PM	php
🕾 sortDDL.php	6/6/2021 11:11 PM	php
survey.php	6/6/2021 11:11 PM	php

Name	Date modified
i fixed	5/31/2021 8:43 PM
pages	6/1/2021 8:02 PM

views/fixed

Name	Date modified
adminPanel	5/31/2021 8:42 PM
vinylSite	5/31/2021 8:43 PM

views/fixed/adminPanel

Name	Date modified	Туре
🕾 footerAdmin.php	5/31/2021 8:42 PM	php
🚵 headAdmin.php	5/31/2021 9:00 PM	php
🍇 headerAdmin.php	6/6/2021 10:12 PM	php

views/fixed/vinylSite

Name	Date mod	dified Type
🐸 footer.php	6/3/2021	11:24 PM php
🐸 head.php	5/31/202	1 8:43 PM php
🌦 header.php	6/1/2021	11:01 PM php

views/pages

Name	Date modified	Туре
adminPanel	6/5/2021 11:57 AM	File folder
vinylSite	6/2/2021 12:33 PM	File folder


views/pages/adminPanel

Name	Date modified	Туре
🖴 adminPage.php	6/5/2021 2:53 PM	php
👫 adminPanel.php	6/7/2021 12:01 AM	php
🧠 artistTable.php	6/6/2021 11:13 PM	php
🕮 calculatePages.php	6/7/2021 3:03 PM	php
👫 category Table.php	6/5/2021 2:54 PM	php
👫 menuTable.php	6/5/2021 2:55 PM	php
🧠 messagesSurvey.php	6/5/2021 2:55 PM	php
🕮 priceTable.php	6/5/2021 2:55 PM	php
🕮 productsTable.php	6/5/2021 2:55 PM	php
🧠 rolesTable.php	6/5/2021 2:56 PM	php
👫 usersTable.php	6/5/2021 2:56 PM	php

views/pages/vinlySite

Name	Date modified	Туре
🕮 cart.php	6/1/2021 8:01 PM	php
🙈 contact.php	6/1/2021 8:02 PM	php
🕮 login.php	6/1/2021 8:02 PM	php
🐸 mainPage.php	6/1/2021 8:02 PM	php
👫 register.php	6/1/2021 8:02 PM	php
👫 shop.php	6/3/2021 5:33 PM	php
showProduct.php	6/3/2021 3:07 PM	php

4. Sema baze



5. Organizacija sajta

Slike stranica i kratki opisi funkcionalnosti

index.php?page=mainPage



5.1.1 Meni

-Meni(dinamicki ispisan iz baze), koji se razlikuje u zavisnosti da li korisnik uopste nije ulogovan(prikaz gore), nakon logovanja(admin ili obican korinsik) prikaz se menja



5.1.2 Anketa

-Ovaj div sa anketom je vidljiv samo kada je korisnik ulogovan, u suprotnom se ne pojavljuje. Korisnik moze glasati samo jednom, nakon drugog puta izlazi alert sa odgovarajucom porukom(odgovori se cuvaju u bazi)

index.php?page=shop



5.1.3 Filtrianje, sortiranje i pretraga

-Filtriranje, sortiranje i pretraga proizvoda iz baze koji se izlistavaju ispod, filtriranje je po kategoriji, sortiranje po nazivu albuma(desc i asc) i ceni(desc i asc), a pretraga po imenu albuma i artista



3.1.4 Red proizvoda na index.php?page=shop-u

-Izlistani proizvodi koji ispod imaju paginaciju u kojoj se prikazuje po cetiri proizvoda na tri strane(stanje se menja pri uploadu dodatnih proizvoda). Kada korisnik nije ulogovan prikazace mu se tekst ispod svakog "add to cart" dugmeta, koje je takodje disabled dok se neko ne uloguje(slika gore), pored toga, nema pristup cart.php-u(strana ce korisnika bacati na "404 You have to log in" sa zadatim linkovima za login i register). Nakon logovanja pristup odobren i korpa funkcionalna


index.php?page=cart



5.1.5 Primer izabranih proizvoda na index.php?page=cart

-Za svaki proizvod su izlistane date informacije -Button "Remove" uklanja samo taj proizvod u kom se redu kliknulo -Button "Back" vraca korisnika na shop.php, drugi button "Clear" uklanja sve odabrane proizvode iz korpe nakon cega se prikazuje poruka da je korpa prazna -Treci button "Finish" pri kliku prikazuje alert i cuva podatke u bazu(koji korisnik, koji prozivod..)

index.php?page=contact



5.1.16 index.php?page=contact


-Ovoj stranici moze pristupiti samo ulogovan korisinik koji kasnije moze i poslatiporuku administratoru koji se automatski upisuju i izlistavaju u Admin Panel dostupne adminu.(uradjena klijentska i serverka provera)

index.php?page=register



5.1.17 index.php?page=register -Forma za registraciju(klijentska i serverska provera)

index.php?page=login



5.1.18 Login.php


-Forma za registraciju(klijentska i serverska provera) Nakon uspesnog login-a u meniju ce se umesto register.php i login.php pojaviti logOut.php na ciji se klik sesija unistava i korisnik dobija prvobitan prikaz menija



5.1.19 footer

- U footeru se nalazi link do portfolio od admina, kao i ikonica koja pri kliku skida informacije o autoru u vidu Word dokumenta. Treca ikonica je ikonica do dokumentacije

index.php?page=adminPanel



5.1.20 index.php?page=adminPanel -Lista menija u admin panelu

*Belezenje pristupa stranicama *

-Nalazi se na pocetnoj Admin stranici

Lo	Log					
#	URL ADDRESS	IP ADDRESS	DATE&TIME			
0	/index.php?page=adminPanel	37.19.108.248	09-06-2021 14:01:30			
1	/modals/vinylSite/pagination.php	37.19.108.248	09-06-2021 14:01:30			
2	/modals/vinylSite/getActivNoActiv.php?button=true	37.19.108.248	09-06-2021 14:01:30			
3	/index.php?page=adminPanel&adminPanel=adminPage	37.19.108.248	09-06-2021 14:01:53			
4	/modals/vinylSite/getActivNoActiv.php?button=true	37.19.108.248	09-06-2021 14:01:53			
5	/modals/vinylSite/pagination.php	37.19.108.248	09-06-2021 14:01:53			
6	/index.php?page=adminPanel&adminPanel=calculatePages	37.19.108.248	09-06-2021 14:01:54			

Statiskika sajta -statistika pristupa stranicama(u %)-

Percentage by page visits						
MAINPAGE	SHOP	CONTACT	REGISTER	LOGIN	LOGOUT	ADMINPANEL
21.74%	8.7%	8.7%	0%	4.35%	4.35%	52.17%


-broj pristupa svakoj stranici u poslednjih 24h-

Number of page visits in the last 24 hours MAINPAGE SHOP CONTACT REGISTER LOGIN LOGOUT ADMINPANEL 5 2 2 0 1 1 12

-broj korisnika koji su se ulogovali tekuceg dana-



Administratorski profil



Poruke I anketa




Prikaz svih poruka koji su poslati administratoru preko contact strane(ime, prezime, email i poruka korinsika) – postavljen delete
-Ispod je prikaz statistike ankete za svako pitanje(ukupno dva)

Tabela meni




-Prikaz tabele meni-postavljen insert. update i delete

Tabela kategorije




-Prikaz tabele kategorija-postavljen insert, update i delete

Tabela artista



Prikaz tabele artista-postavljen insert, update i delete Klik na link "Download Artists in Excel format" skida sve artiste u vidu Excel dokumenta

Tabela cene




-Prikaz tabele cene(odvojen od proizvoda radi lakseg snalazenja)-postavljen update

Tabela korisnika




-Prikaz tabele korisnika-postavljen delete

Tabela uloga



- Prikaz tabele uloga-postavljen delete, update i insert

Tabela proizvoda



- Prikaz tabele proizvoda-postavljen delete, update("Choose files")
 - "Choose file" update-ju datu sliku koju takodje resizuje i prikazuje tamo gde je to potrebno. Takodje i za insert prikazan ispod



-Insert proizvoda("Choose files")

6. Kodovi

6.1 PHP kodovi 6.1.1 config/config.php

```
<?php
    define("ABSOLUTE_PATH", $_SERVER['DOCUMENT_ROOT']);
    define("ENV FILE", ABSOLUTE PATH."/config/.env");
    define("LOG_FILE", ABSOLUTE_PATH."/data/log.txt");
    define("SERVER", env("SERVER"));
    define("DATABASE", env("DATABASE"));
    define("USERNAME", env("USERNAME"));
    define("PASSWORD", env("PASSWORD"));
    function env($name){
        $open = fopen(ENV_FILE, "r");
        $array = file(ENV_FILE);
        $valueBack = "";
        foreach($array as $key=>$value){
            $config = explode("=", $value);
            if($config[0]==$name){
                $valueBack = trim($config[1]);
        return $valueBack;
kraj config/config.php
6.1.2 config/connection.php
<?php
    require_once "config.php";
    markPageVisiting();
    try {
        $conn = new PDO("mysql:host=".SERVER.";dbname=".DATABASE.";charset=utf8",
 USERNAME, PASSWORD);
        $conn->setAttribute(PDO::ATTR_DEFAULT_FETCH_MODE, PDO::FETCH_OBJ);
        $conn->setAttribute(PDO::ATTR_ERRMODE, PDO::ERRMODE_EXCEPTION);
    catch(PDOException $ex){
        echo $ex->getMessage();
    function markPageVisiting(){
        $open = fopen(LOG_FILE, "a");
        $date=date("d-m-Y H:i:s");
```

```
if($open){
            fwrite($open, "{$_SERVER['REQUEST_URI']}__{$_SERVER['REMOTE_ADDR']}
{$date}\n");
            fclose($open);
        }
kraj config/connection.php
6.1.3 modals/adminPanel/deleteArtist.php
<?php
     header('Content-Type: application/json');
     if($_SERVER['REQUEST_METHOD']=='POST'){
        include "../functions.php";
        $dataArtist=$_POST['dataArtist'];
        $msg="";
        $code=200;
        $deleteArtist=delete("artist", "id_artist", $dataArtist);
        if($deleteArtist){
           $artist=getAllFromTabel("artist");
           $msg=$artist;
           $code=200;
        else{
            $msg="Server error.";
            $code=500;
    http_response_code($code);
    echo json_encode($msg);
    else{
        header("location: ../404Page.php?notFound");
        $code=404;
        $msg="Page not found.";
    }
kraj modals/adminPanel/deleteArtist.php
6.1.3 modals/adminPanel/deleteCategory.php
<?php
     header('Content-Type: application/json');
     if($_SERVER['REQUEST_METHOD']=='POST'){
        include "../functions.php";
        $dataCat=$_POST['dataCat'];
        $msg="";
        $code=200;
```

```
$deleteCategory=delete("category", "id_cat", $dataCat);
        if($deleteCategory){
           $category=getAllFromTabel("category");
           $msg=$category;
           $code=200;
        else{
            $msg="Server error.";
            $code=500;
    http_response_code($code);
    echo json_encode($msg);
    else{
        header("location: ../404Page.php?notFound");
        $code=404;
        $msg="Page not found.";
    }
kraj modals/adminPanel/deleteArtist.php
6.1.4 modals/adminPanel/deleteMenu.php
<?php
     header('Content-Type: application/json');
     if($_SERVER['REQUEST_METHOD']=='POST'){
        include "../functions.php";
        $dataMenu=$ POST['dataMenu'];
        $msg="";
        $code=200;
        $deleteMenu=deleteMenu($dataMenu);
        if($deleteMenu){
           $menu=getAllFromTabel("menu");
           $msg=$menu;
           $code=200;
        else{
            $msg="Server error.";
            $code=500;
        }
    http_response_code($code);
    echo json_encode($msg);
    else{
        header("location: ../404Page.php?notFound");
        $code=404;
        $msg="Page not found.";
```

```
kraj modals/adminPanel/deleteMenu.php
6.1.5 modals/adminPanel/deleteMessage.php
<?php
     header('Content-Type: application/json');
     if($_SERVER['REQUEST_METHOD']=='POST'){
        include "../functions.php";
        $idMessage=$_POST['id'];
        $msg="";
        $code=200;
        $deleteMessage=deleteMessage($idMessage);
        if($deleteMessage){
           $messages=messagesReturn();
           $msg=$messages;
           $code=200;
        else{
            $msg="Server error.";
            $code=500;
    http_response_code($code);
    echo json_encode($msg);
    }
    else{
        header("location: ../404Page.php?notFound");
        $code=404;
        $msg="Page not found.";
    }
kraj modals/adminPanel/deleteMessage.php
6.1.6 modals/adminPanel/deleteProduct.php
<?php
     header('Content-Type: application/json');
     if($_SERVER['REQUEST_METHOD']=='POST'){
        include "../functions.php";
        $dataProduct=$_POST['dataProduct'];
        $msg="";
        $code=200;
        $deleteProduct=delete("products", "id_products", $dataProduct);
        if($deleteProduct){
           $products=getProducts();
           $cat=getAllFromTabel("category");
           $arrayBack=([
```

```
"products"=>$products,
                "cat"=>$cat
           ]);
           $msg=$arrayBack;
           $code=200;
        else{
            $msg="Server error.";
            $code=500;
    http_response_code($code);
    echo json_encode($msg);
    else{
        header("location: ../404Page.php?notFound");
        $code=404;
        $msg="Page not found.";
kraj modals/adminPanel/deleteProduct.php
6.1.7 modals/adminPanel/deleteRole.php
<?php
     header('Content-Type: application/json');
     if($_SERVER['REQUEST_METHOD']=='POST'){
        include "../functions.php";
        $dataRole=$_POST['dataRole'];
        $msg="";
        $code=200;
        $deleteRole=delete("roles", "id_roles", $dataRole);
        if($deleteRole){
           $roles=getAllFromTabel("roles");
           $msg=$roles;
           $code=200;
            $msg="Server error.";
            $code=500;
    http_response_code($code);
    echo json_encode($msg);
    else{
        header("location: ../404Page.php?notFound");
        $code=404;
        $msg="Page not found.";
    }
```

```
kraj modals/adminPanel/deleteRole.php
6.1.8 modals/adminPanel/deleteUser.php
<?php
    header('Content-Type: application/json');
    if($_SERVER['REQUEST_METHOD']=='POST'){
       include "../functions.php";
       $dataUser=$_POST['dataUser'];
       $msg="";
       $code=200;
       $deleteUser=delete("user", "id_user", $dataUser);
       if($deleteUser){
          $user=usersAll();
          $msg=$user;
          $code=200;
       else{
           $msg="Server error.";
           $code=500;
   http_response_code($code);
   echo json_encode($msg);
   }
   else{
       header("location: ../404Page.php?notFound");
       $code=404;
       $msg="Page not found.";
   }
kraj modals/adminPanel/deleteUser.php
6.1.9 modals/adminPanel/downloadExcel.php
<?php
   if(isset($_GET['click'])){
           require_once $_SERVER['DOCUMENT_ROOT']."/praktikumSajt/modals/functio
ns.php";
           $artist=getAllFromTabel("artist");
           $excel="";
           if(count($artist)>0){
              $excel.='
              <thead>
                Id
                  Name artist
                </thead>
              ';
```

```
foreach($artist as $a){
                       $excel.='
                          '.$a->id_artist.'
                          '.$a->name_artist.'
                       ';
             $excel.='
             ';
           header("Content-Type: application/xls");
           header("Content-Disposition: attachment; filename=artistExcel.xls");
           echo $excel;
   else{
       header("location: ../404Page.php?notFound");
       $code=404;
       $msg="Page not found.";
kraj modals/adminPanel/downloadExcel.php
6.1.10 modals/adminPanel/getMessages.php
<?php
    header('Content-Type: application/json');
    if($_SERVER['REQUEST_METHOD']=='GET'){
       include "../functions.php";
       $msg="";
       $code=200;
       $messages=messagesReturn();
       if($messages){
          $msg=$messages;
          $code=200;
       else{
           $msg="Server error.";
           $code=500;
   http response code($code);
   echo json_encode($msg);
   else{
       header("location: ../404Page.php?notFound");
       $code=404;
       $msg="Page not found.";
```

```
kraj modals/adminPanel/getMessages.php
6.1.11 modals/adminPanel/insertArtist.php
<?php
     header('Content-Type: application/json');
     if($_SERVER['REQUEST_METHOD']=='POST'){
        include "../functions.php";
        $nameArtist=$_POST['nameArtist'];
        $msg="";
        $code=200;
        $valid=true;
        if($nameArtist==""){
            $valid=false;
        if($valid){
            $insertArtist=insertArtist($nameArtist);
        if($insertArtist){
           $msg="You have successfully inserted one row in table artist!";
           $code=201;
        else{
            $msg="Server error.";
            $code=500;
    http_response_code($code);
    echo json_encode($msg);
    else{
        header("location: ../404Page.php?notFound");
        $code=404;
        $msg="Page not found.";
kraj modals/adminPanel/insertArtist.php
6.1.12 modals/adminPanel/insertCategory.php
<?php
     header('Content-Type: application/json');
     if($ SERVER['REQUEST METHOD']=='POST'){
        include "../functions.php";
        $nameCategory=$_POST['nameCategory'];
        $msg="";
        $code=200;
        $valid=true;
        if($nameCategory==""){
```

```
$valid=false:
        if($valid){
            $insertCategory=insertCategory($nameCategory);
        if($insertCategory){
           $msg="You have successfully inserted one row in table category!";
           $code=201;
        else{
            $msg="Server error.";
            $code=500;
    http_response_code($code);
    echo json_encode($msg);
    else{
        header("location: ../404Page.php?notFound");
        $code=404;
        $msg="Page not found.";
kraj modals/adminPanel/insertCategory.php
6.1.13 modals/adminPanel/insertMenu.php
<?php
     header('Content-Type: application/json');
     if($_SERVER['REQUEST_METHOD']=='POST'){
        include "../functions.php";
        $nameMenu=$ POST['nameMenu'];
        $hrefMenu=$_POST['hrefMenu'];
        $showMenu=$_POST['showMenu'];
        $priorityMenu=$_POST['priorityMenu'];
        $msg="";
        $code=200;
        $valid=true;
        if($nameMenu=="" || $hrefMenu=="" || $showMenu=="" || $priorityMenu==""){
            $valid=false;
        if($valid){
            $insertMenu=insertMenu($nameMenu, $hrefMenu, $showMenu, $priorityMenu
);
        if($insertMenu){
           $msg="You have successfully inserted one row in table menu!";
```

```
$code=201;
        else{
            $msg="Server error.";
            $code=500;
    http_response_code($code);
    echo json_encode($msg);
    else{
        header("location: ../404Page.php?notFound");
        $code=404;
        $msg="Page not found.";
    }
kraj modals/adminPanel/insertMenu.php
6.1.14 modals/adminPanel/insertProduct.php
<?php
     header('Content-Type: application/json');
     if($_SERVER['REQUEST_METHOD']=='POST'){
        include "../functions.php";
        $nameProduct=$_POST['nameProduct'];
        $priceProduct=$_POST['priceProduct'];
        $delivery=$_POST['delivery'];
        $catValue=$_POST['catValue'];
        $artistValue=$_POST['artistValue'];
        $filePicture=$ FILES['filePicture'];
        $tmpName=$filePicture['tmp_name'];
        $type=$filePicture['type'];
        $name=$filePicture['name'];
        $name=time().$name;
        $size=$filePicture['size'];
        $description=$_POST['description'];
        $src="../../assets/img/gallery/$name";
        $typeNew=explode("/", $type);
        $extension=$typeNew[1];
        $msg="";
        $code=200;
        $valid=true;
        if($extension!="png" && $extension!="jpg" && $extension!="jpeg"){
            $valid=false;
        if($nameProduct=="" || $catValue=="0" || $artistValue=="0" || $descriptio
n=="0"){
            $valid=false;
        }
```

```
if($valid && move_uploaded_file($tmpName, $src)){
            resizePicture();
            $insertProduct=insertProduct($nameProduct, $priceProduct, $delivery,
$catValue, $artistValue, $name, $description);
        if($insertProduct){
                $msg="You have successfully inserted one row in table products!";
                $code=201;
        else{
            $msg="Server error.";
            $code=500;
    http_response_code($code);
    echo json_encode($msg);
    else{
        header("location: ../404Page.php?notFound");
        $code=404;
        $msg="Page not found.";
kraj modals/adminPanel/insertProduct.php
6.1.15 modals/adminPanel/insertRole.php
<?php
     header('Content-Type: application/json');
     if($_SERVER['REQUEST_METHOD']=='POST'){
        include "../functions.php";
        $nameRole=$_POST['nameRole'];
        $msg="";
        $code=200;
        $valid=true;
        if($nameRole==""){
            $valid=false;
        if($valid){
            $insertRole=insertRole($nameRole);
        if($insertRole){
           $msg="You have successfully inserted one row in table roles!";
           $code=201;
        else{
            $msg="Server error.";
            $code=500;
```

```
http_response_code($code);
    echo json_encode($msg);
    else{
        header("location: ../404Page.php?notFound");
        $code=404;
        $msg="Page not found.";
kraj modals/adminPanel/insertRole.php
6.1.16 modals/adminPanel/updateAdmin.php
<?php
     header('Content-Type: application/json');
     if($_SERVER['REQUEST_METHOD']=='POST'){
        include "../functions.php";
        $nameAdmin=$ POST['nameAdmin'];
        $lastNameAdmin=$_POST['lastNameAdmin'];
        $emailAdmin=$_POST['emailAdmin'];
        $msg="";
        $code=200;
        $valid=true;
        if($nameAdmin=="" || $lastNameAdmin=="" || $emailAdmin==""){
            $valid=false;
        if($valid){
            $updateA=updateAdmin($nameAdmin, $lastNameAdmin, $emailAdmin);
        if($updateA){
            $msg="You have successfully updated your profile!";
            $code=200;
        else{
            $msg="Server error.";
            $code=500;
    http_response_code($code);
    echo json_encode($msg);
    else{
        header("location: ../404Page.php?notFound");
        $code=404;
        $msg="Page not found.";
```

```
kraj modals/adminPanel/updateAdmin.php
6.1.17 modals/adminPanel/updateArtist.php
<?php
     header('Content-Type: application/json');
     if($_SERVER['REQUEST_METHOD']=='POST'){
        include "../functions.php";
        $dataArtist=$_POST['dataArtist'];
        $nameArtist=$_POST['nameArtist'];
        $msg="";
        $code=200;
        $updateArtist=updateArtist($dataArtist, $nameArtist);
        if($updateArtist){
           $artist=getAllFromTabel("artist");
           $msg=$artist;
           $code=200;
        else{
            $msg="Server error.";
            $code=500;
    http_response_code($code);
    echo json_encode($msg);
    else{
        header("location: ../404Page.php?notFound");
        $code=404;
        $msg="Page not found.";
kraj modals/adminPanel/updateArtist.php
6.1.18 modals/adminPanel/updateCategory.php
<?php
     header('Content-Type: application/json');
     if($ SERVER['REQUEST METHOD']=='POST'){
        include "../functions.php";
        $dataCategory=$_POST['dataCategory'];
        $nameCategory=$_POST['nameCategory'];
        $msg="";
        $code=200;
        $updateCategory=updateCategory($dataCategory, $nameCategory);
        if($updateCategory){
           $category=getAllFromTabel("category");
           $msg=$category;
           $code=200;
```

```
else{
            $msg="Server error.";
            $code=500;
    http_response_code($code);
    echo json_encode($msg);
    else{
        header("location: ../404Page.php?notFound");
        $code=404;
        $msg="Page not found.";
    }
kraj modals/adminPanel/updateCategory.php
6.1.19 modals/adminPanel/updateMenu.php
<?php
     header('Content-Type: application/json');
     if($_SERVER['REQUEST_METHOD']=='POST'){
        include "../functions.php";
        $dataMenu=$_POST['dataMenu'];
        $nameMenu=$_POST['nameMenu'];
        $hrefMenu=$_POST['hrefMenu'];
        $showMenu=$_POST['showMenu'];
        $priorityMenu=$_POST['priorityMenu'];
        $msg="";
        $code=200;
        $updateMenu=updateMenu($dataMenu, $nameMenu, $hrefMenu, $showMenu, $prior
ityMenu);
        if($updateMenu){
           $menu=getAllFromTabel("menu");
           $msg=$menu;
           $code=200;
        else{
            $msg="Server error.";
            $code=500;
        }
    http_response_code($code);
    echo json_encode($msg);
    else{
        header("location: ../404Page.php?notFound");
        $code=404;
        $msg="Page not found.";
```

```
kraj modals/adminPanel/updateMenu.php
6.1.20 modals/adminPanel/updatePrice.php
<?php
     header('Content-Type: application/json');
     if($_SERVER['REQUEST_METHOD']=='POST'){
        include "../functions.php";
        $dataPrice=$_POST['dataPrice'];
        $priceOld=$_POST['priceOld'];
        $priceNow=$_POST['priceNow'];
        $msg="";
        $code=200;
        $updatePrice=updatePrice($dataPrice, $priceOld, $priceNow);
        if($updatePrice){
           $msg="You have successfully updated this row!";
           $code=200;
        else{
            $msg="Server error.";
            $code=500;
    http_response_code($code);
    echo json_encode($msg);
    }
    else{
        header("location: ../404Page.php?notFound");
        $code=404;
        $msg="Page not found.";
    }
kraj modals/adminPanel/updatePrice.php
6.1.21 modals/adminPanel/updateProduct.php
<?php
     header('Content-Type: application/json');
     if($_SERVER['REQUEST_METHOD']=='POST'){
        include "../functions.php";
        $dataProducts=$_POST['dataProducts'];
        $nameProducts=$ POST['nameProducts'];
        $catValue=$_POST['catValue'];
        $delivery=$_POST['delivery'];
        $description=$ POST['description'];
        $msg="";
        $code=200;
        $valid=true;
```

```
if(empty($_FILES['filePicture'])){
            $name=$_POST['filePicture'];
        }
        else{
            $filePicture=$_FILES['filePicture'];
            $tmpName=$filePicture['tmp_name'];
            $type=$filePicture['type'];
            $name=$filePicture['name'];
            $name=time().$name;
            $src="../../assets/img/gallery/$name";
            $typeNew=explode("/", $type);
            $extension=$typeNew[1];
            if($extension!="png" && $extension!="jpg" && $extension!="jpeg"){
                $valid=false;
        if($valid && move_uploaded_file($tmpName, $src)){
            resizePicture();
            $updateProduct=updateProduct($dataProducts, $nameProducts, $catValue,
 $delivery, $name, $description);
        }
        if($updateProduct){
            if(!empty($_FILES['filePicture'])){
                $result=move_uploaded_file($tmpName, $src.$name);
           $products=getProducts();
           $cat=getAllFromTabel("category");
           $arrayBack=([
                "products"=>$products,
                "cat"=>$cat,
                "msg"=>"You have you have successfully updated this row!"
           ]);
           $msg=$arrayBack;
           $code=200;
    http_response_code($code);
    echo json_encode($msg);
    else{
        header("location: ../404Page.php?notFound");
        $code=404;
        $msg="Page not found.";
kraj modals/adminPanel/updateProduct.php
6.1.22 modals/adminPanel/updateRole.php
<?php
```

```
header('Content-Type: application/json');
     if($_SERVER['REQUEST_METHOD']=='POST'){
        include "../functions.php";
        $dataUser=$_POST['dataUser'];
        $role=$_POST['role'];
        $msg="";
        $code=200;
        $updateRole=updateRole($dataUser, $role);
        if($updateRole){
           $msg="You have successfully updated this users role!";
           $code=200;
    http_response_code($code);
    echo json_encode($msg);
    else{
        header("location: ../404Page.php?notFound");
        $code=404;
        $msg="Page not found.";
kraj modals/adminPanel/updateRole.php
6.1.23 modals/adminPanel/updateRoleUser.php
<?php
     header('Content-Type: application/json');
     if($_SERVER['REQUEST_METHOD']=='POST'){
        include "../functions.php";
        $dataRole=$_POST['dataRole'];
        $nameRole=$ POST['nameRole'];
        $msg="";
        $code=200;
        $updateRoleUser=updateRoleUser($dataRole, $nameRole);
        if($updateRoleUser){
           $rolesUser=getAllFromTabel("roles");
           $msg=$rolesUser;
           $code=200;
        else{
            $msg="Server error.";
            $code=500;
    http_response_code($code);
    echo json_encode($msg);
    else{
```

```
header("location: ../404Page.php?notFound");
        $code=404;
        $msg="Page not found.";
kraj modals/adminPanel/updateRoleUser.php
6.1.24 modals/vinylSite/activeSurvey.php
<?php
     header('Content-Type: application/json');
     if($_SERVER['REQUEST_METHOD']=='POST'){
        include "../functions.php";
        $value=$ POST['value'];
        $check=$_POST['check'];
        $msg="";
        $code=200;
        $activeNoActive=activeNoActive($value, $check);
        if($activeNoActive){
           $msg=$activeNoActive;
           $code=200;
        else{
            $msg="Server error.";
            $code=500;
    http_response_code($code);
    echo json_encode($msg);
    }
    else{
        header("location: ../404Page.php?notFound");
        $code=404;
        $msg="Page not found.";
    }
kraj modals/vinylSite/activeSurvey.php
6.1.25 modals/vinylSite/downloadWord.php
<?php
    if(isset($_GET['click2'])){
        $infoName="Marija Vucicevic 18/19";
        $infoCollege="Visoka ICT Skola - IT - Web Programiranje";
        $word=new COM("word.application") or die("Connection with word failed");
        $word->Visible=true;
        $word->Documents->Add();
        $word->Selection->TypeText($infoName."\n".$infoCollege);
```

```
$file = tempnam(sys_get_temp_dir(), "word");
        $word->ActiveDocument->SaveAs($file);
        $word->Quit();
        $word = null;
        header("Content-type: application/vnd.ms-word");
        header("Content-Disposition: attachment; filename=authorInfo.doc");
        readfile($file);
        unlink($file);
    else{
        header("location: ../404Page.php?notFound");
        $code=404;
        $msg="Page not found.";
kraj modals/vinylSite/downloadWord.php
6.1.26 modals/vinylSite/filterCat.php
<?php
     header('Content-Type: application/json');
     if($_SERVER['REQUEST_METHOD']=='POST'){
        include "../functions.php";
        $id=$_POST['value'];
        $msg="";
        $code=200;
        $valueCat=filterCat($id);
        if($valueCat){
           $msg=$valueCat;
           $code=200;
        else{
            $msg="Server error.";
            $code=500;
    http_response_code($code);
    echo json_encode($msg);
    else{
        header("location: ../404Page.php?notFound");
        $code=404;
        $msg="Page not found.";
kraj modals/vinylSite/filterCat.php
```

```
6.1.27 modals/vinylSite/getActivNoActiv.php
<?php
     header('Content-Type: application/json');
     if(isset($ GET['button'])){
        include "../functions.php";
        $msg="";
        $code=200;
        $getSurvey=getAllFromTabel("survey");
        if($getSurvey){
           $msg=$getSurvey;
           $code=200;
    http response_code($code);
    echo json_encode($msg);
    else{
        header("location: ../404Page.php?notFound");
        $code=404;
        $msg="Page not found.";
kraj modals/vinylSite/getActivNoActiv.php
6.1.28 modals/vinylSite/getProducts.php
<?php
     header('Content-Type: application/json');
     if($_SERVER['REQUEST_METHOD']=='GET'){
        include "../functions.php";
        $msg="";
        $code=200;
        $products=getProducts();
        if($products){
           $msg=$products;
           $code=200;
        else{
           $msg="Server error";
           $code=500;
    http_response_code($code);
    echo json_encode($msg);
    else{
        header("location: ../404Page.php?notFound");
        $code=404;
        $msg="Page not found.";
```

```
kraj modals/vinylSite/getProducts.php
6.1.29 modals/vinylSite/insertCart.php
<?php
     header('Content-Type: application/json');
     if($_SERVER['REQUEST_METHOD']=='POST'){
        include "../functions.php";
        $idUser=$_POST['idUser'];
        $msg="";
        $code=200;
        $valid=true;
        $insertUser=insertUser($idUser);
        if($insertUser){
            for($i=0; $i<count($_POST)-1; $i++){
                $quantity=$_POST['cart'.$i]['quantity'];
                $idProducts=$_POST['cart'.$i]['id_products'];
                $insertToCart=insertToCart($insertUser, $quantity, $idProducts);
                if($insertToCart==false){
                    $code=500;
                }
                else{
                    $msg="Thank you for supporting us.";
                    $code=201;
            }
    http_response_code($code);
    echo json_encode($msg);
    else{
        header("location: ../404Page.php?notFound");
        $code=404;
        $msg="Page not found.";
kraj modals/vinylSite/insertCart.php
6.1.30 modals/vinylSite/loginForm.php
<?php
    session_start();
    header('Content-Type: application/json');
    if($_SERVER['REQUEST_METHOD']=='POST'){
        include_once "../functions.php";
        $emailL=$ POST['emailL'];
        $passsL=$_POST['passL'];
        $msg="";
        $code=200;
        $validLo=true;
```

```
//regularni
        $eMailRegexL='/^[a-z0-9]+(\.[a-z0-9]+)*@[a-z0-9]+(\.[a-z0-9]+)*(\.[a-
z]{2,3})$/';
        $passRegexL='/^.{6,30}$/';
        //funkcija za proveru
        function formCheckServerL($valueS, $regexS, $textS){
            if($valueS==""){
                $validLo=false;
                $msg="You need to fill out this field.";
            else{
                if(!preg_match($regexS, $valueS)){
                    $validLo=false;
                    $msg=$textS;
                else{
                    $msg="";
        }
        //email
        formCheckServerL($emailL, $eMailRegexL, "Please enter a valid email addre
ss.");
        formCheckServerL($passsL, $passRegexL, "Password not in a good format -
 it must have at least 6 charachters.");
        if($validLo){
            $pass=md5($passsL);
            $user=loginUser($emailL, $pass);
            if($user){
               try{
                    $date=date("d-m-Y H:i:s");
                    $file=fopen("../../data/logedUsers.txt", "a");
                    $content=$emailL."__".$date."\n";
                    if($file){
                        fwrite($file, $content);
                        fclose($file);
                    $_SESSION['user']=$user;
                    $_SESSION['idRole']=$user->id_roles;
                    $code=200;
                    $msg="Welcome - you have successfully logged in.";
                catch(PDOException $ex){
                    $code=500;
                    $msg="Server error.";
```

```
}
            else{
                $msg="Something is not correct-check your email or password.";
    http_response_code($code);
    echo json_encode($msg);
    else{
        header("location: ../404Page.php?notFound");
        $code=404;
        $msg="Page not found.";
kraj modals/vinylSite/loginForm.php
6.1.31 modals/vinylSite/logOut.php
<?php
    if(isset($_SESSION['user'])){
        unset($_SESSION['user']);
        header('Location: index.php?page=mainPage');
kraj modals/vinylSite/logOut.php
6.1.32 modals/vinylSite/menu.php
    global $conn;
    $query="SELECT * FROM menu WHERE show_menu=1";
    if(isset($_SESSION['user'])){
        $user=$_SESSION['user'];
        if($user->id_roles=="1"){
            $query.=" OR show_menu=2 OR show_menu=3";
        else{
            $query.=" OR show_menu=2";
    }
    else{
        $query.=" OR show_menu=0";
    $query.=" ORDER BY priority_menu";
    try{
        $menuResult=$conn->query($query)->fetchAll();
    catch(PDOException $e){
        $message=$e;
```

```
kraj modals/vinylSite/menu.php
6.1.33 modals/vinylSite/messagesForm.php
<?php
    header('Content-Type: application/json');
    if($_SERVER['REQUEST_METHOD']=='POST'){
        include_once "../functions.php";
        $message=$_POST['message'];
        $userId=$_POST['userId'];
        $msg="";
        $code=200;
        $valid=true;
        //regularni
        messageRegex='/^[A-ZČĆŽŠD][a-zčćžšđ\s\.,!?]{11,300}$/';
        //funkcija za proveru
        function formCheckServer($valueS, $regexS, $textS){
            if($valueS==""){
                $valid=false;
                $msg="You need to fill out this field.";
            else{
                if(!preg_match($regexS, $valueS)){
                    $valid=false;
                    $msg=$textS;
                }
                else{
                    $valid=true;
                    $msg="";
                }
            }
        //message
        formCheckServer($message, $messageRegex, "Message must have at least 12 1
etters with first letter upper case.");
        if($valid){
            $send=sendMessage($message, $userId);
            if($send){
               try{
                $code=201;
                $msg="Your message has been recieved.";
                catch(PDOException $ex){
                    $code=500;
                    $msg="Server error.";
```

```
}
            else{
                $msg="Check your fields.";
    http_response_code($code);
    echo json_encode($msg);
    else{
        header("location: ../404Page.php?notFound");
        $code=404;
        $msg="Page not found.";
kraj modals/vinylSite/messagesForm.php
6.1.34 modals/vinylSite/pagination.php
<?php
     header('Content-Type: application/json');
     if($_SERVER['REQUEST_METHOD']=='POST'){
        include "../functions.php";
        $valuePag=$_POST['valuePag'];
        $msg="";
        $code=200;
        $products=returnProductsPag($valuePag);
        $numPages=returnNumberPages();
        $arrayBack=([
            "products"=>$products,
            "numPages"=>$numPages
        ]);
        if($arrayBack){
           $msg=$arrayBack;
           $code=200;
        else{
            $msg="Server error";
            $code=500;
    http_response_code($code);
    echo json_encode($msg);
    else{
        header("location: ../404Page.php?notFound");
        $code=404;
        $msg="Page not found.";
    }
kraj modals/vinylSite/pagination.php
```

```
6.1.35 modals/vinylSite/registerForm.php
<?php
    header('Content-Type: application/json');
    if($ SERVER['REQUEST METHOD']=='POST'){
        include_once "../functions.php";
        $firstNameR=$ POST['firstNameR'];
        $lastNameR=$_POST['lastNameR'];
        $emailR=$ POST['emailR'];
        $passR=$ POST['passR'];
        $msg="";
        $code=201;
        $validR=true;
        //regularni
        $fullNameRegexR='/^[A-ZČĆŽŠĐ][A-Za-zčćžšđ\s]{2,15}$/';
        $eMailRegexR='/^[a-z0-9]+(\.[a-z0-9]+)*@[a-z0-9]+(\.[a-z0-9]+)*(\.[a-
z]{2,3})$/';
        $passRegexR='/^.{6,30}$/';
        //funkcija za proveru
        function formCheckServerR($valueS, $regexS, $textS){
            if($valueS==""){
                $validR=false;
                $msg="You need to fill out this field.";
            else{
                if(!preg_match($regexS, $valueS)){
                    $validR=false;
                    $msg=$textS;
                else{
                    $validR=true;
            }
        //first name
        formCheckServerR($firstNameR, $fullNameRegexR, "Name not in a good format
 - start with upper case leading up to at least 3 letters.");
        formCheckServerR($lastNameR, $fullNameRegexR, "Last name not in a good fo
rmat - start with upper case leading up to at least 3 letters.");
        //email
        formCheckServerR($emailR, $eMailRegexR, "Please enter a valid email addre
ss.");
        formCheckServerR($passR, $passRegexR, "Password not in a good format -
 it must have at least 6 charachters.");
```

```
if($validR){
            $input=registerUser($firstNameR, $lastNameR, $emailR, $passR);
            if($input){
               try{
                $code=201;
                $msg="You have been registered.";
                catch(PDOException $ex){
                    $code=500;
                    $msg="Server error.";
            else{
                $msg="Check your fields.";
            }
    http_response_code($code);
    echo json_encode($msg);
    else{
        header("location: ../404Page.php?notFound");
        $code=404;
        $msg="Page not found.";
kraj modals/vinylSite/registerForm.php
6.1.36 modals/vinylSite/search.php
<?php
     header('Content-Type: application/json');
     if($_SERVER['REQUEST_METHOD']=='POST'){
        include "../functions.php";
        $valueS=$_POST['valueS'];
        $msg="";
        $code=200;
        $valueSearch=search($valueS);
        if($valueSearch){
           $msg=$valueSearch;
           $code=200;
    http_response_code($code);
    echo json_encode($msg);
    else{
        header("location: ../404Page.php?notFound");
        $code=404;
        $msg="Page not found.";
    }
```

```
kraj modals/vinylSite/search.php
6.1.37 modals/vinylSite/sortDDL.php
<?php
     header('Content-Type: application/json');
     if($_SERVER['REQUEST_METHOD']=='POST'){
        include "../functions.php";
        $valueSort=$_POST['valueSort'];
        $msg="";
        $code=200;
        $asc="ASC";
        $desc="DESC";
        $tableName="name_products";
        $tablePrice="price_now";
        if($valueSort=="Album name A-Z"){
            $ascORdesc=$asc;
            $table=$tableName;
            $sortDDL=sortDDL($ascORdesc, $table);
        if($valueSort=="Album name Z-A"){
            $ascORdesc=$desc;
            $table=$tableName;
            $sortDDL=sortDDL($ascORdesc, $table);
        if($valueSort=="Low to High price"){
            $ascORdesc=$asc;
            $table=$tablePrice;
            $sortDDL=sortDDL($ascORdesc, $table);
        if($valueSort=="High to Low price"){
            $ascORdesc=$desc;
            $table=$tablePrice;
            $sortDDL=sortDDL($ascORdesc, $table);
        if($sortDDL){
           $msg=($sortDDL);
           $code=200;
    http_response_code($code);
    echo json_encode($msg);
    else{
        header("location: ../404Page.php?notFound");
        $code=404;
```

```
$msg="Page not found.";
kraj modals/vinylSite/sortDDL.php
6.1.38 modals/vinylSite/survey.php
<?php
     header('Content-Type: application/json');
     if($_SERVER['REQUEST_METHOD']=='POST'){
        include "../functions.php";
        $id=$_POST['id'];
        $value=$_POST['value'];
        $user=$_POST['user'];
        $msg="";
        $code=200;
        $answerSurvey=alreadyAnswered($id, $user);
        if(count($answerSurvey)){
            $msg="You have already answered.";
        else{
            $sendSurvey=sendSurvey($value, $user);
            if($sendSurvey){
                $msg="Thank you for your feedback.";
                $code=201;
            }
    http_response_code($code);
    echo json_encode($msg);
    }
    else{
        header("location: ../404Page.php?notFound");
        $code=404;
        $msg="Page not found.";
kraj modals/vinylSite/survey.php
6.1.39 modals/404Page.php
<!DOCTYPE html>
<html lang="en">
    <head>
        <meta charset="utf-8">
        <meta http-equiv="X-UA-Compatible" content="IE=edge">
        <meta name="viewport" content="width=device-width, initial-scale=1">
        <title>404 Page Not Found</title>
        <link rel="shortcut icon" href="../img/favIcon.png" type="image/x-icon">
```

```
<link href="https://fonts.googleapis.com/css?family=Raleway:400,700" rel=</pre>
 stylesheet">
        <link href="https://fonts.googleapis.com/css?family=Passion+One:900" rel=</pre>
 stylesheet">
        <link type="text/css" rel="stylesheet" href="../assets/css/style.css" />
    </head>
    <body>
    <div id="notfound">
        <div class="notfound">
            <div class="notfound-404">
                <h1>: '(</h1>
            </div>
    <?php
        if(isset($_GET['notLogedIn'])):
        <h2>You have to log in first.</h2>
        Sorry.
        <a href="../index.php?page=login">log in</a>
        <a href="../index.php?page=register">register</a>
    <?php
        endif;
    <?php
        if(isset($_GET['notFound'])):
        <h2>404 - Page not found</h2>
        You can't approache this page.
        <a href="../index.php?page=mainPage">go back</a>
    <?php
       endif;
    </div>
  </div>
</body>
kraj modals/404Page.php
6.1.40 modals/functions.php
<?php
    require_once(__DIR__."/../config/connection.php");
    define("OFFSET", 4);//4 proizvoda
    function sendMessage($msg, $userId){
        global $conn;
        try{
            $query="INSERT INTO msguser(id_msg, message_user, id_user) VALUES(NUL
L, :msg, $userId)";
            $send=$conn->prepare($query);
            $send->bindParam(":msg", $msg);
```

```
$result=$send->execute();
            return $result;
        catch(PDOException $e){
            $message="Server error";
    function getProducts(){
        global $conn;
        try{
            $query="SELECT * FROM products p INNER JOIN category c ON p.id_cat=c.
id_cat INNER JOIN artist a ON p.id_artist=a.id_artist INNER JOIN price r ON p.id_
products=r.id_products ORDER BY p.id_products";
            $products=$conn->query($query)->fetchAll();
            return $products;
        catch(PDOException $e){
            $message="Server error";
    function getAllFromTabel($nameTabel){
        global $conn;
        try{
            $query="SELECT * FROM $nameTabel";
            $result=$conn->query($query)->fetchAll();
            return $result;
        catch(PDOException $e){
            $message="Server error";
    function filterCat($id){
        global $conn;
        try{
            $query="SELECT * FROM products p INNER JOIN category c ON p.id_cat=c.
id_cat JOIN artist a ON p.id_artist=a.id_artist INNER JOIN price r ON p.id_produc
ts=r.id_products WHERE c.id_cat=:id";
            $send=$conn->prepare($query);
            $send->bindParam(":id", $id);
            $send->execute();
            $result=$send->fetchAll();
            return $result;
```

```
catch(PDOException $e){
            $message="Server error";
    function registerUser($firstNameR, $lastNameR, $emailR, $passR){
        global $conn;
        try{
            $pass=md5($passR);
            $query="INSERT INTO user(id_user,name_user, lastname_user, email_user
 password_user, id_roles) VALUES(NULL,:firstNameR, :lastNameR, :emailR, :pass, 2
)";
            $send=$conn->prepare($query);
            $send->bindParam(":firstNameR", $firstNameR);
            $send->bindParam(":lastNameR", $lastNameR);
            $send->bindParam(":emailR", $emailR);
            $send->bindParam(":pass", $pass);
            $result=$send->execute();
            return $result;
        catch(PDOException $e){
            $message="Server error";
    function loginUser($emailL, $pass){
        global $conn;
        try{
            $query="SELECT * FROM user u JOIN roles r ON u.id roles=r.id roles WH
ERE u.email_user=:emailL AND u.password_user=:pass";
            $send=$conn->prepare($query);
            $send->bindParam(":emailL", $emailL);
            $send->bindParam(":pass", $pass);
            $send->execute();
            $result=$send->fetch();
            return $result;
        catch(PDOException $e){
            $message="Server error";
        }
    }
    function search($valueS){
        global $conn;
       try{
```

```
$query="SELECT * FROM products p INNER JOIN category c ON p.id_cat=c.
id_cat INNER JOIN artist a ON p.id_artist=a.id_artist INNER JOIN price r ON p.id_
products=r.id_products WHERE p.name_products LIKE '%$valueS%' OR a.name_artist LI
KE '%$valueS%'";
            $result=$conn->query($query)->fetchAll();
            return $result;
        catch(PDOException $e){
            $message="Server error";
    function surveyQ(){
        global $conn;
        try{
            $query="SELECT * FROM survey WHERE activ=1";
            $result=$conn->query($query)->fetchAll();
            return $result;
        catch(PDOException $e){
            $message="Server error";
    function surveyA(){
        global $conn;
        try{
            $query="SELECT * FROM survey s INNER JOIN answersurvey a ON s.idSurve
y=a.idSurvey";
            $result=$conn->query($query)->fetchAll();
            return $result;
        catch(PDOException $e){
            $message="Server error";
    function alreadyAnswered($id, $user){
        global $conn;
        try{
            $query="SELECT * FROM votesurvey v INNER JOIN answersurvey a ON v.id_
answer=a.idAnswer WHERE v.id user=:user AND a.idSurvey=:id";
            $send=$conn->prepare($query);
            $send->bindParam(":user", $user);
            $send->bindParam(":id", $id);
            $send->execute();
            $result=$send->fetchAll();
```

```
return $result;
        catch(PDOException $e){
            $message="Server error";
    function sendSurvey($value, $user){
       global $conn;
       try{
            $query="INSERT INTO votesurvey (id_user, id_answer) VALUES(:id, :valu
eA)";
            $send=$conn->prepare($query);
            $send->bindParam(":id", $user);
            $send->bindParam(":valueA", $value);
            $result= $send->execute();
            return $result;
        catch(PDOException $e){
            $message="Server error";
    function returnProductsPag($limit = 0){
        global $conn;
        try{
        $query = "SELECT * FROM products p INNER JOIN category c ON p.id_cat=c.id
cat INNER JOIN artist a ON p.id_artist=a.id_artist INNER JOIN price r ON p.id_pr
oducts=r.id_products LIMIT :limit, :offset";
        $send = $conn->prepare($query);
        $limit = ($limit) * OFFSET;
        $send->bindParam(":limit", $limit, PDO::PARAM_INT);
        $offset = OFFSET;
        $send->bindParam(":offset", $offset, PDO::PARAM_INT);
        $send->execute();
        $result = $send->fetchAll();
        return $result;
        catch(PDOException $e){
            echo $e->getMessage();
            $message="Server error";
```

```
function returnNumberProducts(){
        global $conn;
        $query = "SELECT COUNT(*) AS num FROM products";
        $result = $conn->query($query)->fetch();
        return $result;
    function returnNumberPages(){
        $numberP = returnNumberProducts();
        $number= ceil($numberP->num / OFFSET);
        return $number;
    function messagesReturn(){
        global $conn;
        try{
            $query="SELECT * FROM msguser m INNER JOIN user u ON m.id_user=u.id_u
ser";
            $result=$conn->query($query)->fetchAll();
            return $result;
        catch(PDOException $e){
            $message="Server error";
    function deleteMessage($idMessage){
        global $conn;
        try{
            $query="DELETE FROM msguser WHERE id_msg=:idMessage";
            $send=$conn->prepare($query);
            $send->bindParam(":idMessage", $idMessage);
            $result=$send->execute();
            return $result;
        catch(PDOException $e){
            $message="Server error";
    function getAdmin(){
        global $conn;
```

```
try{
            $query="SELECT * FROM user WHERE id_roles=1";
            $result=$conn->query($query)->fetch();
            return $result;
        catch(PDOException $e){
            $message="Server error";
    function updateAdmin($nameAdmin, $lastNameAdmin, $emailAdmin){
        global $conn;
        try{
            $query="UPDATE user SET name_user = :nameAdmin, lastname_user = :last
NameAdmin, email_user = :emailAdmin WHERE id_roles=1";
            $send=$conn->prepare($query);
            $send->bindParam(":nameAdmin", $nameAdmin);
            $send->bindParam(":lastNameAdmin", $lastNameAdmin);
            $send->bindParam(":emailAdmin", $emailAdmin);
            $result=$send->execute();
            return $result;
        catch(PDOException $e){
            $message="Server error";
    function deleteMenu($dataMenu){
        global $conn;
        try{
            $query="DELETE FROM menu WHERE id_menu=:dataMenu";
            $send=$conn->prepare($query);
            $send->bindParam(":dataMenu", $dataMenu);
            $result=$send->execute();
            return $result;
        catch(PDOException $e){
            $message="Server error";
        }
    function updateMenu($dataMenu, $nameMenu, $hrefMenu, $showMenu, $priorityMenu
){
        global $conn;
       try{
```

```
$query="UPDATE menu SET name_menu = :nameMenu, href_menu = :hrefMenu,
show_menu = :showMenu, priority_menu = :priorityMenu WHERE id_menu=:dataMenu";
            $send=$conn->prepare($query);
            $send->bindParam(":nameMenu", $nameMenu);
            $send->bindParam(":hrefMenu", $hrefMenu);
            $send->bindParam(":showMenu", $showMenu);
            $send->bindParam(":priorityMenu", $priorityMenu);
            $send->bindParam(":dataMenu", $dataMenu);
            $result=$send->execute();
            return $result;
       catch(PDOException $e){
            $message="Server error";
   function insertMenu($nameMenu, $hrefMenu, $showMenu, $priorityMenu){
       global $conn;
       try{
            $query="INSERT INTO menu(id_menu, name_menu, href_menu, show_menu, pr
iority_menu) VALUES(NULL, :nameMenu, :hrefMenu, :showMenu, :priorityMenu)";
            $send=$conn->prepare($query);
            $send->bindParam(":nameMenu", $nameMenu);
            $send->bindParam(":hrefMenu", $hrefMenu);
            $send->bindParam(":showMenu", $showMenu);
            $send->bindParam(":priorityMenu", $priorityMenu);
            $result=$send->execute();
            return $result;
       catch(PDOException $e){
            $message="Server error";
    }
   function delete($table, $column, $id){
       global $conn;
       try{
            $query="DELETE FROM $table WHERE $column=:id";
            $send=$conn->prepare($query);
            $send->bindParam(":id", $id);
            $result=$send->execute();
            return $result;
        catch(PDOException $e){
            echo $e->getMessage();
            $message="Server error";
```

```
function updateCategory($dataCategory, $nameCategory){
        global $conn;
        try{
            $query="UPDATE category SET name_cat = :nameCategory WHERE id_cat=:da
taCategory";
            $send=$conn->prepare($query);
            $send->bindParam(":nameCategory", $nameCategory);
            $send->bindParam(":dataCategory", $dataCategory);
            $result=$send->execute();
            return $result;
        catch(PDOException $e){
            $message="Server error";
    function insertCategory($nameCategory){
        global $conn;
        try{
            $query="INSERT INTO category(id_cat, name_cat) VALUES(NULL, :nameCate
gory)";
            $send=$conn->prepare($query);
            $send->bindParam(":nameCategory", $nameCategory);
            $result=$send->execute();
            return $result;
        catch(PDOException $e){
            $message="Server error";
        }
    function updateArtist($dataArtist, $nameArtist){
        global $conn;
       try{
            $query="UPDATE artist SET name_artist = :nameArtist WHERE id_artist=:
dataArtist";
            $send=$conn->prepare($query);
            $send->bindParam(":nameArtist", $nameArtist);
            $send->bindParam(":dataArtist", $dataArtist);
            $result=$send->execute();
            return $result;
```

```
catch(PDOException $e){
            $message="Server error";
        }
    function insertArtist($nameArtist){
        global $conn;
       try{
            $query="INSERT INTO artist(id_artist, name_artist) VALUES(NULL, :name
Artist)";
            $send=$conn->prepare($query);
            $send->bindParam(":nameArtist", $nameArtist);
            $result=$send->execute();
            return $result;
        catch(PDOException $e){
            $message="Server error";
    function priceProduct(){
       global $conn;
        try{
            $query="SELECT * FROM price p INNER JOIN products pr ON p.id_products
=pr.id_products";
            $products=$conn->query($query)->fetchAll();
            return $products;
        catch(PDOException $e){
            $message="Server error";
    function updatePrice($dataPrice, $priceOld, $priceNow){
        global $conn;
        try{
            $query="UPDATE price SET price_old = :priceOld, price_now = :priceNow
 WHERE id_price=:dataPrice";
            $send=$conn->prepare($query);
            $send->bindParam(":priceOld", $priceOld);
            $send->bindParam(":priceNow", $priceNow);
            $send->bindParam(":dataPrice", $dataPrice);
            $result=$send->execute();
            return $result;
        catch(PDOException $e){
```

```
$message="Server error";
    function usersAll(){
        global $conn;
        try{
            $query="SELECT * FROM user u INNER JOIN roles r ON u.id_roles=r.id_ro
les";
            $products=$conn->query($query)->fetchAll();
            return $products;
        catch(PDOException $e){
            $message="Server error";
    function updateRole($dataUser, $role){
        global $conn;
        try{
            $query="UPDATE user SET id_roles = :roleId WHERE id_user=:dataUser";
            $send=$conn->prepare($query);
            $send->bindParam(":roleId", $role);
            $send->bindParam(":dataUser", $dataUser);
            $result=$send->execute();
            return $result;
        catch(PDOException $e){
            $message="Server error";
    }
    function updateRoleUser($dataRole, $nameRole){
        global $conn;
        try{
            $query="UPDATE roles SET role = :nameRole WHERE id_roles=:dataRole";
            $send=$conn->prepare($query);
            $send->bindParam(":nameRole", $nameRole);
            $send->bindParam(":dataRole", $dataRole);
            $result=$send->execute();
            return $result;
        catch(PDOException $e){
            $message="Server error";
```

```
function insertRole($nameRole){
        global $conn;
        try{
            $query="INSERT INTO roles(id roles, role) VALUES(NULL, :nameRole)";
            $send=$conn->prepare($query);
            $send->bindParam(":nameRole", $nameRole);
            $result=$send->execute();
            return $result;
        catch(PDOException $e){
            $message="Server error";
    function updateProduct($dataProducts, $nameProducts, $catValue, $delivery, $n
ame, $description){
        global $conn;
        try{
            $query="UPDATE products SET name_products = :nameProducts, picture_sr
c=:name, id_cat = :catValue, delivery = :delivery, description = :description WHE
RE id_products=:dataProducts";
            $send=$conn->prepare($query);
            $send->bindParam(":nameProducts", $nameProducts);
            $send->bindParam(":name", $name);
            $send->bindParam(":catValue", $catValue);
            $send->bindParam(":delivery", $delivery);
            $send->bindParam(":dataProducts", $dataProducts);
            $send->bindParam(":description", $description);
            $result=$send->execute();
            return $result;
        catch(PDOException $e){
            $message=$e->getMessage();
            echo $e->getMessage();
        }
    function insertProduct($nameProduct, $priceProduct, $delivery, $catValue, $ar
tistValue, $name, $description){
        global $conn;
        try{
            $query="INSERT INTO products(id_products, name_products, picture_src,
 id_cat, delivery, id_artist, description) VALUES(NULL, :nameProduct, :name, :cat
Value, :delivery, :artistValue, :description)";
            $send=$conn->prepare($query);
```

```
$send->bindParam(":nameProduct", $nameProduct);
            $send->bindParam(":name", $name);
            $send->bindParam(":catValue", $catValue);
            $send->bindParam(":delivery", $delivery);
            $send->bindParam(":artistValue", $artistValue);
            $send->bindParam(":description", $description);
            $result=$send->execute();
            if($result){
                $lastID=$conn->lastInsertId();
                $queryPrice="INSERT INTO price(price_now, id_products) VALUES(:pr
iceProduct, :lastID)";
                $sendPrice=$conn->prepare($queryPrice);
                $sendPrice->bindParam(":priceProduct", $priceProduct);
                $sendPrice->bindParam(":lastID", $lastID);
                $result=$sendPrice->execute();
            return $result;
        catch(PDOException $e){
            $message="Server error";
            echo $e->getMessage();
        }
    function insertUser($idUser){
        global $conn;
        try{
            $query="INSERT INTO shoppingdone(id_cart, id_user) VALUES(NULL, :idUs
er)";
            $send=$conn->prepare($query);
            $send->bindParam(":idUser", $idUser);
            $result=$send->execute();
            if($result){
                $lastId=$conn->lastInsertId();
               return $lastId;
            else{
                return $result;
        catch(PDOException $e){
            $message="Server error";
    function insertToCart($insertUser, $quantity, $idProducts){
        global $conn;
```

```
try{
            $query="INSERT INTO items_shop(id_item, id_cart, id_product, quantity
) VALUES(NULL, :insertUser, :idProducts, :quantity)";
            $send=$conn->prepare($query);
            $send->bindParam(":insertUser", $insertUser);
            $send->bindParam(":idProducts", $idProducts);
            $send->bindParam(":quantity", $quantity);
            $result=$send->execute();
            return $result;
        catch(PDOException $e){
            $message="Server error";
    function catchAnswer($id){
        global $conn;
        try{
            $query="SELECT a.* FROM survey s INNER JOIN answersurvey a ON s.idSur
vey=a.idSurvey WHERE s.idSurvey=:id";
            $send=$conn->prepare($query);
            $send->bindParam(":id", $id);
            $result=$send->execute();
            $result=$send->fetchAll();
            return $result;
        catch(PDOException $e){
            $message="Server error";
    function countAll($id){
        global $conn;
        try{
            $idS=catchSurvey($id);
            $idS=$idS->idSurvey;
            $countAllS=countAllS($idS);
            $countAlls=$countAllS->surv;
            $query="SELECT ROUND((SELECT COUNT(v.id_answer) FROM votesurvey v INN
ER JOIN
            answersurvey a ON v.id_answer=a.idAnswer WHERE v.id_answer=:id)/:coun
tAlls*100)
            as numb";
            $send=$conn->prepare($query);
            $send->bindParam(":id", $id);
            $send->bindParam(":countAlls", $countAlls);
            $result=$send->execute();
```

```
$result=$send->fetch();
            return $result;
        catch(PDOException $e){
            echo $e->getMessage();
            $message="Server error";
   function catchSurvey($id){
       global $conn;
       try{
            $query="SELECT s.idSurvey FROM survey s INNER JOIN answersurvey a ON
s.idSurvey=a.idSurvey WHERE a.idAnswer=:id";
            $send=$conn->prepare($query);
            $send->bindParam(":id", $id);
            $result=$send->execute();
            $result=$send->fetch();
           return $result;
        catch(PDOException $e){
            echo $e->getMessage();
            $message="Server error";
    function countAllS($idS){
       global $conn;
       try{
            $query="SELECT COUNT(v.id_answer) as surv FROM survey s INNER JOIN an
swersurvey a ON s.idSurvey=a.idSurvey INNER JOIN votesurvey v ON v.id_answer=a.id
Answer WHERE s.idSurvey=:id";
            $send=$conn->prepare($query);
            $send->bindParam(":id", $idS);
            $result=$send->execute();
            $result=$send->fetch();
            return $result;
        catch(PDOException $e){
            echo $e->getMessage();
            $message="Server error";
    function activeNoActive($value, $check){
        global $conn;
```

```
try{
            $query="UPDATE survey SET activ = :check WHERE idSurvey=:value";
            $send=$conn->prepare($query);
            $send->bindParam(":check", $check);
            $send->bindParam(":value", $value);
            $result=$send->execute();
            if($check==1){
                $result="Survey is activated.";
            else{
                $result="Survey is deactivated.";
            return $result;
        catch(PDOException $e){
            $message="Server error";
    function returnProduct($id){
        global $conn;
        try{
            $query="SELECT * FROM products p INNER JOIN category c ON p.id_cat=c.
id_cat INNER JOIN artist a ON p.id_artist=a.id_artist INNER JOIN price r ON p.id_
products=r.id_products WHERE p.id_products=?";
            $prepare=$conn->prepare($query);
            $prepare->execute([$id]);
            $result=$prepare->fetch();
            return $result;
        catch(PDOException $e){
            $message="Server error";
    function sortDDL($ascORdesc, $table){
        global $conn;
       try{
            $query="SELECT * FROM products p INNER JOIN category c ON p.id_cat=c.
id_cat INNER JOIN artist a ON p.id_artist=a.id_artist INNER JOIN price r ON p.id_
products=r.id products ORDER BY $table $ascORdesc";
            $send=$conn->query($query);
            $result=$send->fetchAll();
            return $result;
        catch(PDOException $e){
            $message="Server error";
```

```
function getFromFile($nameFile){
    $file=file("data/".$nameFile);
    return $file;
function precentagePages(){
    $howMuch=[];
    $all=0;
    $mainPage=0;
    $shop=0;
    $contact=0;
    $register=0;
    $login=0;
    $logOut=0;
    $adminPanel=0;
    try{
        $file=file("data/log.txt");
        if(count($file)){
            foreach($file as $f){
            $ifs=explode("__",$f);
            $url=explode(".php",$ifs[0]);
            $url[1]=isset($url[1]) ? $url[1] : 0;
            $page=explode("&", $url[1]);
                switch($page[0]){
                        case "?page=mainPage":
                            $mainPage++;
                            $all++;
                        break;
                        case "?page=shop":
                            $shop++;
                            $all++;
                        break;
                        case "?page=contact":
                            $contact++;
                            $all++;
                        break;
                        case "?page=register":
                            $register++;
                            $all++;
                        break;
                        case "?page=login":
                            $login++;
                            $all++;
                        break;
                        case "?page=logOut":
                            $logOut++;
```

```
$all++:
                        break;
                        case "?page=adminPanel":
                            $adminPanel++;
                            $all++;
                        break;
            if($all>0){
                $howMuch[]=round($mainPage*100/$all,2);
                $howMuch[]=round($shop*100/$all,2);
                $howMuch[]=round($contact*100/$all,2);
                $howMuch[]=round($register*100/$all,2);
                $howMuch[]=round($login*100/$all,2);
                $howMuch[]=round($logOut*100/$all,2);
                $howMuch[]=round($adminPanel*100/$all,2);
            return $howMuch;
    catch(PDOException $e){
        $message="Server error";
function pages24(){
    $array=[];
    $mainPage=0;
    $shop=0;
    $contact=0;
    $register=0;
    $login=0;
    $logOut=0;
    $adminPanel=0;
    $dayAgo=strtotime("1 day ago");
    try{
        $file=file("data/log.txt");
        if(count($file)){
            foreach($file as $f){
            $ifs=explode("__",$f);
            $url=explode(".php",$ifs[0]);
            $url[1]=isset($url[1]) ? $url[1] : 0;
            $page=explode("&", $url[1]);
            @$time=strtotime($ifs[2]);
            if($time>=$dayAgo){
                switch($page[0]){
```

```
case "?page=mainPage":
                                $mainPage++;
                            break;
                            case "?page=shop":
                                $shop++;
                            break;
                            case "?page=contact":
                                $contact++;
                            break;
                            case "?page=register":
                                $register++;
                            break;
                            case "?page=login":
                                $login++;
                            break;
                            case "?page=logOut":
                                $logOut++;
                            break;
                            case "?page=adminPanel":
                                $adminPanel++;
                            break;
                $array=[$mainPage, $shop, $contact, $register, $login, $logOut, $
adminPanel];
                return $array;
            }
        catch(PDOException $e){
            $message="Server error";
    function countUsers(){
        $date1=date("d-m-Y");
        $countUser=0;
        try{
            $file=file("data/logedUsers.txt");
            foreach($file as $index=>$value){
                list($email, $date2)=explode("__", $value);
                $date2=explode(" ", $date2);
                $date2=$date2[0];
                if($date1==$date2){
                    $countUser++;
           return $countUser;
```

```
function resizePicture(){
        $filePicture=$_FILES['filePicture'];
        $type=$filePicture['type'];
        $name=$filePicture['name'];
        $name=time().$name;
        $src="../../assets/img/gallery/$name";
        $typeNew=explode("/", $type);
        $extension=$typeNew[1];
        list($width, $height)=getimagesize($src);
        $newWidth=200;
        $newHeight=$height*$newWidth/$width;
        if($extension=="png"){
            $uploadedSlika=imagecreatefrompng($src);
            $canvas=imagecreatetruecolor($newWidth, $newHeight);
            imagecopyresampled($canvas, $uploadedSlika, 0,0, 0,0, $newWidth, $new
Height, $width, $height);
            imagepng($canvas, "../../assets/img/gallery/smallGallery/Small".$name
);
        if($extension=="jpg"){
            $uploadedSlika=imagecreatefromjpeg($src);
            $canvas=imagecreatetruecolor($newWidth, $newHeight);
            imagecopyresampled($canvas, $uploadedSlika, 0,0, 0,0, $newWidth, $new
Height, $width, $height);
            imagejpeg($canvas, "../../assets/img/gallery/smallGallery/Small".$nam
e);
        if($extension=="jpeg"){
            $uploadedSlika=imagecreatefromjpeg($src);
            $canvas=imagecreatetruecolor($newWidth, $newHeight);
            imagecopyresampled($canvas, $uploadedSlika, 0,0, 0,0, $newWidth, $new
Height, $width, $height);
            imagejpeg($canvas, "../../assets/img/gallery/smallGallery/Small".$nam
e);
        }
kraj modals/functions.php
6.1.41 views/fixed/adminPanel/footerAdmin.php
<script src="assets/js/core/jquery.min.js"></script>
  <script src="assets/js/core/popper.min.js"></script>
  <script src="assets/js/core/bootstrap.min.js"></script>
  <script src="https://maps.googleapis.com/maps/api/js"></script>
  <script src="assets/js/plugins/chartjs.min.js"></script>
```

```
<script src="assets/js/plugins/bootstrap-notify.js"></script>
  <script src="assets/js/paper-</pre>
dashboard.min.js?v=2.0.1" type="text/javascript"></script>
  <script src="assets/js/main.js" type="text/javascript"></script>
</body>
</html>
kraj views/fixed/adminPanel/footerAdmin.php
6.1.42 views/fixed/adminPanel/headAdmin.php
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="utf-8" />
    <link rel="icon" type="image/png" href="assets/img/favIcon.png">
    <meta http-equiv="X-UA-Compatible" content="IE=edge,chrome=1" />
    <title>Admin Panel</title>
    <meta content='width=device-width, initial-scale=1.0, maximum-</pre>
scale=1.0, user-scalable=0, shrink-to-fit=no' name='viewport' />
    <link href="https://fonts.googleapis.com/css?family=Montserrat:400,700,200" r</pre>
el="stylesheet" />
    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0-</pre>
beta1/dist/css/bootstrap.min.css" rel="stylesheet" integrity="sha384-
giJF6kkoqNQ00vy+HMDP7azOuL0xtbfIcaT9wjKHr8RbDVddVHyTfAAsrekwKmP1" crossorigin="an
onymous">
    <link href="assets/css/bootstrap.min.css" rel="stylesheet" />
    <link href="assets/css/paper-dashboard.css?v=2.0.1" rel="stylesheet" />
    <link href="assets/demo/demo.css" rel="stylesheet" />
kraj views/fixed/adminPanel/headAdmin.php
6.1.43 views/fixed/adminPanel/headerAdmin.php
<div class="wrapper">
    <div class="sidebar" data-color="white" data-active-color="danger">
      <div class="logo">
        <a href="https://www.creative-tim.com" class="simple-text logo-mini">
        <a href="index.php?page=mainPage" class="simple-text logo-normal">
       Vinvl Records
       </a>
      </div>
      <div class="sidebar-wrapper">
        <
            <a href="index.php?page=adminPanel">
             <i class="nc-icon nc-bullet-list-67"></i>
              Log-page marking
            </a>
          <1i>>
            <a href="index.php?page=adminPanel&adminPanel=calculatePages">
```

```
<i class="nc-icon nc-bullet-list-67"></i></i>
   Site Statistics
 </a>
<1i>>
 <a href="index.php?page=adminPanel&adminPanel=adminPage">
   <i class="nc-icon nc-circle-10"></i></i>
   User profile
 </a>
<
 <a href="index.php?page=adminPanel&adminPanel=messagesSurvey">
   <i class="nc-icon nc-email-85"></i></i>
   Messages'n'Survey
 </a>
<
 <a href="index.php?page=adminPanel&adminPanel=menuTable">
   <i class="nc-icon nc-bullet-list-67"></i></i>
   Menu Table
 </a>
<
  <a href="index.php?page=adminPanel&adminPanel=categoryTable">
   <i class="nc-icon nc-bullet-list-67"></i>
   Category Table
 </a>
<1i>>
<1i>>
  <a href="index.php?page=adminPanel&adminPanel=artistTable">
   <i class="nc-icon nc-bullet-list-67"></i>
   Artist Table
 </a>
<
  <a href="index.php?page=adminPanel&adminPanel=priceTable">
   <i class="nc-icon nc-bullet-list-67"></i>
   Price Table
 </a>
<1i>>
  <a href="index.php?page=adminPanel&adminPanel=usersTable">
   <i class="nc-icon nc-bullet-list-67"></i></i>
   Users Table
 </a>
<
  <a href="index.php?page=adminPanel&adminPanel=rolesTable">
   <i class="nc-icon nc-bullet-list-67"></i></i>
   Roles Table
```

```
</a>
          <1i>>
            <a href="index.php?page=adminPanel&adminPanel=productsTable">
              <i class="nc-icon nc-bullet-list-67"></i>
              Products Table
            </a>
          <1i>>
            <a href="index.php?page=mainPage">
             <i class="nc-icon nc-spaceship"></i></i>
              Go back to site
            </a>
          </div>
</div>
kraj views/fixed/adminPanel/headerAdmin.php
6.1.44 views/fixed/vinylSite/footer.php
<footer class="tm-footer text-center">
            Marija Vučičević 18/19 ©
                <a href="https://www.ict.edu.rs/" target="blank">Visoka ICT Ško
la</a>
                <a href="https://mvportfolio.netlify.app/" target="_blank" class=</pre>
"tm-social-link"><i class="fa fa-user tm-social-icon" aria-hidden="true"></i></a>
                <a href="modals/vinylSite/downloadWord.php?click2" class="tm-</pre>
social-link"><i class="fa fa-download tm-social-icon" aria-hidden="true"></i></a>
                <a href="documentation.pdf" target=" blank" class="tm-social-</pre>
link"><i class="fa fa-file tm-social-icon" aria-hidden="true"></i></a>
</footer>
   </div>
    <script src="assets/js/jquery.min.js" type="text/javascript"></script>
    <script src="assets/js/parallax.min.js" type="text/javascript"></script>
    <script src="assets/js/main.js" type="text/javascript"></script>
</body>
</html>
kraj views/fixed/vinylSite/footer.php
6.1.45 views/fixed/vinylSite/head.php
<!DOCTYPE html>
<html>
<head>
    <meta charset="UTF-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
    <meta name="description" content="Visit our online shop, and come get your vi</pre>
nyls.">
    <meta name="keywords" content="Vinyl Records-come check our vinyls out.">
    <meta name="author" content="Marija Vučićević">
    <link rel="shortcut icon" href="assets/img/favIcon.png" type="image/x-icon">
```

```
<meta http-equiv="X-UA-Compatible" content="ie=edge" />
    <title>Vinyl Records</title>
    <link href="https://fonts.googleapis.com/css?family=Open+Sans:300,400" rel="s</pre>
tylesheet" />
    <script src="https://ajax.googleapis.com/ajax/libs/jquery/3.5.1/jquery.min.js</pre>
"></script>
    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0-</pre>
beta1/dist/css/bootstrap.min.css" rel="stylesheet" integrity="sha384-
giJF6kkoqNQ00vy+HMDP7azOuL0xtbflcaT9wjKHr8RbDVddVHyTfAAsrekwKmP1" crossorigin="an
onymous">
    <link href="assets/css/all.min.css" rel="stylesheet" />
    <link href="assets/css/style.css" rel="stylesheet" />
</head>
<body>
kraj views/fixed/vinylSite/head.php
6.1.46 views/fixed/vinylSite/header.php
<?php
    include_once "modals/vinylSite/menu.php";
<div class="container">
    <!-- Top box -->
        <div class="placeholder">
            <div class="parallax-window" data-parallax="scroll" data-image-</pre>
src="assets/img/bgImage.jpg">
                <div class="tm-header">
                    <div class="row tm-header-inner">
                        <div class="col-md-6 col-12">
                            <div class="tm-site-text-box">
                                <a href="index.php?page=mainPage"><h1 class="tm-</pre>
site-title">Vinyl Records</h1></a>
                                <h6 class="tm-site-
description">shop new/old vinyls now</h6>
                            </div>
                        </div>
                        <nav class="col-md-6 col-12 tm-nav">
                            <?php
                                    foreach($menuResult as $m):
                                    class="tm-nav-
li"><a href="index.php?page=<?=$m->href menu?>" class="tm-nav-link"><?=$m-
>name menu?></a>
                                <?php
                                    endforeach;
                            </nav>
```

```
</div>
                </div>
            </div>
        </div>
kraj views/fixed/vinylSite/header.php
6.1.47 views/pages/adminPanel/adminPage.php
<?php
    if(!isset($_SESSION['user'])){
    header("location: modals/404Page.php?notFound");
    else if($_SESSION['idRole']!=1){
    header("location: modals/404Page.php?notFound");
    else{
  $user=getAdmin();
  <div class="main-panel" style="height: 100vh;">
      <!-- Navbar -->
      <nav class="navbar navbar-expand-lg navbar-absolute fixed-top navbar-</pre>
transparent">
        <div class="container-fluid">
          <div class="navbar-wrapper">
            <div class="navbar-toggle">
              <button type="button" class="navbar-toggler">
                <span class="navbar-toggler-bar bar1"></span>
                <span class="navbar-toggler-bar bar2"></span>
                <span class="navbar-toggler-bar bar3"></span>
              </button>
            </div>
            User profile
          <button class="navbar-toggler" type="button" data-</pre>
toggle="collapse" data-target="#navigation" aria-controls="navigation-
index" aria-expanded="false" aria-label="Toggle navigation">
            <span class="navbar-toggler-bar navbar-kebab"></span>
            <span class="navbar-toggler-bar navbar-kebab"></span>
            <span class="navbar-toggler-bar navbar-kebab"></span>
          </button>
        </div>
      </nav>
       <!-- End Navbar -->
    <div class="content">
        <div class="container">
            <div class="row">
                <div class="col-md-12">
                    <div class="card text-center mx-auto" style="width: 18rem;">
                    <img class="card-img-</pre>
top" src="assets/img/user.png" alt="Card image cap">
                </div>
                <div class="tm-container-inner-2 tm-contact-section">
```

```
<div class="row">
              <div class="col-md-12" id="con">
            <form>
                  <div class="form-group">
                    <input type="text" id="nameInputAdmin" class="form-</pre>
control" placeholder="Name" value="<?=$user->name_user?>"/>
                  </div>
                  <div class="form-group">
                    <input type="text" id="lastNameInputAdmin" class="form-</pre>
control" placeholder="Last Name" value="<?=$user->lastname_user?>"/>
                  </div>
                  <div class="form-group">
                    <input type="email" class="form-</pre>
control" id="emailInputAdmin" placeholder="Email" value="<?=$user-</pre>
>email user?>"/>
                  </div>
                  <div class="form-group">
                    <input type="text" class="form-</pre>
control" id="emailInputAdmin" placeholder="Email" value="<?=$user-</pre>
>time_register?>" disabled/>
                  </div>
                  <div class="form-group tm-d-flex">
                    <button type="button" id="updateAdmin" class="btn tm-btn-</pre>
right">Update profile</button>
                  </div>
            </form>
          </div>
        </div>
      </div>
            </div>
        </div>
    </div>
<?php
kraj views/pages/adminPanel/adminPage.php
6.1.48 views/pages/adminPanel/adminPanel.php
<?php
    if(!isset($_SESSION['user'])){
      header("location: ../modals/404Page.php?notFound");
    else if($_SESSION['idRole']!=1){
      header("location: ../modals/404Page.php?notFound");
    else{
      $log=getFromFile("log.txt");
  <div class="main-panel" style="height: 100vh;">
      <!-- Navbar -->
```

```
<nav class="navbar navbar-expand-lg navbar-absolute fixed-top navbar-</pre>
transparent">
      <div class="container-fluid">
        <div class="navbar-wrapper">
          <div class="navbar-toggle">
            <button type="button" class="navbar-toggler">
             <span class="navbar-toggler-bar bar1"></span>
             <span class="navbar-toggler-bar bar2"></span>
             <span class="navbar-toggler-bar bar3"></span>
            </button>
          </div>
          Log-page marking
        <button class="navbar-toggler" type="button" data-</pre>
toggle="collapse" data-target="#navigation" aria-controls="navigation-
index" aria-expanded="false" aria-label="Toggle navigation">
          <span class="navbar-toggler-bar navbar-kebab"></span>
          <span class="navbar-toggler-bar navbar-kebab"></span>
          <span class="navbar-toggler-bar navbar-kebab"></span>
        </button>
      </div>
     </nav>
      <!-- End Navbar -->
   <div class="content">
      <div class="container">
          <div class="row">
     <div class="col-md-12">
      <h3>Log</h3>
      <div id="log">
          <thead>
             #
               Url Address
               Ip Address
               Date&Time
             </thead>
            <?php
             foreach($log as $index=>$value):
               @list($url, $ip, $date)=explode("__", $value);
             <?=$index?>
               <?=$url?>
               <?=$ip?>
               <?=$date?>
             ddq{>
```

```
endforeach:
            </div>
         </div>
       </div>
    </div>
    </div>
<?php
kraj views/pages/adminPanel/adminPanel.php
6.1.49 views/pages/adminPanel/artistTable.php
<?php
    if(!isset($_SESSION['user'])){
      header("location: ../modals/404Page.php?notFound");
    else if($ SESSION['idRole']!=1){
      header("location: ../modals/404Page.php?notFound");
    else{
      $artist=getAllFromTabel("artist");
  <div class="main-panel" style="height: 100vh;">
      <!-- Navbar -->
      <nav class="navbar navbar-expand-lg navbar-absolute fixed-top navbar-</pre>
transparent">
       <div class="container-fluid">
          <div class="navbar-wrapper">
            <div class="navbar-toggle">
             <button type="button" class="navbar-toggler">
               <span class="navbar-toggler-bar bar1"></span>
               <span class="navbar-toggler-bar bar2"></span>
                <span class="navbar-toggler-bar bar3"></span>
             </button>
            </div>
            Artist Table
          </div>
          <button class="navbar-toggler" type="button" data-</pre>
toggle="collapse" data-target="#navigation" aria-controls="navigation-
index" aria-expanded="false" aria-label="Toggle navigation">
            <span class="navbar-toggler-bar navbar-kebab"></span>
           <span class="navbar-toggler-bar navbar-kebab"></span>
            <span class="navbar-toggler-bar navbar-kebab"></span>
          </button>
       </div>
      </nav>
       <!-- End Navbar -->
```

```
<div class="content">
      <div class="container">
         <div class="row">
    <!-- update i delete -->
    <div class="col-md-12">
      <h3>Artist</h3>
      <div id="artist">
         <thead>
            id_artist
              name_artist
            </thead>
           <?php
            foreach($artist as $a):
            <?=$a->id artist?>
              <input type="text" id="nameArtist<?=$a-
>id_artist?>" class="form-control" value="<?=$a->name_artist?>">
              <a href="#" data-id="<?=$a-
>id_artist?>" class="updateArtist">Update</a>
              <a href="#" data-id="<?=$a-
>id_artist?>" class="deleteArtist">Delete</a>
            <?php
            endforeach;
         <a href="modals/adminPanel/downloadExcel.php?click">Download Artists
in Excel format</a>
        </div>
        </div>
      </div>
    <!-- kraj update i delete -->
    <!-- insert -->
    <div class="row">
    <div class="col-md-12 mt-5">
    <h3>Insert artist</h3>
           <input type="text" id="nameArtist" class="form-
control" placeholder="Enter name">
              <a href="#" id="insertArtist">Insert</a>
```

```
</div>
      </div>
      <!-- kraj inserta -->
    </div>
    </div>
<?php
  }
kraj views/pages/adminPanel/artistTable.php
6.1.50 views/pages/adminPanel/calculatePages.php
<?php
    if(!isset($_SESSION['user'])){
      header("location: ../modals/404Page.php?notFound");
    else if($_SESSION['idRole']!=1){
      header("location: ../modals/404Page.php?notFound");
    else{
      $log=getFromFile("log.txt");
      $pages=getAllFromTabel("menu");
      $pages24=pages24();
      $precentage=precentagePages();
      $logedUsers=getFromFile("logedUsers.txt");
      $countUsers=countUsers();
  <div class="main-panel" style="height: 100vh;">
      <!-- Navbar -->
      <nav class="navbar navbar-expand-lg navbar-absolute fixed-top navbar-</pre>
transparent">
       <div class="container-fluid">
          <div class="navbar-wrapper">
            <div class="navbar-toggle">
              <button type="button" class="navbar-toggler">
                <span class="navbar-toggler-bar bar1"></span>
                <span class="navbar-toggler-bar bar2"></span>
                <span class="navbar-toggler-bar bar3"></span>
              </button>
            </div>
            Site Statistics
          </div>
          <button class="navbar-toggler" type="button" data-</pre>
toggle="collapse" data-target="#navigation" aria-controls="navigation-
index" aria-expanded="false" aria-label="Toggle navigation">
            <span class="navbar-toggler-bar navbar-kebab"></span>
            <span class="navbar-toggler-bar navbar-kebab"></span>
            <span class="navbar-toggler-bar navbar-kebab"></span>
          </button>
        </div>
       <!-- End Navbar -->
```

```
<!-- Percentage by page visits -->
<div class="content">
   <div class="container">
      <div class="row">
 <div class="col-md-12">
   <h3>Percentage by page visits</h3>
   <div id="price">
      <thead>
          <?php
               foreach($pages as $m):
               <?=$m->href_menu?>
            <?php
               endforeach;
          </thead>
        <?php
                   foreach($precentage as $p):
                   <?=$p?>%
               <?php
                   endforeach;
             </div>
     </div>
   </div>
</div>
</div>
<!-- Number of page visits in the last 24 hours -->
<div class="content">
   <div class="container">
      <div class="row">
 <div class="col-md-12">
   <h3>Number of page visits in the last 24 hours</h3>
   <div id="price">
      <thead>
          <?php
               foreach($pages as $m):
               <?=$m->href_menu?>
            <?php
```

```
endforeach;
              </thead>
            <?php
                      foreach($pages24 as $p24):
                      <;=$p24?>
                   <?php
                      endforeach;
                </div>
        </div>
      </div>
   </div>
   </div>
   <!-- Number of users loged today -->
   <div class="content">
       <div class="container">
          <div class="row">
     <div class="col-md-12">
       <h3>Number of users loged today</h3>
       <div id="price">
          <thead>
             <?=$countUsers?> user/s loged today
             </thead>
          </div>
        </div>
       </div>
   </div>
   </div>
<?php
kraj views/pages/adminPanel/calculatePages.php
6.1.51 views/pages/adminPanel/categoryTable.php
<?php
   if(!isset($_SESSION['user'])){
     header("location: modals/404Page.php?notFound");
   else if($_SESSION['idRole']!=1){
```

```
header("location: modals/404Page.php?notFound");
   else{
     $category=getAllFromTabel("category");
  <div class="main-panel" style="height: 100vh;">
     <!-- Navbar -->
     <nav class="navbar navbar-expand-lg navbar-absolute fixed-top navbar-</pre>
transparent">
       <div class="container-fluid">
         <div class="navbar-wrapper">
           <div class="navbar-toggle">
             <button type="button" class="navbar-toggler">
               <span class="navbar-toggler-bar bar1"></span>
              <span class="navbar-toggler-bar bar2"></span>
              <span class="navbar-toggler-bar bar3"></span>
             </button>
           </div>
           Category Table
         </div>
         <button class="navbar-toggler" type="button" data-</pre>
toggle="collapse" data-target="#navigation" aria-controls="navigation-
index" aria-expanded="false" aria-label="Toggle navigation">
           <span class="navbar-toggler-bar navbar-kebab"></span>
           <span class="navbar-toggler-bar navbar-kebab"></span>
           <span class="navbar-toggler-bar navbar-kebab"></span>
         </button>
       </div>
     </nav>
      <!-- End Navbar -->
   <div class="content">
       <div class="container">
           <div class="row">
     <!-- update i delete -->
     <div class="col-md-12">
       <h3>Category</h3>
       <div id="category">
           <thead>
              id_cat
                name_cat
              </thead>
             <?php
              foreach($category as $c):
              <?=$c->id cat?>
```

```
<input type="text" id="nameCategory<?=$c-
>id_cat?>" class="form-control" value="<?=$c->name_cat?>">
                <a href="#" data-id="<?=$c-
>id cat?>" class="updateCategory">Update</a>
                <a href="#" data-id="<?=$c-
>id_cat?>" class="deleteCategory">Delete</a>
              <?php
              endforeach;
          </div>
        </div>
       </div>
     <!-- kraj update i delete -->
     <!-- insert -->
     <div class="row">
     <div class="col-md-12 mt-5">
     <h3>Insert category</h3>
            <input type="text" id="nameCategory" class="form-
control" placeholder="Enter name">
                <a href="#" id="insertCategory">Insert</a>
              </div>
     </div>
     <!-- kraj inserta -->
   </div>
   </div>
<?php
 }
kraj views/pages/adminPanel/categoryTable.php
6.1.51 views/pages/adminPanel/menuTable.php
<?php
   if(!isset($_SESSION['user'])){
     header("location: modals/404Page.php?notFound");
   else if($_SESSION['idRole']!=1){
     header("location: modals/404Page.php?notFound");
   else{
     $menu=getAllFromTabel("menu");
  <div class="main-panel" style="height: 100vh;">
```

```
<!-- Navbar -->
     <nav class="navbar navbar-expand-lg navbar-absolute fixed-top navbar-</pre>
transparent">
      <div class="container-fluid">
        <div class="navbar-wrapper">
          <div class="navbar-toggle">
            <button type="button" class="navbar-toggler">
              <span class="navbar-toggler-bar bar1"></span>
              <span class="navbar-toggler-bar bar2"></span>
              <span class="navbar-toggler-bar bar3"></span>
            </button>
          </div>
          Menu Table
        <button class="navbar-toggler" type="button" data-</pre>
toggle="collapse" data-target="#navigation" aria-controls="navigation-
index" aria-expanded="false" aria-label="Toggle navigation">
          <span class="navbar-toggler-bar navbar-kebab"></span>
          <span class="navbar-toggler-bar navbar-kebab"></span>
          <span class="navbar-toggler-bar navbar-kebab"></span>
        </button>
      </div>
     </nav>
      <!-- End Navbar -->
   <div class="content">
      <div class="container">
          <div class="row">
     <!-- update i delete -->
     <div class="col-md-12">
      <h3>Menu</h3>
       <div id="menu">
          <thead>
             id menu
               name_menu
               page_menu
               show menu
               priority_menu
             </thead>
            <?php
             foreach($menu as $m):
              <?=$m->id menu?>
               <input type="text" id="nameMenu<?=$m-
>id_menu?>" class="form-control" value="<?=$m->name_menu?>">
               <input type="text" id="hrefMenu<?=$m-
>id menu?>" class="form-control" value="<?=$m->href menu?>" disabled>
```

```
<input type="number" id="showMenu<?=$m-
>id_menu?>" class="form-control" value="<?=$m->show_menu?>">
               <input type="number" id="priorityMenu<?=$m-
>id_menu?>" class="form-control" value="<?=$m->priority_menu?>">
               <a href="#" data-id="<?=$m-
>id_menu?>" class="updateMenu">Update</a>
               <a href="#" data-id="<?=$m-
>id_menu?>" class="deleteMenu">Delete</a>
              <?php
              endforeach;
          </div>
        </div>
      </div>
     <!-- kraj update i delete -->
     <!-- insert -->
     <div class="row">
     <div class="col-md-12 mt-5">
     <h3>Insert menu</h3>
            <input type="text" id="nameMenu" class="form-
control" placeholder="Enter name">
               <input type="text" id="hrefMenu" class="form-
control" placeholder="Enter page">
               <input type="number" id="showMenu" class="form-
control" placeholder="Enter show_menu">
               <input type="number" id="priorityMenu" class="form-
control" placeholder="Enter priority_menu">
               <a href="#" id="insertMenu">Insert</a>
              </div>
     </div>
     <!-- kraj inserta -->
   </div>
   </div>
<?php
kraj views/pages/adminPanel/menuTable.php
6.1.52 views/pages/adminPanel/messagesSurvey.php
   if(!isset($_SESSION['user'])){
     header("location: modals/404Page.php?notFound");
```

```
else if($_SESSION['idRole']!=1){
     header("location: modals/404Page.php?notFound");
  else{
  $messages=messagesReturn();
  $questions=getAllFromTabel("survey");
   <div class="main-panel" style="height: 100vh;">
     <!-- Navbar -->
     <nav class="navbar navbar-expand-lg navbar-absolute fixed-top navbar-</pre>
transparent">
       <div class="container-fluid">
        <div class="navbar-wrapper">
          <div class="navbar-toggle">
            <button type="button" class="navbar-toggler">
              <span class="navbar-toggler-bar bar1"></span>
              <span class="navbar-toggler-bar bar2"></span>
              <span class="navbar-toggler-bar bar3"></span>
            </button>
          </div>
          Messages and Survey
         <button class="navbar-toggler" type="button" data-</pre>
toggle="collapse" data-target="#navigation" aria-controls="navigation-
index" aria-expanded="false" aria-label="Toggle navigation">
          <span class="navbar-toggler-bar navbar-kebab"></span>
          <span class="navbar-toggler-bar navbar-kebab"></span>
          <span class="navbar-toggler-bar navbar-kebab"></span>
         </button>
       </div>
     </nav>
     <!-- End Navbar -->
     <div class="content">
       <div class="row">
         <div class="col-md-12">
          <h3>Messages from users to you</h3>
         <div id="messages">
          <thead>
              #
                First Name
                Last Name
                Email
                Message
              </thead>
            <?php
              $rb=1:
```

```
foreach($messages as $message):
           <?=$rb?>
             <?=$message->name_user?>
             <?=$message->lastname user?>
             <?=$message->email_user?>
             <?=$message->message user?>
             <a href="#" data-id="<?=$message-
>id_msg?>" class="idDelete">Delete</a>
           <?php
           $rb++;
           endforeach;
           </div>
       </div>
     </div>
    <!-- anketa -->
    <div class="row">
    <div class="col-md-12 mt-5">
    <h3>Survey statistics</h3>
          <?php
           $rb=1;
             foreach($questions as $q):
             $catchAnswer=catchAnswer($q->idSurvey);
             <input type="checkbox" class="activ" id="chb<?=$q-
<?=$q->question?>
             <?php
                foreach($catchAnswer as $c):
                $countAll=countAll($c->idAnswer);
                // var_dump($countAll);
              <?=$c->answer?>
              <?php
                if($countAll==false){
                 echo "0%";
                else{
                 }
             <?php
```

```
endforeach:
               <?php
               $rb++;
                 endforeach;
             </div>
     </div>
     </div>
   </div>
  </div>
<?php
kraj views/pages/adminPanel/messagesSurvey.php
6.1.53 views/pages/adminPanel/priceTable.php
<?php
    if(!isset($_SESSION['user'])){
     header("location: ../modals/404Page.php?notFound");
    else if($ SESSION['idRole']!=1){
     header("location: ../modals/404Page.php?notFound");
    else{
     $price=priceProduct();
  <div class="main-panel" style="height: 100vh;">
     <!-- Navbar -->
     <nav class="navbar navbar-expand-lg navbar-absolute fixed-top navbar-</pre>
transparent">
       <div class="container-fluid">
         <div class="navbar-wrapper">
           <div class="navbar-toggle">
              <button type="button" class="navbar-toggler">
               <span class="navbar-toggler-bar bar1"></span>
               <span class="navbar-toggler-bar bar2"></span>
               <span class="navbar-toggler-bar bar3"></span>
             </button>
           Artist Table
          </div>
          <button class="navbar-toggler" type="button" data-</pre>
toggle="collapse" data-target="#navigation" aria-controls="navigation-
index" aria-expanded="false" aria-label="Toggle navigation">
           <span class="navbar-toggler-bar navbar-kebab"></span>
           <span class="navbar-toggler-bar navbar-kebab"></span>
```

```
<span class="navbar-toggler-bar navbar-kebab"></span>
        </button>
      </div>
    </nav>
     <!-- End Navbar -->
   <div class="content">
      <div class="container">
         <div class="row">
    <!-- update-->
    <div class="col-md-12">
      <h3>Price</h3>
      <div id="price">
         <thead>
            id_price
              name_product
              price old
              price_now
             </thead>
           <?php
             foreach($price as $p):
             <?=$p->id_price?>
              <input type="text" id="nameProducts<?=$p-
>id_price?>" class="form-control" value="<?=$p->name_products?>" disabled>
              <input type="number" id="priceOld<?=$p-
>id_price?>" class="form-control" value="<?=$p->price_old?>">
              <input type="number" id="priceNow<?=$p-
>id_price?>" class="form-control" value="<?=$p->price_now?>">
              <a href="#" data-id="<?=$p-
>id_price?>" class="updatePrice">Update</a>
             <?php
             endforeach;
         </div>
        </div>
      </div>
    <!-- kraj update-->
   </div>
   </div>
<?php
 }
kraj views/pages/adminPanel/priceTable.php
```

```
6.1.53 views/pages/adminPanel/productsTable.php
<?php
  if(!isset($_SESSION['user'])){
   header("location: modals/404Page.php?notFound");
 else if($_SESSION['idRole']!=1){
   header("location: modals/404Page.php?notFound");
 else{
 $products=getProducts();
 $categories=getAllFromTabel("category");
 $artist=getAllFromTabel("artist");
  <div class="main-panel" style="height: 100vh;">
     <!-- Navbar -->
     <nav class="navbar navbar-expand-lg navbar-absolute fixed-top navbar-</pre>
transparent">
       <div class="container-fluid">
         <div class="navbar-wrapper">
           <div class="navbar-toggle">
             <button type="button" class="navbar-toggler">
               <span class="navbar-toggler-bar bar1"></span>
               <span class="navbar-toggler-bar bar2"></span>
               <span class="navbar-toggler-bar bar3"></span>
             </button>
           </div>
           Products Table
         </div>
         <button class="navbar-toggler" type="button" data-</pre>
toggle="collapse" data-target="#navigation" aria-controls="navigation-
index" aria-expanded="false" aria-label="Toggle navigation">
           <span class="navbar-toggler-bar navbar-kebab"></span>
           <span class="navbar-toggler-bar navbar-kebab"></span>
           <span class="navbar-toggler-bar navbar-kebab"></span>
         </button>
       </div>
     </nav>
      <!-- End Navbar -->
   <div class="content">
       <div class="container">
           <div class="row">
     <!-- update i delete -->
     <div class="col-md-12">
       <h3>Products</h3>
       <div id="productss">
       <form action="#" enctype="multipart/form-data">
           <thead>
               id_products
                 name products
```

```
picture_src
               change src
               name_cat
               delivery
               name_artist
               description
             </thead>
            <?php
             foreach($products as $p):
             <?=$p->id_products?>
               <input type="text" id="nameProducts<?=$p-
>id_products?>" class="form-control" value="<?=$p->name_products?>">
               <input type="text" id="srcProducts<?=$p-
>id products?>" class="form-control" value="<?=$p->picture src?>" disabled>
               <input type="file" id="fileProducts<?=$p-
>id_products?>" class="form-control-file">
                   <!-- padajuca lista -->
                   <div class="form-group">
                         <select class="form-select product<?=$p-</pre>
>id_products?>" aria-label="Default select example">
                         <option selected value="<?=$p->id_cat?>"><?=$p-</pre>
>name_cat?></option>
                           <?php
                           foreach($categories as $c):
                          <option value="<?=$c->id_cat?>"><?=$c-</pre>
>name_cat?></option>
                           <?php
                             endforeach;
                        </select>
                    </div>
                   <!-- kraj padajuce liste -->
               <input type="number" id="deliveryProducts<?=$p-
>id_products?>" class="form-control" value="<?=$p->delivery?>">
               <input type="text" id="artistProducts<?=$p-
>id_products?>" class="form-control" value="<?=$p->name_artist?>" disabled>
               <input type="text" id="description<?=$p-
>id products?>" class="form-control" value="<?=$p->description?>">
               <a href="#" data-id="<?=$p-
>id_products?>" class="updateProduct">Update</a>
               <a href="#" data-id="<?=$p-
>id_products?>" class="deleteProduct">Delete</a>
             <?php
```

```
endforeach;
           </form>
           </div>
         </div>
       </div>
     <!-- kraj update i delete -->
     <!-- insert -->
     <div class="row">
     <div class="col-md-12 mt-5">
     <form action="#" enctype="multipart/form-data">
     <h3>Insert product</h3>
            <input type="text" id="nameProduct" class="form-
control" placeholder="Enter name">
              <input type="number" id="priceProduct" class="form-
control" placeholder="Enter price">
              <div class="form-check ml-4">
                  <input class="form-check-</pre>
input" type="radio" name="delivery" id="delivery1" value="1">
                  <label class="form-check-label" for="flexRadioDefault1">
                    Delivery
                  </label>
                </div>
                <div class="form-check ml-4">
                  <input class="form-check-</pre>
input" type="radio" name="delivery" id="delivery2" value="0">
                  <label class="form-check-label" for="flexRadioDefault2">
                    No delivery
                  </label>
                </div>
                <div class="form-group">
                          <select class="form-</pre>
select catInsert" id="catInsert" aria-label="Default select example">
                           <option selected value="0">Choose category</option>
                             <?php
                             foreach($categories as $c):
```

```
<option value="<?=$c->id cat?>"><?=$c-</pre>
>name_cat?></option>
                             <?php
                               endforeach;
                          </select>
                  </div>
              <div class="form-group">
                           <select class="form-</pre>
select artistInsert" id="artistInsert" aria-label="Default select example">
                           <option selected value="0">Choose artist</option>
                             <?php
                             foreach($artist as $a):
                           <option value="<?=$a->id_artist?>"><?=$a-</pre>
>name_artist?></option>
                             <?php
                               endforeach;
                         </select>
                  </div>
              <input type="text" id="description" class="form-
control" placeholder="Enter description">
              <input type="file" id="fileProducts" class="form-control-
file">
                <a href="#" id="insertProduct">Insert</a>
              </form>
     </div>
     </div>
     <!-- kraj inserta -->
   </div>
   </div>
<?php
  }
kraj views/pages/adminPanel/productsTable.php
6.1.54 views/pages/adminPanel/rolesTable.php
 if(!isset($_SESSION['user'])){
   header("location: modals/404Page.php?notFound");
```

```
else if($ SESSION['idRole']!=1){
   header("location: modals/404Page.php?notFound");
 }
 else{
   $roles=getAllFromTabel("roles");
 <div class="main-panel" style="height: 100vh;">
     <!-- Navbar -->
     <nav class="navbar navbar-expand-lg navbar-absolute fixed-top navbar-</pre>
transparent">
       <div class="container-fluid">
         <div class="navbar-wrapper">
           <div class="navbar-toggle">
            <button type="button" class="navbar-toggler">
              <span class="navbar-toggler-bar bar1"></span>
              <span class="navbar-toggler-bar bar2"></span>
              <span class="navbar-toggler-bar bar3"></span>
            </button>
           </div>
           Roles Table
         </div>
         <button class="navbar-toggler" type="button" data-</pre>
toggle="collapse" data-target="#navigation" aria-controls="navigation-
index" aria-expanded="false" aria-label="Toggle navigation">
           <span class="navbar-toggler-bar navbar-kebab"></span>
           <span class="navbar-toggler-bar navbar-kebab"></span>
           <span class="navbar-toggler-bar navbar-kebab"></span>
         </button>
       </div>
     </nav>
      <!-- End Navbar -->
   <div class="content">
       <div class="container">
          <div class="row">
     <!-- update i delete -->
     <div class="col-md-12">
       <h3>Roles</h3>
       <div id="roles">
           <thead>
              id roles
                role
              </thead>
            <?php
              foreach($roles as $r):
              <?=$r->id roles?>
```

```
<input type="text" id="nameRole<?=$r-
>id_roles?>" class="form-control" value="<?=$r->role?>">
                <a href="#" data-id="<?=$r-
>id_roles?>" class="updateRole">Update</a>
                <a href="#" data-id="<?=$r-
>id_roles?>" class="deleteRole">Delete</a>
              <?php
              endforeach;
          </div>
        </div>
       </div>
     <!-- kraj update i delete -->
     <!-- insert -->
     <div class="row">
     <div class="col-md-12 mt-5">
     <h3>Insert role</h3>
            <input type="text" id="nameRole" class="form-
control" placeholder="Enter name">
                <a href="#" id="insertRole">Insert</a>
              </div>
     </div>
     <!-- kraj inserta -->
   </div>
   </div>
<?php
 }
kraj views/pages/adminPanel/rolesTable.php
6.1.55 views/pages/adminPanel/usersTable.php
<?php
   if(!isset($_SESSION['user'])){
     header("location: ../modals/404Page.php?notFound");
   else if($ SESSION['idRole']!=1){
     header("location: ../modals/404Page.php?notFound");
   else{
     $users=usersAll();
     $roles=getAllFromTabel("roles");
```

```
<div class="main-panel" style="height: 100vh;">
     <!-- Navbar -->
     <nav class="navbar navbar-expand-lg navbar-absolute fixed-top navbar-</pre>
transparent">
      <div class="container-fluid">
        <div class="navbar-wrapper">
          <div class="navbar-toggle">
           <button type="button" class="navbar-toggler">
             <span class="navbar-toggler-bar bar1"></span>
             <span class="navbar-toggler-bar bar2"></span>
             <span class="navbar-toggler-bar bar3"></span>
           </button>
          </div>
          Artist Table
        </div>
        <button class="navbar-toggler" type="button" data-</pre>
toggle="collapse" data-target="#navigation" aria-controls="navigation-
index" aria-expanded="false" aria-label="Toggle navigation">
          <span class="navbar-toggler-bar navbar-kebab"></span>
          <span class="navbar-toggler-bar navbar-kebab"></span>
          <span class="navbar-toggler-bar navbar-kebab"></span>
        </button>
      </div>
     </nav>
     <!-- End Navbar -->
   <div class="content">
      <div class="container">
          <div class="row">
     <!-- update i delete-->
     <div class="col-md-12">
      <h3>Users</h3>
      <div id="users">
          <thead>
             id_user
               name
               last name
               email
               role
               time
             </thead>
           <?php
             foreach($users as $u):
             <?=$u->id_user?>
               id user?>"><?=$u->name user?>
```

```
id user?>"><?=$u-
>lastname_user?>
                id_user?>"><?=$u->email_user?>
                id_user?>"><?=$u->role?>
                <input type="text" class="form-control" id="timeUser<?=$u-
>id_user?>" value="<?=$u->time_register?>" disabled/>
                       </div>
                     </div>
                   </div>
                <a href="#" data-id="<?=$u-
>id_user?>" class="deleteUser">Delete</a>
              <?php
              endforeach;
          </div>
        </div>
       </div>
     <!-- kraj update i update-->
   </div>
   </div>
<?php
 }
kraj views/pages/adminPanel/usersTable.php
6.1.56 views/pages/vinylSite/cart.php
<?php
   if(!isset($ SESSION['user'])){
   header('location: modals/404Page.php?notLogedIn');
   else{
   <input type="hidden" id="cartUser" value="<?=$_SESSION['user']->id_user?>">
   <div class="container table-responsive-sm">
       <div class="col-12">
          <h2 class="my-5 tm-section-title text-center">-
Here are the albums you choose-</h2>
          <h4 id="cartEmpty" class="alert text-center mt-5"></h4>
       </div>
       <!-- ispis tabele -->
       <div id="cartWrite">
       <!-- ispis tabele kraj -->
       </div>
   </div>
<?php
```

```
kraj views/pages/vinylSite/cart.php
6.1.57 views/pages/vinylSite/contact.php
<?php
    if(!isset($_SESSION['user'])){
    header('location: modals/404Page.php?notLogedIn');
    else{
            <header class="row tm-welcome-section" id="contact">
                <h2 class="col-12 text-center tm-section-title">Contact Page</h2>
                center">Administrator cares about your opinion.
            </header>
            <div class="tm-container-inner-2 tm-contact-section">
                <div class="row">
                <div class="col-md-6" id="con">
                    <form>
                        <div class="tm-contact-form">
                        <input type="hidden" id="messageLogesIn" value="<?=$_SESS</pre>
ION['user']->id_user?>">
                            <div class="form-group">
                              <textarea rows="5" name="message" class="form-</pre>
control" id="messageInput" placeholder="Enter a message for administrator"></text</pre>
area>
                            </div>
                            <span id="errorMsg"></span>
                            <div class="form-group tm-d-flex">
                              <button type="button" id="buttonSubmit" class="tm-</pre>
btn tm-btn-success tm-btn-right" name="buttonSubmit">Send message</button>
                            </div>
                        </div>
                    </form>
                    </div>
                    <div class="col-md-6">
                        <div class="tm-address-box" id="address">
                            <h4 class="tm-info-title tm-text-
success">Our Address</h4>
                            <address>
                                Kralja Petra (section from Kosančićev Venac to Uz
un Mirkova) Street in Belgrade
                            </address>
                            <a href="tel:080-090-0110" class="tm-contact-link">
                                <i class="fas fa-phone tm-contact-icon"></i>080-
090-0110
                            <a href="mailto:info@company.co" class="tm-contact-</pre>
link">
```

```
<i class="fas fa-envelope tm-contact-</pre>
icon"></i>vinylrecords@company.co
                       </div>
                   </div>
               </div>
           </div>
<?php
kraj views/pages/vinylSite/contact.php
6.1.58 views/pages/vinylSite/login.php
<header class="row tm-welcome-section" id="contact">
               <h2 class="col-12 text-center tm-section-
title">We're glad you're back.</h2>
               Log in below.
</header>
           <div class="tm-container-inner-2 tm-contact-section">
                <div class="row">
                   <div class="col-md-12" id="con">
                       <form>
                           <div class="form-group">
                             <input type="email" name="email" class="form-</pre>
control" id="emailInputL" placeholder="Email"/>
                           </div>
                           <span id="errorEmailL"></span>
                           <div class="form-group">
                             <input type="password" name="password" class="form-</pre>
control" id="passwordInputL" placeholder="Password"/>
                           </div>
                           <span id="errorPassL"></span>
                           <div class="form-group tm-d-flex">
                             <button type="button" id="buttonSubmitL" class="tm-</pre>
btn tm-btn-success tm-btn-right">Log in</button>
                           </div>
                       </form>
                   </div>
                </div>
            </div>
kraj views/pages/vinylSite/login.php
6.1.59 views/pages/vinylSite/mainPage.php
<?php
   $questionS=surveyQ();
   $answersS=surveyA();
    <main>
           <header class="row tm-welcome-section">
```

```
<h2 class="col-12 text-center tm-section-
title">Welcome to our online shop</h2>
               center">This is a place for all vintage music lovers that are in a need for a new
, fresh, but
                  mostly used vinyls. Vintage is a new era - as we like to say.
              </header>
           <div class="tm-container-inner tm-history">
               <div class="row">
                  <div class="col-12">
                      <div class="tm-history-inner">
                          <img src="assets/img/about-</pre>
06.jpg" alt="Image" class="img-fluid tm-history-img" />
                          <div class="tm-history-text">
                             <h3 class="tm-history-title text-
dark">History of our shop? Here since 1987. </h3>
                             p">Our shop goes back in time, since the year when we were established.
                                 Since that year, so much has changed, but mos
t importantly our quality hasn't. We still have the most valuable
                                 and most beautiful vinyls. Did we picked your
interest yet?
                             </div>
                      </div>
                  </div>
               </div>
           </div>
           <div class="tm-container-inner tm-features">
               <div class="row">
                  <div class="col-lg-4">
                      <div class="tm-feature">
                          <img src="assets/img/iconBlack.jpg" alt="iconBlack">
                          We are well known as a shop who loves old vintage
music that brings us in the good old days right away. If you
                          2"> find it interesting as we do, you can check it out in our shop section. 
                          success">Read More
                      </div>
                  </div>
                  <div class="col-lg-4">
                      <div class="tm-feature">
                          <img src="assets/img/iconWhite.jpg" alt="iconWhite">
                          description">We have a variety of options to choose from, if you're into old musi
c-we got you. If you're into new music-we got you too. For more -
click below for a quick online shop view.
                          <a href="index.php?page=shop" class="tm-btn tm-btn-</pre>
success">Shop now</a>
```

```
</div>
                   </div>
                   <div class="col-lg-4">
                       <div class="tm-feature">
                           <img src="assets/img/iconBlack.jpg" alt="iconBlack">
                           Our most important thing is our customers, their f
eedback keeps our shop going - online, as well as
                          2"> at our address. More about our location click <a href="#address" class="font-
weight-bold">here</a>.
                          success">Read More
                       </div>
                   </div>
               </div>
           </div>
           <div class="tm-container-inner tm-featured-image">
               <div class="row">
                   <div class="col-12">
                       <div class="placeholder-2">
                          <div class="parallax-window-2" data-</pre>
parallax="scroll" data-image-src="assets/img/bgImageTwo.jpg"></div>
                       </div>
                   </div>
               </div>
           </div>
       </main>
       <!-- anketa -->
       <input type="hidden" id="logedIn" value="<?=$_SESSION['user']-</pre>
>id user?>">
       <?php
           if(isset($_SESSION['user'])):
           <div class="row tm-welcome-section">
               <div class="col-md-12 text-center">
               <h4>In a mood for a little survey? Feel free to answer.</h4>
           </div>
       </div>
       <?php
           foreach($questionS as $q):
       <div>
           <div class="row tm-welcome-section">
               <div class="col-md-12 p-1 text-center">
                   <h5><?=$q->question?></h5>
               </div>
                  <?php
                   foreach($answersS as $a):
                       if($a->idSurvey==$q->idSurvey):
               <div class="form-check col-md-7 p-2">
```

```
<input class="form-check-input position-</pre>
static inline survey" type="radio" name="survey?<?=$a-</pre>
>idSurvey?>" id="blankRadio1" value="<?=$a->idAnswer?>" data-id="<?=$a-</pre>
>idSurvey?>"/><?=$a->answer?>
                </div>
                <?php
                    endif;
                    endforeach;
                <button type="button" class="btn btn-dark send col-5 pl-</pre>
5" id="send" data-id="<?=$q->idSurvey?>">Answer</button>
                <?php
                    endforeach;
                    endif;
            </div>
        </div>
<!-- krai ankete -->
kraj views/pages/vinylSite/mainPage.php
6.1.60 views/pages/vinylSite/register.php
        <header class="row tm-welcome-section" id="contact">
                <h2 class="col-12 text-center tm-section-
title">Do you want to register?</h2>
                center">If yes, fill out the fields below.
        </header>
        <div class="tm-container-inner-2 tm-contact-section">
                <div class="row">
                    <div class="col-md-12" id="con">
                        <form">
                             <div class="form-group">
                               <input type="text" name="name" id="nameInputR" clas</pre>
s="form-control" placeholder="Name"/>
                            </div>
                            <span id="errorFirstNameR"></span>
                            <div class="form-group">
                              <input type="text" name="lastName" id="lastNameInpu</pre>
tR" class="form-control" placeholder="Last Name"/>
                            </div>
                             <span id="errorLastNameR"></span>
                            <div class="form-group">
                               <input type="email" name="email" class="form-</pre>
control" id="emailInputR" placeholder="Email"/>
                            </div>
                            <span id="errorEmailR"></span>
                            <div class="form-group">
                               <input type="password" name="password" id="passInpu</pre>
tR" class="form-control" placeholder="Passwords"/>
                            </div>
                            <span id="errorPassR"></span>
```

```
<div class="form-group tm-d-flex">
                              <button type="button" id="buttonSubmitR" class="tm-</pre>
btn tm-btn-success tm-btn-right">Register</button>
                            </div>
                        </form>
                    </div>
                </div>
            </div>
kraj views/pages/vinylSite/register.php
6.1.61 views/pages/vinylSite/shop.php
<?php
    $categories=getAllFromTabel("category");
    $products=returnProductsPag();
<main id="shop">
            <header class="row tm-welcome-section">
                <h2 class="col-12 text-center tm-section-title" id="shop">-
Welcome to the shopping section -</h2>
                center">We know we got your attention, now feel free to look around.
            </header>
            <div class="col-12 input-group rounded tm-welcome-section">
                <input type="search" id="search" class="form-</pre>
control rounded border-bottom" placeholder="Search by artist or an album" aria-
label="Search"
                  aria-describedby="search-addon" />
                <span class="input-group-text border-0" id="search-addon">
                    <a href="index.php?page=cart" class="text-</pre>
dark"><i class="fa fa-shopping-cart tm-social-icon" aria-
hidden="true"><span id="countCart">0</span></i></a>
                </span>
              </div>
            <div class="row tm-welcome-section">
                <!-- kategorije -->
                <div class="col-lg-12 text-center mb-5">
                    <!-- padajuca lista -->
                    <select class="form-select" aria-</pre>
label="Default select example" id="ddlListSort">
                        <option value="0">Sort by</option>
                        <option value="Album name A-Z">Album name A-Z</option>
                        <option value="Album name Z-A">Album name Z-A</option>
                        <option value="Low to High price">Low to High price</opti</pre>
                        <option value="High to Low price">High to Low price</opti</pre>
                    </select>
                    <!-- padajuca lista kraj-->
                </div>
                <div class="col-lg-12 text-center" id="radioB">
```

```
<?php
                     foreach($categories as $categorie):
                     <div class="form-check form-check-inline">
                         <input class="cat" name="cat" type="radio" id="inlineChec</pre>
kbox1" value="<?=$categorie->id cat?>">
                         <label class="form-check-</pre>
label" for="inlineCheckbox1"><?=$categorie->name cat?></label>
                 </div>
                 <?php
                     endforeach;
                 </div>
            </div>
            <!-- galerija -->
                <?php
                     if(isset($_SESSION['user'])):
                 <input type="hidden" id="session" value="<?=$_SESSION['user']-</pre>
>id user?>">
                <?php
                     endif;
                     if(empty($_SESSION['user'])):
                     <input type="hidden" id="session" value="0"/>
                 <?php
                     endif;
            <div class="row tm-gallery">
                 <div id="products" class="tm-gallery-page">
                     <?php
                         if(count($products)==0):
                         <div class="col-12">
                             <div class="alert text-center mt-</pre>
5">Sorry, we will be back in stock soon with new arrivals.</div>
                          </div>
                     <?php
                         endif;
                 <?php
                     foreach($products as $product):
                     <article class="col-lg-3 col-md-4 col-sm-6 col-12 tm-gallery-</pre>
item">
                         <figure>
                             <a href="index.php?page=showProduct&id=<?=$product-</pre>
>id_products?>"><img src="assets/img/gallery/smallGallery/Small<?=$product-</pre>
>picture_src?>" alt="<?=$product->name_products?>" class="img-fluid tm-gallery-
img"/></a>
                             <figcaption>
```

```
<h4 class="tm-gallery-title"><?=$product-
>name_products?></h4>
                            Artist - <?=$product->name_artist?> 
                            <?=$product->name_cat?>
                            <hr>>
                            <?php
                                if($product->delivery):
                                Free delivery
                            <?php
                            endif;
                            <input type="button" value="Add to cart" class="t</pre>
m-btn tm-btn-success addToCart" data-idcart="<?=$product->id_products?>"/>
                            $<?=$product-</pre>
>price_now?>
                             <?php
                                if($product->price_old!=null):
                                $<del><?=$product->price_old?></del>
                            <?php
                                endif;
                            </figcaption>
                     </figure>
                 </article>
              <?php
              endforeach;
              </div>
          <!-- kraj galerije -->
          <div class="row">
                 <div class="col-12 d-flex justify-content-center">
                    <nav aria-label="Page navigation example">
                    <?php
                     $numP = returnNumberPages();
                     <?php
                         for($i = 0; $i < $numP; $i++):
                         <a class="page-</pre>
link clickPag" href="#" data-limit="<?=$i?>"><?=($i+1)?></a>
                     <?php
                         endfor;
                     </nav>
                 </div>
               </div>
```

```
</div>
</main>
kraj views/pages/vinylSite/shop.php
6.1.62 views/pages/vinylSite/showProduct.php
<?php
   if(!isset($_GET['id'])){
       header('location: modals/404Page.php?notFound');
   else{
       $id=$_GET['id'];
       $returnProduct=returnProduct($id);
   <div class="row tm-gallery">
                  <div class="tm-gallery-page">
                      <article class="col-6 mt-5 mx-auto">
                          <figure>
                             <a href="index.php?page=showProduct&id=<?=$return</pre>
Product->id_products?>"><img src="assets/img/gallery/<?=$returnProduct-
>picture_src?>" alt="<?=$returnProduct->name_products?>" class="img-fluid tm-
gallery-img"/></a>
                             <figcaption>
                                 <h4 class="tm-gallery-
title"><?=$returnProduct->name products?></h4>
                                 <?=$returnProduct->description?>
                                 Artist -
 <?=$returnProduct->name_artist?>
                                 title"><?=$returnProduct->name cat?>
                                 <hr>
                                 <?php
                                     if($returnProduct->delivery):
                                     secondary">Free delivery
                                 <?php
                                 endif;
                                 price">$<?=$returnProduct->price_now?>
                                 <?php
                                     if($returnProduct->price_old!=null):
                                     $<del><?=$returnProduct-</pre>
>price_old?></del>
                                 <?php
                                     endif;
                                 </figcaption>
                          </figure>
```

```
</article>
                        <a href="index.php?page=shop" class="tm-btn tm-btn-</pre>
success my-auto">Back</a>
                    </div>
    </div>
<?php
kraj views/pages/vinylSite/showProduct.php
6.1.62 index.php
<?php
    session_start();
    include "config/connection.php";
    include "modals/functions.php";
    if(isset($_GET['page']) && $_GET['page']!="adminPanel"){
        include "views/fixed/vinylSite/head.php";
        include "views/fixed/vinylSite/header.php";
        if(isset($_GET['page'])){
            switch($_GET['page']){
                case 'shop':
                    include "views/pages/vinylSite/shop.php";
                    break;
                case 'cart':
                    include "views/pages/vinylSite/cart.php";
                break;
                case 'contact':
                    include "views/pages/vinylSite/contact.php";
                break;
                case 'register':
                    include "views/pages/vinylSite/register.php";
                break;
                case 'login':
                    include "views/pages/vinylSite/login.php";
                break;
                case 'logOut':
                    include "modals/vinylSite/logOut.php";
                case 'showProduct':
                    include "views/pages/vinylSite/showProduct.php";
                break;
                default:
                include "views/pages/vinylSite/mainPage.php";
                break;
        }
        else{
            include "views/pages/mainPage.php";
        include "views/fixed/vinylSite/footer.php";
```

```
else{
        include "views/fixed/adminPanel/headAdmin.php";
        include "views/fixed/adminPanel/headerAdmin.php";
        if(isset($_GET['page']) && $_GET['page']=="adminPanel"){
            if(isset($_GET['adminPanel'])){
                switch($_GET['adminPanel']){
                    case 'adminPage':
                        include "views/pages/adminPanel/adminPage.php";
                    break;
                    case 'messagesSurvey':
                        include "views/pages/adminPanel/messagesSurvey.php";
                    break:
                    case 'menuTable':
                        include "views/pages/adminPanel/menuTable.php";
                    break;
                    case 'categoryTable':
                        include "views/pages/adminPanel/categoryTable.php";
                    break;
                    case 'artistTable':
                        include "views/pages/adminPanel/artistTable.php";
                    break;
                    case 'priceTable':
                        include "views/pages/adminPanel/priceTable.php";
                    break;
                    case 'usersTable':
                        include "views/pages/adminPanel/usersTable.php";
                    break:
                    case 'rolesTable':
                        include "views/pages/adminPanel/rolesTable.php";
                    break;
                    case 'productsTable':
                        include "views/pages/adminPanel/productsTable.php";
                    break;
                    default:
                        include "views/pages/adminPanel/adminPanel.php";
                    break;
                    case 'calculatePages':
                        include "views/pages/adminPanel/calculatePages.php";
                    break;
            else{
                include "views/pages/adminPanel/adminPanel.php";
        include "views/fixed/adminPanel/footerAdmin.php";
kraj index.php
```

6.2.1 assets/js/main.js

```
$(document).ready(function(){
    cartLength();
    $(".cat").change(filterCat);
    $("#search").keyup(searchProducts);
    $(".send").click(clickSurvey);
    //funkcija za ajax
    function ajaxCallBAck(url, method, data, result){
        $.ajax({
            url:url,
            method:method,
            dataType:"json",
            data:data,
            success:result,
            error:function(xhr){
                console.log(xhr);
        });
    ajaxCallBAck("modals/vinylSite/pagination.php", "post", {
        valuePag:0
    }, function(result){
        writeProductsPag(result.products);
    })
    //skladistenje u Local Storage
    function setItemToLocalStorage(name, value){
        localStorage.setItem(name, JSON.stringify(value));
    //vracanje iz Local Storage
    function getItemFromLocalStorage(name){
        return JSON.parse(localStorage.getItem(name));
    // Handle click on paging links
     $('.tm-paging-link').click(function(e){
         e.preventDefault();
         var page = $(this).text().toLowerCase();
         $('.tm-gallery-page').addClass('hidden');
         $('#tm-gallery-page-' + page).removeClass('hidden');
         $('.tm-paging-link').removeClass('active');
         $(this).addClass("active");
```

```
//funkcija za toggle
     function addToggle(divHideShow, divShow){
         $(divHideShow).hide();
         $(divShow).click(function(){
             $(divHideShow).slideToggle(1000);
         });
     addToggle("#textFade", "#showText");
     addToggle("#textFade2", "#showText2");
     //funkcija za filtriranje proizvoda
     function filterCat(){
         var valueCat=$("input[name='cat']:checked").val();
         var valueToSend={
             value:valueCat
         };
         ajaxCallBAck("modals/vinylSite/filterCat.php", "post", valueToSend, func
tion(result){
             writeProductsPag(result);
         });
     //funkcija za pretragu proizvoda
     function searchProducts(){
        var valueSearch=$(this).val().toLowerCase();
        var valueSearchToSend={
            valueS:valueSearch
        };
        ajaxCallBAck("modals/vinylSite/search.php", "post", valueSearchToSend, fu
nction(result){
            writeProductsPag(result);
        });
     //messages
     $(document).on("click", "#buttonSubmit", function(e){
        e.preventDefault();
        var valid=true;
        var valueMesage=$("#messageInput");
        var idUSer=$("#messageLogesIn").val();
        var messageRegex=/^[A-ZČĆŽŠĐ][a-zčćžšđ\s\.,!?]{11,300}$/;
        //funkcija za proveru regexa
        function formCheck(inputValue, errorSpan, text, regex){
            if(inputValue.val()==""){
                valid=false;
```

```
inputValue.addClass("error");
                $(errorSpan).html("You need to fill out this field.");
            else{
                if(!regex.test(inputValue.val())){
                    valid=false;
                    inputValue.addClass("error");
                    $(errorSpan).html(text);
                else{
                    inputValue.removeClass("error");
                    $(errorSpan).html("");
        formCheck(valueMesage, "#errorMsg", "Message must have at least 12 letter
s with first letter upper case.", messageRegex);
        if(valid){
            var dataToSend={
                'message':valueMesage.val(),
                'userId':idUSer
        $.ajax({
            url:"modals/vinylSite/messagesForm.php",
            method:"post",
            dataType:"json",
            data:dataToSend,
            success:function(result){
                $("#done").html(result);
            },
            error:function(xhr){
                // $("#done").html(xhr.responseText);
                console.log(xhr);
            }
        })
     });
     //register
     $(document).on("click", "#buttonSubmitR", function(e){
        e.preventDefault();
        var validR=true;
        var valueFistNameR=$("#nameInputR");
        var valueLastNameR=$("#lastNameInputR");
        var valueEmailR=$("#emailInputR");
```

```
var valuePassR=$("#passInputR");
        var fullNameRegexR=/^[A-ZČĆŽŠĐ][A-Za-zčćžšđ\s]{2,15}$/;
        var eMailRegexR=/^[a-z0-9]+(\.[a-z0-9]+)*@[a-z0-9]+(\.[a-z0-9]+)*(\.[a-z0-9]+)
z]{2,3})$/;
       var passRegexR=/^.{6,30}$/;
       //funkcija za proveru regexa
        function formCheckR(inputValueR, errorSpanR, textR, regexR){
            if(inputValueR.val()==""){
                validR=false;
                inputValueR.addClass("error");
                $(errorSpanR).html("You need to fill out this field.");
            else{
                if(!regexR.test(inputValueR.val())){
                    validR=false;
                    inputValueR.addClass("error");
                    $(errorSpanR).html(textR);
                }
                else{
                    inputValueR.removeClass("error");
                    $(errorSpanR).html("");
        //firstName
        formCheckR(valueFistNameR, "#errorFirstNameR", "Name not in a good format
start with upper case leading up to at least 3 letters." ,fullNameRegexR);
       //lastName
       formCheckR(valueLastNameR, "#errorLastNameR", "Last name not in a good fo
rmat - start with upper case leading up to at least 3 letters.", fullNameRegexR);
       //email
       formCheckR(valueEmailR, "#errorEmailR", "Please enter a valid email addre
ss.", eMailRegexR);
       //message
        formCheckR(valuePassR, "#errorPassR", "Password not in a good format -
it must have at least 6 charachters.", passRegexR);
        if(validR){
            var dataToSendR={
                firstNameR: valueFistNameR.val(),
                lastNameR: valueLastNameR.val(),
                emailR: valueEmailR.val(),
                passR: valuePassR.val()
```

```
$.ajax({
                                     url:"modals/vinylSite/registerForm.php",
                                     method:"post",
                                     dataType:"json",
                                     data:dataToSendR,
                                     success:function(result){
                                                 $("#doneR").html(result);
                                                 location.reload();
                                     },
                                     error:function(xhr){
                                                 // $("#doneR").html(xhr.responseText);
                                                 console.log(xhr);
                        })
               });
               //login
               $(document).on("click", "#buttonSubmitL", function(e){
                        e.preventDefault();
                        var validL=true;
                        var valueEmailL=$("#emailInputL");
                        var valuePassL=$("#passwordInputL");
                        var eMailRegexL = /^{[a-z0-9]} + (\.[a-z0-9]) + (
z]{2,3})$/;
                        var passRegexL=/^.{6,30}$/;
                        //funkcija za proveru regexa
                        function formCheckL(inputValueL, errorSpanL, textL, regexL){
                                     if(inputValueL.val()==""){
                                                 validL=false;
                                                 inputValueL.addClass("error");
                                                 $(errorSpanL).html("You need to fill out this field.");
                                     else{
                                                 if(!regexL.test(inputValueL.val())){
                                                              validL=false;
                                                              inputValueL.addClass("error");
                                                              $(errorSpanL).html(textL);
                                                 else{
                                                              inputValueL.removeClass("error");
                                                              $(errorSpanL).html("");
                                                  }
                                     }
                         //email
```

```
formCheckL(valueEmailL, "#errorEmailL", "Please enter a valid email addre
ss.", eMailRegexL);
        //message
        formCheckL(valuePassL, "#errorPassL", "Password not in a good format -
 it must have at least 6 charachters.", passRegexL);
        if(validL){
            var dataToSendL={
                emailL: valueEmailL.val(),
                passL: valuePassL.val()
        $.ajax({
            url:"modals/vinylSite/loginForm.php",
            method:"post",
            dataType:"json",
            data:dataToSendL,
            success:function(result){
                if(result=="Welcome - you have successfully logged in."){
                    window.location.href="index.php?page=mainPage";
                $("#doneL").html(result);
            },
            error:function(xhr){
                console.log(xhr);
       })
     });
     //funckija za anketu
     function clickSurvey(){
         var logedIn=$("#logedIn").val();
         var idSurvey=this.dataset.id;
         var value=$("input[name='survey?"+idSurvey+"']:checked").val();
         var surveyInfo={
             id:idSurvey,
             value:value,
             user:logedIn
         ajaxCallBAck("modals/vinylSite/survey.php", "post", surveyInfo, function
(result){
           alert(result);
           $('.survey').prop('checked', false);
        });
     //paginacija
```

```
$(document).on('click', '.clickPag', function(e){
        e.preventDefault();
       var value=$(this).attr("data-limit");
       var valuePag={
           valuePag:value
        ajaxCallBAck("modals/vinylSite/pagination.php", "post", valuePag, functio
n(result){
           writeProductsPag(result.products);
           writePag(result.numPages);
        });
    })
    function writeProductsPag(arrayP){
        var html5="";
        if(arrayP.length==0){
            html5+=`<div class="col-12">
            <div class="alert text-center mt-</pre>
5">Sorry, we will be back in stock soon with new arrivals.</div>
            </div>`
         }
        else{
            for(var obj2 of arrayP){
               html5+=`<article class="col-lg-3 col-md-4 col-sm-6 col-12 tm-</pre>
gallery-item">
               <figure>
               <a href="index.php?page=showProduct&id=${obj2.id products}"><img</pre>
src="assets/img/gallery/smallGallery/Small${obj2.picture_src}" alt="${obj2.name_p
roducts}" class="img-fluid tm-gallery-img"/></a>
                   <figcaption>
                       <h4 class="tm-gallery-title">${obj2.name_products}</h4>
                       Artist - ${obj2.name_artist}
                       ${obj2.name_cat}
                       <hr>>
                       secondary">${writeDelivery(obj2.delivery)}
                       <input type="button" value="Add to cart" class="tm-</pre>
btn tm-btn-success addToCart" data-idcart="${obj2.id_products}" ${disabled()}/>
                       ${writeMsg()}
                       price">$${writePrice(obj2.price_now, obj2.price_old)}
                       </figcaption>
               </figure>
           </article>`
```

```
$("#products").html(html5);
         $('.addToCart').click(toCart);
     function disabled(){
        var html15="";
         var session = $('#session').val();
         if(session=="0"){
            html15+="disabled";
         else{
            html15+="";
         }
        return html15;
    function writeMsg(){
         var html16="";
        var session = $('#session').val();
         if(session=="0"){
            html16+="Log in for cart.";
         }
         else{
            html16+="";
        return html16;
    function writePag(numberPages){
       var html6="";
        for(var i=0; i<numberPages; i++){</pre>
          html6+=`<a class="page-</pre>
link clickPag" href="#" data-limit="${i}">${(i+1)}</a>`
       $("#pag").html(html6);
      $.ajax({
        url:"modals/vinylSite/getProducts.php",
       method:"get",
       dataType: "json",
        success:function(result){
            setItemToLocalStorage("products", result);
        error:function(xhr){
            console.log(xhr);
```

```
});
 //funkcije za korpu na shop.php
function cartLength(){
    var cartItems=getItemFromLocalStorage("cartItems");
   if(cartItems!=null){
        var nmbOfProd=cartItems.length;
        $("#countCart").html(nmbOfProd);
if(document.URL.includes("index.php?page=shop")){
    function toCart(){
        var products=getItemFromLocalStorage("products");
        var idCart=$(this).attr('data-idcart');
        var currentLS=catchAll();
        var objectProduct=products.filter(p=>p.id_products==idCart);
        if(!currentLS){
            notInCurrentLS(objectProduct);
        else{
            var isInCart=currentLS.some(s=>s.id_products==idCart);
            if(!isInCart){
                notInCart(objectProduct, currentLS);
            }
            else{
                alreadyExists(currentLS, idCart);
            setItemToLocalStorage("cartItems", currentLS);
            cartLength();
        alertAddToCart();
    function alertAddToCart(){
        alert("Album has been added to the cart.");
    function catchAll(){
        return getItemFromLocalStorage("cartItems");
   };
    function notInCurrentLS(objectProduct){
        objectProduct[0].quantity=1;
        setItemToLocalStorage("cartItems", objectProduct);
        cartLength();
    }
    function notInCart(objectProduct, currentLS){
```

```
objectProduct=objectProduct[0];
          objectProduct.quantity=1;
          currentLS.push(objectProduct);
          cartLength();
      function alreadyExists(currentLS, idCart){
          currentLS=currentLS.map(m=>{
              if(m.id products == idCart){
                 m.quantity+=1;
             return m;
          });
      $("#ddlListSort").change(sortDDL);
      function sortDDL(){
          var valueSort=$(this).val();
          var valueToSendDDL={
             valueSort:valueSort
      ajaxCallBAck("modals/vinylSite/sortDDL.php", "post", valueToSendDDL, func
tion(result){
          writeProductsPag(result);
      })
   //funckije za korpu na cart.php
   if(document.URL.includes("index.php?page=cart")){
      var cartItems=getItemFromLocalStorage("cartItems")
      if(cartItems==null){
          $("#cartEmpty").html("Your cart is empty - go back to shopping.");
      else{
          checkCart();
      function checkCart(){
          var cartItems=getItemFromLocalStorage("cartItems");
          html8="";
          html8+=`
          <thead>
          Product
             Price
             Quantity
```

```
Total
            Remove
         </thead>`
         for(var obj7 of cartItems){
           html8+=` 
            <div class="col-sm-2 hidden-xs mr-5" >
                        <img src="assets/img/gallery/smallGallery/Small${</pre>
obj7.picture_src}" alt="${obj7.name_products}" class="img-responsive"/>
                     </div>
                     <div class="col-sm-5">
                        <h5>${obj7.name_products}</h5>
                     </div>
               $${obj7.price_now}
               center">${obj7.quantity}
               <td data-th="Total" class="text-
center">$${(obj7.price_now * obj7.quantity)}
               <a href="#" class="tm-btn tm-btn-success remove" data-</pre>
id="${obj7.id_products}" >Remove</a>
               `
         html8+=`<tfoot>
         <a href="shop.php#shop" class="tm-btn tm-btn-
success"><i class="fa fa-angle-left"></i>Back</a></rr>
            <a href="#" class="tm-btn tm-btn-
success" id="clear">Clear</a>
           <td class="text-
center"><strong>Total $${totalCost()}</strong>
            <a href="#" class="tm-btn tm-btn-
success" id="finish">Finish</a>
         </tfoot>
      `
         $("#cartWrite").html(html8);
     $("#finish").click(alertFinish);
```

```
$("#clear").click(clearCartAll);
        $(".remove").click(removeCartItem);
        function alertFinish(e){
            e.preventDefault();
            if(cartItems.length!=0){
                var idUser=$("#cartUser").val();
                var data={
                    idUser:idUser
                };
                let cart;
                for(let i=0; i<cartItems.length; i++){</pre>
                    cart="cart"+i;
                    data[cart]=cartItems[i];
                ajaxCallBAck("modals/vinylSite/insertCart.php", "post", data, fun
ction(result){
                alert(result);
                localStorage.removeItem("cartItems");
                location.reload();
                })
        function clearCartAll(e){
            e.preventDefault();
            localStorage.removeItem("cartItems");
            location.reload();
        function removeCartItem(e){
            e.preventDefault();
            var cartItems=getItemFromLocalStorage("cartItems");
            var idR=$(this).attr("data-id");
            var removeFilter=cartItems.filter(c=>c.id products!=idR);
            setItemToLocalStorage("cartItems", removeFilter);
            location.reload();
        function totalCost(){
            for(var obj8 of cartItems){
                if(cartCost!=null){
                    setItemToLocalStorage("totalCost", getItemFromLocalStorage("t
otalCost") + obj8.price_now * obj8.quantity);
                else{
```

```
setItemToLocalStorage("totalCost", obj8.price_now * obj8.qua
ntity);
                }
                var cartCost=getItemFromLocalStorage("totalCost");
            if(cartCost!=null){
                return cartCost;
            }
            else{
                return 0;
    }
    //funkcija za ispisivanje delivery-a
    function writeDelivery(delivery){
            var html2="";
            if(delivery==1){
                html2+="Free delivery";
            else{
               html2+="";
            return html2;
    }
    //funkcija za ispisivanje cene
    function writePrice(priceNow, priceOld){
           var html3="";
           if(priceOld!=null){
               html3+=`${priceNow}
               $<del>${priceOld}</del>`
           else{
               html3+=`${priceNow}`
           return html3;
    }
    //ADMIN PANEL
    // funckija za poruke(delete) i statistika ankete
    if(document.URL.includes("index.php?page=adminPanel&adminPanel=messagesSurvey
')){
        $(document).on("click", ".idDelete", function(e){
            e.preventDefault();
            var idMessage=$(this).attr("data-id");
            var idToSend={
                id:idMessage
```

```
}
         ajaxCallBAck("modals/adminPanel/deleteMessage.php", "post", idToSend,
function(result){
           writeMsgAfterDelete(result);
          });
      })
      //delete poruke
      function writeMsgAfterDelete(arrayMsg){
          var html9="";
          var rb=1;
          html9+=`
          <thead>
           #
             First Name
             Last Name
             Email
             Message
           </thead>
          `;
          for(var obj9 of arrayMsg){
             html9+=`
             ${rb}
             ${obj9.name_user}
             ${obj9.lastname_user}
             ${obj9.email user}
             ${obj9.message_user}
             <a href="#" data-
id="${obj9.id_msg}" class="idDelete">Delete</a>
           `
           rb++;
          html9+=`
          `;
          $("#messages").html(html9);
   }
   //anketa
   ajaxCallBAck("modals/vinylSite/getActivNoActiv.php", "get", {button:true}, fu
nction(result){
      var valueC;
      for(var obj16 of result){
         valueC=$("#chb"+obj16.idSurvey).val();
         if(obj16.idSurvey==valueC){
            if(obj16.activ==1){
```

```
$("#chb"+valueC).prop('checked', true);
                else{
                    $("#chb"+valueC).prop('checked', false);
    });
   $(document).on("click", ".activ", function(){
        var value=$(this).val();
        var check="";
        if($('.activ').is(':checked')){
            check=1;
            console.log("da");
       else{
            check=0;
            console.log("ne");
        var dataToSendA={
            value:value,
            check:check
        ajaxCallBAck("modals/vinylSite/activeSurvey.php", "post", dataToSendA, fu
nction(result){
            alert(result);
        });
     })
    //funkcija za update admin profila
    if(document.URL.includes("index.php?page=adminPanel")){
        $("#updateAdmin").click(updateAdmin);
        function updateAdmin(){
           var nameAdmin=$("#nameInputAdmin").val();
           var lastNameAdmin=$("#lastNameInputAdmin").val();
           var emailAdmin=$("#emailInputAdmin").val();
           var valid=true;
           if(nameAdmin=="" || lastNameAdmin=="" || emailAdmin==""){
               valid=false;
           else{
               valid=true;
```

```
if(valid){
             var dataToSendA={
                nameAdmin:nameAdmin,
                lastNameAdmin:lastNameAdmin,
                emailAdmin:emailAdmin
          ajaxCallBAck("modals/adminPanel/updateAdmin.php", "post", dataToSendA
 function(result){
             alert(result);
             location.reload();
           });
   }
   //funckija za menu(delete, insert, update)
   if(document.URL.includes("index.php?page=adminPanel&adminPanel=menuTable")){
      //delete menu
      $(document).on("click", ".deleteMenu", function(e){
          e.preventDefault();
          var dataMenu=$(this).attr("data-id");
         var dataToSendM={
             dataMenu:dataMenu
          ajaxCallBAck("modals/adminPanel/deleteMenu.php", "post", dataToSendM,
function(result){
             writeMenu(result);
         });
      })
      function writeMenu(arrayMenu){
         var html10="";
          html10+=`
          <thead>
           id_menu
             name_menu
             href_menu
             show menu
             priority_menu
           </thead>
         `;
          for(var obj10 of arrayMenu){
             html10+=`
             ${obj10.id_menu}
             <input type="text" id="nameMenu${obj10.id_menu}" class="form-
```

```
<input type="text" id="hrefMenu${obj10.id_menu}" class="form-
<input type="text" id="showMenu${obj10.id_menu}" class="form-
control" value="${obj10.show menu}">
              <input type="text" id="priorityMenu${obj10.id_menu}" class="f
orm-control" value="${obj10.priority_menu}">
              <a href="#" data-
id="${obj10.id_menu}" class="updateMenu">Update</a>
              <a href="#" data-
`
          html10+=` 
          </table`;
          $("#menu").html(html10);
       //update menu
       $(document).on("click", ".updateMenu", function(e){
          e.preventDefault();
          var dataMenu=$(this).attr("data-id");
          var nameMenu=$("#nameMenu"+dataMenu).val();
          var hrefMenu=$("#hrefMenu"+dataMenu).val();
          var showMenu=$("#showMenu"+dataMenu).val();
          var priorityMenu=$("#priorityMenu"+dataMenu).val();
          var dataToSendM={
              dataMenu:dataMenu,
              nameMenu:nameMenu,
              hrefMenu:hrefMenu,
              showMenu:showMenu,
              priorityMenu:priorityMenu
          }
          ajaxCallBAck("modals/adminPanel/updateMenu.php", "post", dataToSendM,
 function(result){
              writeMenu(result);
            });
       })
       $(document).on("click", "#insertMenu", function(e){
          e.preventDefault();
         var nameMenu=$("#nameMenu").val();
         var hrefMenu=$("#hrefMenu").val();
         var showMenu=$("#showMenu").val();
         var priorityMenu=$("#priorityMenu").val();
         var valid=true;
          if(nameMenu=="" || hrefMenu=="" || showMenu=="" || priorityMenu==""){
             valid=false;
```

```
else{
              valid=true;
           if(valid){
              var dataToSendM={
                  nameMenu: nameMenu,
                  hrefMenu: hrefMenu,
                  showMenu:showMenu,
                  priorityMenu:priorityMenu
       ajaxCallBAck("modals/adminPanel/insertMenu.php", "post", dataToSendM, fun
ction(result){
           alert(result);
           location.reload();
       });
       })
   //funckija za category(delete, insert, update)
   if(document.URL.includes("index.php?page=adminPanel&adminPanel=categoryTable"
)){
       //delete category
       $(document).on("click", ".deleteCategory", function(e){
           e.preventDefault();
           var dataCat=$(this).attr("data-id");
           var dataToSendC={
              dataCat:dataCat
           ajaxCallBAck("modals/adminPanel/deleteCategory.php", "post", dataToSe
ndC, function(result){
              writeCategory(result);
           });
       })
       function writeCategory(arrayCat){
           var html11="";
           html11+=`
           <thead>
             id_cat
               name cat
             </thead>
           `;
```

```
for(var obj11 of arrayCat){
               html11+=` 
               ${obj11.id_cat}
               <input type="text" id="nameCategory${obj11.id_cat}" class="fo
rm-control" value="${obj11.name_cat}">
               <a href="#" data-
id="${obj11.id_cat}" class="updateCategory">Update</a>
               <a href="#" data-
id="${obj11.id_cat}" class="deleteCategory">Delete</a>
             `
           html11+=` 
           </table`;
           $("#category").html(html11);
       }
       //update category
       $(document).on("click", ".updateCategory", function(e){
           e.preventDefault();
           var dataCategory=$(this).attr("data-id");
           var nameCategory=$("#nameCategory"+dataCategory).val();
           var dataToSendC={
               dataCategory:dataCategory,
               nameCategory:nameCategory,
           }
           ajaxCallBAck("modals/adminPanel/updateCategory.php", "post", dataToSe
ndC, function(result){
               writeCategory(result);
             });
       })
       //insert category
       $(document).on("click", "#insertCategory", function(e){
          e.preventDefault();
          var nameCategory=$("#nameCategory").val();
          var valid=true;
          if(nameCategory==""){
              valid=false;
          else{
              valid=true;
           if(valid){
               var dataToSendC={
                   nameCategory:nameCategory,
               }
```

```
ajaxCallBAck("modals/adminPanel/insertCategory.php", "post", dataToSendC,
 function(result){
           alert(result);
           location.reload();
       });
       })
   //funckija za artist(delete, insert, update)
    if(document.URL.includes("index.php?page=adminPanel&adminPanel=artistTable")
){
       //delete artist
       $(document).on("click", ".deleteArtist", function(e){
           e.preventDefault();
           var dataArtist=$(this).attr("data-id");
           var dataToSendA={
              dataArtist:dataArtist
           ajaxCallBAck("modals/adminPanel/deleteArtist.php", "post", dataToSend
A, function(result){
              writeArtist(result);
           });
       })
       function writeArtist(arrayArtist){
           var html12="";
           html12+=`
           <thead>
            id_cat
              name_cat
            </thead>
           `;
           for(var obj12 of arrayArtist){
              html12+=` 
              ${obj12.id_artist}
              <input type="text" id="nameArtist${obj12.name_cat}" class="fo
rm-control" value="${obj12.name_artist}">
              <a href="#" data-
id="${obj12.id artist}" class="updateArtist">Update</a>
              <a href="#" data-
id="${obj12.id_artist}" class="deleteArtist">Delete</a></rr></rr></rr></rr>
            `
           html12+=` 
           </table`;</pre>
```

```
$("#artist").html(html12);
        //update artist
        $(document).on("click", ".updateArtist", function(e){
            e.preventDefault();
            var dataArtist=$(this).attr("data-id");
            var nameArtist=$("#nameArtist"+dataArtist).val();
            var dataToSendA={
                dataArtist:dataArtist,
                nameArtist:nameArtist,
            ajaxCallBAck("modals/adminPanel/updateArtist.php", "post", dataToSend
A, function(result){
                writeArtist(result);
              });
        })
        //insert category
        $(document).on("click", "#insertArtist", function(e){
           e.preventDefault();
           var nameArtist=$("#nameArtist").val();
           var valid=true;
           if(nameArtist==""){
               valid=false;
           else{
               valid=true;
            if(valid){
                var dataToSendA={
                    nameArtist:nameArtist,
                }
        ajaxCallBAck("modals/adminPanel/insertArtist.php", "post", dataToSendA, f
unction(result){
            alert(result);
            location.reload();
        });
        })
    //funckija za price(insert)
    if(document.URL.includes("index.php?page=adminPanel&adminPanel=priceTable")){
        //update price
        $(document).on("click", ".updatePrice", function(e){
```

```
e.preventDefault();
        var dataPrice=$(this).attr("data-id");
         var priceOld=$("#priceOld"+dataPrice).val();
        var priceNow=$("#priceNow"+dataPrice).val();
         var dataToSendP={
            dataPrice:dataPrice,
            priceOld:priceOld,
            priceNow:priceNow
        ajaxCallBAck("modals/adminPanel/updatePrice.php", "post", dataToSendP
function(result){
            alert(result);
        });
     })
  //funckija za usere(delete)
  if(document.URL.includes("index.php?page=adminPanel&adminPanel=usersTable")){
     //delete artist
     $(document).on("click", ".deleteUser", function(e){
         e.preventDefault();
        var dataUser=$(this).attr("data-id");
        var dataToSendU={
            dataUser:dataUser
        ajaxCallBAck("modals/adminPanel/deleteUser.php", "post", dataToSendU,
function(result){
            writeUsers(result);
         });
     })
     function writeUsers(arrayUsers){
        var html13="";
        html13+=`
         <thead>
          id_user
          name
          last name
          email
          role
          time
          </thead>
        `;
         for(var obj13 of arrayUsers){
```

```
${obj13.name_user}
           ${obj13.email_user}
           ${obj13.role}
           ${obj13.time_register}
           <a href="#" data-
id="${obj13.id_user}" class="updateUser">Update role</a></rr>
           <a href="#" data-
id="${obj13.id_user}" class="deleteUser">Delete</a>`
        html13+=` 
        </table`;
        $("#users").html(html13);
   }
  //funckija za roles(delete, insert, update)
  if(document.URL.includes("index.php?page=adminPanel&adminPanel=rolesTable")){
      //delete role
     $(document).on("click", ".deleteRole", function(e){
        e.preventDefault();
        var dataRole=$(this).attr("data-id");
        var dataToSendR={
           dataRole:dataRole
        }
        ajaxCallBAck("modals/adminPanel/deleteRole.php", "post", dataToSendR,
function(result){
          writeRoles(result);
        });
     })
     function writeRoles(arrayRoles){
        var html13="";
        html13+=`
        <thead>
          id_roles
           role
          </thead>
        `;
        for(var obj13 of arrayRoles){
           html13+=`
           ${obj13.id_roles}
           <input type="text" id="nameRole${obj13.id_roles}" class="form
control" value="${obj13.role}">
           <a href="#" data-
id="${obj13.id roles}" class="updateRole">Update</a>
```

```
<a href="#" data-
id="${obj13.id_roles}" class="deleteRole">Delete</a>
              `
            html13+=` 
            </table`;
            $("#roles").html(html13);
        //update role
        $(document).on("click", ".updateRole", function(e){
            e.preventDefault();
            var dataRole=$(this).attr("data-id");
            var nameRole=$("#nameRole"+dataRole).val();
            var dataToSendR={
               dataRole:dataRole,
               nameRole:nameRole,
            ajaxCallBAck("modals/adminPanel/updateRoleUser.php", "post", dataToSe
ndR, function(result){
               writeRoles(result);
            });
        })
        $(document).on("click", "#insertRole", function(e){
           e.preventDefault();
           var nameRole=$("#nameRole").val();
           var valid=true;
           if(nameRole==""){
              valid=false;
           else{
               valid=true;
            if(valid){
               var dataToSendR={
                   nameRole:nameRole,
                }
            }
        ajaxCallBAck("modals/adminPanel/insertRole.php", "post", dataToSendR, fun
ction(result){
            alert(result);
            location.reload();
        });
        })
```

```
//funckija za products(delete, insert, update)
   if(document.URL.includes("index.php?page=adminPanel&adminPanel=productsTable"
)){
      $(document).on("click", ".deleteProduct", function(e){
          e.preventDefault();
          var dataProduct=$(this).attr("data-id");
          var dataToSendP={
             dataProduct:dataProduct
          ajaxCallBAck("modals/adminPanel/deleteProduct.php", "post", dataToSen
dP, function(result){
             writeProducts(result.products, result.cat);
          });
      })
       function writeProducts(arrayProducts, arrayCat){
          var html14="";
          html14+=`
          <thead>
            id_products
             name products
             picture_src
             change src
             name_cat
             delivery
             name artist
            </thead>
          `;
          for(var obj14 of arrayProducts){
             html14+=`
                      ${obj14.id_products}
             <input type="text" id="nameProducts${obj14.id products}" clas
s="form-control" value="${obj14.name products}">
             <input type="text" id="srcProducts${obj14.id_products}" class
="form-control" value="${obj14.picture_src}" disabled>
             <input type="file" id="fileProducts${obj14.id products}" clas
s="form-control-file">
             >
                 <div class="form-group">
                       <select class="form-</pre>
select product${obj14.id_products}" aria-label="Default select example">
                        <option selected value="${obj14.id cat}">${obj14.name
_cat}</option>`
             for(var obj15 of arrayCat){
```

```
html14+=`<option value="${obj15.id_cat}">${obj15.name_cat}</or>
ption>`
               html14+=` </select>
               </div>
               <input type="number" id="deliveryProducts${obj14.id_products}}
 class="form-control" value="${obj14.delivery}">
               <input type="text" id="artistProducts${obj14.id_products}" cl
<input type="text" id="description${obj14.description}" class
="form-control" value="${obj14.description}">
               <a href="#" data-
id="${obj14.id products}" class="updateProduct">Update</a>
               <a href="#" data-
id="${obj14.id_products}" class="deleteProduct">Delete</a></rr>
           html14+=` 
           </table`;
           $("#productss").html(html14);
       //update products
       $(document).on("click", ".updateProduct", function(e){
           e.preventDefault();
           var dataProducts=$(this).attr("data-id");
           var nameProducts=document.getElementById("nameProducts"+dataProducts)
.value;
           // var catValue=getItemFromLocalStorage("catValue");
           // var catValue=document.getElementById("product").value;
           var catValue=$(".product"+dataProducts).val();
           console.log(catValue)
           var delivery=document.getElementById("deliveryProducts"+dataProducts)
.value;
           var description=document.getElementById("description"+dataProducts).v
alue;
           var filePicture=document.getElementById("fileProducts"+dataProducts).
files[0];
           var srcProducts=document.getElementById("srcProducts"+dataProducts).v
alue;
           var picture;
           var valid=true;
           if(nameProducts==""){
               valid=false;
           else{
               valid=true;
```

```
if(filePicture==undefined){
        picture=srcProducts;
    else{
        picture=filePicture;
    if(valid){
        var dataToSend=new FormData();
        dataToSend.append("dataProducts",dataProducts)
        dataToSend.append("nameProducts",nameProducts)
        dataToSend.append("catValue",catValue)
        dataToSend.append("delivery", delivery)
        dataToSend.append("filePicture",picture)
        dataToSend.append("description",description)
       $.ajax({
        url:"modals/adminPanel/updateProduct.php",
        method:"post",
        dataType:"json",
        data:dataToSend,
        processData:false,
        contentType:false,
        success:function(result){
            alert(result.msg);
            writeProducts(result.products, result.cat);
            localStorage.removeItem("catValue");
        error:function(xhr){
           console.log(xhr);
    });
})
$(document).on("change", "#catInsert", function(){
    var catValueInsert=document.getElementById("catInsert").value;
    setItemToLocalStorage("catValueInsert", catValueInsert);
})
$(document).on("change", "#artistInsert", function(){
    var artistValueInsert=document.getElementById("artistInsert").value;
    setItemToLocalStorage("artistValueInsert", artistValueInsert);
})
//insert product
$(document).on("click", "#insertProduct", function(e){
   e.preventDefault();
   var nameProduct=document.getElementById("nameProduct").value;
   var priceProduct=document.getElementById("priceProduct").value;
   var delivery=document.getElementsByName('delivery');
```

```
for(var i=0; i<delivery.length; i++){</pre>
     if(delivery[i].checked){
        delivery=delivery[i].value;
var catValue=getItemFromLocalStorage("catValueInsert");
var artistValue=getItemFromLocalStorage("artistValueInsert");
var filePicture=document.getElementById("fileProducts").files[0];
var description=document.getElementById("description").value;
var valid=true;
if(nameProduct==""){
    valid=false;
     if(!delivery=="0" && !delivery=="1"){
         valid=false;
         $("#error").html("Please select delivery or not delivery");
     else{
         valid=true;
     if(catValue=="0" || artistValue=="0"){
         valid=false;
     }
     else{
         valid=true;
 else{
     valid=true;
if(valid){
 var dataToSendP=new FormData();
 dataToSendP.append("filePicture",filePicture)
 dataToSendP.append("nameProduct", nameProduct)
 dataToSendP.append("priceProduct",priceProduct)
 dataToSendP.append("delivery", delivery)
 dataToSendP.append("catValue",catValue)
 dataToSendP.append("artistValue",artistValue)
 dataToSendP.append("description", description)
$.ajax({
 url:"modals/adminPanel/insertProduct.php",
 method:"post",
 dataType:"json",
 data:dataToSendP,
 processData:false,
 contentType:false,
```

```
success:function(result){
        alert(result);
        location.reload();
        localStorage.removeItem("catValueInsert");
        localStorage.removeItem("artistValueInsert");
        },
        error:function(xhr){
            console.log(xhr);
        }
    });
    });
}
```