

```
CREATE SEQUENCE abc;
```

```
CREATE TABLE test_tb  
(ID number(3),  
Content VARCHAR2(40)  
);
```

```
INSERT INTO test_tb VALUES(abc.NEXTVAL, '111');  
INSERT INTO test_tb VALUES(abc.NEXTVAL, '112');  
INSERT INTO test_tb VALUES(abc.NEXTVAL, '113');  
INSERT INTO test_tb VALUES(abc.NEXTVAL, '114');  
INSERT INTO test_tb VALUES(abc.NEXTVAL, '115');  
INSERT INTO test_tb VALUES(abc.NEXTVAL, '116');
```

```
SQL> SELECT * FROM test_tb;
```

ID	CONTENT
1	111
2	112
3	113
4	114
5	115
6	116

```
6 rows selected.
```

```
ALTER SEQUENCE abc  
INCREMENT BY 2;
```

```
INSERT INTO test_tb VALUES(abc.NEXTVAL, '117');  
INSERT INTO test_tb VALUES(abc.NEXTVAL, '118');
```

```
SQL> SELECT * FROM test_tb;
```

ID	CONTENT
1	111
2	112
3	113
4	114
5	115
6	116
8	117
10	118

8 rows selected.

```
ALTER SEQUENCE abc  
INCREMENT BY 2  
MAXVALUE 12  
MINVALUE 1  
CYCLE  
CACHE 5;
```

```
INSERT INTO test_tb VALUES(abc.NEXTVAL, '119');  
INSERT INTO test_tb VALUES(abc.NEXTVAL, '120');
```

```
SQL> SELECT * FROM test_tb;
```

ID	CONTENT
1	111
2	112
3	113
4	114
5	115
6	116
8	117
10	118
12	119
1	120

10 rows selected.

```
ALTER SEQUENCE abc  
INCREMENT BY 1  
MAXVALUE 12  
MINVALUE 1  
CYCLE  
CACHE 5;
```

```
INSERT INTO test_tb VALUES(abc.NEXTVAL, '121');  
INSERT INTO test_tb VALUES(abc.NEXTVAL, '122');
```

```
SQL> SELECT * FROM test_tb;
```

ID	CONTENT
1	111
2	112
3	113
4	114
5	115
6	116
8	117
10	118
12	119
1	120
2	121
3	122

```
12 rows selected.
```

```
DROP SEQUENCE ABC;
```