

Phase 5 – Project Development Phase

1. Development Overview

In this phase, the planned design is implemented in the ServiceNow Incident Management module using UI Policies, UI Policy Actions, and Client Scripts.

The development consists of four main configurations:

1. High Impact UI Policy
2. Urgency UI Policy Action
3. onChange Client Script
4. onSubmit Client Script
5. onCellEdit Client Script

2. Create UI Policy

Name

High Impact Control

Configuration

Field	Value
Name	High Impact Control
Table	Incident
Active	True
Condition	Impact is 1 – High
Reverse if false	True

Purpose

When the Incident Impact is set to High, the UI Policy will apply the configured field restrictions.

3. Create UI Policy Action – Assigned To

Configure a UI Policy Action for the Assigned To field.

Property	Value
Field name	Assigned to
Mandatory	True
Reverse if false	Automatically controlled by UI Policy

Result

When Impact = High, the Assigned To field becomes mandatory.

4. Create UI Policy Action – Urgency

Create another UI Policy Action under High Impact Control.

Property	Value
Field name	Urgency
Read-only	True
Visible	Leave unchanged

Result

When Impact = High, users can view Urgency but cannot manually modify it.

5. Create onChange Client Script

Configuration

Property	Value
Name	Auto set urgency for high impact
Table	Incident
Type	onChange
Field name	Impact
Active	True

Script

```
function onChange(control, oldValue, newValue, isLoading) {  
    if (isLoading || newValue == "") {  
        return;  
    }  
  
    if (newValue == '1') {  
        g_form.setValue('urgency', '1');  
        g_form.addInfoMessage(  
            'Urgency set to High for High impact incident.'  
        );  
    }  
}
```

Result

When the user changes Impact to High, the system automatically changes Urgency to High.

6. Create onSubmit Client Script

Configuration

Property	Value
Name	Prevent save if Assigned To missing
Table	Incident
Type	onSubmit
Active	True

Script

```
function onSubmit() {  
    if (g_form.getValue('impact') == '1' &&  
        g_form.getValue('assigned_to') == "") {  
  
        g_form.showErrorMessage(  
            'assigned_to',  
            'Assigned To is mandatory for High impact incidents.'  
        );  
  
        return false;  
    }  
  
    return true;  
}
```

Result

If Impact = High and Assigned To is empty, the Incident will not be saved.

If Assigned To contains a valid user, the record can be saved.

7. Create onCellEdit Client Script

Configuration

Property	Value
Name	Prevent state change via list edit
Table	Incident
Type	onCellEdit
Field name	State
Active	True

Script

```
function onCellEdit(sysIDs, table, oldValues, newValue, callback) {  
  
    alert(  
        'State cannot be updated using list editing. Please open the Incident.'  
    );  
  
    callback(false);  
}
```

Result

When a user tries to edit State directly from an Incident list, the change will be blocked.

State changes can still be performed from the Incident form.

8. Development Flow

Create Incident



Select Impact



Impact = High?



Yes



UI Policy Activated



Assigned To → Mandatory

Urgency → Read-only



onChange Script



Urgency → High



Click Submit



onSubmit Validation



Assigned To filled?



No

Yes



Error

Save



No Save

9. Development Output

At the end of Phase 5, the ServiceNow Incident form will have:

- Dynamic mandatory field control
- Automatic Urgency population
- Read-only Urgency for High Impact
- Save-time validation
- State list-edit restriction
- Reverse behavior when Impact changes

These configurations complete the main development of the project and prepare the system for Phase 6 – Project Testing.