

Claro — esse é o **Step 1 completo**: um site estático em **um único arquivo HTML**, com perguntas e resultado final do **UniMatch**.

Copie tudo e salve como:

index.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8" />
  <meta name="viewport" content="width=device-width, initial-scale=1.0" />
  <title>UniMatch</title>

  <style>
    body {
      margin: 0;
      font-family: Arial, sans-serif;
      background: linear-gradient(135deg, #dbeafe, #f0f9ff);
      color: #1e293b;
    }

    .container {
      max-width: 750px;
      margin: 40px auto;
      background: white;
      padding: 35px;
      border-radius: 22px;
      box-shadow: 0 10px 25px rgba(0,0,0,0.12);
    }

    h1 {
      text-align: center;
      color: #2563eb;
      font-size: 42px;
      margin-bottom: 5px;
    }

    .subtitle {
      text-align: center;
      color: #475569;
      margin-bottom: 30px;
    }
  </style>
</head>
<body>
  <div class="container">
    <h1>UniMatch</h1>
    <div class="subtitle">
      <p>Seu resultado final</p>
    </div>
  </div>
</body>
</html>
```

```
.question {  
  margin-bottom: 25px;  
}
```

```
label {  
  font-weight: bold;  
  display: block;  
  margin-bottom: 8px;  
}
```

```
select {  
  width: 100%;  
  padding: 12px;  
  border-radius: 10px;  
  border: 1px solid #cbd5e1;  
  font-size: 16px;  
}
```

```
button {  
  width: 100%;  
  padding: 15px;  
  border: none;  
  border-radius: 12px;  
  background: #2563eb;  
  color: white;  
  font-size: 18px;  
  cursor: pointer;  
  margin-top: 15px;  
}
```

```
button:hover {  
  background: #1d4ed8;  
}
```

```
.result {  
  margin-top: 30px;  
  padding: 25px;  
  border-radius: 16px;  
  background: #fff6ff;  
  display: none;  
  text-align: center;  
}
```

```
.result h2 {
```

```

    color: #1d4ed8;
}

.university {
  font-size: 28px;
  font-weight: bold;
  color: #0f172a;
  margin: 15px 0;
}

.restart {
  background: #64748b;
}
</style>
</head>

<body>
  <div class="container">
    <h1>UniMatch</h1>
    <p class="subtitle">Answer the questions and discover the best university for your
  profile.</p>

    <div class="question">
      <label>1. What area are you most interested in?</label>
      <select id="area">
        <option value="">Choose one</option>
        <option value="business">Business / Entrepreneurship</option>
        <option value="arts">Arts / Humanities</option>
        <option value="science">Science / Technology</option>
        <option value="social">Social Sciences / Psychology</option>
      </select>
    </div>

    <div class="question">
      <label>2. What kind of campus do you prefer?</label>
      <select id="campus">
        <option value="">Choose one</option>
        <option value="city">Big city</option>
        <option value="small">Small and close community</option>
        <option value="research">Research-focused environment</option>
      </select>
    </div>

    <div class="question">

```

```

<label>3. What is your learning style?</label>
<select id="style">
  <option value="">Choose one</option>
  <option value="practical">Hands-on and practical</option>
  <option value="discussion">Discussion and critical thinking</option>
  <option value="research">Research and innovation</option>
</select>
</div>

<div class="question">
  <label>4. What is most important to you?</label>
  <select id="priority">
    <option value="">Choose one</option>
    <option value="career">Career opportunities</option>
    <option value="community">Supportive community</option>
    <option value="prestige">Academic prestige</option>
    <option value="creativity">Creativity and freedom</option>
  </select>
</div>

<button onclick="findMatch()">Find My Match</button>

<div class="result" id="result">
  <h2>Your UniMatch is:</h2>
  <div class="university" id="universityName"></div>
  <p id="explanation"></p>
  <button class="restart" onclick="restartQuiz()">Try Again</button>
</div>
</div>

<script>
function findMatch() {
  const area = document.getElementById("area").value;
  const campus = document.getElementById("campus").value;
  const style = document.getElementById("style").value;
  const priority = document.getElementById("priority").value;

  if (!area || !campus || !style || !priority) {
    alert("Please answer all questions before seeing your result.");
    return;
  }

  let university = "";
  let explanation = "";

```

```

    if (area === "business" || style === "practical" || priority === "career") {
        university = "Babson College";
        explanation = "Babson is a great match because you seem interested in entrepreneurship,
practical learning, and career-focused opportunities.";
    }
    else if (area === "arts" || style === "discussion" || priority === "creativity") {
        university = "Barnard College";
        explanation = "Barnard is a strong match because you value creativity, discussion,
humanities, and a supportive academic community.";
    }
    else if (area === "science" || style === "research" || campus === "research") {
        university = "MIT";
        explanation = "MIT is a great match because your answers show interest in science,
technology, research, and innovation.";
    }
    else if (area === "social" || priority === "community") {
        university = "Brown University";
        explanation = "Brown is a good match because you seem to value social sciences,
flexibility, personal growth, and community.";
    }
    else {
        university = "New York University";
        explanation = "NYU may be a good fit because you seem interested in a dynamic
university experience in a big city.";
    }

    document.getElementById("universityName").innerText = university;
    document.getElementById("explanation").innerText = explanation;
    document.getElementById("result").style.display = "block";
}

function restartQuiz() {
    document.getElementById("area").value = "";
    document.getElementById("campus").value = "";
    document.getElementById("style").value = "";
    document.getElementById("priority").value = "";
    document.getElementById("result").style.display = "none";
}
</script>
</body>
</html>

```