



Scaffolding

Aluminum

8-2026



Marina platforms Co. was founded in 1984,

Marina has a well-qualified team of salesmen, engineers and service men with several years of experience which are available for your assistance, and our aim is to offer you high-quality products with the best possible consultancy and service



Our Head office and Factory located in **Alexandria**, a Branch in **Cairo**, Gulf branches in **Doha – Qatar** and **Masht – Oman** and **Al Ardth- Saudi Arabia**

With this General Catalogue we would like to present our products and our extensive service to both new and existing customers, as we are manufacturing special specifications according to the customer request.

Our products are approved by: the Egyptian authority for specifications and qualification, the General Authority for manufacturing , the Industrial Design Development Authority and have ISO certificates

ISO quality certificate

ISO environment certificate

ISO Occupational Safety and health certificate

We are the first supplier of: Egyptian Army, The Ministry of Military Production, Oil & Petroleum Ministry, Electric & Power Ministry, The ministry of Agriculture and Suez Canal Authority

Our Customers are the top companies in Egypt such as Construction Company, petroleum companies, all power station, industrial companies.

Our target is competitiveness, quality and service in order to become the leader in our field



We are the first supplier of:
Egyptian Army, The Ministry of Military
Production, Oil & Petroleum
Ministry, Electric & Power Ministry,
The ministry of Agriculture and
Suez Canal Authority

Our Customers are the top
companies in Egypt such as
Construction Company, petroleum
companies, all power station,
industrial companies.



Our target is competitiveness,
quality and service in order to
become the leader in our field
In **2008**, the company's branch in
Qatar was opened, This branch is
considered one of the most
important branches

of the company, as it houses the
largest permanent exhibition of
elevators in the Middle East region.
This branch

has achieved many successes
since its opening, which has
contributed to strengthening the
position of Marina

Company as one of the most
important heavy equipment
manufacturing companies in the
region.

In **2022**, the company's branch in
Oman was opened, The Oman
branch enjoys a distinguished
location in the
heart of the Omani capital, Muscat.


In **2024**, the company's branch in
Saudi Arabia was opened, in Al
Riyadh

these locations makes it easy for
customers to reach the company's
branch
and obtain its services.




Scaffolding

Single




Scaffolding

Single




730*1710 (Safety Working Distributed Load=200kg)												
Serial no	W.H	Working Height	w	3.2	4.2	5.2	6.2	7.2	8.2	9.2	10.2	
	T.H	Max.Scaffold Height		2.4	3.4	4.4	5.4	6.4	7.4	8.4	9.4	
	P.H	Max.Platform Height		1.2	2.2	3.2	4.2	5.2	6.2	7.2	8.2	
F 730/6	1	Frame 6 Rung * 730	6.8	2	2	4	4	6	6	8	8	
F 730/3	2	Frame 3 Rung * 730	3.7	0	2	0	2	0	2	0	2	
B/1710	3	Horizontal Brace * 1710	1.9	6	6	8	8	10	10	12	12	
B/2160	4	Diagonal Brace * 1710	2.2	2	4	4	6	6	8	8	10	
J-A	5	Adjustable Jack * 550	3.5	4	4	4	4	4	4	4	4	
J-F	6	Fixed Jack	1	*	*	*	*	*	*	*	*	
W/6	7	Braked Swivel Base Wheel 6 in	2.5	4	4	4	4	4	4	4	4	
PL - D / 1710	8	Platform with trap door * 1710	17	1	1	1	1	1	1	1	1	
TOE / 730 - 1710	9	Single Toeboard * 1710	7.4	1	1	1	1	1	1	1	1	
SB / 3000	10	Stabilizer 3 m	5.9			4	4	4				
SB / 4500	11	Stabilizer 4.5 m	7.5						4	4		
SB / 6000	12	Stabilizer 6 m	9								4	
F-C	13	frame clamp		*	*	*	*	*	*	*	*	
	14	Total weight (without load)		78	90	123	135	145	163	174	191	




Scaffolding

Single



730*2480 (Safety Working Distributed Load=200kg)

Serial no	W.H	Working Height	w	3.2	4.2	5.2	6.2	7.2	8.2	9.2	10.2
	T.H	Max.Scaffold Height		2.4	3.4	4.4	5.4	6.4	7.4	8.4	9.4
	P.H	Max.Platform Height		1.2	2.2	3.2	4.2	5.2	6.2	7.2	8.2
F 730/6	1	Frame 6 Rung * 730	6.8	2	2	4	4	6	6	8	8
F 730/3	2	Frame 3 Rung * 730	3.65	0	2	0	2	0	2	0	2
B/2480	3	Horizontal Brace *2480	2.5	6	6	8	8	10	10	12	12
B/2810	4	Diagonal Brace * 2480	2.75	2	4	4	6	6	8	8	10
J-A	5	Adjustable Jack	3.5	4	4	4	4	4	4	4	4
J-F	6	Fixed Jack	1	*	*	*	*	*	*	*	*
W/6	7	Braked Swivel Base Wheel 6 in	2.5	4	4	4	4	4	4	4	4
PL - D / 2480	8	Platform with trap door * 2480	23.4	1	1	1	1	1	1	1	1
TOE / 730 - 2480	9	Single Toeboard * 2480	9.8	1	1	1	1	1	1	1	1
SB / 3000	10	Stabilizer 3 m	5.85			4	4	4			
SB / 4500	11	Stabilizer 4.5 m	7.5						4	4	
SB / 6000	12	Stabilizer 6 m	9								4
F-C	13	frame clamp		*	*	*	*	*	*	*	*
		Total weight (without load)		91	104	139	152	163	182	194	212




Scaffolding

Double




Scaffolding

Double




1400*1710 (Safety Working Distributed Load=250kg)																
Serial no	W.H	Working Height	w	3.2	4.2	5.2	6.2	7.2	8.2	9.2	10.2	11.2	12.2	13.2	14.2	
	T.H	Max.Scaffold Height		2.4	3.4	4.4	5.4	6.4	7.4	8.4	9.4	10.4	11.4	12.4	13.4	
	P.H	Max.Platform Height		1.2	2.2	3.2	4.2	5.2	6.2	7.2	8.2	9.2	10.2	11.2	12.2	
F 1400/6	1	Frame 6 Rung * 1400	9.9	2	2	4	4	6	6	8	8	10	10	12	12	
F 1400/3	2	Frame 3 Rung * 1400	5.2	0	2	0	2	0	2	0	2	0	2	0	2	
B/1710	3	Horizontal Brace * 1710	1.9	6	6	8	8	10	10	12	12	14	14	16	16	
B/2160	4	Diagonal Brace * 1710	2.2	2	4	4	6	6	8	8	10	10	12	12	14	
J-A	5	Adjustable Jack	3.5	4	4	4	4	4	4	4	4	4	4	4	4	
J-F	6	Fixed Jack	1	*	*	*	*	*	*	*	*	*	*	*	*	
W/6	7	Braked Swivel Base Wheel 6 in	2.5	4	4	4	4	4	4	4	4	4	4	4	4	
PL - D / 1710	8	Platform with trap door * 1710	17.4	1	1	1	1	1	1	1	1	1	1	1	1	
PL / 1711	9	Platform * 1710	17.1	1	1	1	1	1	1	1	1	1	1	1	1	
TOE / 730 - 1710	10	Single Toeboard * 1710	7.35	*	*	*	*	*	*	*	*	*	*	*	*	
TOE / 1400 - 1710	11	Double Toeboard * 1710	8.5	1	1	1	1	1	1	1	1	1	1	1	1	
SB / 3000	12	Stabilizer 3 m	5.85				4	4								
SB / 4500	13	Stabilizer 4.5 m	7.5						4	4						
SB / 6000	14	Stabilizer 6 m	9								4	4	4	4	4	
F-C	15	frame clamp		*	*	*	*	*	*	*	*	*	*	*	*	
		Total weight (without load)		103	117	154	169	182	203	217	237	251	265	279	293	




Scaffolding

Double




1400*2480 (Safety Working Distributed Load=250kg)															
Serial no	W.H	Working Height	w	3.2	4.2	5.2	6.2	7.2	8.2	9.2	10.2	11.2	12.2	13.2	14.2
	T.H	Max.Scaffold Height		2.4	3.4	4.4	5.4	6.4	7.4	8.4	9.4	10.4	11.4	12.4	13.4
	P.H	Max.Platform Height		1.2	2.2	3.2	4.2	5.2	6.2	7.2	8.2	9.2	10.2	11.2	12.2
F 1400/6	1	Frame 6 Rung * 1400	9.9	2	2	4	4	6	6	8	8	10	10	12	12
F 1400/3	2	Frame 3 Rung * 1400	5.2	0	2	0	2	0	2	0	2	0	2	0	2
B/2480	3	Horizontal Brace * 2480	2.5	6	6	8	8	10	10	12	12	14	14	16	16
B/2810	4	Diagonal Brace * 2480	2.75	2	4	4	6	6	8	8	10	10	12	12	14
J-A	5	Adjustable Jack	3.5	4	4	4	4	4	4	4	4	4	4	4	4
J-F	6	Fixed Jack	1	*	*	*	*	*	*	*	*	*	*	*	*
W/6	7	Braked Swivel Base Wheel 6 in	2.5	4	4	4	4	4	4	4	4	4	4	4	4
PL - D / 2480	8	Platform with trap door * 2480	23.4	1	1	1	1	1	1	1	1	1	1	1	1
PL / 2480	9	Platform * 2480	22.8	1	1	1	1	1	1	1	1	1	1	1	1
TOE / 730 - 2480	10	Single Toeboard * 2480	9.8	*	*	*	*	*	*	*	*	*	*	*	*
TOE / 1400 - 2480	11	Double Toeboard * 2480	12.2	1	1	1	1	1	1	1	1	1	1	1	1
SB / 3000	12	Stabilizer 3 m	5.85				4	4	4						
SB / 4500	13	Stabilizer 4.5 m	7.5						4	4					
SB / 6000	14	Stabilizer 6 m	9								4	4	4	4	4
F-C	15	frame clamp		*	*	*	*	*	*	*	*	*	*	*	*
Total weight (without load)				123	139	176	192	207	229	244	266	280	296	310	326




Scaffolding

Double With Ladders "Special"



1400*2480 (Safety Working Distributed Load=250kg)

Serial no	W.H	Working Height	14.2
	T.H	Max.Scaffold Height	13.4
	P.H	Max.Platform Height	12.2
F 1400/6	1	Frame 6 Rung * 1400	12
F 1400/3	2	Frame 3 Rung * 1400	2
B/2480	3	Horizontal Brace * 2480	16
B/2810	4	Diagonal Brace * 2480	14
J-A	5	Adjustable Jack	4
J-F	6	Fixed Jack	*
W/6	7	Braked Swivel Base Wheel 6 in	4
PL - D / 2480	8	Platform with trap door * 2480	1
PL / 2480	9	Platform * 2480	6
TOE / 730 - 2480	10	Single Toeboard * 2480	*
TOE / 1400 - 2480	11	Double Toeboard * 2480	1
SB / 3000	12	Stabilizer 3 m	
SB / 4500	13	Stabilizer 4.5 m	
SB / 6000	14	Stabilizer 6 m	4
F-C	15	instillation bolts	Y
	16	inner lader & safety	5
		Total weight (with load)	



في حالة الطلب يتم عمل دراسة حسب المواصفات المطلوبة

Scaffolding



01

Double Cradle



02

Single Cradle



03

Double Cradle



04

Single Cradle

Scaffolding



بعض من شركائنا في النجاح ومن وضعوا ثقتهم بنا

SOME OF OUR PARTNERS IN SUCCESS AND PLACED THIER TRUST IN US

AUTOMOTIVE SECTOR قطاع السيارات



PETROLEUM INDUSTRIES SECTOR قطاع الصناعات البترولية



FOOD INDUSTRY SECTOR قطاع الصناعات الغذائية



PHARMACEUTICAL SECTOR القطاع الطبي



CONSTRUCTIONS SECTOR قطاع الإنشاءات



BANKING SECTOR القطاع المصرفي



COMPANIES AND INSTITUTIONS شركات ومؤسسات



HOTELS AND TOURISM SECTOR قطاع السياحة والفنادق



EDUCATION SECTOR القطاع التعليمي





CONTACTS



EGYPT

(Cairo -Alex -Merghem- Borg El Arab)

☎ 01277722261 ☎ 01273640086

✉ info@marinaplatform.com



QATAR

📍 Premium Lounge – Royal Plaza Mall – Al Sadd – Third Floor

☎ (+974)70274511 ☎ (+974)74096650



OMAN

📍 November 18th Street - Boshar North Ghubra - Muscat, Sultanate Oman

☎ (+968) 79017032 ☎ (+968) 79042564



SAUDI ARABIA

📍 Al Aarid , King Abdulaziz Rd-Riyadh

☎ 055 044 7400

