



Explaining AtlanticHerring relative variation of Ne/N













Explaining AtlanticMackerel relative variation of Ne/N













Explaining Sandeel relative variation of Ne/N













Explaining EuropeanSprat relative variation of Ne/N













Explaining NorwayPout relative variation of Ne/N













Explaining EuropeanPlaice relative variation of Ne/N













Explaining CommonSole relative variation of Ne/N













Explaining Saithe relative variation of Ne/N














Explaining AtlanticCod relative variation of Ne/N














relative Ne, Nα, Ne/Nα variation over y 150 to 160
Haddock
Ne
Nα
Ne/Nα
0.05
0.00
-0.05
-0.10
0.5
0.75
1
1.25
1.5
Fmax



relative Ne, Nα variation over y 150 to 160
Haddock
Ne
Nα
0.05
0.00
-0.05
-0.10
0.5
0.75
1
1.25
1.5
Fmax



relative Nα, T/Vk. variation over y 150 to 160
Haddock
Nα
T/Vk.
0.05
0.00
-0.05
-0.10
0.025
0.000
-0.025
-0.050
0.5
0.75
1
1.25
1.5
Fmax



relative Ne/Nα, Ne/NT variation over y 150 to 160
Haddock
Ne/NT
Ne/Nα
0.050
0.025
0.000
-0.025
0.5
0.75
1
1.25
1.5
Fmax

Explaining HorseMackerel relative variation of Ne/N













Explaining Whiting relative variation of Ne/N













Explaining CommonDab relative variation of Ne/N













Explaining GreyGurnard relative variation of Ne/N









Explaining Hake relative variation of Ne/N

