

Explaining AtlanticHerring functional trait group

mber_sc/Nα, bx_sc, k_bar, Δ, Δ², Dead, Dead/Nα, Nα variation over y 150 to 160




Explaining AtlanticMackerel functional trait group

mber_sc/Nα, bx_sc, k_bar, Δ, Δ², Dead, Dead/Nα, Nα variation over y 150 to 160




Explaining Sandeel functional trait group

mber_sc/Nα, bx_sc, k_bar, Δ, Δ², Dead, Dead/Nα, Nα variation over y 150 to 160




Explaining EuropeanSprat functional trait group

nber_sc/Nα, bx_sc, k_bar, Δ, Δ², Dead, Dead/Nα, Nα variation over y 150 to 160




Explaining NorwayPout functional trait group

mber_sc/Nα, bx_sc, k_bar, Δ, Δ², Dead, Dead/Nα, Nα variation over y 150 to 160




Explaining EuropeanPlaice functional trait group

nber_sc/Nα, bx_sc, k_bar, Δ, Δ², Dead, Dead/Nα, Nα variation over y 150 to 160




Explaining CommonSole functional trait group

ber_sc/Nα, bx_sc, k_bar, Δ, Δ², Dead, Dead/Nα, Nα variation over y 150 to 160




Explaining Saithe functional trait group

ber_sc/Nα, bx_sc, k_bar, Δ, Δ², Dead, Dead/Nα, Nα variation over y 150 to 160




Explaining AtlanticCod functional trait group

mber_sc/Nα, bx_sc, k_bar, Δ, Δ², Dead, Dead/Nα, Nα variation over y 150 to 160




ber_sc/Nα, bx_sc, k_bar, Δ, Δ², Dead, Dead/Nα, Nα variation over y 150 to 160




Explaining HorseMackerel functional trait group

mber_sc/Nα, bx_sc, k_bar, Δ, Δ², Dead, Dead/Nα, Nα variation over y 150 to 160




Explaining Whiting functional trait group

ber_sc/Nα, bx_sc, k_bar, Δ, Δ², Dead, Dead/Nα, Nα variation over y 150 to 160




Explaining CommonDab functional trait group

mber_sc/Nα, bx_sc, k_bar, Δ, Δ², Dead, Dead/Nα, Nα variation over y 150 to 160



Explaining GreyGurnard functional trait group

ber_sc/Nα, bx_sc, k_bar, Δ, Δ², Dead, Dead/Nα, Nα variation over y 150 to 160



Explaining Hake functional trait group

umber_sc/Nα, bx_sc, k_bar, Δ, Δ², Dead, Dead/Nα, Nα variation over y 150 to 160

