

Explaining AtlanticHerring relative functional trait group

Nα, bx_sc, k_bar, Δ, Δ², Dead, Dead/Nα, Nα variation over y 150 to 160




Explaining AtlanticMackerel relative functional trait group

c/Nα, bx_sc, k_bar, Δ, Δ², Dead, Dead/Nα, Nα variation over y 150 to 160




Explaining Sandeel relative functional trait group

Nα, bx_sc, k_bar, Δ, Δ², Dead, Dead/Nα, Nα variation over y 150 to 160




Explaining EuropeanSprat relative functional trait group

Nα, bx_sc, k_bar, Δ, Δ², Dead, Dead/Nα, Nα variation over y 150 to 160




Explaining NorwayPout relative functional trait group

Nα, bx_sc, k_bar, Δ, Δ², Dead, Dead/Nα, Nα variation over y 150 to 160




Explaining EuropeanPlaice relative functional trait group

_sc/Nα, bx_sc, k_bar, Δ, Δ², Dead, Dead/Nα, Nα variation over y 150 to 160




Explaining CommonSole relative functional trait group

Nα, bx_sc, k_bar, Δ, Δ², Dead, Dead/Nα, Nα variation over y 150 to 160




Explaining Saithe relative functional trait group

Nα, bx_sc, k_bar, Δ, Δ², Dead, Dead/Nα, Nα variation over y 150 to 160




Explaining AtlanticCod relative functional trait group




Explaining Haddock relative functional trait group

Nα, bx_sc, k_bar, Δ, Δ², Dead, Dead/Nα, Nα variation over y 150 to 160




Explaining HorseMackerel relative functional trait group

α, bx_sc, k_bar, Δ, Δ², Dead, Dead/Nα, Nα variation over y 150 to 160




Explaining Whiting relative functional trait group

Nα, bx_sc, k_bar, Δ, Δ², Dead, Dead/Nα, Nα variation over y 150 to 160




Explaining CommonDab relative functional trait group

sc/Nα, bx_sc, k_bar, Δ, Δ², Dead, Dead/Nα, Nα variation over y 150 to 160



Explaining GreyGurnard relative functional trait group

α, bx_sc, k_bar, Δ, Δ², Dead, Dead/Nα, Nα variation over y 150 to 160



Explaining Hake relative functional trait group

α, bx_sc, k_bar, Δ, Δ², Dead, Dead/Nα, Nα variation over y 150 to 160

