

A Minimal Book Example

Yihui Xie

2020-12-07

Contents

1	Prerequisites	5
2	System Administrators	7
2.1	Server Software	7
2.2	OLD (bookdown)	7
3	R Technicians	11
3.1	Updating dynamic content	11
4	Community Members	13
4.1	Edit in OpenEI	13
4.2	Suggest in Google Sheets	13
5	Applications	15
5.1	Example one	15
5.2	Example two	15
6	Final Words	17

Chapter 1

Prerequisites

This is a *sample* book written in **Markdown**. You can use anything that Pandoc's Markdown supports, e.g., a math equation $a^2 + b^2 = c^2$.

The **bookdown** package can be installed from CRAN or Github:

```
install.packages("bookdown")  
# or the development version  
# devtools::install_github("rstudio/bookdown")
```

Remember each Rmd file contains one and only one chapter, and a chapter is defined by the first-level heading #.

To compile this example to PDF, you need XeLaTeX. You are recommended to install TinyTeX (which includes XeLaTeX): <https://yihui.name/tinytex/>.

Chapter 2

System Administrators

2.1 Server Software

- https://github.com/mhk-env/mhk-env_server-software

Symbolically link (`ln -s`) a Shiny server app from within the Github repo (`mhk-env_shiny-apps`) to the active folder `/srv/shiny-server` from where Shiny apps get served:

```
ln -s /share/github/mhk-env_shiny-apps/report-gen2 /srv/shiny-server/report
```

2.2 OLD (bookdown)

You can label chapter and section titles using `{#label}` after them, e.g., we can reference Chapter `??`. If you do not manually label them, there will be automatic labels anyway, e.g., Chapter `??`.

Figures and tables with captions will be placed in `figure` and `table` environments, respectively.

```
par(mar = c(4, 4, .1, .1))
plot(pressure, type = 'b', pch = 19)
```

Reference a figure by its code chunk label with the `fig:` prefix, e.g., see Figure 2.1. Similarly, you can reference tables generated from `knitr::kable()`, e.g., see Table 2.1.

```
knitr::kable(
  head(iris, 20), caption = 'Here is a nice table!',
  booktabs = TRUE
)
```



Figure 2.1: Here is a nice figure!

Table 2.1: Here is a nice table!

Sepal.Length	Sepal.Width	Petal.Length	Petal.Width	Species
5.1	3.5	1.4	0.2	setosa
4.9	3.0	1.4	0.2	setosa
4.7	3.2	1.3	0.2	setosa
4.6	3.1	1.5	0.2	setosa
5.0	3.6	1.4	0.2	setosa
5.4	3.9	1.7	0.4	setosa
4.6	3.4	1.4	0.3	setosa
5.0	3.4	1.5	0.2	setosa
4.4	2.9	1.4	0.2	setosa
4.9	3.1	1.5	0.1	setosa
5.4	3.7	1.5	0.2	setosa
4.8	3.4	1.6	0.2	setosa
4.8	3.0	1.4	0.1	setosa
4.3	3.0	1.1	0.1	setosa
5.8	4.0	1.2	0.2	setosa
5.7	4.4	1.5	0.4	setosa
5.4	3.9	1.3	0.4	setosa
5.1	3.5	1.4	0.3	setosa
5.7	3.8	1.7	0.3	setosa
5.1	3.8	1.5	0.3	setosa

You can write citations, too. For example, we are using the **bookdown** package (Xie, 2020) in this sample book, which was built on top of R Markdown and **knitr** (Xie, 2015).

Chapter 3

R Technicians

3.1 Updating dynamic content

-

Chapter 4

Community Members

4.1 Edit in OpenEI

- Regulations edit

4.2 Suggest in Google Sheets

- Suggest and then get reviewed by R-technicians for updating.

Chapter 5

Applications

Some *significant* applications are demonstrated in this chapter.

5.1 Example one

5.2 Example two

Chapter 6

Final Words

We have finished a nice book.

Bibliography

Xie, Y. (2015). *Dynamic Documents with R and knitr*. Chapman and Hall/CRC, Boca Raton, Florida, 2nd edition. ISBN 978-1498716963.

Xie, Y. (2020). *bookdown: Authoring Books and Technical Documents with R Markdown*. R package version 0.20.