

PHP EXAMPLE PDF



Created By:

Umar Farooque Khan



Program No: 01

PHP Generate 10 Random Numbers Using Loop

```
<?php

$min=10;

$max="100";

echo "Number between 10 to 100<br>";

for($i=0;$i<=10;$i++)
{
   $r=rand($min,$max);

printf("Nnumber =%d<br>",$r);
}

?>
```

```
Number between 10 to 100

Nnumber = 28

Nnumber = 77

Nnumber = 38

Nnumber = 76

Nnumber = 49

Nnumber = 27

Nnumber = 53

Nnumber = 53

Nnumber = 87

Nnumber = 89

Nnumber = 89

Nnumber = 22
```



Program No: 02


PHP mail function example

```
<html>
<head>
</head>
if (!isset($_POST["sub"])) {
 ?>
<form method="post" action="<?php echo $_SERVER["PHP_SELF"];?>">
margin-bottom:100px; padding:10px; " >
 Name
  <input name="name" type="text" required/>
 <+r>
  Email
  <input name="email" type="email" required/>
 Messege
  <textarea name="mess" cols="15" rows="10" required ></textarea>
 <input name="res" type="reset" value="Reset"/>
  <input name="sub" type="submit" value="Submit">
 </form>
<?php
} else {
 if (isset($_POST["name"])) {
  $from = $_POST["name"]; // sender
  $subject = $_POST["email"];
  $message = $_POST["mess"];
   mail("info@ptutorial.com", $subject, $message, "From: $from\n");
  echo "Thanks";
```



}		
}		
?>		

OUTPUT



Note: Please visit website http://www.ptutorial.com for more PHP example and PHP Tutorial.



Program No: 03

PHP Multiplication Table Using Loop

```
2 3 4 5

4 6 8 10

6 9 12 15

8 12 16 20

10 15 20 25

12 18 24 30

14 21 28 35

16 24 32 40

18 27 36 45

20 30 40 50
```



Program No: 04

PHP Counter Example

```
<?php

$file = file_get_contents("count.txt");

$total=$file;

$newtotal=$total+1;

$newfile=fopen("count.txt","w");

fwrite($newfile,$newtotal);

echo $newtotal;

?>
```

OUTPUT

795



Program No: 05

PHP Custom Search engine

```
<?php
<html>
<body>
<form action="#" method="post">
<input type="text" name="k" />
<input type="submit" name="sub" value="Select" style="display:none;" />
</form>
<?php
if(isset($_POST['sub']))
$mainUrl="http://www.google.com/";
$searchData=trim($_POST['k']);
if($mainUrl == "")
echo "Please select fruit";
else
$url="site:http://www.ptutorial.com/";
$a="$mainUrl.#q=$url$searchData";
echo $a;
header("Location: $a");
exit;
</body>
</html>
```

OUTPUT

no output available



Program No: 06

PHP Store Form Data Into Database (HTML)

```
<!doctype html>
<html>
<head>
</head>
<form action="<?php echo $_SERVER['PHP_SELF'];?>" method="post">
Id:<br/>input type="text" name="roll" value="<?php if(isset($sub)){echo
$roll;} ?>" placeholder="pT-14520">
First Name:<input type="text" name="name" maxlength="20"</pre>
Last Name:<input type="text" name="lname" maxlength="20"</pre>
placeholder="Last Name">
Date of Birth:<input type="Date" name="dof" maxlength="20"</pre>
placeholder="28/12/1993">
Qualification:<input type="text" name="qua" maxlength="20"
placeholder="Qualification">
```



```
Sex:<input type="radio" name="sex" value="male" checked="checked">male
<input type="radio" name="sex" value="female">female
Email:<input type="email" name="email" autocomplete="on" >
Contact:<input type="text" name="contact" maxlength="10"
placeholder="1234567890">
Address:<textarea rows="7" cols"3" name="a"></textarea>
<input type="submit" value="PoSt" name="sub"><input type="reset"
value="reset">
</form>
</body>
</html>
```



CSS

```
table

table

background: #EDEDED;

border:2px solid;

width:200px;

border-spacing:10px;

margin-left:auto;

margin-right:auto;
}

</style>
```

PHP

```
<?php

$a1=mysql_connect("localhost", "root", "")or die("connection fail");

$b=mysql_select_db("test", $a1);

if(isset($_POST['sub']))

{
  error_reporting(0);

$roll=$_POST['roll'];

$name=$_POST['name'];

$dob=$_POST['dof'];

</pre>
```



```
$age=$_POST['age'];
$qua=$_POST['qua'];
$sex=$_POST['sex'];
$email=$_POST['email'];
$contact=$_POST['contact'];
$a=$_POST['a'];
$hh="INSERT INTO reg_form
(roll, name, lname, dof, qua, sex, email, contact, a)
VALUES
('$roll','$name','$lname','$dob','$qua','$sex','$email','$contact','$a')";
$query=mysql_query($hh);
if($query)
$bg="Data sent successfully";
else
echo"fail";
?>
<?php
if(isset($_POST['sub']))
```



```
{
echo "<h2>" ."<font color="C1C1C1">".$bg."</font>"."</h2>";
header("Refresh: 3; url=http://www.ptutorial.com");
echo "You will be redirected to ptutorial in 3 seconds...";
}
?>
```



pT-14520	
First Name:	
First Name	
Last Name:	
Last Name	
Date of Birth:	:
dd-mm-yyyy	
Qualification:	:
Qualification	
Sex: ⊚ male	o female
Email:	
Contact:	
1234567890	7
Address:	
	1



Program No: 07

PHP Generate Secure Random Number

```
<?php

$timel=time();
$t=$timel;
$random= rand(0,999999999);
$a= $t+$random;
printf(" Random number =%d",$a);
echo "<br/>";
$un= uniqid();
$conct = $a.$un;
//its also refer a unique id
printf("Random number =%d<br/>",$conct);
$ud = md5($conct.$un);
echo "But its more accurate=";
echo $ud;

?>
```

```
Random number =1681446530
Random number =2147483647
But its more accurate=fc5a0e2c91317aa54cae55ab3a0c5d52
```



Note: Please visit website http://www.ptutorial.com for more PHP example and PHP Tutorial.

If you ever think a PHP example is not explained clearly or think we should add a specific PHP example suggest me at info@ptutorial.com. We will add PHP example as soon as possible for better experience.