

GENOMIC PROJECT

Genom-1 Group

December 9, 2016

Contents

1 Introduction	1
2 Download the program	1
3 Compilation and execution	2
4 The functionalities of the program	2


1 Introduction

We were given the objective to build a program with actual applications in current genomic problems. Several resource files can be given by the user, such as a genomic sequence, a Position Weight Matrix (PWM) or Position-Specific Scoring Matrix (PSSM), affinity scores along a specific sequence... The idea is to offer different outputs that can help the user to solve his/her problem. The output can be a list of binding sites present in a chromosome, an affinity score for a given binding site, a PWM (or a PSSM), or a graphic representation of the consensus sequence determined by the PMW (a logo showing the different nucleotides A, T, C and G, their sizes representing their respective probability).

Figure 1: Example of a PWM matrix.

0.9913	0.0019	0.0044	0.0024	1
0.0045	0.0031	0.9611	0.0313	2
0.0032	0.9915	0.0019	0.0034	...
0.8917	0.0019	0.0089	0.0975	
0.6241	0.2510	0.0059	0.1187	
0.7289	0.1045	0.0116	0.1550	
0.3048	0.4911	0.0045	0.1996	L=7
A	C	G	T	

Figure 2: Logo of a consensus sequence.



2 Download the program

To download the program, go to : <https://github.com/EPFL-SV-cpp-projects/genom-1>. Open a terminal and go to the directory where you want the program, then type "git clone <https://github.com/EPFL-SV-cpp-projects/genom-1>". The genom-1 folder and all of its content will be copied into your directory, you can then compile and execute the program.

3 Compilation and execution

To compile and execute the program, a few steps are required. Make sure you are in the genom-1 folder and then :

```
rm -rf build and mkdir build to make sure an empty build folder is created  
cmake../  
make
```

And then you have several options

If you want to see the documentation with the doxyfile, describing more precisely the different classes and functions involved in the program you will then have to write **make doc**

If you want to execute the program, then do **../src/Main**

If you want to run the tests of the program, then do **make test**

4 The functionalities of the program

When you execute the program, a menu will appear, proposing you a list of outputs designed by their numbers. You can choose the task the program must do by hitting '1', '2' or '3' or '4'. Then you will be asked to provide the inputs (if the program needs a file you can write its name like "*example.fasta*"). Here are the main functionalities of the program :

1.- Being able to read a DNA sequence and a PWM (or/and its logarithmic version) and give as output the list of site along the genome where the protein is gonna attach.

2.- Being able to read a DNA sequence, a list of sites and their respective binding score (the product of the probabilities of each nucleotide along the sequence) and output a PWM (or/and its logarithmic version).

3.- Based on the matrix or based on the binding scores and list of sites, being

able produce a sequence logo.