

✗ Try again once you are ready.

Required to pass: 80% or higher
You can retake this quiz up to 3 times every 8 hours.

Back to Week 6

Retake



0 / 1 point

1. You are working on a spam classification system using regularized logistic regression. "Spam" is a positive class ($y = 1$) and "not spam" is the negative class ($y = 0$). You have trained your classifier and there are $m = 1000$ examples in the cross-validation set. The chart of predicted class vs. actual class is:

	Actual Class: 1	Actual Class: 0
Predicted Class: 1	85	890
Predicted Class: 0	15	10

For reference:

- Accuracy = (true positives + true negatives) / (total examples)
- Precision = (true positives) / (true positives + false positives)
- Recall = (true positives) / (true positives + false negatives)
- F_1 score = $(2 * \text{precision} * \text{recall}) / (\text{precision} + \text{recall})$

What is the classifier's accuracy (as a value from 0 to 1)?

Enter your answer in the box below. If necessary, provide at least two values after the decimal point.

0.15814

Incorrect Response



1 / 1 point

2. Suppose a massive dataset is available for training a learning algorithm. Training on a lot of data is likely to give good performance when two of the following conditions hold true.

Which are the two?

- ☐ We train a model that does not use regularization.

Un-selected is correct

- ☐ We train a learning algorithm with a small number of parameters (that is thus unlikely to overfit).

Un-selected is correct

- ☒ We train a learning algorithm with a large number of parameters (that is able to learn/represent fairly complex functions).

Correct

You should use a "low bias" algorithm with many parameters, as it will be able to make use of the large dataset provided. If the model has too few parameters, it will underfit the large training set.

- ☒ The features x contain sufficient information to predict y accurately. (For example, one way to verify this is if a human expert on the domain can confidently predict y when given only x).

Correct

It is important that the features contain sufficient information, as otherwise no amount of data can solve a learning problem in which the features do not contain enough information to make an accurate prediction.



1 / 1 point

3. Suppose you have trained a logistic regression classifier which is outputting $h_\theta(x)$.

Currently, you predict 1 if $h_\theta(x) \geq \text{threshold}$, and predict 0 if $h_\theta(x) < \text{threshold}$, where currently the threshold is set to 0.5.

Suppose you **decrease** the threshold to 0.1. Which of the following are true? Check all that apply.

- ☐ The classifier is likely to have unchanged precision and recall, but lower accuracy.

Un-selected is correct

- ☐ The classifier is likely to have unchanged precision and recall, but higher accuracy.

Un-selected is correct

☐ The classifier is likely to now have higher precision.

Un-selected is correct

☒ The classifier is likely to now have higher recall.

Correct

Lowering the threshold means more $y = 1$ predictions. This will increase the number of true positives and decrease the number of false negatives, so recall will increase.



0 / 1 point

4. Suppose you are working on a spam classifier, where spam emails are positive examples ($y = 1$) and non-spam emails are negative examples ($y = 0$). You have a training set of emails in which 99% of the emails are non-spam and the other 1% is spam. Which of the following statements are true? Check all that apply.

☐ A good classifier should have both a high precision and high recall on the cross validation set.

This should be selected

☐ If you always predict non-spam (output $y = 0$), your classifier will have an accuracy of 99%.

This should be selected

☐ If you always predict non-spam (output $y = 0$), your classifier will have 99% accuracy on the training set, but it will do much worse on the cross validation set because it has overfit the training data.

Un-selected is correct

☒ If you always predict non-spam (output $y = 0$), your classifier will have 99% accuracy on the training set, and it will likely perform similarly on the cross validation set.

Correct

The classifier achieves 99% accuracy on the training set because of how skewed the classes are. We can expect that the cross-validation set will be skewed in the same fashion, so the classifier will have approximately the same accuracy.



1 / 1 point

5. Which of the following statements are true? Check all that apply.

☐ After training a logistic regression classifier, you **must** use 0.5 as your threshold for predicting whether an example is positive or negative.

Un-selected is correct

☐ It is a good idea to spend a lot of time collecting a **large** amount of data before building your first version of a learning algorithm.

Un-selected is correct

☒ On skewed datasets (e.g., when there are more positive examples than negative examples), accuracy is not a good measure of performance and you should instead use F_1 score based on the precision and recall.

Correct

You can always achieve high accuracy on skewed datasets by predicting the most the same output (the most common one) for every input. Thus the F_1 score is a better way to measure performance.

☐ If your model is underfitting the training set, then obtaining more data is likely to

help.

Un-selected is correct



Using a **very large** training set

makes it unlikely for model to overfit the training
data.

Correct

A sufficiently large training set will not be overfit, as the model cannot overfit
some of the examples without doing poorly on the others.

