



API REST

API-REST en Postman

TOKEN: <https://ose-gw1.efact.pe/api-efact-ose/oauth/token>

Authorization :

Basic Auth – Username: client – Password: secret

The screenshot shows a REST client interface with the following elements:

- Method:** POST
- URL:** `https://ose-gw1.efact.pe:443/api-efact-ose/oauth/token`
- Params:** A button labeled "Params" is visible.
- Send:** A blue button labeled "Send" with a dropdown arrow.
- Authorization Tab:** The "Authorization" tab is selected, showing:
 - Type:** Basic Auth (dropdown menu)
 - Username:** client
 - Password:** masked with dots (.....)
 - Show Password:** An unchecked checkbox.
 - Save helper data to request:** An unchecked checkbox.
 - Clear:** A button to clear the authorization data.
 - Update:** An orange button to update the authorization data.
- Header Note:** A tooltip states: "The authorization header will be generated and added as a custom header".

Header:

Content-Type : application/x-www-form-urlencoded

Authorization : Basic Y2xpZW50OnNIY3JldA==

POST ▾	https://ose-gw1.efact.pe:443/api-efact-ose/oauth/token		Params
Authorization ●	Headers (2)	Body ●	Pre-request Script Tests
	Key	Value	Description
<input checked="" type="checkbox"/>	Content-Type	application/x-www-form-urlencoded	
<input checked="" type="checkbox"/>	Authorization	Basic Y2xpZW50OnNIY3JldA==	
	<input type="text" value="New key"/>	Value	Description

BODY :

marcar : x-www-form-urlencoded

username : RUC

password : (Proporcionado por Efact)

grant_type : password

POST ▾

https://ose-gw1.efact.pe:443/api-efact-ose/oauth/token

Params

Authorization ●

Headers (2)

Body ●

Pre-request Script

Tests

☐ form-data

☒ x-www-form-urlencoded

☐ raw

☐ binary

	Key	Value	Description
<input checked="" type="checkbox"/>	username	20602258196	
<input checked="" type="checkbox"/>	password	c63ffb7bc8cc977633bb349a35ca27a98eb6003ef8c16e0e0f0f2669f8c...	
<input checked="" type="checkbox"/>	grant_type	password	

DOCUMENT: <https://ose-gw1.efact.pe/api-efact-ose/v1/document/>

Header :

Authorization : Bearer +token

POST ▾	https://ose-gw1.efact.pe/api-efact-ose/v1/document/		Params
Authorization	Headers (1)	Body ●	Pre-request Script Tests
	Key	Value	Description
<input checked="" type="checkbox"/>	Authorization	Bearer 1be2f328-198f-47da-87ad-b8198baea094	
<input checked="" type="checkbox"/>			
	New key	Value	Description
Response			

Body :
file (file)

POST ▾

https://ose-gw1.efact.pe/api-efact-ose/v1/document/

Params

Authorization

Headers (1)

Body ●

Pre-request Script

Tests

☒ form-data

☐ x-www-form-urlencoded

☐ raw

☐ binary

	Key		Value	Description
☰	<input checked="" type="checkbox"/> file	File ▾	<div>Elegir archivos</div> No se eligió archivo	
	New key		Value	Description

Response

CDR: <https://ose-gw1.efact.pe/api-efact-ose/v1/cdr/+ticket>

Header :

Authorization : Bearer +token

GET ▾	https://ose-gw1.efact.pe/api-efact-ose/v1/cdr/cd7385d6-3306-44e6-af29-76c016d025fa		Params
Authorization	Headers (1)	Body	Pre-request Script Tests
	Key	Value	Description
<input checked="" type="checkbox"/>	Authorization	Bearer 1be2f328-198f-47da-87ad-b8198baea094	
	New key	Value	Description
Response			

Acuerdo de Confidencialidad

El material adjunto en este documento es propiedad de Efact S.A.C, el mismo que contiene información confidencial, privilegiada y es para uso exclusivo de la persona o entidad a la que expresamente ha sido enviado.

Si no es usted el destinatario indicado, queda notificado de que cualquier revisión, difusión, copia o uso sin autorización de dicha información está prohibido.

efact

www.efact.pe